

U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-255 564

HIGH ALTITUDE VEHICULAR EMISSION CONTROL PROGRAM
VOLUME VI. THE DATA BASE

AUTOMOTIVE TESTING LABORATORIES, INCORPORATED

PREPARED FOR
ENVIRONMENTAL PROTECTION AGENCY

JUNE 1975

PB 255 564

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

HIGH ALTITUDE VEHICULAR EMISSION CONTROL PROGRAM

VOLUME VI. THE DATA BASE



FINAL REPORT

JUNE 1975

PREPARED FOR:

STATE OF COLORADO
DEPARTMENT OF HEALTH
DENVER, COLORADO 80220

ENVIRONMENTAL PROTECTION AGENCY
REGION VIII
DENVER, COLORADO 80203

ATL / AUTOMOTIVE
TESTING
LABORATORIES

TRW / TRANSPORTATION &
ENVIRONMENTAL
OPERATIONS

BIBLIOGRAPHIC DATA SHEET	1. Report No.	2.	3. Recipient's Accession No. PB-255 564
4. Title and Subtitle High Altitude Vehicular Emission Control Program. Volume VI. The Data Base.		5. Report Date Jun 75	
7. Author(s)		6.	
9. Performing Organization Name and Address Automotive Testing Labs., Inc. Aurora, Colo.		8. Performing Organization Rept. No.	
10. Project/Task/Work Unit No.		11. Contract/Grant No.	
12. Sponsoring Organization Name and Address Environmental Protection Agency Denver, Colo. Region VIII		13. Type of Report & Period Covered	
14.		15. Supplementary Notes Sponsored in part by Colo. St. Dept. of Public Health, Denver. Prepared in Coop. w/Environmental Protection Agency, Denver, Colo. Region VIII. TRW, Inc., McLean, Va. Transp. & Environmental Operations.	
16. Abstracts The data base outlined in this volume is the result of a vehicle emissions test program conducted in the high altitude environment of the Denver, Colorado area during the period from August, 1973 to November, 1974. The test program, designed to investigate several emission control strategies within the state of Colorado. A sample of 300 light duty vehicles, selected to duplicate as closely as possible Colorado registration distributions by make and model year, was assembled. Data were obtained in several categories for carbon monoxide and nitrogen oxides. The results appear in tabular form.			
17. Key Words and Document Analysis. 17a. Descriptors *Motor vehicle engines, *Exhaust emissions, *Data acquisition, Projects, Colorado, Tests, Altitude, Regional geography, Statistical samples, Automobiles, Methodology, Carbon monoxide, Nitrogen oxides, Hydrocarbons, Information retrieval.			
17b. Identifiers/Open-Ended Terms Motor idle data, *Denver(Colorado), High altitude areas, Data bases, Motor vehicle inspection, Motor vehicle maintenance.			
17c. COSATI Field/Group			
18. Availability Statement National Technical Information Service Springfield, Virginia 22161		19. Security Class (This Report) UNCLASSIFIED	21. No. of Pages 600p
		20. Security Class (This Page) UNCLASSIFIED	22. Price 3.75/2.25

PREFACE

This report, "High Altitude Vehicular Emission Control Program," consists of seven volumes. Listed in the following are the subtitles given for each volume:

- Volume I - Executive Summary, Final Report, January 1974.
- Volume II - Experimental Characterization of Idle Inspection, Exhaust Control Retrofit and Mandatory Engine Maintenance, Final Report, December, 1973.
- Volume III - Impact of Altitude on Vehicular Exhaust Emissions, Final Report, December, 1973.
- Volume IV - Analysis of Experimental Results, Final Report, December, 1973.
- Volume V - Development of Techniques, Criteria and Standards to Implement a Vehicle Inspection, Maintenance and Modification Program, Final Report December, 1973.
- Volume VI - The Data Base, Final Report, June, 1975.
- Volume VII - Experimental Characterization of Vehicular Emission and Engine Deterioration, Interim Report, June, 1974.

The first volume summarizes the general objectives, approach and results of the study. The second volume presents a detailed description of the experimental programs conducted to define the data base. Volume III reports the methods and analysis used in developing the basic relationships between mass emissions and altitude. A quantitative analysis of the results from the experimental program is presented in Volume IV. The fifth volume provides an analysis of the techniques and criteria required in establishing a vehicle emission control program for the Denver area. The actual data base developed from the experimental

program is given in this volume. Lastly, Volume VII reports the results of the six month deterioration program.

The work presented herein is the product of a joint effort by two consulting firms. Automotive Testing Laboratories (ATL) was responsible for the design and implementation of the basic experiments. TRW provided the data management and analysis of the experimental results.

1.0 INTRODUCTION

The data base outlined in this volume is the result of a vehicle emissions test program conducted in the high altitude environment of the Denver, Colorado area during the period from August, 1973 to November, 1974. The test program, designed to investigate several emission control strategies within the State of Colorado, was funded by the Environmental Protection Agency Region VIII to supplement the Colorado State Emission Control Program.

Test sample selection and administration of the test program was under the direction of Automotive Testing Laboratories, Inc. (ATL). A sample of 300 light duty vehicles, selected to duplicate as closely as possible Colorado registration distributions by make and model year, was assembled by ATL from resident vehicle owner volunteers. TRW, Inc. of Redondo Beach, California, by way of agreement with EPA Region VIII, has assembled computer punch card data supplied by ATL into the format found in this volume.

The data is presented in three sections:

Section I: Initial, six and twelve month data. Test results from those vehicles (109) available for testing throughout the planned test interval.

Section II: Initial and six month data. Test results from those vehicles (165) available through at least the six month point of the test program.

Section III: Initial data. Test results from the initial testing of the original test sample of 300 vehicles.

Section I: Initial, Six and Twelve Month Data

Grouped together in the following pages are the test results of those vehicles in the high altitude vehicular emission control program that were available at all the planned test points of the program. The number of vehicles available for retest diminished during the course of the test for a variety of reasons. Sale or scrappage of a vehicle by its owner eliminated some; loss of interest by owners in the strictly voluntary program resulted in other dropouts. Incentives built into the program did manage to keep the owners of 109 vehicles sufficiently interested to permit retest of their cars at both the six and twelve month test points.

Figure I-1 is a reproduction of a set of data typical of that contained in this section. To assist in making the data usable to investigators, a line by line explanation of the data blocks follows.

Line (1) Vehicle No.

Each vehicle considered for the program was assigned a number which it retained throughout the program. 327 vehicles were originally considered; 300 received initial emissions inspections; 250 were selected for further testing; 109 completed the twelve month cycle.

Line (2) Vehicle Identification Data

Make, model, model year, number of cylinders, engine displacement in cubic inches, curb weight in pounds is followed by coded data: vehicles with automatic transmissions were coded "TRANS 1," manual transmission equipped cars were coded "TRANS 3" or "TRANS 4" corresponding to the number of forward speeds; the remaining three entries identify the presence or absence of the equipment listed, "1" indicates equipment installed, "2" indicates equipment not installed.

Line (3) Test Data Summary

Data from four points in the program are summarized. "AS RECEIVED" indicates data from laboratory screening tests run on all vehicles at the start of the program. Vehicles failing program standards for emissions received corrective maintenance at participating garages and service centers; "AFTER MAINTENANCE" gives results of retest at the laboratory. "AFTER 6 MO" and "AFTER 12 MO" are results of laboratory tests at the end of these intervals.

IDLE CO is given in mole percent carbon monoxide. IDLE RPM, IGNITION TIMING and DWELL in degrees are given as the measured value minus the manufacturer's specification for each parameter.

Following "DWELL" are the coded results of laboratory inspections of six emission related items in question and answer format:

<u>QUESTION</u>	<u>ANSWER</u>
PCV ok? (positive crankcase ventilation)	"0" not applicable; "1" yes; "2" no
A/C ok? (air cleaner)	"1" yes; "2" no
Choke ok? (vacuum kick and heat riser)	"0" not applicable; "1" yes, "2" no
A/P ok? (air pump)	"0" not applicable, "1" yes, "2" no
Misfire?	"1" yes; "2" no
NO _x control ok?	"0" not applicable; "1" yes; "2" no

Odometer readings give total accumulated vehicle mileage at each point in the program.

Line 4 Results of an unauthorized service check made on 14 emission related items. At the program start, vehicle owner volunteers were requested to refrain from having any maintenance on emission related components during the six month period between the initial test and the first retest, unless authorized by the test manager. Paint marks or other identifying marks enabled lab inspectors to identify compliance with the no-maintenance request.

Results are coded: "1" indicates part change and/or readjustment
"2" indicates original part and/or setting intact

The items controlled include:

IG WS	=	Ignition wires
COIL	=	Ignition coil
SPRKS	=	Spark plugs
AIR/F	=	Air filter
A/C	=	Air cleaner hold down nut
F/MX S	=	Carburetor idle mixture screw
IDL/AJ	=	Idle RPM adjust screw
CHK	=	Choke setting
Dist AJ	=	Distributor timing adjustment
PTS AJ	=	Distributor point gap adjustment
RTR	=	Distributor rotor
DST CAP	=	Distributor cap
RPV	=	Positive crankcase ventilation system

Note: At the six month retest point items found with tampering were re-marked to permit detection of maintenance during the next six months interval. Also, vehicle owners were not asked to refrain from performing emission related service during the second six month interval. In fact, most were not aware that they would be called in for retest at the twelve month point.

Line (5) Federal Test Procedure Data

Laboratory standard exhaust emission tests were performed according to procedures prescribed in the Federal Register, Volume 38, Number 124, Part III, Dated June 28, 1973. Listed are CT (Cold Transient), CS (Cold Stabilized), HT (Hot Transient) and 1975 (Final test results calculated from preceding

values). The units for CT, CS and HT are grams/test phase. The final result is given in grams/vehicle mile.

Recorded are readings for "HC" (hydrocarbons), "CO" (carbon monoxide), "C2" (carbon dioxide) and NX (nitrogen oxides). Readings "As Received" and "After Maintenance" will be identical for those vehicles passing the test standards during their initial idle inspections.

Line (6) Emission Test Summary

Additional lab tests were performed using idle and loaded modes of vehicle operation. The first three columns in each set give the results of dynamometer testing using procedures prescribed by Clayton Manufacturing Company with the vehicles in an "IDLE" mode, "LO CR" (low cruise) and "HI CR" (high cruise) modes. An unloaded test with engine RPM set to 2500 RPM completes the listing.

Data is recorded for:

- HC = ppm carbon using flame ionization detector (Beckman 400)
- LH = ppm hydrocarbons as hexane using non-dispersive infrared instrumentation (Beckman 315A)
- CO = mole % carbon monoxide using non-dispersive infrared instrumentation (Beckman 315A)
- NX = ppm oxides of nitrogen as NO using chemiluminescent detector (Thermo Electron 10A)
- HS = ppm hydrocarbons as hexane using non-dispersive infrared instrumentation (Sun EPA 75)
- CS = mole % carbon monoxide using non-dispersive infrared instrumentation (Sun EPA 75)

Note: HS and CS measurements were discontinued after the six month point.

Line (7) Test Sequence Numbering and Test Date Information

Line (8) Dry and Wet Bulb Temperatures in Degrees F. and Barometric Pressure in Inches of Mercury (Uncorrected to Sea Level).

Line (9) Fuel Economy in Miles Per Gallon Calculated From Federal Emission Test Data

VEH. NO. 012

PAGE 1-1

MAKE CHRYSLER MODEL STAM YEAP 67 CYL. 8 CIN 383 WEIGHT 5000 TRANS 1 EXH CTPL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	DDOM
AS RECEIVED	03.85	+0140	+00	+04	1	1	1	0	2	0	063004
AFTER MAINT	03.85	+0140	+00	+04	1	1	1	0	2	0	063004
AFTER 6 MO	00.13	+0040	+00	+05	1	1	1	0	2	0	066203
AFTER 12 MO	02.80	-0025	-02	+05	1	1	1	0	2	0	058761

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	OST CAP	RPV
TAMP. 6 MO	2	2	2	1	1	2	2	1	2	2	2	2	2	2
TAMP. 12 MO	1	2	1	1	1	2	2	2	1	1	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	HT	1975	CT	CS	HT	1975
HC 17.12	5.27	4.84	7.63	HC 17.12	5.27	4.84	7.63	HC 10.78	5.80	5.00	6.62
CO 233.1	091.8	078.7	117.7	CO 233.0	091.8	078.7	117.7	CO 206.2	110.9	092.5	125.8
C2 493.4	562.4	511.7	535.1	C2 493.4	562.4	511.7	535.1	C2 555.5	595.7	502.7	556.4
NX 1.90	2.04	2.97	2.27	NX 1.90	2.04	2.97	2.27	NX 1.58	1.78	2.15	1.84
IOLE LO CR	362	3679	2500	IOLE LO CR	362	3679	2500	IOLE LO CR	362	3679	2500
HC 4076	362	3679	2500	HC 4076	362	3679	2500	HC 4076	362	3679	2500
LH 484	330	273	273	LH 484	330	273	273	LH 484	330	273	273
CO 4.25	3.50	3.86	3.86	CO 4.25	3.50	3.86	3.86	CO 4.25	3.50	3.86	3.86
NX 092	1032	1465	1465	NX 092	1032	1465	1465	NX 092	1032	1465	1465
HS 380	360	230	140	HS 380	360	230	140	HS 380	360	230	140
CS 4.10	3.50	4.10	3.30	CS 4.10	3.50	4.10	3.30	CS 4.10	3.50	4.10	3.30
IOLE LO CR	362	3679	2500	IOLE LO CR	362	3679	2500	IOLE LO CR	362	3679	2500
HC 4076	362	3679	2500	HC 4076	362	3679	2500	HC 4076	362	3679	2500
LH 484	330	273	273	LH 484	330	273	273	LH 484	330	273	273
CO 4.25	3.50	3.86	3.86	CO 4.25	3.50	3.86	3.86	CO 4.25	3.50	3.86	3.86
NX 092	1032	1465	1465	NX 092	1032	1465	1465	NX 092	1032	1465	1465
HS 380	360	230	140	HS 380	360	230	140	HS 380	360	230	140
CS 4.10	3.50	4.10	3.30	CS 4.10	3.50	4.10	3.30	CS 4.10	3.50	4.10	3.30

TEST C0017	DATE	8/10/73	TEST C0017	DATE	8/10/73	TEST C0996	DATE	2/12/74	TEST C1174	DATE	8/14/74
DRY 78 WET 55	PRES 24.75	DRY 78 WET 55	PRES 24.75	DRY 69 WET 49	PRES 24.55	DRY 82 WET 62	PRES 24.71				

MPG 11.97

MPG 11.97

MPG 11.50

MPG 12.31

VEH. NO. 314

PAGE 2

MAKE CHEVROLET MODEL CHE2 YEAR 64 CYL. 6 CID 194 WEIGHT 3000 TRANS 3 EXH CTPL 2 EVAP CTRL 2 PCV 1

	INLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	00.09	-0100	-12	+02	1	1	1	0	2	0	049237
AFTER MAINT	00.09	-0100	-12	+02	1	1	1	0	2	0	049237
AFTER 6 MO	00.25	+0160	+00	+05	1	2	1	0	1	0	052547
AFTER 12 MO	00.19	+0315	+04	+04	1	2	1	0	2	0	056036

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
YAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
YAMP. 12 MO	2	2	2	2	2	2	1	2	2	2	1	1	1	1

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 13.4A	9.31	7.02	9.55	9.55	9.31	7.02	9.55	9.55	9.31	7.02	9.55	9.55	9.31	7.02	9.55	9.55
CO 109.0	107.9	075.0	099.0	099.0	107.9	075.0	099.0	099.0	107.9	075.0	099.0	099.0	107.9	075.0	099.0	099.0
C2 289.5	263.1	247.5	262.5	262.5	263.1	247.5	262.5	262.5	263.1	247.5	262.5	262.5	263.1	247.5	262.5	262.5
NX 1.80	0.99	1.73	1.37	1.37	0.99	1.73	1.37	1.37	0.99	1.73	1.37	1.37	0.99	1.73	1.37	1.37

	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500
HC 6665	42A8	5044	5044	5044	42A8	5044	5044	5044	42A8	5044	5044	5044	42A8	5044	5044	5044
LH 95A	431	502	502	502	431	502	502	502	431	502	502	502	431	502	502	502
CO 0.14	2.91	10.20	10.20	10.20	2.91	10.20	10.20	10.20	2.91	10.20	10.20	10.20	2.91	10.20	10.20	10.20
NX 0.43	2071	176	176	176	0.43	2071	176	176	0.43	2071	176	176	0.43	2071	176	176
HS 640	365	415	415	415	640	365	415	415	640	365	415	415	640	365	415	415
CS 0.15	2.90	9.80	9.80	9.80	0.15	2.90	9.80	9.80	0.15	2.90	9.80	9.80	0.15	2.90	9.80	9.80

TEST C001A DATE 8/10/73 TEST C001A DATE 8/10/73 TEST C0993 DATE 2/12/74 TEST C1172 DATE 8/13/74

DRY 7A WET 56 PRES 24.75 DRY 7A WET 56 POFS 24.75 DRY 6A WET 47 PRFS 24.55 DRY 80 WET 62 PRES 24.73

MPG 19.87

MPG 19.97

MPG 19.34

MPG 21.16

VEH. NO. 01F

PAGE 1-3

MAKE FORD

MODEL STAM YEAR 67 CYL. 8 CID 289 WEIGHT 3500 TRANS 7 FXH CTOL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MY	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	04.60	-0075	+00	+00	0	1	0	2	0	060240									
AFTER MAINT	05.91	+0000	+00	+00	1	1	0	2	0	060240									
AFTER 5 MO	06.40	-0005	-02	-04	1	1	0	2	0	062504									
AFTER 12 MO	07.39	-0005	+00	+02	1	1	0	2	0	065644									

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MY	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 5 MO	2	2	2	2	2	1	1	2	2	2	2	2	2	2	1	1	1	1	2
TAMP. 12 MO	2	2	2	1	2	1	1	2	1	2	2	2	2	2	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 13.66	15.31	9.79	13.43	HC 9.24	9.62	8.13	9.13	HC 13.63	16.65	12.00	14.73	HC 13.07	11.97	9.81	11.60
CO 126.5	171.4	115.2	146.4	CO 095.7	109.0	120.7	109.4	CO 150.1	197.9	149.9	174.5	CO 146.4	194.6	139.7	164.2
C2 331.4	303.4	276.4	301.4	C2 363.6	351.6	291.1	334.5	C2 327.6	340.0	268.9	317.7	C2 365.0	342.0	304.6	336.5
NX 1.09	0.40	0.87	0.67	NX 1.26	0.60	0.71	0.77	NX 0.65	0.27	0.41	0.39	NX 0.99	0.35	0.74	0.59
IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500	
HC 19106	5136	5100		HC 6671	4644	4162		HC 10455	4761	4805		HC 9001	6174	5142	
LH 949	589	613		LH 605	562	478		LH 755	568	622		LH 000	900	000	
CO 8.87	4.35	4.95		CO 6.53	4.05	4.24		CO 8.63	5.39	5.47		CO 7.73	5.23	5.22	
NX 014	687	604		NX 034	675	570		NX 012	358	430		NX 031	235	253	
HS 720	460	485		HS 800	980	720		HS 680	465	430		HS 000	000	000	
CS 9.40	4.50	4.90		CS 6.00	4.20	4.50		CS 6.20	4.45	4.50		CS 0.00	1.00	0.00	

TEST C0021 DATE 8/13/73 TEST C0055 DATE 8/15/73 TEST C1004 DATE 2/15/74 TEST C1177 DATE 8/16/74

DRY 77 WFT 60 PRES 24.94 DRY 78 WFT 57 PRES 24.76 DRY 79 WFT 49 PRES 24.65 DRY 79 WFT 55 PRES 24.46

MPG 15.51

MPG 16.64

MPG 13.95

MPG 14.11

MAKE FORD MODEL FALC YEAR 67 CYL. 8 CID 289 WEIGHT 3000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 06.10 +0045 +00 +00 1 2 1 0 0 059003

AFTER MAINT 06.10 +0045 +00 +00 1 2 1 0 0 059003

AFTER 6 MO 07.26 +0045 +00 +00 1 1 1 0 2 0 065707

AFTER 12 MO 07.60 -0175 +00 +00 1 2 1 0 2 0 071114

TAMP. 5 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

TAMP. 12 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.47	7.3A	6.23	7.08	HC	7.47	7.08	HC	7.32	7.12	6.08	6.87	HC	7.78	7.99
CO	096.9	134.8	106.0	118.9	CO	096.9	134.8	CO	109.9	146.5	119.5	131.1	CO	128.0	166.9
C2	198.9	162.8	332.0	361.8	C2	398.8	362.8	C2	425.7	401.3	350.2	392.2	C2	183.0	342.1
NX	2.50	1.10	1.67	1.55	NX	2.50	1.10	NX	1.91	0.95	1.28	1.24	NX	1.78	0.70
IDLE LO CR	HI CR	HI CR	2500	IDLE LO CR	HI CR	HI CR	2500	IDLE LO CR	HI CR	HI CR	2500	IDLE LO CR	HI CR	HI CR	2500
HC	5167	5372	5561	HC	5167	5372	5561	HC	5574	6216	5257	HC	6484	9819	6401
LH	600	672	619	LH	600	672	619	LH	2586	1414	939	LH	000	000	000
CO	6.52	4.22	7.52	CO	6.52	4.22	7.52	CO	7.80	5.78	7.36	CO	7.84	9.23	5.12
NX	070	894	293	NX	070	894	293	NX	052	442	274	NX	053	145	690
HS	450	560	500	HS	450	560	500	HS	410	600	420	HS	000	000	000
CS	6.50	4.20	7.80	CS	6.50	4.20	7.80	CS	1.80	5.20	7.00	CS	0.00	0.00	0.00

TEST C0022 DATE 8/13/73 TEST C0022 DATE 8/13/73 TEST C0995 DATE 2/12/74 TEST C1171 DATE 8/13/74

DRY 76 WET 59 PRES 24.94 DRY 76 WET 59 PRES 24.94 DRY 69 WET 49 PRES 24.56 DRY 80 WET 63 PRES 24.75

MPG 15.60

MPG 15.60

MPG 14.37

MPG 14.63

VEH. NO. 017

PAGE 1-5

MAKE CHEVROLET MODEL DISC YFAP 66 CYL. 4 CIO 283 WEIGHT 4000 TRANS 1 FWM CYRL 2 EVAP CYRL 2 PCV 1

	IDLE CO	IDLF RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	96.30	+0190	-1A	-01	1	2	2	0	2	0	051045
AFTER MAINT	04.8A	+0000	+00	+00	1	1	1	0	2	0	051045
AFTER 5 MO	00.63	-0150	+00	+01	1	1	1	0	2	0	055194
AFTER 12 MO	00.60	-0050	+02	-03	1	1	1	0	2	0	061227

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PYS AJ	COND	RTR	DST	CAP	RPV
TAMP. 5 MO	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2
TAMP. 12 MO	2	1	2	1	1	2	2	2	2	1	1	1	1	1	1

AS RECEIVED

AFTER MAINTENANCE

AFTER 5 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	16.09	9.43	9.02	10.43	HC	14.13	7.39	7.62	8.32	HC	7.73	7.05	7.14	7.22	40	51.32
CO	211.5	165.6	148.9	172.6	CO	209.6	154.1	141.8	162.3	CO	193.1	176.0	173.1	174.8	CO	261.0
C2	385.7	370.5	339.2	365.0	C2	376.1	368.7	330.5	359.7	C2	472.2	433.6	395.3	431.2	C2	465.8
NX	2.19	1.21	1.67	1.54	NX	1.51	0.92	1.34	1.16	NX	0.62	0.94	1.33	0.93	NX	0.95
IDLE LO CR	5153	4177	425	5677	IDLE LO CR	4618	4323	464	464	IDLE LO CR	4702	4702	6034	2500	IDLE LO CR	2500
HC	6007	5153	4177	5677	HC	4618	4323	464	464	HC	3624	3624	6034	2500	HC	19285
LW	745	610	425	641	LW	499	464	464	464	LW	276	292	346	000	LW	000
CO	6.77	6.09	4.01	5.94	CO	5.03	5.29	5.29	5.29	CO	0.90	3.95	11.23	00	CO	0.75
NX	082	647	1723	056	NX	685	412	412	412	NX	077	301	050	000	NX	115
HS	590	440	295	710	HS	720	515	515	565	HS	420	460	500	480	HS	000
CS	6.70	5.80	4.10	5.00	CS	4.90	5.20	5.20	5.00	CS	0.70	4.00	2.00	5.20	CS	0.00

TEST C0020 DATE 8/11/73 TEST C0074 DATE 8/14/73 TEST C1013 DATE 2/21/74 TEST C1194 DATE 9/22/74

DRY 75 WET 62 PRES 24.94 DRY 74 WET 61 PRES 24.77 DRY 69 WET 48 PRES 24.53 DRY 79 WET 62 PRES 24.86

MPG 13.31

MPG 13.16

MPG 12.12

MPG 9.4A

VEH. NO. 924

PAGE 6

MAKE CHRYSLER MODEL NEWO YEAP 64 CYL. A CID 161 WEIGHT 4500 TRANS 1 EXH CTPL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	OROM
AS RECEIVED	05.90	+0220	+00	+03	1	2	1	0	2	0	099340
AFTER MAYNY	01.08	+0190	+00	+03	1	2	1	0	2	0	099340
AFTER 6 MO	04.63	+0100	+02	+03	1	1	1	0	2	0	102762
AFTER 12 MO	04.20	+0095	+01	+01	1	2	1	0	2	0	104734

	TG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	OST	CAP	RPV
TAMP. 6 MO	1	2	1	1	1	2	2	2	2	2	2	2	2	2	2	1	2
TAMP. 12 MO	1	2	1	1	1	1	2	2	2	2	2	1	2	2	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	11.18	6.41	6.43	7.62	HC	9.25	4.57	4.70	5.59	HC	13.21	6.44	6.14	7.80	HC	14.82
CO	271.2	210.1	203.7	221.1	CO	223.7	046.5	123.6	125.5	CO	272.7	144.8	154.7	174.3	CO	254.9
C2	443.0	459.3	382.8	434.7	C2	433.5	491.5	403.3	454.9	C2	424.7	455.8	385.9	429.9	C2	416.2
IX	0.62	0.57	0.59	0.59	NX	0.92	1.27	1.13	1.16	NX	0.96	1.70	1.44	1.47	NX	0.85

	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC	6111	5267	4944	4252	4305	HC	3208	4252	4305	HC	3961	4890	4740	4740	HC	5176	5705	
LH	765	552	466	442	410	LH	343	442	410	LH	554	665	572	572	LH	000	000	
CO	7.39	9.52	9.12	6.53	6.99	CO	1.20	6.53	6.99	CO	4.39	6.50	7.27	7.27	CO	5.02	3.54	
NX	065	130	192	348	544	NX	163	348	544	NX	070	441	399	399	NX	066	1032	
MS	520	385	300	740	710	MS	600	740	710	MS	420	520	400	400	MS	000	000	
CS	7.30	9.10	8.80	6.50	7.10	CS	1.20	6.50	7.10	CS	4.60	6.00	6.80	7.20	CS	0.00	0.00	

TEST 00024 DATE 8/13/73 TEST 00042 DATE 8/15/73 TEST 01008 DATE 2/14/74 TEST C1175 DATE 8/15/74

DRY 78 WET 58 PRES 24.93 DRY 78 WET 58 PRES 24.79 DRY 72 WET 54 PRES 24.55 DRY 78 WET 63 PRES 24.80

MPG 11.05

MPG 11.30

MPG 12.23

MPG 12.99

VEH. NO. 02A

PAGE 1-7

MAKE CADILLAC MODFL DEVT YEAR 65 CYL. 4 CID 420 WEIGHT 5000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	NOX	ODOM
AS RECEIVED	05.95														
AFTER MAINT	05.95														084961
AFTER 6 MO	05.91														084961
AFTER 12 MO	04.40														090994
															092943

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.39	5.08	5.22	6.01	HC	7.39	5.08	5.22	6.01	HC	7.39	5.08	5.22	6.01	HC	7.39
CO	099.4	083.4	075.9	085.0	CO	099.4	083.4	075.9	085.0	CO	099.4	083.4	075.9	085.0	CO	099.4
C2	578.1	539.5	497.2	534.8	C2	578.1	539.5	497.2	534.8	C2	578.1	539.5	497.2	534.8	C2	578.1
NX	4.50	4.50	4.35	4.51	NX	4.50	4.35	4.51	4.51	NX	4.50	4.35	4.51	4.51	NX	4.50
IDLE	LO	CR	HI	CR	IDLE	LO	CR	HI	CR	IDLE	LO	CR	HI	CR	IDLE	LO
HC	4859	3516	3263	2500	HC	4859	3516	3263	2500	HC	4859	3516	3263	2500	HC	4859
LH	519	329	251	2500	LH	519	329	251	2500	LH	519	329	251	2500	LH	519
CO	6.36	0.83	1.60	1.60	CO	6.36	0.83	1.60	1.60	CO	6.36	0.83	1.60	1.60	CO	6.36
NX	0.73	2162	1595	125	NX	0.73	2162	1595	125	NX	0.73	2162	1595	125	NX	0.73
HS	370	235	165	125	HS	370	235	165	125	HS	370	235	165	125	HS	370
CS	6.10	0.80	1.70	1.05	CS	6.10	0.80	1.70	1.05	CS	6.10	0.80	1.70	1.05	CS	6.10

TEST C0029 DATE 8/14/73 TEST C0029 DATE 8/14/73 TEST C1178 DATE 8/16/74

DRY 73 WET 56 PRES 24.80 DRY 73 WET 56 PRES 24.80 DRY 73 WET 50 PRES 24.51 DRY 82 WET 65 PRES 24.85

MPG 12.94

MPG 12.96

MPG 12.44

MPG 13.83

VEH. NO. 027

PAGE 8

MAKE MERCURY MODEL MONR YEAR 65 CYL. 4 CIO 390 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	01.01	-0025	+00	+02	2	2	2	0	1	0	072548
AFTER MAINT	01.01	-0025	+00	+02	2	2	2	0	1	0	072548
AFTER 5 MO	00.47	+0005	+00	+03	1	2	1	0	2	0	077969
AFTER 12 MO	00.06	-0125	+00	-03	1	1	1	0	2	0	090454

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	1	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	2	1	2	2	1	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.43	6.54	6.28	7.28	HC 10.43	6.54	6.28	7.28	HC 10.43	6.54	6.28	7.28	HC 10.43	6.54	6.28	7.28	HC 10.43
CO 178.0	093.7	093.5	111.3	CO 178.0	093.7	093.5	111.3	CO 224.5	150.9	132.2	161.1	CO 182.0	078.5	091.9	103.9	CO 178.0
C2 496.5	501.9	440.2	481.6	C2 496.5	501.9	440.2	481.6	C2 532.5	531.6	476.6	516.5	C2 550.7	575.9	505.8	553.3	C2 496.5
NX 1.56	1.54	1.90	1.64	NX 1.56	1.54	1.90	1.64	NX 1.20	0.77	1.32	0.99	NX 1.42	1.45	1.83	1.55	NX 1.56

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 5150	4646	4065	5150	HC 5150	4646	4065	HC 6070	4626	4163	HC 14767	6831	4551
LH 747	527	356	747	LH 747	527	356	LH 1084	553	434	LH 000	000	000
CO 1.17	4.51	2.74	1.17	CO 1.17	4.51	2.74	CO 0.43	4.57	3.76	CO 0.08	1.13	1.88
NX 144	849	1479	144	NX 144	849	1479	NX 100	539	719	NX 102	409	1319
HS 950	510	334	390	HS 950	510	334	HS 1000	500	390	HS 000	000	000
CS 1.15	4.35	2.65	5.50	CS 1.15	4.35	2.65	CS 0.70	4.80	4.40	CS 0.00	0.00	0.00

TEST C0030 DATE 8/14/73 TEST C0039 DATE 8/14/73 TEST C1001 DATE 2/14/74 TEST C1170 DATE 8/13/74

DRY 76 WET 55 PRFS 24.78 DRY 76 WET 55 PRES 24.78 DRY 70 WET 51 PRES 24.51 DRY 81 WET 62 PRFS 24.75

MPG 13.11

MPG 11.01

MPG 11.86

VEH. NO. 028

MAKE OLDSMOBILE MODEL STAW YEAR 64 CYL. A CID 330 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 2

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	NOX	ODNY
AS RECEIVED	11.20		+0000		+03		0	2	2	2	0	0	0	0	089020
AFTER MAINT	05.93		+0000		+00		0	1	0	0	0	0	0	0	019020
AFTER 6 MO	00.26		+0000		+00		0	2	1	0	1	0	0	0	03150A
AFTER 12 MO	01.60		-0100		-03		0	1	1	0	2	0	0	0	033313
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2

AFTER 12 MONTHS

AFTER 6 MONTHS

AFTER MAINTENANCE

AS RECEIVED

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975				
HC	14.56	17.39	12.17	15.35	HC	9.72	7.18	6.25	7.45	HC	8.5A	6.31	5.28	6.50	HC	45.59	35.18	29.71	35.84
CO	195.4	206.0	199.6	202.0	CO	184.0	190.7	161.4	181.2	CO	184.7	181.3	150.9	173.6	CO	179.6	192.8	157.1	180.1
C2	46A.1	395.3	402.8	412.6	C2	494.7	440.5	401.6	439.0	C2	445.1	403.3	378.1	405.3	C2	446.2	413.1	368.9	407.7
NX	2.2A	1.05	1.66	1.47	NX	1.16	0.59	0.90	0.90	NX	0.69	0.42	0.76	0.57	NX	1.08	0.54	0.83	0.73
IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500		
HC	38A39	54A1	5504	HC	5507	4535	5153	HC	9664	4060	4716	HC	17970	18401	20876	LH	000	000	000
LH	1373	613	541	LH	666	483	490	LH	3207	1074	803	LH	000	000	000	CO	1.72	2.96	9.46
CO	10.03	7.18	9.0A	CO	6.32	5.84	10.19	CO	6.04	4.41	10.5A	CO	021	35A	102	NX	073	468	108
NX	005	356	305	NX	052	280	116	NX	021	35A	102	NX	073	468	108	NX	073	468	108
HS	1720	535	500	HS	850	560	560	HS	520	310	300	HS	280	4S	000	HS	000	000	000
CS	20.00	7.40	9.80	CS	6.20	5.80	10.00	CS	4.90	3.80	9.40	CS	4.80	CS	0.00	CS	0.00	0.00	0.00

TEST C0035 DATE 8/15/73 TEST C0096 DATE 8/21/73 TEST C1007 DATE 2/18/74 TEST C1173 DATE 8/14/74

DRY 68 WET 55 PRFS 24.87 DRY 76 WET 57 PPES 24.80 DRY 73 WET 55 PRES 24.61 DRY 78 WET 60 PRES 24.71

MPG 11.44

MPG 11.32

MPG 12.75

MPG 11.07

VEH. NO. 029

PAGE 10

MAKE PONTIAC MODEL TEMP YEAR 65 CYL. 4 CID 326 WEIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

IOLF CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX ODOM
 AS RECEIVED 07.30 -0010 -12 +02 1 1 1 0 2 0 059585
 AFTER MAINT 05.99 +0000 +00 +00 1 1 1 0 2 0 059585
 AFTER 6 MO 05.08 +0060 +02 +02 1 1 1 0 2 0 062471
 AFTER 12 MO 05.30 -0030 +00 +00 1 1 1 0 2 0 065965

IG WS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR OST CAP RPY
 TAMP. 5 MO 2 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 2 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT CS HT 1975 CT CS HT 1975 CT CS HT 1975 CT CS HT 1975
 HC 15.56 10.61 8.81 11.15 HC 9.76 9.23 7.28 8.29 HC 14.92 11.30 9.10 11.43 HC 14.53 13.07 9.74 12.45
 CO 234.1 193.7 163.8 193.9 CO 174.6 160.4 144.1 158.9 CO 218.3 198.5 177.7 196.9 CO 192.4 175.1 157.6 173.9
 C2 396.4 366.8 328.7 362.4 C2 371.7 345.1 339.0 369.5 C2 420.8 406.2 350.5 393.8 C2 395.4 360.9 333.3 360.4
 NX 0.71 0.52 0.72 0.61 NX 1.07 0.73 1.08 0.90 NX 0.98 0.60 0.70 0.71 NX 1.08 0.65 0.88 0.80

IDLE LO CR HI CP 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500
 HC 8493 4474 5592 HC 5785 4752 5187 HC 6821 4985 5250 HC 16372 7593 5546
 LH 845 463 632 LH 659 521 544 LH 993 582 575 LH 000 000 000
 CO 8.41 3.02 11.41 CO 5.45 2.75 6.78 CO 7.64 3.56 6.54 CO 9.51 6.46 5.24
 NX 035 525 097 NX 074 913 374 NX 047 662 349 NX 011 073 193
 HS 760 360 520 375 HS 1200 790 800 650 HS 800 440 440 460 HS 000 000 000
 CS 8.29 3.20 20.00 5.15 CS 6.20 3.10 7.00 4.80 CS 7.40 3.80 1.70 5.20 CS 0.00 0.00 0.00 0.00

TEST 00074 DATE 8/15/73 TEST 00070 DATE 8/17/73 TEST 01002 DATE 2/14/74 TEST 01176 DATE 8/15/74

DRY 68 WET 54 PRES 24.87 DRY 71 WET 56 PRES 24.77 DRY 72 WET 53 PRES 24.55 DRY 82 WET 64 PRES 24.79

MPG 12.68

MPG 13.80

MPG 12.05

MPG 13.24

VEH. NO. 031

PAGE/-11

MAKE CHEVROLET MODEL IMPA YEAR 64 CYL. 8 CID 327 WEIGHT 3500 TRANS 1 FMH CTRL 2 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	MIS	NOX	ODOM
AS RECEIVED	06.10	+0030		+00	+01	0	2	2	0	2	0	060672
AFTER MAINT	02.60	-0025		+01	+02	0	1	1	0	2	0	060672
AFTER 5 MO	03.21	+0000		+01	+04	0	1	1	0	2	0	065A60
AFTER 12 MO	06.10	+0050		-02	-05	0	1	2	0	2	0	072427

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 5 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 5 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	8.95	8.91	6.72	8.24	HC	8.02	8.04	7.55	7.90	HC	10.89	11.01	7.19	9.93	8.71
CO	143.5	171.3	126.0	152.9	CO	139.0	169.4	126.0	151.0	CO	158.6	192.3	144.3	171.9	185.9
C2	419.9	367.6	361.2	376.7	C2	395.9	337.1	323.5	345.6	C2	339.3	247.5	247.0	266.6	310.0
NX	2.00	0.75	1.64	1.26	NX	2.36	0.56	1.68	1.25	NX	1.52	0.30	0.78	0.69	0.70
HC	5797	5178	4202	4504	HC	8504	6115	4185	2500	HC	10032	7849	4366	10173	6139
LH	657	588	419	898	LH	898	656	392	1094	LH	1094	962	516	000	000
CO	6.65	6.46	3.05	3.90	CO	3.90	8.55	1.86	5.96	CO	5.96	4.83	3.75	7.26	10.30
NX	064	359	1461	048	NX	048	178	2017	033	NX	033	134	893	039	092
HS	670	550	360	405	HS	1050	949	500	780	HS	460	560	400	000	000
CS	6.45	6.60	3.40	6.20	CS	3.00	8.50	2.00	8.50	CS	2.80	8.10	3.80	7.40	0.00
HC	5797	5178	4202	4504	HC	8504	6115	4185	2500	HC	10032	7849	4366	10173	6139
LH	657	588	419	898	LH	898	656	392	1094	LH	1094	962	516	000	000
CO	6.65	6.46	3.05	3.90	CO	3.90	8.55	1.86	5.96	CO	5.96	4.83	3.75	7.26	10.30
NX	064	359	1461	048	NX	048	178	2017	033	NX	033	134	893	039	092
HS	670	550	360	405	HS	1050	949	500	780	HS	460	560	400	000	000
CS	6.45	6.60	3.40	6.20	CS	3.00	8.50	2.00	8.50	CS	2.80	8.10	3.80	7.40	0.00

TEST C0139 DATE 8/15/73 TEST C0073 DATE 8/18/73 TEST C1078 DATE 2/19/74 TEST C1193 DATE 9/21/74

DRY 71 WET 55 PRFS 24.87 DRY 74 WET 62 PRES 24.76 DRY 68 WET 49 PRFS 24.26 DRY 84 WET 62 PRES 24.83

MPG 13.86

MPG 14.66

MPG 15.64

MPG 14.15

VEH. NO. 038

PAGE 1-13

MAKE FORM

MODEL GALA YEAP 66 CYL. 8 CID 396 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ONOM
AS RECEIVED	03.00	+0120	+04	+01	1	1	1	0	2	0	054529
AFTER MAINT	03.00	+0120	+04	+01	1	1	1	0	2	0	054529
AFTER 6 MO	05.19	+0030	+00	+02	1	1	1	0	2	0	056204
AFTER 12 MO	07.10	-0130	-01	-03	1	1	1	0	2	0	058645

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	CONM	RTR	DST	CAP	REV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	1	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.06	8.04	7.22	8.02	9.06	8.04	7.22	8.02	9.06	8.04	7.22	8.02	9.06	8.04	7.22	8.02
CO	190.8	172.6	139.8	167.3	190.8	172.6	139.8	167.3	190.8	172.6	139.8	167.3	190.8	172.6	139.8	167.3
C2	671.5	593.2	536.6	610.5	671.5	593.2	536.6	610.5	671.5	593.2	536.6	610.5	671.5	593.2	536.6	610.5
NX	4.38	2.25	4.45	3.31	4.38	2.25	4.45	3.31	4.38	2.25	4.45	3.31	4.38	2.25	4.45	3.31
IDLE LO CR	4.15	4.15	3.59	3.59	4.15	4.15	3.59	3.59	4.15	4.15	3.59	3.59	4.15	4.15	3.59	3.59
HC	3745	4115	3575	3575	3745	4115	3575	3575	3745	4115	3575	3575	3745	4115	3575	3575
LH	434	426	299	299	434	426	299	299	434	426	299	299	434	426	299	299
CO	3.76	4.75	3.59	3.59	3.76	4.75	3.59	3.59	3.76	4.75	3.59	3.59	3.76	4.75	3.59	3.59
NX	105	1017	1919	1919	105	1017	1919	1919	105	1017	1919	1919	105	1017	1919	1919
HS	560	520	345	345	560	520	345	345	560	520	345	345	560	520	345	345
CS	3.15	4.40	3.45	6.00	3.15	4.40	3.45	6.00	3.15	4.40	3.45	6.00	3.15	4.40	3.45	6.00
IDLE LO CR	4.15	4.15	3.59	3.59	4.15	4.15	3.59	3.59	4.15	4.15	3.59	3.59	4.15	4.15	3.59	3.59
HC	5591	6332	5269	5269	5591	6332	5269	5269	5591	6332	5269	5269	5591	6332	5269	5269
LH	000	000	000	000	000	000	000	000	000	000	000	000	000	000	000	000
CO	7.26	9.07	6.37	6.37	7.26	9.07	6.37	6.37	7.26	9.07	6.37	6.37	7.26	9.07	6.37	6.37
NX	056	219	615	615	056	219	615	615	056	219	615	615	056	219	615	615
HS	000	000	000	000	000	000	000	000	000	000	000	000	000	000	000	000
CS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

TEST	C0049	DATE	8/16/73	TEST	C1012	DATE	2/20/74	TEST	C1181	DATE	8/20/74
DRY 78 WET 57	PRES 24.77	DRY 78 WET 57	PRES 24.77	DRY 76 WET 65	PRES 24.30	DRY 80 WET 59	PRES 24.58				
MPG 9.91		MPG 9.91		MPG 11.23		MPG 10.37					

VEH. NO. 040

PAGE 14

MAKE FORD

MODEL CUST YEAR 68 CYL. 8 CID 302 WEIGHT 4000 TRANS 1 EXH CTPL 1 EVAP CTPL 2 PCV 1

	IG WS	COIL	SPOKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	MIS	NOX	ODOM
AS RECEIVED	02.80	+0050	+06	+03	2	1	1	1	2	2	0	019445
AFTER MAINT	01.79	+0000	+00	+00	1	1	1	1	2	2	0	019445
AFTER 6 MO	02.94	+0050	+01	+00	1	1	1	1	2	2	0	020993
AFTER 12 MO	02.80	+0000	+00	+00	1	2	1	1	2	2	0	022513

	IG WS	COIL	SPOKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	1	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.63	4.39	3.97	4.55	5.28	3.56	3.45	3.89	5.83	4.03	3.32	4.38	5.19	3.59	3.78	3.98
CO	065.4	047.5	038.8	048.8	071.4	042.0	040.4	047.7	107.8	056.0	045.1	063.9	972.1	041.6	037.9	047.0
C2	511.8	527.3	457.4	504.7	522.6	577.8	487.6	541.3	569.8	567.5	483.2	544.6	527.6	533.8	463.6	513.1
NX	5.52	4.84	6.22	5.37	3.53	3.05	3.93	3.40	2.99	3.70	4.51	3.78	3.39	3.01	3.98	3.36
IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR
HC	3340	3589	3181	284	2854	2965	2473	2500	2976	3004	2625	2500	3352	4019	2880	2500
LH	337	384	284	284	296	289	204	2500	091	334	273	2500	LH	000	000	000
CO	3.09	0.55	0.26	0.26	1.91	0.49	0.28	2500	CO	0.56	0.45	2500	CO	2.93	0.67	0.41
NX	185	3112	3882	210	269	1940	2566	2500	029	852	1112	2500	NX	165	1377	2186
HS	470	485	343	210	180	220	130	090	810	820	680	120	HS	000	000	000
CS	3.15	0.60	0.32	1.40	1.80	0.60	0.30	1.20	3.20	1.00	0.50	1.70	CS	0.00	0.00	0.00

TEST C0004 DATE 8/16/73 TEST C0084 DATE 8/23/73 TEST C1013 DATE 2/20/74 TEST C1192 DATE 8/21/74

DRY 77 WET 58 PRES 24.78 DRY 81 WET 65 PRES 24.90 DRY 68 WET 51 PRES 24.29 DRY 79 WET 58 PRES 24.83

MPG 14.95

MPG 14.17

MPG 13.52

MPG 14.86

VEH. NO. 143

MAKE FORD

MODEL MAVE YEAP 71 CYL. 6 CID 170 WEIGHT 2750 TRANS 3 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/4X	S	IDL/AJ	CHK	DIST	AJ	PIS	NOX	ODOM
AS RECEIVED	06.10								2	1	0	2	0	0	020583
AFTER MAINT	03.17								1	1	0	2	0	0	020583
AFTER 6 MO	06.72								1	1	0	2	0	0	023749
AFTER 12 MO	04.40								1	1	0	2	0	0	025339

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.71	5.25	4.94	5.62	4.44	4.13	4.62	HC	5.32	4.83	4.19	4.75	HC	5.61	3.95
CO	065.5	063.9	057.2	062.4	CO	063.9	061.4	CO	081.2	089.8	073.2	083.4	CO	058.1	069.0
C2	270.9	261.6	252.2	271.2	C2	293.3	297.8	C2	262.2	287.2	249.1	271.4	C2	262.1	266.5
NX	2.68	2.18	2.70	2.43	NX	2.66	2.10	2.50	2.16	2.01	2.19	2.09	NX	2.25	1.29
IDLE LO CR	3879	3912		3554	LO CR	3527	4626	HC	5119	4579	4034	2500	LO CR	5373	4745
LH	445	463	480	311	LH	363	573	LH	531	594	474	2500	LH	000	000
CO	5.99	1.54	2.09	3.43	CO	0.96	6.18	CO	6.87	3.18	1.93	2500	CO	4.69	3.40
NX	056	1830	1777	049	NX	2539	909	NX	054	1116	2121	2500	NX	065	217
MS	730	800	800	400	MS	510	810	600	360	420	390	320	MS	000	000
CS	6.90	2.10	2.30	3.20	CS	0.90	6.00	0.40	6.00	3.00	1.80	2.80	CS	0.00	0.00

TEST C0154 DATE 8/17/73 TEST C0093 DATE 8/21/73 TEST C1180 DATE 8/19/74

DRY 77 WET 62 PRES 24.75 DRY 76 WET 59 PRES 24.85 DRY 70 WET 51 PRES 24.26 DRY 84 WET 62 PRES 24.57

MPG 23.00

MPG 22.31

MPG 21.34

MPG 24.17

VEH. NO. 045

PAGE 16

MAKE ODDGE

MOFL DARY

YEAR 72

CYL. 6

CID 225

WEIGHT 3000

TRANS 1

EXH CTPL 1

EVAP CTRL 1

PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO
AFTER 12 MO

IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHKE	A/P	MIS	NOX	0904
03.60	+0550	+09	-12	1	1	1	0	2	0	005414
02.28	+0000	+00	+00	1	1	1	0	2	0	005414
04.79	-0025	+00	+05	1	1	1	0	2	0	008592
03.10	-0070	+05	+01	1	1	1	0	2	0	012402

TAMP. 6 MO
TAMP. 12 MO

IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PYS	AJ	COND	RIR	OST	CAP	RPV
2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2
2	2	2	1	1	2	2	2	2	2	2	2	2	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	HT	CS	CT	1975	HT	CS	CT	1975	HT	CS	CT	1975
5.22	3.49	3.34	3.81	3.05	3.20	5.42	3.62	3.05	3.20	5.91	3.44	3.90	4.06	6.02	3.19
145.2	075.9	089.8	094.2	081.6	066.9	141.3	086.5	081.6	066.9	152.8	075.2	096.8	097.5	151.8	081.2
155.0	370.4	329.0	355.9	308.5	363.4	343.7	344.1	308.5	363.4	364.5	362.8	322.6	352.0	362.8	359.9
2.59	3.12	3.33	3.07	3.10	3.20	3.03	3.14	3.10	3.20	3.95	4.47	3.95	4.20	3.00	3.30

IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
3454	3341	4196	4122	3084	3921	3930	3457	4454	4454	4454	4454	3961	3541	2887	2887	2887	2887
331	703	415	553	399	470	224	262	332	332	332	332	000	000	000	000	000	000
4.24	4.22	10.09	2.57	3.42	9.85	4.94	3.66	9.71	9.71	9.71	9.71	3.30	2.36	2.66	2.66	2.66	2.66
095	2321	281	090	1616	283	032	890	171	171	171	171	089	1672	2332	2332	2332	2332
540	460	600	320	340	420	130	360	350	350	350	350	000	000	000	000	000	000
4.10	3.20	10.00	2.40	3.50	9.50	5.20	3.80	9.00	9.00	9.00	9.00	0.00	0.00	0.00	0.00	0.00	0.00

TEST C0964 DATE 8/17/72 TEST C0118 DATE 8/23/73 TEST C1019 DATE 2/22/74 TEST C1190 DATE 8/27/74

DRY 72 WET 54 PRES 24.76 DRY 75 WET 59 PRES 24.81 DRY 72 WET 49 PRES 24.61 DRY 74 WET 59 PRES 24.85

MPG 17.26

MPG 18.12

MPG 17.20

MPG 17.96

VEH. NO. 04A

PAGE 1-17

MAKE MERCURY MODEL STAW YEAR 67 CYL. 8 CID 190 WEIGHT 4500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKES	A/P	MIS	NOX	ODOM
AS RECEIVED	00.70	-0035	-24	+03	1	1	1	0	1	0	064033
AFTER MAINT	00.70	-0035	-24	+03	1	1	1	0	1	0	064033
AFTER 6 MO	03.63	+0000	-02	+02	1	2	1	0	2	0	067647
AFTER 12 MO	01.50	-0035	+04	-04	1	2	1	0	2	0	070730

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.11	9.33	8.42	9.03	9.11	9.33	8.42	9.55	5.27	5.62	6.26	7.14	5.14	5.09	5.55
CO	092.4	046.5	046.3	056.1	092.4	046.5	046.3	149.0	044.3	057.0	069.7	108.0	049.9	062.2	065.5
C2	708.3	735.3	735.3	584.4	708.3	735.3	584.4	577.5	589.5	503.4	553.1	591.4	589.0	492.2	562.7
NX	9.14	8.82	9.50	9.08	9.14	8.82	9.50	5.73	6.67	7.27	6.64	5.83	5.68	5.75	5.73
IDLE LO CR	HI	CR	2500		IDLE LO CR	HI	CR	2500		IDLE LO CR	HI	CR	2500		
HC	4481	4201	3742	HC	4410	4065	3640	HC	3237	4071	4031				
LH	1591	492	360	LH	294	275	225	LH	000	000	000				
CO	0.87	1.41	1.70	CO	0.60	1.21	2.07	CO	1.65	0.72	2.67				
NX	150	2998	3161	NX	036	1211	1009	NX	078	2037	1951				
MS	1450	375	270	MS	185	HS	270	MS	240	HS	000				
CS	0.75	1.40	1.80	CS	0.75	1.40	1.80	CS	0.00	2.00	2.00				

TEST C00A0 DATE 8/20/77 TEST C00A1 DATE 8/20/77 TEST C1017 DATE 2/22/74 TEST C1185 DATE 8/23/74

DRY 75 WET 59 PRES 24.99 DRY 75 WET 59 PRES 24.99 DRY 71 WET 48 PRES 24.61 DRY 79 WET 64 PRES 24.85

MPG 11.07

MPG 11.07

MPG 12.86

MPG 13.04

VEH. NO. 153

PAGE 18

MAKE DODGE

MODEL POLA YEAR 64 CVL. 8 CIO 318 WFIGHT 4000 TRANS 1 FXH CTPL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	000M
AS RECEIVED	01.30	+0010	+05	+01	1	2	1	0	2	0	042474
AFTER MAINT	00.19	+0000	+00	+02	1	2	1	0	2	0	042474
AFTER 6 MO	00.70	+0000	-01	+00	1	2	1	0	2	0	042811
AFTER 12 MO	00.20	+0010	+00	+00	1	1	1	0	2	0	043163

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PYS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 8.60	7.46	6.13	7.33	7.33	7.46	5.50	4.84	5.72	8.61	5.09	5.20	6.31
CO 109.6	101.8	070.2	094.7	094.7	104.1	045.5	045.8	057.8	123.0	048.0	045.4	063.0
C2 510.4	470.5	462.7	476.7	476.7	530.8	511.4	462.9	502.0	540.0	513.8	462.8	505.2
NX 3.06	2.81	4.49	3.33	3.33	3.39	3.51	4.73	3.82	3.81	4.21	5.27	4.42

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 6000	3687	3655	3757	3765	3757	3765	3757	3765	3959	3905	3951	4472
LH 649	387	328	531	491	405	491	405	405	241	232	220	000
CO 7.93	0.69	2.33	0.22	0.65	1.94	0.65	1.94	2.27	0.75	0.43	2.27	0.22
NX 051	2234	1711	168	2362	2012	2362	2012	167	059	1091	167	148
MS 580	300	250	160	340	260	340	260	320	480	400	320	000
CS 7.75	0.75	2.35	1.55	0.25	2.00	0.25	2.00	2.20	0.60	0.50	2.20	0.00

TEST 0000R DATE 8/21/73 TEST C0107 DATE 8/22/73 TEST C1016 DATE 2/22/74 TEST C1106 DATE 9/23/74

DRY 75 WET 59 PRES 24.85 DRY 74 WET 60 PRES 24.80 DRY 68 WET 48 PRES 24.61 DRY 80 WET 65 PRES 24.81

MPG 11.73

MPG 14.58

MPG 14.27

MPG 13.34

VEH. NO. 060

PAGE 1-19

MAKE CADILLAC MODEL DEVI YEAR 70 CYL. 8 CIO 472 WEIGHT 5000 TRANS 1 EXH CTPL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	WIS	NOX	ODOM
AS RECEIVED	00.69	+0010	-02	+02	1	2	1	0	2	0	045946
AFTER MAINT	00.69	+0010	-02	+02	1	2	1	0	2	0	045946
AFTER 6 MO	03.21	+0050	+00	+00	1	1	1	0	1	0	049360
AFTER 12 MO	01.20	-0050	-04	+00	1	2	1	0	2	0	055164

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	1	2	1	2	2	2	1	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	8.16	4.69	5.16	5.55	8.16	4.69	5.16	5.55	8.16	4.69	5.16	5.55	8.16	4.69	5.16	5.55
CO	262.9	132.3	190.7	173.1	262.8	132.3	190.7	173.1	262.8	132.3	190.7	173.1	262.8	132.3	190.7	173.1
C2	617.9	712.5	551.0	647.9	617.9	712.5	551.0	647.9	617.9	712.5	551.0	647.9	617.9	712.5	551.0	647.9
NX	1.92	2.18	2.53	2.22	1.92	2.18	2.53	2.22	1.92	2.18	2.53	2.22	1.92	2.18	2.53	2.22
IDLE LO CR	2031	3225	3385	2031	3225	3385	2031	3225	3385	2031	3225	3385	2031	3225	3385	2031
HC	2031	3225	3385	2031	3225	3385	2031	3225	3385	2031	3225	3385	2031	3225	3385	2031
LH	425	533	498	425	533	498	425	533	498	425	533	498	425	533	498	425
CO	0.78	2.07	4.56	0.78	2.07	4.56	0.78	2.07	4.56	0.78	2.07	4.56	0.78	2.07	4.56	0.78
NX	153	1513	868	153	1513	868	153	1513	868	153	1513	868	153	1513	868	153
MS	130	240	250	130	240	250	130	240	250	130	240	250	130	240	250	130
CS	0.75	2.00	4.20	0.75	2.00	4.20	0.75	2.00	4.20	0.75	2.00	4.20	0.75	2.00	4.20	0.75
IDLE LO CR	2110	2491	2198	2110	2491	2198	2110	2491	2198	2110	2491	2198	2110	2491	2198	2110
HC	2110	2491	2198	2110	2491	2198	2110	2491	2198	2110	2491	2198	2110	2491	2198	2110
LH	800	000	000	800	000	000	800	000	000	800	000	000	800	000	000	800
CO	1.25	2.91	1.64	1.25	2.91	1.64	1.25	2.91	1.64	1.25	2.91	1.64	1.25	2.91	1.64	1.25
NX	192	437	1579	192	437	1579	192	437	1579	192	437	1579	192	437	1579	192
MS	100	000	000	100	000	000	100	000	000	100	000	000	100	000	000	100
CS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

TEST C0112 DATE 8/24/73 TEST C0113 DATE 8/24/73 TEST C1120 DATE 2/25/74 TEST C1118 DATE 9/26/74

DRY 78 WET 60 PRES 24.70 DRY 78 WET 60 PRES 24.70 DRY 63 WET 58 PRES 24.92 DRY 86 WET 65 PRES 24.72

MPG 9.50

MPG 9.50

MPG 9.12

MPG 10.94

VEH. NO. 863

PAGE 20

MAKE PLYMOUTH MODEL FURY YEAR 67 CYL. 4 CID 316 WEIGHT 4000 TRANS 1 FXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED	IDLE CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AFTER MAIN	05.80	+0240	+12	+07	1	1	1	0	1	0	042005
AFTER 6 MO	02.40	-0280	+12	-02	1	2	1	0	2	0	042005
AFTER 12 MO	03.56	-0100	+04	+00	1	1	1	0	2	0	043804
	02.40	-0180	+04	+00	1	1	1	0	2	0	049347

YAMP. 6 MO	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
YAMP. 12 MO	2	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 13.17	10.77	6.59	10.11	HC 16.51	10.00	6.49	10.58	HC 10.20	7.44	6.47	7.75	HC 9.51	6.90	6.17	7.25
CO 227.3	189.3	884.1	168.1	CO 237.2	169.9	842.6	159.3	CO 149.5	113.2	122.1	123.3	CO 129.9	890.1	112.3	104.6
C2 354.8	165.2	367.2	363.8	C2 363.8	352.6	357.1	356.2	C2 469.6	423.5	386.9	421.0	C2 477.8	436.4	397.7	414.3
NX 1.01	1.02	3.39	1.68	NX 1.11	0.79	3.35	1.57	NX 2.20	1.99	1.88	2.00	NX 2.85	2.50	2.41	2.55

IDLE	LO	CR	HT	CR	2500	IDLE	LO	CR	HT	CR	2500	IDLE	LO	CR	HT	CR	2500
HC 6013	5220	4302	4442	HC 6157	5378	4442	HC 4610	4783	4746	HC 5884	5502	5299	5884	5502	5299	5884	5502
LH 795	659	443	607	LH 1124	895	607	LH 549	565	445	LH 000	000	000	000	000	000	000	000
CO 5.76	4.87	3.19	2.93	CO 2.86	4.29	2.93	CO 3.67	4.34	8.12	CO 2.45	1.05	3.84	2.45	1.05	3.84	2.45	1.05
NX 070	857	1396	1612	NX 061	998	1612	NX 063	749	191	NX 063	2211	1087	063	2211	1087	063	2211
MS 760	595	360	420	MS 000	760	420	MS 600	520	350	MS 660	000	000	000	000	000	000	000
CS 5.00	4.75	3.25	2.80	CS 2.40	4.00	2.80	CS 4.60	4.40	7.20	CS 3.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00

TEST C0103 DATE 8/22/73 TEST C0122 DATE 8/23/73 TEST C1024 DATE 2/26/74 TEST C1132 DATE 8/29/74
 DRY 75 WET 59 PRES 24.80 DRY 74 WET 60 PRES 24.76 DRY 69 WET 51 PRES 24.55 DRY 40 WET 59 PRES 24.79

MPG 13.50

MPG 13.30

MPG 13.49

MPG 14.33

VEH. NO. 064

PAGE 1-21

MAKE RAMBLER MODEL REBE YEAR 70 CYL. 6 CID 232 WEIGHT 3500 TRANS 1 FWH CYRL 1 EVAP CYRL 2 PCV 1

	TOLF CO	IDLE RPM	TIMING	DMFL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	04.65	-0010	+01	+01	1	1	1	0	2	0	064875
AFTER MAINT	04.65	-0010	+01	+01	1	1	1	0	2	0	064875
AFTER 6 MO	04.95	+0050	+00	+00	1	1	1	0	2	0	073943
AFTER 12 MO	05.70	-0050	+00	+00	1	1	1	0	2	0	079234

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	1	?	1	2	2	1	1	1	1	1	1	2
TAMP. 12 MO	2	2	1	1	1	2	2	2	2	2	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.10	4.55	3.71	4.43	HC	5.10	4.55	3.71	4.43	HC	5.10	4.55	3.71	4.43	HC	5.10
CO	067.6	076.8	052.2	068.1	CO	067.6	076.8	052.2	068.1	CO	067.6	076.8	052.2	068.1	CO	067.6
C2	440.1	395.9	379.3	400.5	C2	440.1	395.9	379.3	400.5	C2	440.1	395.9	379.3	400.5	C2	440.1
NX	6.96	3.93	6.34	5.24	NX	6.96	3.93	6.34	5.24	NX	6.96	3.93	6.34	5.24	NX	6.96
IDLE	LO CR	HI CR	2500	2500	IDLE	LO CR	HI CR	2500	2500	IDLE	LO CR	HI CR	2500	2500	IDLE	LO CR
HC	5930	4048	3593	5930	HC	5930	4048	3593	5930	HC	5930	4048	3593	5930	HC	5930
LH	617	337	253	617	LH	617	337	253	617	LH	617	337	253	617	LH	617
CO	5.02	1.46	1.40	5.02	CO	5.02	1.46	1.40	5.02	CO	5.02	1.46	1.40	5.02	CO	5.02
NX	127	2646	3074	127	NX	127	2646	3074	127	NX	127	2646	3074	127	NX	127
HS	1120	480	320	1120	HS	1120	480	320	1120	HS	1120	480	320	1120	HS	1120
CS	4.80	1.60	1.52	4.80	CS	4.80	1.60	1.52	4.80	CS	4.80	1.60	1.52	4.80	CS	4.80

TEST	DATE	TEST	DATE	TEST	DATE	TEST	DATE
TEST 20111	7/27/73	TEST 20111	8/23/73	TEST 20121	2/25/74	TEST 21194	8/30/74
DRY 74 WET 58	PRES 24.82	DRY 74 WET 58	PRES 24.82	DRY 76 WET 57	PRES 24.92	DRY 78 WET 61	PRES 24.68
MPG 17.08		MPG 17.08		MPG 17.40		MPG 16.34	

VEH. NO. 066

PAGE 22

MAKE PLYMOUTH MODFL DUST YEAP 70 CYL. 4 CID 318 WEIGHT 3000 TRANS 3 EXH CYRL 2 EVAP CYRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	08.90	+0110	+02	-02	1	2	1	0	2	0	037361
AFTER MAINT	03.80	-0125	+01	-02	1	2	1	0	2	0	037361
AFTER 6 MO	02.06	+0000	+00	+00	1	1	1	0	2	0	040523
AFTER 12 MO	00.15	+0040	+05	-01	1	1	2	0	2	0	045206

	IG WS	COIL	SPOKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	NTST AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	1	1	1	1	1	1	2	2	1	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	
HC	6.67	7.31	5.56	6.69	MC	7.08	4.77	4.02	MC	4.88	5.10	3.72	4.77	MC	4.42	2.98	
CO	061.6	081.5	057.4	070.7	CO	067.0	065.0	058.7	CO	048.3	071.0	051.5	060.9	CO	036.6	024.5	
C2	409.9	419.2	367.4	402.9	C2	435.4	452.0	392.1	C2	473.1	556.5	423.0	502.0	C2	477.0	495.1	
NX	3.22	2.17	3.07	2.64	NX	3.31	2.27	3.27	NX	3.87	3.39	3.42	3.50	NX	2.75	2.14	
IOLE	LO	CR	HI	CR	IOLE	LO	CR	HI	CR	IOLE	LO	CR	HI	CR	IOLE	LO	CR
HC	11181	3506	3593	3593	MC	4247	3137	3163	MC	2511	3197	3354	2500	MC	0843	2454	
LH	748	402	413	500	LH	585	464	500	LH	134	222	234	000	LH	000	000	
CO	3.66	1.21	1.94	2.29	CO	4.28	1.36	2.29	CO	2.03	1.67	1.90	0.29	CO	0.15	2.06	
NX	030	1470	1647	1487	NX	053	1367	1487	NX	094	1045	1708	090	NX	1045	1527	
HS	765	315	345	270	HS	300	230	270	HS	130	180	230	140	HS	000	000	
CS	9.40	1.30	2.00	1.70	CS	3.80	1.20	2.40	CS	2.00	1.40	1.80	2.40	CS	0.00	0.00	

TEST 00114 DATE 8/23/74 TEST 00133 DATE 8/24/74 TEST 01034 DATE 3/04/74 TEST 01138 DATE 9/04/74

DRY 77 WET 59 PRES 24.81 DRY 78 WET 60 PRES 24.70 DRY 79 WET 49 PRES 24.42 DRY 76 WET 53 PRES 24.72

MPG 16.65

MPG 16.08

MPG 14.54

MPG 17.43

VEH. NO. 072

PAGE 1-23

MAKE CHEVROLET MODEL NOVA YEAR 72 CYL. 6 CID 250 WEIGHT 1000 TRANS 1 EX4 CTOL 1 EVAP CTRL 1 PCV 1

	IDLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.10	-0020	+04	+01	2	1	1	0	1	0	012934
AFTER MAINT	01.08	-0150	+07	+02	2	2	1	0	2	0	012834
AFTER 6 MO	02.45	+0000	+00	+03	1	1	1	0	2	0	016332
AFTER 12 MO	04.70	+0000	-02	+00	1	2	1	0	2	0	01A255

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	REV
TAMP. 6 MO	2	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	
HC	3.06	2.59	2.49	2.66	4.22	1.95	2.25	2.51	HC	2.98	2.31	2.44	2.49	HC	3.00	2.67	3.55
CO	055.8	037.7	032.5	040.1	CO	046.8	012.7	019.1	CO	054.4	023.0	026.9	030.7	CO	051.1	033.7	042.6
C2	530.8	521.1	432.0	498.4	C2	524.6	507.9	408.3	C2	530.8	527.5	421.0	499.6	C2	521.8	495.1	410.1
NX	2.82	2.14	2.99	2.52	NX	2.54	2.15	2.91	NX	3.42	2.89	3.67	3.22	NX	3.81	2.74	3.51
IDLE LO CR HI CR	2500	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500	2500
HC	4503	1627	3133	3752	HC	1925	3338	3139	HC	1101	2704	3139	HC	1101	2704	3139	1454
LH	704	255	335	646	LH	454	487	350	LH	126	220	350	LH	126	220	350	000
CO	6.59	0.21	3.19	1.25	CO	0.17	2.28	CO	0.15	2.35	2.35	CO	0.15	2.35	2.35	0.89	0.32
NX	078	1274	1304	129	NX	1243	1651	096	NX	1072	1479	096	NX	1072	1479	096	2110
HS	460	070	160	510	HS	120	280	300	HS	090	150	300	HS	090	150	300	000
CS	6.20	0.25	3.20	1.10	CS	0.20	2.25	0.40	CS	0.20	2.80	1.00	CS	0.20	2.80	1.00	0.00

TEST C0126 DATE 8/24/73 TEST C0148 DATE 8/27/73 TEST C1023 DATE 2/26/74 TEST C1187 DATE 8/26/74

DRY 79 WET 61 PRES 24.71 DRY 74 WET 56 PRES 24.66 DRY 70 WET 50 PRES 24.65 DRY 66 WET 67 PRES 24.72

MPG 15.63

MPG 16.95

MPG 16.06

MPG 16.22

VEH. NO. 073

PAGE 24

MAKE FORD

MODEL TORI YEAR 71 CYL. 8 CIO 351 WEIGHT 3500 TRANS 1 EXH CYOL 1 EVAP CYRL 1 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	OROM
AS RECEIVED	01.80	+0450	+04	+06	1	1	1	0	2	0	022051
AFTER MAINT	00.08	+0000	+09	+00	1	1	1	0	2	0	022051
AFTER 6 MO	00.13	+0350	+02	+05	1	1	1	0	2	0	024995
AFTER 12 MO	03.86	+0060	+00	+00	1	1	1	0	2	0	027233

	IG WS	COIL	SPRKS	AIR/F	A/C	F/NX S	IOL/AJ	CHK	DIST AJ	PTS AJ	COND	PTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	
HC	5.37	4.51	3.99	4.55	6.44	3.14	3.99	4.06	HC	8.71	4.20	3.72	5.01	HC	3.19	4.60	4.27
CO	050.4	047.0	034.9	044.8	CO	124.9	022.1	034.0	CO	132.5	025.5	026.0	049.0	CO	122.1	037.0	034.3
C2	555.6	523.0	478.4	517.5	C2	511.2	545.6	465.4	C2	498.6	526.5	466.1	503.9	C2	507.4	477.5	439.5
NX	4.07	3.00	4.11	3.53	NX	3.52	3.53	4.42	NX	3.20	3.16	4.03	3.41	NX	5.47	4.27	5.75
IDLE LO CR	2992	3314	3356	2500	IDLE LO CR	2934	2778	2725	IDLE LO CR	2755	3161	3203	2500	IDLE LO CR	4428	3493	2847
LH	499	510	425	LH	391	324	291	LH	304	322	230	LH	000	LH	000	000	000
CO	2.06	0.38	0.93	CO	0.10	0.40	1.17	CO	0.14	0.47	1.04	CO	3.99	CO	0.58	0.91	
NX	119	1865	2077	NX	206	2190	2745	NX	324	2461	2851	NX	095	NX	1552	2532	
HS	290	280	250	HS	150	220	170	HS	255	270	235	HS	105	HS	000	000	
CS	1.90	0.45	1.05	CS	0.12	0.40	1.10	CS	0.18	0.55	1.00	CS	1.30	CS	0.00	0.00	

TEST C0123 DATE 8/24/77 TEST C0255 DATE 9/07/73 TEST C1043 DATE 3/07/74 TEST C1199 DATE 9/15/74

DRY 70 WET 55 PRES 24.73 DRY 77 WET 56 PRES 24.59 DRY 69 WET 48 PRES 24.34 DRY 76 WET 52 PRES 24.64

MPG 14.79

MPG 14.78

MPG 14.96

MPG 15.06

VEH. NO. 074

MAKE FORD MODEL FAIR YEAR 55 CYL. 8 CID 289 WEIGHT 3500 TRANS 1 FXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	A/P	MIS	NOX	ODOM
AS RECEIVED	04.20	+0100	+09	02	0	2	0	0	0	0	0	0	0	073336
AFTER MAINT	05.33	+0000	+00	00	0	1	0	0	0	0	0	0	0	073336
AFTER 5 MO	05.27	+0000	-01	00	0	1	0	0	0	0	0	0	0	076307
AFTER 12 MO	05.20	+0020	+00	00	0	1	0	0	0	0	0	0	0	090997

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	1	2
TAMP. 12 MO	2	2	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED										AFTER MAINTENANCE										AFTER 6 MONTHS										AFTER 12 MONTHS									
CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975				
HC	7.92	7.09	5.85	6.92	HC	10.19	7.24	5.65	7.42	HC	13.69	8.82	6.30	9.14	HC	7.93	7.82	6.78	7.55																				
CO	102.7	091.7	072.8	082.7	CO	162.8	092.0	070.7	100.9	CO	184.6	094.1	062.8	104.3	CO	195.0	088.0	071.9	087.1																				
C2	456.4	451.5	410.2	441.1	C2	426.2	421.6	406.6	418.4	C2	410.0	398.9	386.0	397.6	C2	392.4	387.8	352.1	378.9																				
NX	5.38	4.66	5.43	5.02	NX	2.27	2.42	3.55	2.71	NX	1.89	1.92	3.20	2.27	NX	2.68	1.62	2.48	2.08																				
IDLE										IDLE										IDLE										IDLE									
LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500
HC	4465	3937	3475	HC	6557	3622	3125	HC	6421	4488	3774	HC	687	549	375	HC	9031	5582	4975																				
LH	642	609	491	LH	575	431	344	LH	539	269	196	LH	000	000	000	LH	000	000	000																				
CO	4.50	2.67	2.01	CO	5.69	2.66	1.91	CO	5.39	2.69	1.96	CO	5.26	2.47	2.40	CO	5.26	2.47	2.40																				
NX	177	1567	2826	NX	069	1395	2326	NX	094	1345	2560	NX	061	785	1599	NX	061	785	1599																				
HS	405	375	275	HS	410	205	208	HS	580	460	300	HS	460	000	000	HS	000	000	000																				
CS	4.25	2.70	1.95	CS	5.40	2.60	1.90	CS	4.80	2.50	1.80	CS	3.20	0.00	0.00	CS	0.00	0.00	0.00																				

TEST C0124 DATE 8/24/73 TEST C0240 DATE 9/06/73 TEST C1043 DATE 3/08/74 TEST C1204 DATE 9/10/74
MPG 14.79 MPG 14.83 MPG 15.08 MPG 16.51

DRY 70 WET 59 PRES 24.73 DRY 80 WET 56 PRES 24.73 DRY 63 WET 48 PRES 24.45 DRY 86 WET 57 PRES 24.58

VEH. NO. 075

PAGE 26

MAKE FORM

MODEL PINT YEAR 71 CYL. 4 CID 90R WEIGHT 2250 TRANS 4 EXH CTRL 1 FVAP CTRL 1 PCV 1

IDLE CO INLE RPM TIMING DWELL OCV A/C CHOKE A/P MIS NOX ONOM
 10.70 -0100 +00 +05 1 2 0 0 012509
 04.70 -0080 +00 +06 1 2 0 0 012609
 07.52 +0100 +00 +00 1 1 0 2 0 015287
 09.20 +0200 -06 +05 1 1 0 2 0 017672

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPY
 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 6 MO
 TAMP. 12 MO

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 7.23	8.36	5.77	7.40	HC 4.98	7.97	3.27	3.99	HC 5.74	6.53	4.03	5.67	HC 6.05	5.48	4.43	5.48
CO 082.9	079.5	051.9	075.3	CO 070.0	052.6	046.0	054.4	CO 076.1	080.8	050.7	071.5	CO 113.9	097.0	096.0	097.5
C2 233.9	248.5	215.3	236.2	C2 237.7	267.1	212.9	245.3	C2 267.1	305.0	217.8	272.9	C2 226.4	216.9	199.0	224.2
NX 1.58	1.41	1.56	1.49	NX 1.39	1.35	1.31	1.35	NX 1.40	1.11	1.20	1.20	NX 0.89	0.63	0.80	0.73
IDLE LO CR HI CR	4852	4242	2500	IDLE LO CR HI CR	4092	3924	2500	IDLE LO CR HI CR	4950	4225	2500	IDLE LO CR HI CR	5718	5786	2500
HC 49599	462	420	456	HC 1005	555	552	2500	HC 10065	421	377	2500	HC 5718	5786	*****	2500
LH 1624	462	456	456	LH 1005	555	552	2500	LH 1747	421	377	2500	LH 000	000	000	2500
CO 9.95	1.68	4.56	4.56	CO 5.77	2.63	3.70	2500	CO 9.04	3.26	2.80	2500	CO 6.91	7.61	0.00	2500
NX 021	552	1336	315	NX 055	355	1049	2500	NX 053	354	970	2500	NX 137	316	979	2500
HS 2500	335	315	315	HS 700	250	310	2500	HS 520	220	200	2500	HS 000	000	000	2500
CS 20.00	3.90	4.50	6.50	CS 4.80	2.60	3.50	2.30	CS 7.90	3.00	2.80	4.00	CS 0.00	0.00	0.00	0.00

TEST C0134 DATE 8/27/73 TEST C0160 DATE 8/28/73 TEST C1020 DATE 2/28/74 TEST C1189 DATE 8/27/74
 DRY 70 WET 54 PRES 24.74 DRY 70 WET 50 PRES 24.78 DRY 69 WET 50 PRES 24.68 DRY 78 WET 62 PRES 24.85

MPG 23.57

MPG 25.90

MPG 22.09

MPG 22.57

VEH. NO. 07E

MAKE BUICK

MODEL LESA

YEAR 67

CYL. 8

CID 340

WEIGHT 4000

TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKES A/P MIS NOX ODOM

AS RECEIVED 05.60 +0180 +02 -04 1 1 0 2 0 021887
 AFTER MAINT 05.60 +0180 +02 -04 1 1 0 2 0 021887
 AFTER 6 MO 04.63 +0000 +00 -02 1 1 0 1 0 022575
 AFTER 12 MO 04.20 +0100 +00 +00 1 2 0 2 0 023340

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV
 TAMP. 6 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 11.36	8.24	7.68	8.74	11.36	8.24	7.68	8.74	13.37	8.61	9.41	9.83	29.49	9.02	12.26	14.20
CO 212.4	220.1	194.3	208.6	212.4	220.1	194.3	208.6	215.0	207.2	168.3	198.1	CO 261.4	240.6	213.1	237.3
C2 401.1	401.8	357.0	389.2	401.1	401.8	357.0	389.2	401.0	376.8	327.7	368.2	C2 522.3	463.4	397.0	457.3
NX 0.90	0.43	0.89	0.66	0.90	0.43	0.89	0.66	1.36	0.46	0.93	0.78	NX 1.46	0.51	0.75	0.78
IOLE LO CR HI CR	4705	4775	2500	IOLE LO CR HI CR	4715	5391	6356	IOLE LO CR HI CR	4715	5391	6356	IOLE LO CR HI CR	4715	5391	6356
HC 4485	4705	4775	2500	HC 4485	4705	4775	2500	HC 4485	4705	4775	2500	HC 4485	4705	4775	2500
LH 529	610	579	579	LH 529	610	579	579	LH 500	683	870	870	LH 500	683	870	870
CO 6.35	6.78	9.39	206	CO 6.35	6.78	9.39	206	CO 4.78	6.51	9.21	199	CO 4.32	6.18	9.04	9.04
NX 0.46	270	206	400	NX 0.46	270	206	400	NX 0.59	283	199	1400	NX 0.49	210	165	165
HS 440	520	460	400	HS 440	520	460	400	HS 560	500	840	1400	HS 500	840	1400	1400
CS 5.70	6.40	9.00	6.30	CS 5.70	6.40	9.00	6.30	CS 4.60	7.00	8.60	3.60	CS 0.00	0.00	0.00	0.00

TEST C0135 DATE 8/27/73 TEST C0135 DATE 8/27/73 TEST C1025 DATE 2/27/74 TEST C1191 DATE 8/28/74
 DRY 70 WET 54 PRES 24.74 DRY 70 WET 54 PRES 24.74 DRY 69 WET 48 PRES 24.46 DRY 80 WET 64 PRES 24.70

MPG 11.96

MPG 11.96

MPG 12.54

MPG 10.18

VEH. NO. 078

MAKE FORD

MODEL STAW YEAR 72 CYL. 8 CID 351 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

PAGE 28

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	COND	PTS	AJ	COND	RTQ	DST	CAP	RPM
AS RECEIVED	04.20	-0210	+24	+05	1	1	1	0	2	0	020434							
AFTER MAINT	04.20	-0210	+24	+05	1	1	1	0	2	0	020434							
AFTER 5 MO	03.83	+0150	+07	+02	1	1	1	0	1	0	020434							
AFTER 12 MO	05.20	+0000	+00	+03	1	1	1	0	2	0	020434							

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	INL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTQ	DST	CAP	RPM
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.03	5.00	4.47	4.86	5.03	5.00	4.47	4.96	6.06	17.97	5.39	11.99	6.17	5.06	5.37	5.39
CO	037.2	005.7	072.4	087.6	087.2	095.7	072.8	087.6	089.2	089.7	072.1	084.7	099.2	105.1	094.3	097.9
C2	573.7	560.9	554.3	515.9	573.7	560.9	564.3	515.9	643.4	636.9	538.6	610.9	613.0	627.0	512.3	592.3
NX	5.17	4.36	5.79	4.93	5.17	4.36	5.79	4.93	4.67	3.79	4.05	4.05	5.04	3.19	4.20	3.86

	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500
HC	3069	3391	3151	3151	3069	3391	3069	3391	3151	3151	3069	3391	3069	3391	3151	3151	3069	3391
LH	399	490	402	402	399	490	399	490	402	402	399	490	399	490	402	402	399	490
CO	4.73	1.75	1.91	1.91	4.73	1.75	4.73	1.75	1.91	1.91	4.73	1.75	4.73	1.75	1.91	1.91	4.73	1.75
NX	089	1861	1871	1871	089	1861	089	1861	1871	1871	089	1861	089	1861	1871	1871	089	1861
HS	275	440	330	330	275	440	190	HS	1000	309	210	160	HS	000	000	000	000	000
CS	4.45	1.65	1.90	1.90	4.45	1.65	1.60	CS	3.90	1.40	1.90	1.90	CS	0.00	0.00	0.00	0.00	0.00

TEST C0137 DATE 8/27/73 TEST C0137 DATE 9/27/73 TEST C1193 DATE 9/29/74

DRY 72 WET 55 PRES 24.73 DRY 72 WET 55 PRES 24.73 DRY 74 WET 52 PRES 24.68 DRY 79 WET 60 PRES 24.79

MPG 11.59

MPG 11.59

MPG 11.39

MPG 11.67

VEH. NO. 083

PAGE 30

MAKE DODGE

MODEL DART YEAR 70 CYL. 8 CID 118 WEIGHT 3000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.30	+0040	-05	+02	1	1	1	0	2	0	016300
AFTER MAINT	00.78	-0150	+02	+06	1	1	1	0	2	0	016300
AFTER 6 MO	01.00	-0200	+00	+00	1	1	1	0	2	0	017967
AFTER 12 MO	07.20	-0100	+00	+00	1	1	1	0	2	0	020598

	IG WS	COIL	SPRKS	AIR/F	A/C	F/HX S	IDL/AJ	CHK	DIST AJ	PIS AJ	COND	RTQ	DST CAP	RPM
TAMP. 6 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	2	1	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	HT	CS	CT	1975	HT	CS	CT	1975	HT	CS	CT	1975
HC	5.15	4.24	4.26	4.44	4.51	4.16	4.52	4.62	4.62	4.98	3.54	3.58	3.88	4.67	4.31	4.42
CO	092.4	087.8	067.7	083.2	074.1	046.5	046.4	052.2	077.3	036.0	040.4	045.9	073.9	062.7	073.5	073.5
C2	498.1	513.3	440.4	489.9	507.3	525.1	428.0	436.4	514.1	524.9	440.0	499.1	523.6	407.8	501.1	501.1
NX	2.04	1.40	2.29	1.78	2.52	2.12	3.11	2.56	1.92	1.53	2.40	1.85	1.74	2.68	2.21	2.21

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC	4391	3585	1769	3216	1623	1642	2473	3260	3480	5516	4449	4135
LH	560	517	501	645	609	556	297	323	327	000	300	000
CO	7.15	1.43	2.46	1.11	0.79	2.41	1.06	0.90	2.53	7.46	1.36	2.59
NX	046	608	945	063	1198	1248	073	1283	1295	047	662	1012
HS	530	390	395	400	320	285	200	230	225	120	000	000
CS	6.60	1.60	2.50	0.90	1.00	2.40	3.60	1.20	2.50	1.30	0.00	0.00

TEST C0151 DATE 8/29/77 TEST C0175 DATE 8/29/77 TEST C1012 DATE 3/01/74 TEST C1195 DATE 8/30/74

DRY 71 WET 54 PRES 24.71 DRY 75 WET 59 PRES 24.76 DRY 68 WET 47 PRES 24.46 DRY 74 WET 56 PRES 24.69

MPG 14.04

MPG 15.07

MPG 15.27

MPG 14.10

VEH. NO. 090

MAKE FORD		MODEL WAVE		YEAR 70		CYL. 6		CID 200		WEIGHT 2750		TRANS 1		FXH CTRL 1		EVAP CTRL 2		PCV 1									
		IDLE CO		IDLE RPM		TIMING		DWELL		PCV		A/C		CHOKE		A/P		MIS		NOX		ODOM					
AS RECEIVED	01.50	-0090	-12	+01	1	1	0	2	0	022467																	
AFTER MAINT	01.50	-0090	-12	+01	1	1	0	2	0	022467																	
AFTER 6 MO	02.26	+0000	+01	+02	1	1	0	2	0	024164																	
AFTER 12 MO	01.80	+0070	+00	+05	1	1	0	2	0	026422																	
IG WS		COIL		SPRKS		AIR/F		A/C		F/MX S		IDL/AJ		CHK		DIST AJ		PTS AJ		COND		PTR		DST CAP		RPV	
TAMP. 6 MO	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
TAMP. 12 MO	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT		CS		HT		1975		CT		CS		HT		1975		CT		CS		HT		1975		CT		CS		HT		1975	
HC	4.01	3.52	3.00	3.48	3.00	3.48	3.00	3.94	3.51	2.84	3.41	2.84	3.41	2.84	3.41	4.06	3.54	3.05	3.51	3.05	3.51	3.05	3.51	4.06	3.54	3.05	3.51	3.05	3.51	3.05	3.51
CO	059.9	041.3	034.1	043.2	034.1	043.2	034.1	066.5	047.2	036.0	049.1	036.0	049.1	036.0	049.1	054.6	041.4	031.8	043.6	031.8	043.6	031.8	043.6	054.6	041.4	031.8	043.6	031.8	043.6	031.8	043.6
C2	391.8	398.0	752.2	384.0	398.0	352.2	394.0	376.8	391.0	313.0	366.4	313.0	366.4	313.0	366.4	428.8	411.0	355.5	399.8	355.5	399.8	355.5	399.8	428.8	411.0	355.5	399.8	355.5	399.8	355.5	399.8
NX	4.11	3.11	4.32	3.66	4.11	3.11	4.32	4.41	3.62	4.27	3.96	4.27	3.96	4.27	3.96	3.67	3.00	3.92	3.39	3.92	3.39	3.92	3.39	3.67	3.00	3.92	3.39	3.92	3.39	3.92	3.39
IDLE LO CR		HI CR		2500		2500		IDLE LO CR		HI CR		2500		2500		IDLE LO CR		HI CR		2500		2500		IDLE LO CR		HI CR		2500		2500	
HC	3130	3846	3730	3130	3845	3730	3130	3107	3607	3389	3107	3607	3389	3107	3607	3107	3607	3389	3107	3607	3389	3107	3607	3107	3607	3389	3107	3607	3389	3107	3607
LH	509	639	562	509	639	562	509	396	416	338	396	416	338	396	416	396	416	338	396	416	338	396	416	396	416	338	396	416	338	396	416
CO	1.71	1.00	2.38	1.71	1.00	2.38	1.71	2.31	0.85	1.23	1.76	0.85	1.23	1.76	0.85	1.76	0.85	1.23	1.76	0.85	1.23	1.76	0.85	1.76	0.85	1.23	1.76	0.85	1.23	1.76	0.85
NX	145	1229	1149	145	1229	1149	145	176	1647	2455	176	1647	2455	176	1647	176	1647	2455	176	1647	2455	176	1647	176	1647	2455	176	1647	2455	176	1647
HS	165	280	220	125	HS	165	280	240	340	250	240	340	250	240	340	240	340	250	240	340	250	240	340	240	340	250	240	340	250	240	340
CS	1.70	0.90	2.40	1.55	CS	1.70	0.90	2.20	0.90	1.60	2.20	0.90	1.60	2.20	0.90	2.20	0.90	1.60	2.20	0.90	1.60	2.20	2.20	0.90	1.60	2.20	0.90	1.60	2.20	0.90	1.60

TEST C0166 DATE 8/29/73 TEST C0166 DATE 8/29/73 TEST C1037 DATE 3/05/74 TEST C1203 DATE 9/10/74

DRY 72 WET 59 PRES 24.77 DRY 72 WET 59 PRES 24.77 DRY 70 WET 50 PRES 24.41 DRY 61 WET 56 PRES 24.65

MPG 19.24

MPG 19.67

MPG 19.24

MPG 18.58

VEH. NO. 091

PAGE 32

MAKE PONTIAC

MODEL LEWA

YEAR 73

CYL. 8

CID 400

WEIGHT 4000

TRANS 1

EXH CTRL 1

EVAP CTRL 1

PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO
AFTER 12 MO

IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
01.40	+0010	+00	+03	1	2	1	0	2	2	006704
02.16	+0000	+00	+00	1	1	1	0	2	1	006704
01.87	+0000	-04	+00	1	1	1	0	2	2	010112
01.80	+0000	-04	-01	1	1	1	0	2	1	011239

TAMP. 6 MO
TAMP. 12 MO

IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IOL/AJ	CHK	DIST AJ	PTS AJ	COND	PTR	DST CAP	RPV
2	2	2	2	2	2	2	2	2	2	2	2	2	2
2	2	1	2	2	2	1	2	2	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 4.06	3.19	3.07	3.34	HC 5.13	3.25	3.40	3.69	HC 6.04	4.11	3.54	4.36	HC 4.53	4.40	3.99	4.32
CO 067.3	030.0	031.7	042.9	CO 067.2	025.6	036.9	042.6	CO 119.7	051.7	035.6	061.3	CO 074.1	031.5	025.6	038.8
C2 724.6	701.5	598.3	577.7	C2 674.5	678.1	543.3	640.0	C2 611.3	646.9	530.6	607.2	C2 744.9	705.6	563.9	674.5
NX 2.27	2.42	4.40	2.94	NX 2.80	2.85	5.29	3.51	NX 2.91	3.52	5.23	3.87	NX 2.43	2.46	3.94	2.96
IDLE LO CR HI CR	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500
HC 2217	2475	2425	2425	HC 2991	2643	2786	2786	HC 2993	2974	2753	2753	HC 2632	5357	2762	2762
LH 353	507	472	472	LH 628	579	565	565	LH 264	279	241	241	LH 090	000	000	000
CO 1.46	0.16	0.38	0.38	CO 2.38	0.34	0.69	0.69	CO 1.96	0.19	0.71	0.71	CO 1.90	0.72	0.91	0.91
NX 147	2659	3167	3167	NX 154	1879	3575	3575	NX 131	2736	3430	3430	NX 115	1297	2578	2578
HS 145	150	130	130	HS 190	180	155	155	HS 200	150	200	200	HS 000	000	000	000
CS 1.55	0.25	0.40	1.90	CS 2.25	0.30	0.73	1.80	CS 2.20	1.60	0.90	1.80	CS 0.80	0.00	0.00	0.00

TEST C0162 DATE 8/29/73 TEST C0198 DATE 8/31/73 TEST C1042 DATE 1/06/74 TEST C1197 DATE 9/04/74

DRY 70 WET 56 PRES 24.76 DRY 73 WET 57 PRES 24.53 DRY 76 WET 51 PRES 24.32 DRY 72 WET 55 PRES 24.72

MPG 11.79

MPG 12.40

MPG 12.42

MPG 11.99

VEH. NO. 093

PAGE J-33

MAKE PLYMOUTH MODEL DUST YEAP 72 CYL. 6 CIO 19A WEIGHT 3000 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	NOX	0004
AS RECEIVED	05.10	-0060	-0060	+00	-03	1	2	1	0	2	0	020817
AFTER MAINT	00.90	-0120	-0120	-03	-03	1	2	1	0	2	0	020817
AFTER 5 MO	03.82	-0750	-0750	+07	+00	1	1	1	0	2	0	026525
AFTER 12 MO	04.00	-0020	-0020	+00	+00	1	1	1	0	2	0	030780
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	1	2	2	2	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	6.53	3.43	2.96	3.96	HC	4.07	2.96	2.76	3.14	HC	3.35	HC	5.58	3.78	3.05
CO	129.2	063.6	076.3	080.9	CO	081.0	019.6	045.2	039.6	CO	045.6	CO	110.2	064.5	066.8
C2	341.9	344.6	302.2	332.3	C2	367.4	372.0	336.5	361.2	C2	338.2	C2	294.7	310.6	271.3
NX	2.67	3.85	3.45	3.49	NX	3.89	4.90	4.83	4.67	NX	5.37	NX	2.20	2.69	2.97
IDL	LO	CR	HI	CR	2500	IDL	LO	CR	HI	CR	2500	IDL	LO	CR	HI
HC	5575	4257	4945	HC	7051	3677	4374	HC	4718	3029	4257	HC	4114	3488	0296
LH	794	676	699	LH	1082	460	501	LH	517	317	434	LH	000	000	100
CO	6.03	3.06	8.41	CO	0.14	0.76	7.42	CO	0.10	1.43	8.62	CO	5.44	0.84	2.15
NX	102	1811	541	NX	272	3709	908	NX	499	2950	550	NX	088	2582	2355
HS	440	275	330	HS	800	190	245	HS	260	309	320	HS	000	000	000
CS	5.20	2.80	7.90	CS	0.14	0.85	7.50	CS	0.15	1.60	7.40	CS	0.00	0.00	0.00

TEST C0183 DATE 8/30/73 TEST C0218 DATE 9/04/73 TEST C1040 DATE 3/06/74 TEST C1200 DATE 9/06/74
 DRY 74 WET 56 PRES 24.67 DRY 73 WET 54 PRES 24.88 DRY 78 WET 55 PRFS 24.32 DRY 70 WET 53 PRES 24.81

MPG 14.88

MPG 20.56

MPG 21.18

MPG 20.99

VEH. NO. 096

PAGE 34

MAKE PONTIAC MODEL CAT YFAR 65 CYL. 8 CIO 369 WEIGHT 4000 TRANS 1 EXH CYPL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHCKE	A/P	MIS	NOX	ODOM
AS RECEIVED	03.10	-0010	+00	+06	1	2	1	0	1	0	076369
AFTER MAINT	06.00	+0300	+00	-05	1	2	1	0	1	0	076369
AFTER 6 MO	06.23	+0000	-01	-04	1	2	1	0	2	0	078559
AFTER 12 MO	05.20	+0220	-01	-05	1	2	1	0	1	0	091313

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IOL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 5 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	HT	1975	CT	HT	1975	CT	HT	1975	CT	HT	1975
HC 36.25	33.74	31.40	33.62	HC 17.29	12.78	11.37	13.33	HC 15.18	14.55	12.58	14.16	HC 10.14	10.21	9.98	10.14
CO 224.9	168.6	198.2	198.6	CO 307.2	219.8	243.4	244.7	CO 260.3	218.6	233.8	231.5	CO 222.3	299.9	203.2	210.6
C2 449.2	420.7	374.2	413.7	C2 404.5	417.5	363.0	399.7	C2 415.6	399.2	335.8	385.1	C2 407.2	458.4	374.5	424.4
NX 1.26	0.96	1.11	1.06	NX 0.62	0.55	0.66	0.60	NX 0.98	0.71	0.77	0.79	NX 0.65	0.56	0.61	0.59
IOLE LO CR HI CR	2500	2500	2500	IOLE LO CR HI CR	2500	2500	2500	IOLE LO CR HI CR	2500	2500	2500	IOLE LO CR HI CR	2500	2500	2500
HC 15430	27069	33148	HC 11942	4965	5510	HC 9719	5742	6113	HC 7664	5213	6442	HC 7664	5213	6442	6442
LH 2500	2500	2500	LH 857	621	636	LH 1077	707	697	LH 000	000	000	LH 000	000	000	000
CO 3.73	6.73	9.18	CO 6.23	7.49	11.09	CO 6.19	8.71	10.56	CO 5.27	4.08	8.59	CO 5.27	4.08	8.59	8.59
NX 032	180	110	NX 024	237	163	NX 037	041	002	NX 046	651	254	NX 046	651	254	254
HS 2500	2500	2500	HS 720	350	340	HS 860	600	540	HS 900	000	000	HS 000	000	000	000
CS 3.30	6.60	9.40	CS 6.50	7.80	20.00	CS 5.40	7.80	9.90	CS 0.00	0.00	0.00	CS 0.00	0.00	0.00	0.00

TEST C0181 DATE 8/30/73 YFST C0219 DATE 9/04/73 YFST C1051 DATE 3/08/74 TEST C1205 DATE 9/11/74

DRY 75 WET 56 PRES 24.67 DRY 70 WET 54 PRES 24.88 DRY 72 WET 49 PRES 24.45 DRY 78 WET 56 PRES 24.62

MPG 10.91

MPG 10.78

MPG 11.22

MPG 11.31

VEH. NO. 104

PAGE./-35

MAKE PLYMOUTH MODEL BELV YEAP 6R CYL. 8 CID 273 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED 09.90 IDLE CO +0001 IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX ODOM
 AFTER MAINT 03.95 +0000 +00 +00 1 1 1 0 0 0 059630
 AFTER 5 MO 04.19 -0050 -03 1 2 1 0 0 0 062910
 AFTER 12 MO 06.60 +0070 +03 1 1 1 0 0 0 065144

IG WS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND PTR DST CAP QPV
 TAMP. 6 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 1 2 1 1 2 2 1 2 2 1 1 1 1 1 1 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT CS HT 1975 CT CS HT 1975 CT CS HT 1975 CT CS HT 1975
 HC 10.59 8.81 5.55 8.55 HC 10.99 5.26 4.80 6.33 HC 10.56 8.08 4.44 7.59 HC 10.57 5.89 4.43 6.46
 CO 203.0 146.7 145.3 178.8 CO 212.0 108.4 130.1 136.1 CO 219.0 195.2 078.5 162.7 CO 239.0 146.2 070.9 144.7
 C2 412.3 428.3 369.6 404.5 C2 420.5 422.2 382.3 410.4 C2 405.2 437.3 399.9 420.2 C2 480.3 501.2 462.8 485.2
 NX 1.16 1.35 1.86 1.45 NX 0.95 1.53 1.78 1.48 NX 0.99 1.26 3.73 1.89 NX 0.95 1.33 3.50 1.85

IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500
 HC 12025 3941 4727 HC 4066 3917 4699 HC 6455 4357 5240 HC 5010 3821 4146
 LH 696 469 553 LH 801 745 755 LH 532 416 470 LH 000 000 000
 CO 10.42 2.92 9.01 CO 4.24 3.60 8.37 CO 8.52 2.59 7.48 CO 6.67 0.91 2.48
 NX 024 991 251 NX 046 1006 272 NX 053 1170 315 NX 057 1103 1046
 HS 620 315 360 215 HS 290 280 310 190 HS 460 340 360 220 HS 000 000 000
 CS 20.00 2.90 8.10 4.60 CS 4.30 3.40 8.40 4.40 CS 8.10 2.60 7.10 5.00 CS 0.00 0.00 0.00 0.00

TEST C0204 DATE 9/04/73 TEST C0270 DATE 9/10/73 TEST C1964 DATE 3/15/74 TEST C1214 DATE 9/20/74

DRY 71 WET 55 PRES 24.77 DRY 71 WET 62 PRES 24.82 DRY 70 WET 48 PRES 24.43 DRY 79 WET 56 PRES 24.94

MPG 12.50

MPG 13.82

MPG 12.73

MPG 12.14

VEH. NO. 107

PAGE 36

MAKE CHEVROLET MODFL CORV YEAR 65 CYL. 6 CID 164 WEIGHT 2750 TRANS 4 EXH CTOL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	01.70	-0075	+02	-03	0	1	1	0	2	0	076074
AFTER MAINT	04.30	+0500	+07	-03	0	1	1	0	2	0	076074
AFTER 6 MO	04.31	+0300	+00	+02	0	1	1	0	2	0	076647
AFTER 12 MO	02.10	+0020	-04	+07	0	1	2	0	1	0	031475

	IG MS	COIL	SPRKS	AIP/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	1	1	1	1	1	2	2	2
TAMP. 12 MO	2	1	1	1	1	2	2	2	2	2	1	1	1	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.62	A.83	5.85	8.38	HC 10.31	6.44	5.40	5.96	HC 14.43	10.71	7.27	10.53	HC 31.37	38.61	30.86	34.95
CO 093.8	079.8	033.1	069.7	CO 107.7	102.3	084.9	098.5	CO 120.6	111.9	090.9	107.8	CO 111.2	094.4	086.2	095.6
C2 297.9	332.9	155.1	276.2	C2 292.3	339.3	280.4	313.2	C2 309.7	326.5	260.3	304.4	C2 289.4	298.2	244.1	261.3
NX 1.58	1.34	1.77	1.51	NX 1.21	1.11	1.38	1.21	NX 1.23	1.15	1.38	1.23	NX 1.25	1.06	1.11	1.11

IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC 13045	5210	4840	HC 5531	4802	4636	HC 15941	8788	7514	HC 35394	32214	31610
LH 2089	855	739	LH 500	529	533	LH 1962	791	633	LH 000	000	000
CO 2.45	3.77	4.05	CO 4.74	4.99	5.15	CO 4.79	5.26	5.40	CO 2.52	4.34	3.54
NX 046	822	1229	NX 054	376	904	NX 044	614	550	NX 021	203	650
HS 2500	480	400	HS 360	355	375	HS 2000	800	560	HS 000	800	000
CS 2.00	3.60	3.80	CS 4.55	4.85	4.90	CS 4.40	4.80	5.00	CS 0.00	0.00	0.00

TEST C0209 DATE 9/04/73 TEST C0229 DATE 9/05/73 TEST C1050 DATE 3/08/74 TEST C1201 DATE 9/09/74

DRY 72 WET 53 PRES 24.87 DRY 75 WET 56 PRES 24.87 DRY 70 WET 48 PRES 24.45 DRY 79 WET 54 PRES 24.74

MPG 21.68

MPG 18.18

MPG 17.55

MPG 16.42

[illegible]

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/4X	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2		2	2	2	1	2		2	2	2		2		2	2		2	1
TAMP. 12 MO	2		2	2	2	2	2		2	2	2		1		2	2		2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

[illegible][illegible]

DRY 76	WET 57	PRES 24.69	DRY 81	WET 55	PRES 24.69	DRY 69	WET 48	PRES 24.52	DRY 70	WET 49	PRES 26.79
--------	--------	------------	--------	--------	------------	--------	--------	------------	--------	--------	------------

MPG 11.96

\$405, 10.99

МРГ 11.25

VEH. NO. 11F

PAGE 1-39

MAKE PONTIAC MODEL CATY YEAR 67 CYL. 8 CID 400 WEIGHT 4000 TRANS 1 EX4 CTRL 1 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COMD	RTR	DST	CAP	RPV
AS RECEIVED	00.39	+0000	-04	+03	1	1	1	1	0	1	0	0	071128				
AFTER MAINT	00.39	+0000	-04	+03	1	1	1	1	0	1	0	0	071128				
AFTER 6 MO	01.59	+0100	-05	+00	1	1	1	1	0	2	0	0	077038				
AFTER 12 MO	02.30	+0120	-04	-01	1	1	1	1	0	2	0	0	081359				

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COMD	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	2	1	2	2	2	2	2	2	1	1	1	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.75	4.59	4.47	4.80	5.75	4.59	4.47	4.80	7.25	4.93	4.73	5.36	16.68	5.20	4.60	7.43
CO	100.7	059.4	079.5	073.1	100.7	059.4	079.5	073.1	137.3	065.9	086.0	086.4	216.0	082.3	087.3	111.7
C2	546.6	542.1	450.7	517.7	546.6	542.1	450.7	517.7	606.0	578.6	500.9	562.8	536.2	541.7	443.2	513.2
NX	3.32	2.82	3.17	3.02	3.32	2.82	3.17	3.02	2.13	2.30	2.54	2.36	2.28	2.61	2.04	2.60
IDLE LO CR HI CR	3828	3517	3113	2500	3828	3517	3113	2500	4013	3476	3376	2500	4247	3274	2732	2500
LH	411	377	309		411	377	309		430	347	299		000	000	000	
CO	0.50	2.52	2.94		0.50	2.52	2.94		0.57	2.11	3.09		2.93	2.50	2.48	
NX	163	1371	1727		163	1371	1727		119	1311	1114		091	1076	1445	
HS	240	220	170	135	240	220	170	135	330	260	240	190	000	000	000	000
CS	0.50	2.90	3.00	3.90	0.50	2.90	3.00	3.90	0.57	2.00	3.10	2.40	0.00	0.00	0.00	0.00

TEST C0248 DATE 9/07/73 TEST C0248 DATE 9/07/73 TEST C1053 DATE 3/11/74 TEST C1209 DATE 9/16/74

DRY 72 WET 56 PRES 24.74 DRY 72 WET 56 PRES 24.74 DRY 70 WET 50 PRES 24.45 DRY 73 WET 55 PRES 24.85

MPG 13.75

MPG 13.75

MPG 12.45

MPG 12.51

VEH. NO. 122

PAGE 40

MAKE PONTIAC

MODEL FIRE YFAR 67 CYL. 8 CID 326 WEIGHT 3500 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DMFLL	PCV	A/C	CHOKER	A/P	MIS	NOX	ODOM
AS RECEIVED	05.90	-0110	+00	-02	1	1	1	0	2	0	042146
AFTER MAINT	05.40	+0120	+00	+03	1	1	1	0	2	0	042146
AFTER 5 MO	07.68	-0100	+00	+00	1	1	1	0	2	0	045915
AFTER 12 MO	05.90	+0000	+00	+03	1	1	1	0	2	0	049512

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	POV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	1
TAMP. 12 MO	2	2	1	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975			
HC	9.91	11.88	9.48	10.80	HC	14.09	12.81	8.76	11.95	HC	12.49	16.86	9.58	13.93	HC	13.33	13.94	10.57	12.88
CO	089.4	138.8	091.9	115.2	CO	115.4	150.8	099.0	129.0	CO	096.9	151.7	088.5	122.7	CO	124.5	161.1	116.1	141.0
C2	426.7	365.1	336.8	370.1	C2	396.2	358.4	352.9	364.8	C2	463.5	445.2	389.3	433.5	C2	440.1	385.2	367.0	391.6
NX	4.12	1.85	3.36	2.74	NX	3.14	1.35	3.52	2.33	NX	3.21	1.89	3.34	2.48	NX	3.15	1.19	2.68	2.01

	IOLE	LO	CR	HI	CP	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC	19722	4720	4183	HC	18165	4409	4122	HC	14009	5650	4632	HC	13024	7356	5095			
LH	1845	616	566	LH	1241	537	506	LH	1762	550	434	LH	000	000	000			
CO	7.32	2.55	2.31	CO	5.53	2.49	2.18	CO	8.39	2.47	1.39	CO	5.72	5.26	2.27			
NX	026	1924	3119	NX	038	1756	2896	NX	036	1428	3190	NX	026	309	2302			
HS	240	355	305	HS	740	290	255	HS	1450	510	350	HS	000	000	000			
CS	6.80	2.70	2.40	CS	5.40	2.30	2.00	CS	7.70	2.60	1.40	CS	0.00	0.00	0.00			

TEST C0267 DATE 9/11/73 TEST C0291 DATE 9/11/73 TEST C1054 DATE 3/11/74 TEST C1206 DATE 9/12/74

DRY 70 WET 61 PRES 24.84 DRY 74 WET 62 PRES 24.72 DRY 70 WET 50 PRES 24.45 DRY 69 WET 52 PRES 24.89

MPG 15.22

MPG 14.72

MPG 13.29

MPG 13.62

VEH. NO. 12E

PAGE./41

MAKE CHEVROLET MODEL IMPA YEAR 66 CYL. 8 CID 327 WEIGHT 4000 TRANS 1 FKH CTPL 2 EVAP CTRL 1 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.20	+0045	-02	+03	1	1	1	0	2	0	033735
AFTER MAINT	03.50	+0000	-02	+01	1	1	1	0	2	0	033735
AFTER 6 MO	03.80	+0025	-02	+00	1	1	1	0	2	0	037299
AFTER 12 MO	07.90	+0145	+00	+02	1	1	1	0	2	0	040195

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	1	1	2	2	2	2	2	2	2	1	1	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

AS RECEIVED				AFTER MAINTENANCE				AFTER 6 MONTHS				AFTER 12 MONTHS			
CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.39	9.29	7.55	9.04	HC 9.78	7.36	6.26	7.56	HC 8.77	7.18	6.44	7.31	HC 10.56	8.26	7.00	8.39
CO 145.9	158.0	121.7	145.4	CO 142.9	118.9	105.7	120.3	CO 090.9	072.6	059.2	072.7	CO 152.9	120.0	100.3	121.4
C2 483.3	420.8	384.3	423.8	C2 444.3	414.3	379.8	411.0	C2 509.8	468.5	426.9	465.6	C2 469.4	456.7	408.6	446.0
NX 3.87	2.09	2.99	2.71	NX 3.03	1.98	2.87	2.44	NX 4.79	2.80	4.09	3.57	NX 3.17	2.79	3.48	3.06
IDLE LO CR HI CR 2500				IDLE LO CR HI CR 2500				IDLE LO CR HI CR 2500				IDLE LO CR HI CR 2500			
HC 7578	4619	3854	HC 6228	4804	4048	HC 10634	5070	4756	HC 10076	6000	4591	HC 10076	6000	4591	
LH 871	613	485	LH 919	750	625	LH 1440	624	449	LH 000	000	000	LH 000	000	000	
CO 9.00	3.67	2.48	CO 4.03	4.27	2.79	CO 1.33	4.04	2.25	CO 8.24	3.24	1.77	CO 8.24	3.24	1.77	
NX 044	1268	2268	NX 063	1106	1977	NX 065	1048	2323	NX 103	1175	2320	NX 103	1175	2320	
HS 680	420	280	HS 325	520	245	HS 320	HS 980	480	HS 000	000	000	HS 000	000	000	
CS 8.80	3.50	2.50	CS 3.30	3.70	2.60	CS 6.20	CS 3.30	3.50	CS 0.00	0.00	0.00	CS 0.00	0.00	0.00	

TEST C0282 DATE 9/11/73 TEST C0306 DATE 9/12/73 TEST C1060 DATE 3/13/74 TEST C1212 DATE 9/17/74

DRY 69 WET 59 PRES 24.79 DRY 79 WET 60 PRES 24.65 DRY 70 WET 51 PRES 24.59 DRY 77 WET 54 PRES 24.90

MPG 13.09

MPG 14.28

MPG 14.77

MPG 13.43

VEH. NO. 127

PAGE 42

MAKE DODGE

MODEL CORO YEAP 66 CYL. 8 CIO 318 WEIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 3 PCV 1

	IDLE CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	04.30	-0100	+05	+00	1	2	1	0	2	0	048219
AFTER MAINT	00.20	+0120	+05	+05	1	2	1	0	2	0	048219
AFTER 5 MO	08.50	+0200	+00	+01	1	1	1	0	2	0	050895
AFTER 12 MO	09.50	+0315	+06	+01	1	1	1	0	2	0	053239

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IOL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	ROV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 14.31	6.77	5.00	7.86	12.44	4.15	4.01	5.85	15.75	8.94	6.42	9.69	15.45	10.771	5151	4715	2500
CO 210.6	081.5	059.0	102.3	174.3	037.2	035.6	065.4	229.1	129.2	077.4	135.8	209.1	149.7	079.8	142.7	10.00
C2 386.4	437.4	398.0	415.9	363.0	430.5	392.5	405.8	381.8	411.1	400.2	402.0	357.0	390.6	358.3	377.4	2.73
NX 1.82	5.12	5.70	4.59	1.13	2.59	3.02	2.40	1.03	2.62	3.57	2.58	1.29	2.54	4.17	2.73	2.73
IDLE LO CR HI CR	5777	4765	4219	3677	3659	3517	2500	8686	4354	4055	2500	10771	5151	4715	2500	2500
LH 720	634	507	727	682	664	644	2500	805	403	301	2500	LH 000	000	000	000	000
CO 4.79	0.80	2.39	0.25	1.97	2.40	2.40	2500	CO 8.71	0.87	2.19	2500	CO 9.64	0.73	3.13	2500	2500
NX 126	3173	2137	215	1387	1670	1670	2500	NX 046	2689	1882	2500	NX 038	2496	1473	2500	2500
HS 615	350	390	265	250	200	200	2500	HS 700	500	400	2500	HS 000	000	000	2500	2500
CS 4.40	0.70	2.30	0.25	2.00	2.20	2.20	2500	CS 8.80	1.10	1.80	2500	CS 0.00	0.00	0.00	2500	2500

TEST C0283 DATE 9/11/73 TEST C0309 DATE 9/12/73 TEST C1058 DATE 3/13/74 TEST C1208 DATE 9/13/74

DRY 72 WET 62 PRES 24.79 DRY 77 WET 60 PRES 24.65 DRY 68 WET 50 PRES 24.60 DRY 71 WET 55 PRES 24.85

MPG 14.81

MPG 16.90

MPG 13.79

MPG 14.06

VEH. NO. 129

PAGE 1-43

MAKE CHEVROLET MODEL BISC YFAP 65 CYL. 8 CID 283 WEIGHT 3500 TRANS 1 EX4 CTPL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO
AFTER 12 MO

IDLE CO 08.70
IDLE RPM +0050
IDLE CO 05.60
IDLE RPM +0000
IDLE CO 05.90
IDLE RPM +0050
IDLE CO 02.60
IDLE RPM +0170

TIMEING
-14
+00
-04
+02

DWELL
+00
+02
-14
-05

A/C 2
2
1
1

PCV 0
0
0
0

A/C 2
2
1
1

CHOKE 1
1
1
1

A/P 0
0
0
0

MIS 2
2
2
2

NOX 0
0
0
0

UNOM 073598
073598
076516
079945

TAMP. 6 MO
TAMP. 12 MO

IG MS 2
2

COIL 2
2

SPRKS 2
2

ATQ/F 2
1

A/C 2
1

F/MX S 2
2

IDL/AJ 2
2

CHK 2
2

DIST AJ 2
2

PYS 2
2

AJ 2
1

COND 2
1

PTR 2
1

DST CAP 2
2

RDV 2
2

AS RECEIVED

AFTER MAINTENANCE

AFTER 5 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.32	8.96	7.11	8.73	HC 8.27	6.72	5.33	6.66	HC 12.02	10.09	9.31	10.27
CO 160.7	164.3	136.5	155.8	CO 144.2	133.6	125.4	133.6	CO 146.4	139.4	122.8	135.8
C2 394.3	366.4	341.0	365.2	C2 394.0	377.0	339.7	370.2	C2 427.4	409.5	363.1	395.7
NX 2.59	1.31	1.96	1.74	NX 1.42	0.77	1.27	1.04	NX 1.75	0.96	1.50	1.27

IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 13746	5330	4515	HC 6A62	4167	3902	HC 8169	6317	5338
LH 617	654	546	LH 773	689	629	LH 729	615	493
CO 9.41	5.69	4.47	CO 5.99	5.06	4.39	CO 5.76	4.27	3.83
NX 026	616	1207	NX 050	491	852	NX 055	556	847
HS 800	455	315	HS 450	355	280	HS 580	629	620
CS 9.20	5.20	4.20	CS 5.70	4.80	4.20	CS 5.60	4.30	4.40

TEST C0295 DATE 9/12/73 TEST C0324 DATE 9/13/73 TEST C1059 DATE 3/13/74 TEST C1207 DATE 9/13/74

DRY 71 WFT 60 PRES 24.69 DRY 78 WFT 56 PRES 24.63 DRY 69 WFT 52 PRES 24.59 DRY 72 WFT 55 PRES 24.86

MPG 13.97

MPG 14.82

MPG 13.88

MPG 13.21

VEH. NO. 130

PAGE 44

MAKE FORD

MODEL MUST VFAP 65 CYL. 6 CID 200 WEIGHT 2750 TRANS 3 EXH CTR 2 EVAP CTR 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	0004
AS RECEIVED	03.50	+0020	-02	-07	1	1	1	0	1	0	092515
AFTER MAINT	03.50	+0020	-02	-07	1	1	1	0	1	0	092515
AFTER 6 MO	05.27	-0010	+00	-02	1	1	1	0	2	0	094277
AFTER 12 MO	06.40	+0230	+04	-01	1	1	1	0	1	0	095946

	IG WS	COIL	SPPKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	3.70	8.66	5.60	8.03	9.70	8.65	5.60	8.03	8.18	8.51	6.51	7.89	8.18	8.14	6.13	8.31
CO	067.9	077.9	048.4	067.6	067.9	077.9	048.4	067.6	064.4	074.7	051.4	066.1	069.3	094.6	056.1	073.5
C2	303.2	295.0	272.2	291.6	309.2	295.0	272.2	291.6	291.1	295.1	272.1	292.7	292.6	277.6	257.4	275.1
NX	3.67	2.03	3.44	2.77	3.67	2.03	3.44	2.77	3.94	2.34	3.51	3.01	3.27	1.62	2.77	2.28
IOLE LO CR HI CR	5810	4998	4775	5810	5810	4998	4775	5810	9A17	6546	5115	2500	IOLE LO CR HI CR	11673	6460	2500
HC	5810	4998	4775	5810	5810	4998	4775	5810	9A17	6546	5115	2500	HC	11673	6460	2500
LH	544	562	561	544	544	562	561	544	829	519	413	2500	LH	000	000	000
CO	3.97	4.71	5.42	3.97	3.97	4.71	5.42	3.97	5.13	4.29	1.22	2500	CO	6.45	3.23	2.47
NX	061	529	922	061	061	529	922	061	051	696	3617	2500	NX	033	337	2014
HS	450	355	340	450	450	355	340	450	800	480	320	500	HS	000	000	000
CS	3.60	4.50	5.00	3.50	3.60	4.50	5.00	3.50	5.00	4.20	1.20	5.40	CS	0.00	0.00	0.00

TEST C0297 DATE 9/12/73 TEST C0297 DATE 9/12/73 TEST C1063 DATE 3/15/74 TEST C1213 DATE 9/18/74

DRY 71 WET 60 PRES 24.68 DRY 71 WET 60 PRES 24.68 DRY 69 WET 48 PRES 24.43 DRY 74 WET 52 PRES 24.79

MPG 21.04

MPG 21.04

MPG 21.64

MPG 21.37

MAKE VOLKSWAGON MODEL SENA YEAR 65 CYL. 4 CID 073 WEIGHT 2000 TRANS 4 FXH CTRL 2 EVAP CTRL 2 PCV 2

AS RECEIVED	YOLE CO	IDLE RPM	TIMING	DMFL	PCV	A/G	CHOKE	A/P	MIS	NOX	000M
AFTER MAINT	01.47	-0005	-01	-01	0	1	1	0	1	0	089782
AFTER 6 MO	05.40	+0575	-01	-02	0	1	1	0	2	0	049762
AFTER 12 MO	00.36	+0000	+00	-15	0	1	1	0	2	0	048220
				+00	0	1	1	0	2	0	109400

TAMP.	6 MO	12 MO	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP.	6 MO	12 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP.	12 MO		2	2	2	2	2	2	1	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

[illegible]

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	12324	4.215	3128	HC	7318	4.064	3034	HC	8597	4.215	3251	HC	17129	5.160	3517					
LH	2042	5.18	440	LH	1143	7.07	566	LH	451	3.06	245	LH	000	0.00	000					
CO	1.76	4.61	1.91	CO	6.00	5.15	2.37	CO	9.02	4.70	2.55	CO	0.50	5.88	3.40					
NX	072	1.198	1889	NX	052	9.86	2958	NX	072	5.37	2243	NX	069	3.07	1841					
HS	1350	24.0	160	HS	465	265	190	HS	500	4.00	390	HS	000	0.00	000					000
CS	1.50	4.20	1.80	CS	5.60	4.70	2.35	CS	7.60	7.10	2.40	CS	0.00	0.00	0.00					0.00

TEST	DATE	TEST	DATE	TEST	DATE
TEST C0296	9/12/73	TEST C0325	9/13/73	TEST C1062	3/14/74
					9/16/74

DRY 69 WET 60 PRES 24.6A DRY 7A WET 56 POPS 24.63 DRY 7D WET 4A PRES 24.15 DRY 7O WET 54 PRES 24.85

MPG 24.27

MPG 24.30

MPG 21.90

406 24.92

MAKE FORD

MODEL	TORX	YEAR	70	CYL.	8	CID	351	WEIGHT	3500	TRANS	1	EXH	CTPL	1	EVAP	CTRL	2	PCV	1
-------	------	------	----	------	---	-----	-----	--------	------	-------	---	-----	------	---	------	------	---	-----	---

AS RECEIVED	IOLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	WIS	NOX	ODM
AFTER MAINT	00.60	-0100	+06	-04	2	1	1	0	1	0	045898
AFTER MAINT	04.95	+0000	+00	+00	1	1	1	0	2	0	04589A
AFTER 6 MO	05.75	+0150	+02	+02	1	1	1	0	2	0	053734
AFTER 12 MO	05.50	-00A0	-05	+01	1	1	1	0	2	0	0543A0

[illegible]

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.12	7.23	7.01	7.15	HC	7.79	7.51	7.96	7.98	7.98	5.95	8.14
CO	074.3	023.4	027.3	035.1	CO	097.8	075.3	051.5	105.9	105.9	067.7	107.8
C2	508.3	492.7	451.1	484.4	C2	546.6	510.4	486.3	417.7	425.9	381.4	411.8
NX	6.51	5.22	8.14	6.30	NX	2.00	1.55	2.15	2.46	1.66	2.81	2.15

[illegible]

TEST C0310	DATE	9/13/73	TEST COMPZ	DATE	9/19/73	TEST C1070	DATE	8/19/74	YFSV	C1217	DATE	9/23/76
DRY 69 WET 59	PRES	24.66	DRY 78 WET 54	PRES	24.6A	DRY 70 WET 49	PRES	24.50	DRY	80 WET 53	PRES	24.64

MPG 15.14

MPG 13, 66

MP, 14.95

4PG 14.15

MAKE	MODEL	YEAR	CYL.	8 CID	425	WEIGHT	4500	TRANS	1 EXH	CTRL	2 EVAP	CTRL	2 PCV	1			
WAKE	OLDSCRTLE	MODEL	YEAR	66	CYL.	8	CID	425	WEIGHT	4500	TRANS	1 EXH	CTRL	2 EVAP	CTRL	2 PCV	1

AS RECEIVED	TOLE CO	IDLE RPM	TIMING	DWELL	PCV	A/G	CHOKE	A/P	MIS	NOX	ODM4
AFTER 6 HOURS	00.75	-0060	+02	+01	1	2	1	0	2	0	045553
AFTER 6 MO	07.04	+0000	+00	+00	1	1	1	0	2	0	045553
AFTER 6 MO	05.75	+0120	+02	+03	1	1	1	0	2	0	050741
AFTER 12 MO	04.90	+0130	-05	+03	1	2	1	0	2	0	053441

	TAMP.	6 MO	TAMP.	12 MO	IG WS	COIL	SPRKS	AIR/F	A/C	F/YX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
					2	2	2	2	2	2	2	?	2	2	2	?	2	2
					2	2	2	?	2	2	2	?	?	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

[illegible]

TEST C0327	DATE	9/14/73	TEST C0376	DATE	9/19/73	TEST C1069	DATE	3/19/74	TEST C1215	DATE	9/20/76
DRY 70 WET 59	PRES	24.40	DRY 79 WET 56	PRES	24.69	DRY 6A WET 4A	PRES	24.50	DRY 76 WET 56	PRES	24.94

mpc 10.45

MPG 11.46

MPG 10.99

MPG 11.04

MAKE	CHEVRCLET	NOOFL NOVA	YEAR 72	CYL. 8	CYD 350	WEIGHT 3500	TRANS 1	EXH CTRL 1	EVAP CTRL 1	PCV 1
WAKE	CHEVRCLET	NOOFL NOVA	YEAR 72	CYL. 8	CYD 350	WEIGHT 3500	TRANS 1	EXH CTRL 1	EVAP CTRL 1	PCV 1

AS RECEIVED	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	01.30	+0000	+10	-04	2	2	1	0	2	0	025592
AFTER 5 MO	03.03	+0000	+00	+00	1	1	1	0	2	0	025592
AFTER 12 MO	01.37	+0100	+02	+01	1	1	1	0	2	0	025179
	01.10	+0400	+02	-03	1	1	1	0	2	0	030859

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/WX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	QPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	1	2	2	2	2	2	2	1	1	1	1	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	6.73	3.80	3.20	4.25	HC	3.41	3.33	3.19	3.31	HC	4.46	3.39	3.47	3.36	HC	4.37	3.69	3.16	3.68	
C0	124.9	136.4	137.7	155.3	C0	168.6	154.5	158.2	158.4	C0	192.5	139.5	136.1	149.7	C0	169.2	138.1	138.7	144.8	
C2	578.1	594.4	437.7	564.2	C2	624.0	637.5	509.8	600.1	C2	514.8	535.7	470.0	502.0	C2	597.2	701.1	537.9	674.1	
C3	2.48	2.48	4.60	3.63	C3	2.87	1.75	2.34	2.14	C3	2.81	1.77	2.99	2.33	C3	3.30	2.90	3.14	3.05	

[illegible][illegible]

DRY 72 WET 56	PRES 24.92	DRY 82 WET 55	PRES 24.68	DRY 72 WET 50	PRES 24.52	DRY 74 WET 51	PRES 24.78

4PG 13.4C

MFG 12.6A

MPG 15.09

406 12.44

VEH. NO. 143

PAGE 1.49

MAKE FORD MODFL MUST YEAR 66 CYL. 8 CTD 289 WEIGHT 3000 TRANS 1 EXH CTPL 2 EVAP CTRL 2 PCV 1

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 03.40 -0135 -06 -02 1 1 0 2 0 036659
 AFTER MAINT 02.34 +0000 +00 +00 1 1 0 2 0 038659
 AFTER 6 MO 04.63 -0050 +00 +00 1 1 0 2 0 041108
 AFTER 12 MO 02.90 +0060 -01 +04 1 1 0 2 0 043643

IG MS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RRV
 TAMP. 6 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	11.01	8.47	5.67	8.22	8.22	5.67	8.22	8.22	8.22	5.67	8.22	8.22	8.22	8.22	5.67
CO	110.0	089.3	053.6	093.7	093.7	053.6	093.7	093.7	093.7	053.6	093.7	093.7	093.7	093.7	053.6
C2	459.4	416.4	430.9	421.1	421.1	430.9	421.1	421.1	421.1	430.9	421.1	421.1	421.1	421.1	430.9
NX	3.16	3.00	3.97	3.30	3.30	3.97	3.30	3.30	3.30	3.97	3.30	3.30	3.30	3.30	3.97
IDLE	LO	CR	HI	CR	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
HC	5604	5329	4664	4028	4675	3979	4028	4675	3979	4028	4675	3979	4028	4675	3979
LH	954	951	777	508	633	471	508	633	471	508	633	471	508	633	471
CO	3.53	1.00	1.44	2.54	0.76	1.23	2.54	0.76	1.23	2.54	0.76	1.23	2.54	0.76	1.23
NX	060	2211	1954	072	2436	2158	072	2436	2158	072	2436	2158	072	2436	2158
HS	580	560	400	270	420	290	270	420	290	270	420	290	270	420	290
CS	3.70	1.10	1.50	2.50	0.70	1.20	2.50	0.70	1.20	2.50	0.70	1.20	2.50	0.70	1.20
IDLE	LO	CR	HI	CR	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
HC	5002	6575	5802	6126	6071	5952	6126	6071	5952	6126	6071	5952	6126	6071	5952
LH	000	000	000	567	604	444	567	604	444	567	604	444	567	604	444
CO	2.90	1.15	2.44	4.43	1.10	1.75	4.43	1.10	1.75	4.43	1.10	1.75	4.43	1.10	1.75
NX	063	2086	1873	072	2330	2058	072	2330	2058	072	2330	2058	072	2330	2058
HS	000	000	000	490	520	300	490	520	300	490	520	300	490	520	300
CS	0.00	0.00	0.00	4.20	1.00	1.70	4.20	1.00	1.70	4.20	1.00	1.70	4.20	1.00	1.70

TEST C0340 DATE 9/17/73 TEST C0409 DATE 9/21/73 TEST C1072 DATE 3/20/74 TEST C1221 DATE 9/26/74

DRY 70 WET 58 PRES 24.83 DRY 73 WET 52 PRES 24.65 DRY 74 WET 50 PRES 24.70 DRY 76 WET 51 PRES 24.60

MPG 15.39

MPG 15.94

MPG 16.11

MPG 15.25

VEH. NO. 149

PAGE 50

MAKE FORD

MODEL GALA YEAR 66 CYL. 8 CID 352 WEIGHT 4000 TRANS 1 EXH CTOL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.60	+0060	+10	-04	1	1	1	0	2	0	076274
AFTER MAINT	03.70	+0000	+00	+00	1	1	1	0	2	0	079274
AFTER 6 MO	10.60	+0000	+00	+02	1	1	1	0	2	0	082799
AFTER 12 MO	03.10	+0130	-01	-01	1	1	1	0	2	0	090038

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	2	1	2	1	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.66	8.78	6.57	8.55	HC 11.20	10.10	6.07	9.21	HC 14.89	15.14	9.81	13.61	HC 8.45	7.33	5.24	6.9A	
CO 129.6	136.5	095.2	123.6	CO 112.2	099.3	062.5	091.8	CO 137.8	176.9	110.7	150.4	CO 118.3	123.3	054.9	103.3	
C2 518.1	478.2	440.1	476.0	C2 461.4	434.3	406.6	432.3	C2 503.1	475.0	463.1	477.6	C2 544.4	538.9	455.1	516.8	
NX 4.39	3.59	3.72	3.80	NX 2.96	3.28	3.68	3.32	NX 2.67	2.41	3.04	2.64	NX 4.51	4.06	5.18	4.47	

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 5055	3610	3740	HC 9679	4123	3664	HC 12484	4570	3727	HC 5008	4497	3892	
LH 751	610	630	LH 1191	644	550	LH 748	414	302	LH 000	000	000	
CO 6.85	2.15	2.31	CO 7.13	1.18	0.98	CO 11.32	2.37	1.89	CO 1.52	1.01	0.98	
NX 092	1727	2330	NX 070	2289	2813	NX 017	1342	1902	NX 136	1879	2576	
HS 505	410	300	210 HS	320	275	270 HS	650	385	240 HS	000	000	
CS 7.20	2.60	2.55	3.00 CS	4.00	1.10	0.80	1.80	1.80	4.10 CS	0.00	0.00	

TEST C0344 DATE 9/17/73 TEST C0472 DATE 9/28/73 TEST C1077 DATE 3/25/74 TEST C1216 DATE 9/23/74

DRY 70 WET 56 PRES 24.86 DRY 70 WET 55 PRES 24.85 DRY 73 WET 52 PRES 24.53 DRY 75 WET 54 PRES 24.67

MPG 12.78

MPG 14.71

MPG 11.77

MPG 12.70

VEH. NO. 153

PAGE. 1 51

MAKE CHEVROLET MODEL BELA YEAR 65 CYL. 8 CID 283 WEIGHT 4000 TRANS 1 EXH CYRL 2 EVAP CYRL 2 PCV 2

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	MIS	NOX	QDOM
AS RECEIVED	02.40	+0000	+02	+01	0	2	2	1	0	2	0	0	130460			
AFTER MAINT	02.36	+0000	+00	+00	0	1	1	0	2	2	0	0	130460			
AFTER 6 MO	01.90	-0030	+04	-01	0	1	1	0	2	2	0	0	133797			
AFTER 12 MO	02.00	+0150	+02	+01	0	1	1	0	2	2	0	0	138605			

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	1	2	2	2	2	2	2	2	1	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975				
HC	11.44	8.51	7.77	8.92	12.38	9.70	7.56	9.15	11.03	8.48	7.66	8.79	10.44	7.60	7.33	8.12				
CO	151.3	160.5	141.5	153.3	191.8	188.9	161.0	181.8	167.3	175.7	151.6	167.3	191.3	159.6	151.1	161.8				
C2	418.8	394.6	349.4	387.4	434.6	397.3	350.3	392.1	432.2	403.2	352.1	395.1	442.2	401.3	366.7	400.2				
NX	1.81	0.62	1.18	1.02	1.49	0.51	1.03	0.86	1.25	0.40	0.72	0.67	1.60	0.69	1.24	1.04				
IDLE	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500	LO	CR	HI	CR	2500
HC	5367	5454	5891	5891	4712	4939	6306	5891	4510	5495	5899	5899	5687	6469	5522	5687	6469	5522	5687	6469
LH	776	776	783	783	651	617	692	692	507	553	543	543	500	000	000	500	000	000	500	000
CO	2.65	4.72	7.52	7.52	2.56	5.76	10.75	10.75	1.59	4.44	6.90	6.90	2.08	4.44	4.14	2.08	4.44	4.14	2.08	4.44
NX	088	628	406	406	077	397	202	202	073	416	312	312	071	528	986	071	528	986	071	528
HS	700	640	620	620	550	520	575	550	480	500	460	460	560	000	000	560	000	000	560	000
CS	2.75	4.70	8.00	5.00	2.50	5.70	20.00	6.60	2.00	4.40	6.50	5.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

TEST C0370 DATE 9/19/73 TEST C0425 DATE 9/24/73 TEST C1075 DATE 3/25/74 TEST C1222 DATE 9/27/74

DRY 72 WET 56 PRES 24.67 DRY 75 WET 51 PRES 24.49 DRY 70 WET 50 PRES 24.53 DRY 74 WET 53 PRES 24.49

MPG 13.57

MPG 12.61

MPG 12.99

MPG 13.10

VEH. NO. 15A

PAGE 52

MAKE OLDSMOBILE MODEL STAW YEAR 70 CYL. 8 CID 455 WEIGHT 4500 TRANS 1 FXH CTRL 1 EVAP CTRL 2 PCV 2

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	01.50	-0005	-02	+01	2	2	1	0	2	0	033747
AFTER MAINT	01.50	-0005	-02	+01	2	2	1	0	2	0	033747
AFTER 5 MO	01.44	+0020	+02	-02	1	1	1	0	2	0	036400
AFTER 12 MO	01.40	+0000	+00	+00	1	2	1	0	2	0	039917

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	6.69	4.89	4.41	5.13	HC	6.69	4.89	4.41	5.13	HC	6.69	4.89	5.98	HC	5.11	4.40
CO	091.2	067.5	056.3	069.3	CO	091.2	067.5	056.3	069.3	CO	091.2	067.5	091.5	CO	059.5	056.5
C2	734.8	698.9	630.9	687.5	C2	734.8	698.9	630.9	687.5	C2	734.8	698.9	666.7	C2	585.0	575.7
NX	5.05	3.44	4.97	4.20	NX	5.05	3.44	4.97	4.20	NX	5.05	3.44	3.98	NX	2.94	3.94

	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500
HC	3004	3307	2903	3307	2903	3004	3188	3214	2774	3188	3214	2774	3322	3853	2814	3322	3853	2814
LH	277	383	311	277	383	277	266	257	190	266	257	190	LH	000	000	LH	000	000
CO	1.60	1.60	1.60	1.60	1.60	1.60	1.59	1.30	1.07	1.59	1.30	1.07	CO	1.50	1.58	CO	1.50	1.58
NX	080	1410	2172	080	1410	2172	100	1298	1937	100	1298	1937	NX	096	1040	NX	096	1040
HS	180	240	162	180	240	162	220	200	140	220	200	140	HS	000	000	HS	000	000
CS	1.90	1.80	1.10	1.90	1.80	1.10	1.50	1.20	1.00	1.50	1.20	1.00	CS	0.00	0.00	CS	0.00	0.00

TEST CO 107 DATE 9/20/73 TEST CO 107 DATE 9/20/73 TEST CO 1068 DATE 3/18/74 TEST C1211 DATE 9/17/74

DRY 71 WET 54 PRES 24.70 DRY 71 WET 54 PRES 24.70 DRY 72 WET 51 PRES 24.58 DRY 69 WET 50 PRES 24.90

MPG 10.96

MPG 10.96

MPG 11.35

MPG 11.66

VEH. NO. 161

PAGE-1-53

MAKE MERCURY MODEL COUG YEAR 69 CYL. 8 CID 351 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED
AFTER MAINT
AFTER 6 MO
AFTER 12 MO

00.30
01.20
01.70
00.80

-0050
+0000
+0075
+0080

-06
+00
+02
+01

1
1
1
1

2
1
1
2

1
1
1
1

0
0
0
0

2
2
2
2

0
0
0
0

047191
047191
049753
051984

TAMP. 6 MO
TAMP. 12 MO

2
2

2
2

2
2

2
2

2
1

2
2

2
2

2
2

2
2

2
2

2
2

2
2

2
2

2
2

2
2

2
2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	6.16	3.96	3.97	4.43	HC	6.93	4.57	5.09	HC	6.07	4.32	3.93	4.58	HC	6.52
CO	053.8	020.1	019.7	027.0	CO	040.9	019.9	023.4	CO	054.5	029.4	022.5	032.8	CO	047.6
C2	547.2	548.8	479.8	529.3	C2	558.2	535.4	524.4	C2	529.3	526.7	468.2	511.0	C2	497.1
NX	5.54	4.36	5.94	5.05	NX	7.78	5.96	6.98	NX	5.38	4.57	5.74	5.07	NX	5.23

IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC	2747	3523	3740	3740	HC	3362	4103	3980	HC	3929	3669	3757	361	HC	3363	3033	3769
LH	324	420	435	435	LH	315	596	536	LH	427	372	361	000	LH	000	000	000
CO	0.37	0.23	0.81	0.81	CO	1.37	0.19	0.54	CO	0.55	0.17	0.92	0.16	CO	0.83	0.16	1.17
NX	233	2387	3327	3327	NX	092	2984	5013	NX	170	2895	3046	1707	NX	238	1707	2555
HS	190	240	260	260	HS	190	285	285	HS	310	265	260	075	HS	000	000	000
CS	0.45	0.25	0.85	0.85	CS	1.40	0.17	0.50	CS	1.60	0.18	0.90	0.40	CS	0.00	0.00	0.00

TEST C0397 DATE 9/21/73 TEST C0451 DATE 9/26/73 TEST C1079 DATE 7/26/74 TEST C1228 DATE 9/25/74

DRY 70 WET 55 PRES 24.56 DRY 71 WET 53 PRES 24.85 DRY 72 WET 56 PRES 24.63 DRY 79 WET 53 PRES 24.77

MPG 15.21

MPG 15.43

MPG 15.44

MPG 15.85

VEH. NO. 166

PAGE 54

MAKE VOLKSWAGON MODEL SED4 YEAR 70 CYL. 4 CID 197 WEIGHT 2000 TRANS 4 EXH CTOL 1 EVAP CTRL 2 PCV 2

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	04.20	-0060	+05	+00	0	1	1	0	2	0	012474
AFTER MAINT	06.74	+0000	+00	+00	0	1	1	0	2	0	012474
AFTER 5 MO	07.70	+0100	+00	+00	0	1	1	0	2	0	014495
AFTER 12 MO	07.20	+0050	+00	+00	0	1	1	0	2	0	024974

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.35	6.21	5.28	5.77	7.80	6.51	4.84	6.31	5.73	6.55	4.91	5.92	5.60	4.63	3.76	4.59
CO	076.4	063.6	065.0	067.9	098.3	073.5	072.5	078.5	069.1	091.4	063.8	073.9	074.8	064.4	055.3	064.1
C2	391.3	339.3	255.4	309.1	269.1	287.7	240.7	270.8	300.3	321.3	271.3	303.0	298.3	297.8	250.4	282.6
NX	2.64	1.87	2.24	2.14	1.92	1.40	1.59	1.56	2.33	1.57	1.92	1.83	3.08	2.23	2.44	2.47
IDLE LO CR HI CR	2500	2500	2500	2500	14028	1520	3504	2500	13322	3008	2738	2500	10662	3397	3077	2500
HC	8898	2754	2693	307	2242	706	674	2500	13322	3008	2738	2500	10662	3397	3077	2500
LH	745	265	307	307	2242	706	674	2500	13322	3008	2738	2500	10662	3397	3077	2500
CO	4.45	1.61	3.06	3.06	8.92	2.11	4.08	2500	13322	3008	2738	2500	10662	3397	3077	2500
NX	051	1172	2276	2276	033	828	1731	2500	13322	3008	2738	2500	10662	3397	3077	2500
HS	200	205	210	210	1350	210	210	2500	13322	3008	2738	2500	10662	3397	3077	2500
CS	4.50	1.75	3.10	1.60	7.00	2.10	4.00	2500	13322	3008	2738	2500	10662	3397	3077	2500

TEST C0413 DATE 9/24/73 TEST C0468 DATE 9/27/73 TEST C1081 DATE 3/27/74 TEST C1225 DATE 10/02/74

DRY 72 WET 54 PRES 24.49 DRY 70 WET 54 PRES 24.98 DRY 68 WET 50 PRES 24.62 DRY 73 WET 51 PRES 24.85

MPG 20.54

MPG 21.51

MPG 20.34

MPG 22.39

VEH. NO. 168

PAGE.1-55

MAKE VOLKSWAGON MODEL SED4 YEAR 66 CYL. 4 CID 974 WEIGHT 2000 TRANS 4 EXH CTRL 2 EVAP CTPL 2 PCV 2

	INLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	09.30	+0465	+10	+00	0	1	1	0	2	0	048575
AFTER MAINT	04.30	+0325	+02	+00	0	1	1	0	2	0	048575
AFTER 6 MO	09.40	+0075	+01	+00	0	1	1	0	1	0	050552
AFTER 12 MO	04.60	+0455	-05	+00	0	1	1	0	2	0	052644

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975				
HC	8.37	12.27	8.15	10.31	HC	7.22	8.25	5.42	7.25	HC	13.11	16.21	11.15	14.16	HC	9.55	9.50	6.93	8.79
CO	102.9	130.5	099.9	116.2	CO	088.3	094.1	078.4	088.5	CO	113.2	140.6	111.0	126.7	CO	106.4	108.9	089.4	103.0
C2	246.6	251.5	237.3	245.4	C2	249.1	236.0	205.8	230.2	C2	221.7	234.7	214.6	228.6	C2	219.0	242.3	197.6	225.0
NX	3.33	1.59	2.61	2.23	NX	2.83	1.46	2.10	1.92	NX	1.04	0.63	0.86	0.78	NX	1.33	0.76	1.06	0.96

IOLE	LO	CR	HI	CR	IOLE	LO	CR	HI	CR	IOLE	LO	CR	HI	CR	IOLE	LO	CR	HI	CR	2500
HC	13235	4488	3831	HC	5467	4428	3633	HC	25579	6849	5716	HC	21411	5652	5069					
LH	1039	501	400	LH	504	508	445	LH	1452	588	514	LH	000	000	000					
CO	10.37	5.37	4.15	CO	4.92	6.54	3.96	CO	9.93	8.12	6.29	CO	9.67	6.99	5.93					
NX	025	1355	2286	NX	056	635	2526	NX	031	035	617	NX	015	149	760					
HS	860	380	290	HS	365	335	260	HS	1900	550	420	HS	000	000	000					000
CS	9.20	5.20	4.00	CS	4.90	6.20	3.60	CS	9.00	7.60	6.00	CS	0.00	0.00	0.00					0.00

TEST C0415 DATE 9/24/73 TEST C0437 DATE 9/25/73 TEST C1083 DATE 3/29/74 TEST C1228 DATE 10/03/74

DRY 70 WET 57 PRES 24.51 DRY 70 WET 52 PRES 24.48 DRY 69 WET 50 PRES 24.56 DRY 74 WET 50 PRES 24.74

MPG 19.34

MPG 22.71

MPG 18.85

MPG 21.48

VEH. NO. 170

PAGE 56

MAKE FORD

MODEL MUST YEAR 66 CYL. 8 CID 289 WEIGHT 3000 TRANS 1 EXH CTOL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.50	+0000	+01	+00	1	1	1	0	2	0	091058
AFTER MAINT	02.70	+0000	+00	+00	1	1	1	0	2	0	081058
AFTER 5 MO	05.10	+0000	+00	+00	1	1	1	0	1	0	087553
AFTER 12 MO	03.50	+0120	-02	-06	1	1	1	0	2	0	093522

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 12.53	11.54	8.13	10.81	HC 9.55	6.82	5.21	7.03	HC 8.95	6.69	4.32	6.64
CO 152.1	151.3	087.0	133.6	CO 135.2	101.7	060.6	097.3	CO 143.5	116.8	069.7	109.4
C2 403.2	399.7	179.2	394.7	C2 390.5	424.5	374.3	403.5	C2 402.8	393.4	364.0	387.2
NX 1.87	1.60	2.78	1.98	NX 1.93	2.00	3.01	2.27	NX 1.43	1.01	1.50	1.26

IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 8852	4353	3940	HC 4062	4308	3977	HC 12132	4674	4033	HC 4842	4605	4511
LH 724	542	476	LH 529	618	556	LH 1455	464	359	LH 000	000	000
CO 9.63	2.00	2.24	CO 3.12	1.45	1.63	CO 5.13	1.98	2.39	CO 4.76	2.59	2.84
NX 027	1308	1789	NX 083	1316	2561	NX 050	907	1312	NX 084	612	1522
HS 540	390	300	HS 325	365	285	HS 1050	325	240	HS 000	000	000
CS 9.10	2.10	2.20	CS 3.00	1.55	1.80	CS 4.10	1.70	2.20	CS 0.00	0.00	0.00

TEST C0432 DATE 9/25/73 TEST C0452 DATE 9/26/73 TEST C1080 DATE 3/26/74 TEST C1224 DATE 9/30/74

DRY 70 WET 53 PRFS 24.49 DRY 69 WET 52 PRES 24.88 DRY 75 WET 53 PRES 24.63 DRY 72 WET 50 PRES 24.85

MPG 13.94

MPG 15.39

MPG 15.36

MPG 14.53

VEH. NO. 171

PAGE 1-57

MAKE FORD

MODFL STAW YEAR 65 CYL. 8 CID 289 WEIGHT 4500 TRANS 1 EXH CYRL 2 EVAP CYRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	04.80	+0020	-03	+03	1	1	1	0	2	0	071092
AFTER MAINT	03.06	+0000	+00	+00	1	1	1	0	2	0	071092
AFTER 6 MO	05.70	+0050	+02	+00	1	1	1	0	2	0	073888
AFTER 12 MO	01.70	+0120	+04	+00	1	1	1	0	2	0	077604

	IS MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PYS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	1	2	2	2	2	1	1	1	2	1

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 17.03	13.84	10.72	13.64	HC 18.22	13.74	10.46	13.77	HC 15.05	12.40	8.55	11.91	8.70
CO 190.7	155.8	132.6	156.7	CO 199.3	143.5	115.9	147.6	CO 158.1	132.5	101.9	129.4	CO 147.4
C2 486.1	477.8	450.2	471.9	C2 479.3	459.7	457.9	453.1	C2 456.7	457.7	425.1	448.5	C2 471.6
NX 2.11	1.99	2.54	2.17	NX 2.45	2.22	3.64	2.56	NX 2.06	1.95	2.57	2.15	NX 2.37

	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC 6219	5411	5347	HC 7212	6154	4762	HC 10236	6249	4494	HC 9297	7434	5303	
LH 844	768	704	LH 913	801	569	LH 1108	646	394	LH 000	000	000	
CO 4.83	3.61	6.46	CO 3.42	3.15	1.78	CO 5.73	3.01	2.35	CO 1.78	1.85	1.21	
NX 072	1000	445	NX 060	1347	2372	NX 053	1086	1640	NX 142	1069	1532	
HS 770	600	470	HS 780	575	310	HS 920	613	380	HS 000	000	000	
CS 4.00	3.70	6.50	CS 3.60	3.40	1.90	CS 5.20	3.00	2.20	CS 0.00	0.00	0.00	

TEST 00427 DATE 9/25/73 TEST 00477 DATE 9/29/73 TEST 01079 DATE 3/26/74 TEST 01223 DATE 9/23/74

DRY 72 WET 56 PRES 24.48 DRY 71 WET 56 PPES 24.86 DRY 69 WET 49 PRES 24.63 DRY 71 WET 50 PRES 24.52

MPG 11.70

MPG 12.06

MPG 12.92

MPG 12.38

VEH. NO. 175

PAGE 58

MAKE CHEVROLET MODEL NOVA YEAR 72 CYL. 8 CID 350 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
 AS RECEIVED 02.80 -0010 +00 +01 1 2 0 021117
 AFTER MAINT 03.92 +0000 +00 +00 1 1 2 0 021117
 AFTER 6 MO 04.15 -0030 +00 +02 1 1 2 0 027773
 AFTER 12 MO 03.20 -0080 +04 +01 1 1 2 0 035992

IG WS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DISY AJ PTS AJ COND RTR DST CAP RPY
 TAMP. 6 MO 2 2 2 2 1 1 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 2 2 2 1 1 2 1 2 2 1 1 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT CS HT 1975 HT 1975 CT CS HT 1975 CT CS HT 1975
 HC 6.90 4.96 4.63 5.28 HC 6.50 4.05 4.03 4.56 HC 6.72 4.62 4.21 4.94 HC 5.75 4.17 4.08 4.48
 CO 094.9 065.7 059.8 070.2 CO 129.9 074.7 067.0 084.1 CO 118.1 077.8 067.2 083.3 CO 089.4 044.5 044.0 053.8
 C2 555.9 546.3 477.1 529.1 C2 536.7 561.0 474.4 531.9 C2 549.0 563.9 486.2 539.2 C2 556.5 527.8 467.6 517.1
 NX 3.72 2.40 3.87 3.08 NX 2.21 1.70 2.61 2.06 NX 2.17 1.62 2.46 1.97 NX 3.97 2.49 4.01 3.22

IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500
 HC 4411 4106 3577 HC 4254 3621 3240 HC 4924 4310 3102 HC 5162 4040 3583
 LH 556 541 483 LH 653 643 580 LH 396 298 154 LH 000 000 000
 CO 2.94 2.01 0.98 CO 4.70 2.88 1.65 CO 3.79 2.19 1.26 CO 3.18 0.85 1.52
 NX 101 1699 2638 NX 083 934 1748 NX 069 979 1642 NX 076 1498 2126
 HS 395 350 270 HS 185 HS 210 160 110 HS 380 HS 000 000
 CS 3.00 2.60 1.15 2.60 CS 3.40 2.50 1.40 2.50 CS 2.70 1.20 0.80 1.70 CS 0.00 0.00 0.00 0.00

TEST C0443 DATE 9/26/73 TEST C0595 DATE 10/10/73 TEST C1097 DATE 4/09/74 TEST C1276 DATE 10/09/74

DRY 70 WET 53 PRES 24.77 DRY 72 WET 52 PRES 24.64 DRY 74 WET 56 PRES 24.33 DRY 76 WET 54 PRES 24.00

MPG 13.59

MPG 13.13

MPG 12.99

MPG 14.47

VEH. NO. 177

PAGE 1-59

MAKE CHRYSLER MODEL NEWP YEAR 72 CYL. 6 CID 400 WEIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IDLE CO	IDLE RPM	THING	WELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	09.10	+0180	-02	+10	1	1	1	0	2	0	029493
AFTER MAINT	01.10	+0120	-10	+08	1	1	1	0	2	0	029493
AFTER 6 MO	01.60	-0020	-01	-01	1	1	1	0	2	0	032361
AFTER 12 MO	09.30	+0110	-03	-07	1	1	1	0	2	0	041051

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 27.83	48.60	21.07	16.43	HC 7.46	4.21	4.54	5.02	HC 6.89	4.94	4.51	5.23	HC 31.05	10.90	7.05	14.05
CO 265.8	394.3	230.8	322.1	CO 129.2	055.1	068.6	074.3	CO 129.8	058.7	071.2	077.1	CO 244.1	215.9	138.6	200.4
C2 453.2	423.6	415.9	427.7	C2 567.2	586.4	501.9	558.3	C2 592.7	614.6	522.7	584.5	C2 511.4	501.6	461.5	492.5
NX 1.28	0.51	1.50	0.95	NX 3.14	2.36	3.55	2.85	NX 2.76	2.24	3.50	2.70	NX 2.34	1.51	2.90	2.07
IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500	
HC 12878	5269	4088		HC 3036	3081	3239		HC 2633	3517	3156		HC 7218	4192	3453	
LH 1037	722	569		LH 313	353	344		LH 282	342	264		LH 000	000	000	
CO 11.37	7.72	5.63		CO 1.20	0.38	2.30		CO 1.71	1.77	2.51		CO 9.65	1.51	2.75	
NX 020	270	771		NX 073	1861	2206		NX 060	1401	1578		NX 039	555	1761	
HS 730	415	270	2500	HS 120	180	115	065	HS 190	270	190	105	HS 000	000	000	000
CS 9.50	7.80	5.60	20.00	CS 1.25	0.40	2.40	0.90	CS 1.50	1.70	2.50	1.75	CS 0.00	0.00	0.00	0.00

TEST C0445 DATE 9/26/73 TEST C0480 DATE 9/28/73 TEST C1092 DATE 3/27/74 TEST C1226 DATE 10/02/74

DRY 70 WET 56 PRES 24.77 DRY 70 WET 54 PRES 24.83 DRY 72 WET 52 PRES 24.62 DRY 74 WET 51 PRES 24.85

MPG 8.49

MPG 12.98

MPG 12.33

MPG 10.46

VEH. NO. 175

PAGE 60

MAKE CHEVROLET MODEL NOVA YEAR 73 CYL. 8 CID 307 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKA A/P HIS NOX
AS RECEIVED 01.16 -0200 +00 +01 1 1 0 2 1 017115
AFTER MAINT 02.12 +0000 +00 +00 1 1 0 2 1 017115
AFTER 6 MO 01.87 +0240 +01 -02 1 1 0 2 1 027457
AFTER 12 MO 02.80 -0020 -03 -02 1 2 0 2 1 030199

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV
TAMP. 6 MO 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2
TAMP. 12 MO 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	HT	CS	CT	HT	1975	CT	CS	HT	1975			
HC	4.09	2.50	2.49	2.83	HC	7.19	2.96	3.40	HC	8.77	3.01	3.92			
CO	084.8	056.7	067.7	065.6	CO	122.4	051.1	068.5	CO	160.4	079.4	103.0			
C2	593.2	567.6	471.6	545.0	C2	593.4	593.8	594.7	C2	589.0	590.4	494.7			
NX	1.91	1.32	1.44	1.48	NX	1.84	1.84	1.91	NX	1.82	1.37	1.39			
IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500
HC	0999	1919	1319	HC	3560	2567	1764	HC	3008	2655	2196	HC	3326	3365	2172
LH	197	303	266	LH	424	335	293	LH	283	238	183	LH	000	000	000
CO	1.62	2.21	2.67	CO	3.03	1.04	1.47	CO	2.78	2.62	3.89	CO	7.74	2.36	2.61
NX	049	546	556	NX	087	1045	849	NX	149	417	346	NX	065	500	361
HS	020	040	030	HS	175	110	080	HS	070	060	050	HS	000	000	000
CS	0.37	0.50	0.65	CS	1.60	0.65	1.21	CS	0.40	0.70	1.10	CS	0.00	0.00	0.00

TEST C0708 DATE 10/22/73 TEST C0615 DATE 10/11/73 TEST C1104 DATE 4/15/74 TEST C1242 DATE 10/14/74

DRY 70 WET 51 PRES 24.73 DRY 74 WET 52 PRES 24.47 DRY 68 WET 49 PRES 24.43 DRY 76 WET 53 PRES 24.99

MPG 13.56

MPG 12.65

MPG 12.14

MPG 13.31

VEH. NO. 180

MAKE FORD MODEL GALA YEAR 68 CYL. 8 CID 302 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAF CTRL 2 PCV 1

	IG	HS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	06.70			-0020		+00	1	1	1	1	0	2	0	0	076747				
AFTER MAINT	06.72			+0000		+00	1	1	1	1	0	2	0	0	076747				
AFTER 6 MO	02.15			+0070		+01	1	1	1	1	0	1	0	0	091861				
AFTER 12 MO	03.50			-0050		+02	1	1	1	1	0	2	0	0	089725				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT		CS		HT		1975		CT		CS		HT		1975		CT		CS		HT		1975	
HC	8.49	5.64	5.60	6.32	HC	14.87	4.53	4.77	6.76	HC	6.99	5.46	6.14	5.97	HC	34.85	26.30	27.41	29.42				
CO	090.5	066.7	057.2	069.1	CO	188.3	081.2	071.5	100.9	CO	132.9	058.8	094.8	084.3	CO	143.0	072.8	089.5	092.1				
C2	585.8	535.0	446.1	532.6	C2	555.6	529.7	471.8	519.1	C2	503.2	491.8	430.0	477.0	C2	468.3	450.9	422.5	446.8				
NX	7.19	6.09	7.55	6.73	NX	3.00	3.23	4.03	3.41	NX	3.81	5.04	4.52	4.64	NX	2.67	3.18	3.60	3.19				
IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR		IDLE LO CR HI CR	
HC	6014	3294	3960	4391	HC	4391	2572	3585	2500	HC	7940	3464	5328	2500	HC	23893	20634	19957	2500				
LW	791	591	616	501	LW	501	441	526	2500	LW	744	334	453	2500	LW	000	000	000	2500				
CO	7.17	0.42	5.67	7.38	CO	7.38	0.57	6.02	2500	CO	2.24	0.30	7.88	2500	CO	3.54	0.14	0.39	2500				
NX	064	3619	861	067	NX	067	1861	604	2500	NX	083	3150	012	2500	NX	043	2780	2348	2500				
HS	550	235	265	210	HS	210	110	150	2500	HS	280	120	120	200	HS	000	000	000	2500				
CS	7.20	0.55	5.40	6.00	CS	6.00	0.50	5.10	1.10	CS	1.10	0.10	2.60	0.20	CS	0.00	0.00	0.00	0.00				

TEST C0456 DATE 9/27/73 TEST C0599 DATE 10/10/73 TEST C1102 DATE 4/11/74 TEST C1240 DATE 10/11/74

DRY 74 WET 53 PRES 25.06 DRY 71 WET 52 PRES 24.66 DRY 73 WET 52 PRES 24.20 DRY 76 WET 48 PRES 24.76

MPG 13.47

MPG 12.74

MPG 14.19

MPG 13.01

VEH. NO. 181

PAGE 62

MAKE CHEVROLET MODEL NOVA YEAR 68 CYL. 8 CID 307 WEIGHT 3000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	06.80	-0060	-0060	+08	-05	1	1	1	0	2	0	2	0	0	0	0	0
AFTER MAINT	05.57	+0000	+0000	+00	+00	1	1	1	0	2	0	2	0	0	0	0	0
AFTER 6 MO	05.43	+0000	+0000	+02	+00	2	1	1	0	2	0	2	0	0	0	0	0
AFTER 12 MO	03.60	+0080	+0080	+02	-02	1	1	1	0	2	0	2	0	0	0	0	0

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	8.27	7.34	5.60	7.05	5.56	5.02	5.64	HC	6.69	5.59	5.33	5.75	HC	6.99	6.04	5.45	6.08		
CO	108.6	096.2	072.7	092.7	100.0	097.5	103.5	CO	119.5	088.6	087.8	094.8	CO	102.8	075.6	079.4	082.3		
C2	431.6	403.1	366.9	399.0	438.1	385.3	425.1	C2	420.8	406.1	390.1	404.7	C2	436.1	433.3	372.6	417.1		
NX	3.45	2.69	3.48	3.07	1.70	2.37	2.04	NX	2.23	2.05	2.65	2.25	NX	2.70	2.21	2.43	2.38		
IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	6919	4425	4354	4946	3670	3577	4946	HC	7134	4593	4475	4946	HC	7353	5420	5170	4946		
LH	1109	755	704	625	508	483	625	LH	684	456	404	684	LH	000	000	000	000		
CO	7.35	2.29	2.93	6.09	2.95	3.68	6.09	CO	5.33	1.82	3.93	5.33	CO	3.56	3.06	4.17	3.56		
NX	065	1765	1959	085	1276	1375	085	NX	083	1384	1378	083	NX	100	983	1465	100		
HS	740	390	330	295	175	155	150	HS	520	360	300	210	HS	000	000	000	000		
CS	7.00	2.50	3.00	5.55	2.50	3.20	2.60	CS	4.80	1.80	3.40	2.00	CS	0.00	0.00	0.00	0.00		

TEST C0457 DATE 9/27/73 TEST C0602 DATE 10/11/73 TEST C1095 DATE 4/09/74 TEST C1213 DATE 10/08/74

DRY 70 WET 54 PRES 25.06 DRY 70 WET 53 PRES 24.48 DRY 68 WET 48 PRES 24.51 DRY 76 WET 50 PRES 24.95

MPG 15.73

MPG 14.71

MPG 15.58

MPG 15.75

VEH. NO. 185

PAGE 1 63

MAKE TOYOTA

MOFL CORO

YEAR 71

CYL. 4

CID 071

WEIGHT 2000

TRANS 4

EXH CTRL 1

EVAP CTRL 2

PCV 2

	INLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	04.10	+0210	+00	-11	0	1	1	0	2	0	029881
AFTER MAINT	01.16	+0010	+00	+00	0	1	1	0	2	0	029881
AFTER 6 MO	03.10	+0025	-01	+00	0	1	1	0	2	0	034267
AFTER 12 MO	01.30	+0110	+00	+00	0	1	1	0	2	0	037910

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	HT	CS	CT	1975	HT	CS	CT	1975	HT	CS	CT	1975
HC	5.69	6.12	4.04	5.45	4.47	3.50	3.38	3.67	4.02	3.54	3.00	3.49	3.00	2.93	2.53	3.27
CO	046.8	058.2	037.5	050.1	039.3	034.8	032.6	034.9	047.0	046.0	041.3	044.9	041.3	029.4	024.0	025.6
C2	319.9	347.4	279.3	322.7	280.0	319.9	247.0	291.3	265.8	284.3	232.2	266.0	232.2	240.2	303.4	243.7
NX	3.94	1.53	3.10	2.52	2.98	1.25	2.24	1.89	2.30	1.19	1.90	1.59	1.90	2.84	1.65	2.56
INLE LO CR HI CR	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
HC	5422	4281	4556	4151	4171	4441	4441	4441	4283	4283	3750	3750	3750	3792	4943	4943
LH	765	646	761	478	485	591	591	591	1446	1446	344	344	344	000	000	000
CO	4.54	2.21	1.62	1.26	2.80	1.85	1.85	1.85	3.31	3.96	2.35	2.35	2.35	1.04	1.03	1.03
NX	073	851	3950	076	414	2942	2942	2942	057	521	2804	2804	2804	085	451	2300
HS	365	230	270	165	340	265	350	300	1200	950	250	160	160	000	000	000
CS	4.30	2.00	1.40	2.90	2.90	2.90	2.00	7.00	3.80	3.80	2.20	3.10	3.10	0.00	0.00	0.00

TEST C0469 DATE 9/29/73 TEST C0494 DATE 10/31/73 TEST C1093 DATE 4/05/74 TEST C1241 DATE 10/11/74

DRY 76 WET 57 PRES 24.88 DRY 75 WET 56 PRES 24.70 DRY 70 WET 50 PRES 24.81 DRY 76 WET 52 PRES 24.75

MPG 21.24

MPG 24.89

MPG 25.63

MPG 27.48

VEH. NO. 187

MAKE FORD

PAGE 64

MODEL LTD YEAR 73 CYL. 8 CID 351 WFLIGHT 4500 TRANS 1 FXH CTRL 1 EVAP CTRL 1 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO
AFTER 12 MO

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

00.60 -0155 +10 +00 1 1 0 2 1 004725
00.39 +0000 +00 +00 1 1 0 2 1 004725
01.00 +0050 -01 +00 1 1 0 2 1 006647
01.00 +0090 -01 +00 1 1 0 2 1 010352

TAMP. 6 MO
TAMP. 12 MO

IG WS COIL SPRKS AIR/F A/C F/MX S INL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPY

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 6.29	4.48	3.99	4.72	HC 6.09	3.85	4.07	4.39	HC 6.12	4.31	4.10	4.63
CO 134.7	078.8	079.1	090.6	CO 115.6	075.7	073.7	083.5	CO 123.3	077.2	078.5	087.2
C2 659.3	661.6	537.5	626.6	C2 659.9	694.1	566.0	651.4	C2 706.6	699.2	598.5	672.8
NX 2.09	1.92	2.00	1.98	NX 1.90	1.86	1.81	1.85	NX 1.60	1.52	1.49	1.53
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451	HC 2041	565	543	596	HC 2350	263	259	2516
LH 354	2.18	2.15	2.15	LH 565	0.64	1.60	1.80	LH 235	1.85	2.37	2990
CO 0.62	1826	1154	1154	CO 0.66	1004	982	982	CO 1.03	775	799	000
NX 184	220	165	110	NX 086	080	130	115	NX 117	180	170	000
HS 140	2.20	2.10	3.10	HS 080	1.70	1.70	2.60	HS 165	1.80	2.35	573
CS 0.70	2.20	2.10	3.10	CS 0.39	1.70	1.70	2.60	CS 1.10	1.80	2.35	509
IDLE LO CR HI CR	3607	3176	2500	IDLE LO CR HI CR	2041	2086	2832	IDLE LO CR HI CR	2861	2831	2500
HC 2763	354	508	451								

VEH. NO. 190

PAGE 1.65

MAKE PLYMOUTH MODEL DUST YEAR 73 CYL. 6 CID 225 WEIGHT 3000 TRANS 1 FXH CTRL 1 EVAP CTRL 1 PCV 1

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	00.60	+	0030	+	00	+	00	2	1	2	1	2	1	008056				
AFTER MAINT	00.60	+	0030	+	00	+	00	2	1	2	1	2	1	008056				
AFTER 6 MO	01.60	-	0100	+	00	+	00	1	1	1	2	1	1	010159				
AFTER 12 MO	00.39	+	0000	+	00	+	00	2	1	1	2	1	1	013627				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.02	2.90	3.89	3.62	HC	5.02	2.90	3.89	3.62	HC	5.02	2.90	3.89
CO	096.3	033.7	049.6	051.2	CO	096.3	033.7	049.6	051.2	CO	096.3	033.7	049.6
C2	420.3	458.6	402.0	434.9	C2	420.3	458.6	402.0	434.9	C2	420.3	458.6	402.0
NX	2.52	3.21	3.17	3.05	NX	2.52	3.21	3.17	3.05	NX	2.52	3.21	3.05
IDLE LO CR	2747	2723	3908	3908	IDLE LO CR	2747	2723	3908	3908	IDLE LO CR	2747	2723	3908
LH	340	412	543	543	LH	340	412	543	543	LH	340	412	543
CO	0.72	0.19	6.19	6.19	CO	0.72	0.19	6.19	6.19	CO	0.72	0.19	6.19
NX	299	2095	601	601	NX	299	2095	601	601	NX	299	2095	601
HS	170	165	280	280	HS	170	165	280	280	HS	170	165	280
CS	0.60	0.18	6.20	6.20	CS	0.60	0.18	6.20	6.20	CS	0.60	0.18	6.20
IDLE LO CR	2747	2723	3908	3908	IDLE LO CR	2747	2723	3908	3908	IDLE LO CR	2747	2723	3908
LH	340	412	543	543	LH	340	412	543	543	LH	340	412	543
CO	0.72	0.19	6.19	6.19	CO	0.72	0.19	6.19	6.19	CO	0.72	0.19	6.19
NX	299	2095	601	601	NX	299	2095	601	601	NX	299	2095	601
HS	170	165	280	280	HS	170	165	280	280	HS	170	165	280
CS	0.60	0.18	6.20	6.20	CS	0.60	0.18	6.20	6.20	CS	0.60	0.18	6.20

TEST C0498 DATE 10/02/73 TEST C0498 DATE 10/02/73 TEST C1031 DATE 4/04/74 TEST C1229 DATE 10/04/74
 DRY 69 WET 54 PRES 24.67 DRY 69 WET 54 PRES 24.67 DRY 70 WET 50 PRES 24.71 DRY 72 WET 51 PRES 24.55
 MPG 15.91 MPG 16.91 MPG 16.57 MPG 16.20

VEH. NO. 191

PAGE 66

MAKE CHEVROLET MODEL CHE2 YEAP 67 CYL. 6 CID 194 WEIGHT 3000 TRANS 3 EXH CTPL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	06.70	+0050	-02	+00	1	1	1	0	2	0	022266
AFTER MAINT	07.20	+0140	+00	+00	1	1	1	0	2	0	022266
AFTER 5 MO	08.70	+0500	-04	+00	1	1	1	0	1	0	024954
AFTER 12 MO	09.20	+0210	-04	+01	1	1	1	0	2	0	026224

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	COND	RTR	DST	CAP	RPV
TAMP. 5 MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 19.08	14.67	11.89	14.82	HC 19.26	14.13	11.02	14.34	HC 12.58	11.49	8.11	10.78	HC 11.38	11.38	9.46	7.12	9.21
CO 128.2	162.6	102.9	138.8	CO 145.0	170.3	119.7	151.2	CO 123.6	158.9	110.3	138.1	CO 108.2	108.2	136.3	98.4	116.0
C2 319.4	282.3	299.3	291.8	C2 329.8	311.8	276.3	305.7	C2 339.7	325.4	275.3	314.5	C2 306.8	306.8	275.3	256.5	276.7
NX 1.84	0.81	2.02	1.36	NX 1.81	1.14	1.50	1.38	NX 1.57	0.86	1.47	1.18	NX 1.98	1.98	0.77	1.93	1.35

	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500
HC 6564	4482	5427	HC 6389	4655	5366	HC 9070	5574	6913	HC 11587	6991	4258	HC 11587	6991	4258				
LH 648	507	694	LH 776	750	842	LH 515	446	547	LH 000	000	000	LH 000	000	000				
CO 7.54	3.96	8.93	CO 8.11	2.79	9.15	CO 8.97	2.69	9.12	CO 9.80	4.30	1.69	CO 9.80	4.30	1.69				
NX 041	703	203	NX 050	1606	178	NX 039	1815	831	NX 028	512	2125	NX 028	512	2125				
HS 500	420	475	HS 320	300	330	HS 425	390	420	HS 000	000	000	HS 000	000	000				
CS 6.90	4.00	8.10	CS 7.60	3.00	2.40	CS 8.70	2.70	8.70	CS 0.00	0.00	0.00	CS 0.00	0.00	0.00				

TEST C0499 DATE 10/02/73 TEST C0527 DATE 10/03/73 TEST C1099 DATE 4/02/74 TEST C1231 DATE 10/07/74

DRY 69 WET 54 PRES 24.67 DRY 69 WET 56 PRES 24.81 DRY 70 WET 50 PRES 24.41 DRY 76 WET 52 PRES 24.85

MPG 16.06

MPG 15.13

MPG 15.75

MPG 18.25

VEH. NO. 196

PAGE 1.67

MAKE CHEVROLET MODEL CAPR YEAR 71 CYL. 8 CID 400 WEIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	00.45	+0290	+04	+00	1	1	1	0	2	0	036250
AFTER MAINT	00.45	+0000	+00	+00	1	1	1	0	2	0	036250
AFTER 6 MO	02.30	+0010	+00	+00	1	1	1	0	2	0	042024
AFTER 12 MO	00.64	-0050	+04	+00	1	1	1	0	2	0	043800

	IF WS	COIL	SPRKS	AIR/F	A/C	F/NX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	REV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975			
HC	6.35	4.48	4.44	4.86	HC	6.13	3.76	3.84	4.28	HC	7.53	5.22	5.18	5.69	HC	5.93	3.91	3.96	4.35
CO	083.0	035.2	051.0	049.6	CO	099.1	035.1	054.0	053.8	CO	108.0	053.0	074.4	070.4	CO	093.2	031.4	044.4	047.9
C2	686.6	700.6	624.1	677.1	C2	594.5	619.6	541.5	592.7	C2	712.4	655.9	603.5	653.2	C2	693.0	629.4	581.6	629.5
NX	6.29	5.03	6.57	5.72	NX	4.83	4.18	5.18	4.59	NX	5.51	4.38	5.46	4.91	NX	5.39	4.25	5.73	6.90

	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500
HC	2990	2873	3035	HC	3108	2584	2833	HC	4153	3073	2813	HC	3208	2507	2820	
LH	350	359	373	LH	655	594	583	LH	435	266	220	LH	000	000	000	
CO	0.41	0.52	1.60	CO	0.50	0.21	1.65	CO	2.28	0.44	1.36	CO	0.66	0.23	1.62	
NX	416	2584	2323	NX	111	2362	2528	NX	121	2521	2585	NX	176	2234	2375	
HS	210	160	160	HS	215	140	150	HS	380	200	150	HS	000	000	000	000
CS	0.45	0.50	1.70	CS	0.50	0.20	1.60	CS	2.30	0.49	1.50	CS	0.00	0.00	0.00	0.00

TEST C0513 DATE 10/03/73 TEST C0579 DATE 10/08/73 TEST C1090 DATE 4/04/74 TEST C1230 DATE 10/07/74

DRY 75 WET 55 PRES 24.71 DRY 72 WET 48 PRES 24.42 DRY 70 WET 50 PRES 24.71 DRY 76 WET 50 PRES 24.81

MPG 11.56

MPG 12.90

MPG 11.39

MPG 12.40

VEH. NO. 197

PAGE 68

MAKE FORD

MODFL PINT YEAP 72 CYL. 4 CID 122 WRIGHT 2250 TRANS 1 EXH CTPL 1 EVAP CTPL 1 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO
AFTER 12 MO

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX 0004
06.10 +0310 +00 -04 1 1 0 2 0 011175
06.10 +0310 +00 -04 1 1 0 2 0 011175
06.50 +0000 +00 +10 1 1 0 2 0 013935
04.60 +0070 +00 +02 1 1 0 2 0 01A25A

TAMP. 6 MO
TAMP. 12 MO

IG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP REV
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	
HC	5.76	4.73	5.93	5.29	5.93	4.73	5.29	HC	6.75	5.06	4.04	5.13	HC	4.60	3.17	
CO	104.2	071.5	078.3	080.2	078.3	071.5	080.2	CO	130.2	090.6	082.3	096.6	CO	093.1	042.5	
C2	322.6	321.2	304.5	316.8	304.5	321.2	316.8	C2	310.7	307.0	264.5	296.0	C2	310.6	251.9	
NX	3.03	2.85	3.33	3.03	3.33	2.85	3.03	NX	1.72	1.66	1.74	1.69	NX	1.87	1.71	
IDLE	LO	CR	HI	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR
HC	4686	4517	5152	5152	4517	4686	2500	HC	5367	5514	6820	2500	HC	4568	6110	
LH	769	769	831	831	769	769	2500	LH	406	467	512	2500	LH	000	000	
CO	6.81	1.74	7.85	7.85	1.74	6.81	2500	CO	6.42	2.33	8.08	2500	CO	4.69	3.51	
NX	086	2068	717	717	2068	086	2500	NX	075	1460	600	2500	NX	083	528	
HS	260	250	300	300	250	260	2500	HS	280	325	350	2500	HS	000	000	
CS	6.10	1.50	7.10	7.10	1.50	6.10	2500	CS	5.80	2.20	7.40	2500	CS	0.00	0.00	

TEST C0530 DATE 10/04/73 TEST C0530 DATE 10/04/73 TEST C1234 DATE 10/08/74

DRY 69 WET 54 PRES 24.54 PRES 24.54 PRES 24.94 DRY 73 WET 51 PRES 24.11 DRY 76 WET 49 PRES 24.95

MPG 19.38

MPG 19.38

MPG 19.20

MPG 24.29

VEH. NO. 207

PAGE 1.69

MAKE VOLKSWAGON MODEL SORK YEAR 72 CYL. 4 CID 097 WEIGHT 2500 TRANS 4 EXH CIPOL 1 EVAP CTRL 1 PCV 2

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	02.90	+0160	+05	-01	0	1	0	0	2	0	011511
AFTER MAINT	02.90	+0160	+05	-01	0	1	0	0	2	0	011511
AFTER 6 MO	01.30	+0200	+00	+00	0	1	0	0	2	0	013864
AFTER 12 MO	03.03	+0010	+00	+00	0	1	0	0	2	0	017763

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHC	DIST AJ	PTS AJ	COND	RTR	OST	CAP	OPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 6.50	5.27	3.70	3.70	5.09	6.50	5.27	3.70	5.09	4.99	3.36	2.59	3.49	6.90	7.48	4.87	6.53
CO 042.3	040.1	021.6	035.4	035.4	CO 042.3	040.1	021.6	035.4	CO 042.6	027.0	025.9	030.0	CO 028.4	027.6	014.0	024.0
C2 345.2	377.2	319.4	354.7	354.7	C2 345.2	377.2	319.4	354.7	C2 323.1	373.4	342.1	354.2	C2 315.2	320.0	280.4	308.0
NX 5.20	3.25	4.63	4.04	4.04	NX 5.20	3.25	4.63	4.04	NX 3.19	2.47	3.08	2.79	NX 6.25	4.51	5.42	5.13
IDLE LO CR HI CR	2500	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500	IDLE LO CR HI CR	2500	2500	2500
HC 2964	0999	1319	1319	1319	HC 2964	0999	1319	1319	HC 5451	3111	2004	2004	HC 5451	3111	2004	2004
LH 445	433	465	465	465	LH 445	433	465	465	LH 000	000	000	000	LH 000	000	000	000
CO 3.03	0.20	0.14	0.14	0.14	CO 3.03	0.20	0.14	0.14	CO 3.11	0.11	0.15	0.15	CO 3.11	0.11	0.15	0.15
NX 099	1083	3501	3501	3501	NX 099	1083	3501	3501	NX 055	681	2473	2473	NX 055	681	2473	2473
HS 115	070	080	080	080	HS 115	070	080	080	HS 300	000	000	000	HS 300	000	000	000
CS 2.90	0.08	0.08	0.08	0.08	CS 2.90	0.08	0.08	0.08	CS 1.50	0.16	0.14	0.42	CS 0.00	0.00	0.00	0.00

TEST C0557 DATE 10/08/73 TEST C0557 DATE 10/08/73 TEST C1034 DATE 4/08/74 TEST C1232 DATE 10/08/74

DRY 69 WET 49 PRES 24.46 DRY 69 WET 49 PRES 24.46 DRY 71 WET 50 PRES 24.62 DRY 76 WET 48 PRES 24.85

MPG 20.49

MPG 20.49

MPG 21.60

MPG 24.29

VEH. NO. 208

PAGE 70

MAKE DATSUN

MOOFL 510 YEAP 71 CYL. 4 CIO 997 WEIGHT 2000 TRANS 4 FXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	03.50	-0200	-04	-07	0	2	1	0	2	0	027615
AFTER MAINT	02.45	+0000	-05	-03	0	2	1	0	2	0	027615
AFTER 5 MO	02.25	+0030	+00	+00	0	1	1	0	2	0	030859
AFTER 12 MO	00.30	+0400	+00	+00	0	1	1	0	2	0	034231

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	1	2	2	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	4.29	4.65	3.94	4.37	8.41	3.26	3.36	4.36	6.65	2.85	3.24	3.75
CO	035.2	047.7	036.8	042.2	054.3	042.0	042.0	046.6	056.2	044.0	039.2	045.2
C2	343.2	338.4	292.3	323.8	331.6	337.2	295.6	321.7	339.3	360.7	298.0	338.8
NX	4.83	2.90	4.01	3.61	4.06	2.20	3.35	2.91	5.14	2.47	3.90	3.43

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC	8242	3907	3354	4352	7821	3302	3968	3535	1157
LH	822	787	672	393	551	494	351	348	152
CO	4.78	2.36	1.00	3.31	2.76	1.04	2.25	2.30	0.77
NX	024	2507	3800	039	2221	4108	043	1922	1729
HS	270	190	165	130	150	150	380	140	080
CS	3.50	1.65	0.80	2.50	1.80	0.80	2.80	2.40	0.20

TEST C0558 DATE 10/09/73 TEST C0585 DATE 10/09/73 TEST C1099 DATE 4/10/74 TEST C1237 DATE 10/10/74

DRY 69 WET 49 PRES 24.45 DRY 70 WET 52 PRES 24.39 DRY 73 WET 52 PRES 24.10 DRY 76 WET 52 PRES 24.79

MPG 22.04

MPG 21.79

MPG 21.12

MPG 21.95

VEH. NO. 211

PAGE-J-71

MAKE PLYMOUTH MODEL FURY YEAR 70 CYL. 8 CIO 318 WEIGHT 4000 TRANS 1 EXH CTR 1 EVAP CTR 2 PCV 1

	YOLF CO	YOLF RDM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	NOOM
AS RECEIVED	02.80	+0060	+10	-10	1	2	1	0	1	0	063652
AFTER MAINT	03.29	+0000	+00	+00	1	1	1	0	2	0	063652
AFTER 5 MO	03.68	+0000	-03	+00	1	1	1	0	2	0	069788
AFTER 12 MO	03.78	+0060	-04	+00	1	2	1	0	2	0	077464

	IG MS	COIL	SPOKS	ATR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	33.83	26.66	29.63	28.93	7.05	4.42	4.27	4.93	7.27	5.30	5.16	5.67	6.92	4.87	4.42	5.17
CO	152.1	110.6	117.0	121.0	162.0	994.0	105.4	111.4	167.9	135.6	133.3	141.7	143.1	1082.3	093.6	098.2
C2	516.2	490.3	444.2	483.0	617.6	587.7	513.1	577.3	532.7	529.4	462.4	511.5	52	569.8	454.2	519.2
NX	4.03	3.33	3.55	3.54	2.56	2.34	2.71	2.49	1.06	1.68	2.15	1.68	2.50	2.21	2.38	2.32
IDL	LO CR	HI CR	2500	2500	IDL	LO CR	HI CR	2500	IDL	LO CR	HI CR	2500	IDL	LO CR	HI CR	2500
HC	13693	5991	13655	1339	3379	3315	3315	3315	3574	3706	3496	3496	4964	3864	3952	
LH	2500	1146	2500	324	418	371	371	371	247	243	191	191	000	000	000	
CO	3.59	3.23	3.52	3.51	5.02	3.79	3.79	3.79	3.51	2.92	3.93	3.93	3.96	1.08	4.37	
NX	185	1452	460	144	649	1224	1224	1224	086	815	349	349	105	1603	714	
HS	2500	600	1900	2500	225	270	190	170	260	240	140	130	000	000	000	
CS	2.80	2.90	6.10	1.50	3.60	5.00	3.80	3.60	2.10	1.80	1.90	1.20	0.00	1.00	0.00	0.00

TEST C0573 DATE 10/09/73 TEST C0627 DATE 10/12/73 TEST C1100 DATE 4/11/74 IFST C1238 DATE 10/10/74

DRY 74 WET 53 PRES 24.39 DRY 70 WET 49 PRES 24.52 DRY 68 WET 50 PRES 24.20 DRY 77 WET 57 PRES 24.75

MPG 11.65

MPG 11.66

MPG 11.94

MPG 12.55

VEH. NO. 212

PAGE 72

MAKE FORD

MODEL MUST YEAR 67 CYL. 8 CTV 280 WEIGHT 3000 TRANS 3 EX4 C1PL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO
AFTER 12 MO

IDLE CO IDLE RPM TIMING DWELL PCV A/F CHOKE A/P MIS NOX ODOM
09.85 -0250 -02 +02 1 1 0 2 0 051935
09.85 +0000 +00 +00 1 1 0 2 0 051935
10.25 -0150 +00 +00 1 1 0 2 0 054950
10.30 +0090 -11 +00 1 1 0 2 0 056234

TAMP. 6 MO
TAMP. 12 MO

IG MS COIL SPKRS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PIS AJ COND RTR DST CAP RRV
2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT CS HT 1975 CT CS HT 1975 CT CS HT 1975 CT CS HT 1975
HC 16.37 16.63 12.00 15.23 HC 13.12 17.75 8.34 12.12 HC 14.96 17.09 12.41 15.34 HC 13.21 16.94 10.30 14.32
CO 173.1 181.1 130.7 165.4 CO 149.2 161.4 100.0 141.9 CO 173.9 194.3 106.9 189.4 CO 148.5 181.0 130.1 160.1
C2 102.0 292.7 296.1 295.6 C2 294.0 294.0 295.7 294.7 C2 127.2 131.4 291.1 319.3 C2 274.6 281.3 259.6 273.9
NX 0.85 0.52 1.25 0.70 NX 1.34 0.91 1.69 1.16 NX 1.13 0.92 1.47 1.12 NX 0.74 0.47 0.94 0.66

IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500
HC 16921 4953 4627 HC 11547 4923 4471 HC 20355 5715 4949 HC 21228 5675 5772
LH 1369 901 873 LH 1352 737 687 LH 377 611 597 LH 000 000 000
CO 10.35 4.37 4.05 CO 10.58 4.65 5.23 CO 9.48 4.13 3.43 CO 9.64 4.09 5.03
NX 017 917 1250 NX 026 615 960 NX 014 576 1436 NX 007 135 830
HS 740 335 320 HS 920 490 420 HS 590 590 390 HS 000 000 000
CS 20.00 4.00 3.80 CS 9.00 4.00 3.60 CS 20.00 4.40 4.00 CS 0.00 0.00 0.00 0.00 0.00

TEST 00572 DATE 10/08/73 TEST 00720 DATE 10/22/73 TEST 01113 DATE 6/18/74 TEST 01246 DATE 10/16/74

DRY 72 WET 48 PRES 24.42 DRY 77 WET 53 PRES 24.80 DRY 72 WET 51 PRES 24.80 DRY 79 WET 54 PRES 24.87

MPG 14.75

MPG 16.02

MPG 17.57

MPG 15.61

VEH. NO. 213

PAGE 1.73

MAKE CHEVROLET MODFL STAW YEAR 66 CYL. 8 CIO 283 WEIGHT 4000 TRANS 3 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.70	+0000	+02	+00	1	1	1	0	2	0	061637
AFTER MAINT	05.70	+0000	+02	+00	1	1	1	0	2	0	061637
AFTER 5 MO	03.83	+0350	+06	+00	1	1	1	0	2	0	067976
AFTER 12 MO	05.50	+0160	+02	+00	1	1	1	0	2	0	075509

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	1	1	2	2	2	1	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 5 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 13.45	15.88	11.48	14.15	HC 13.45	15.88	11.48	14.15	HC 12.12	11.29	8.42	10.67
CO 145.9	174.6	138.8	158.7	CO 145.9	174.6	138.8	158.7	CO 156.6	159.1	121.0	148.0
C2 463.6	550.2	450.7	504.5	C2 463.6	550.2	450.7	504.5	C2 472.4	475.9	417.8	459.1
NX 2.32	2.15	2.51	2.28	NX 2.32	2.15	2.51	2.28	NX 2.94	2.11	2.92	2.51

IDLE LO CP	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 10189	5621	5548	HC 9627	5150	4711	HC 12677	6449	5794
LH 1391	1005	989	LH 691	426	394	LH 000	000	000
CO 6.05	4.58	7.32	CO 3.85	3.79	3.48	CO 5.53	5.28	4.32
NX 0.37	941	432	NX 0.34	1047	1140	NX 0.33	319	883
HS 570	350	335	HS 380	240	210	HS 000	000	000
CS 5.39	4.00	6.60	CS 2.60	2.60	2.50	CS 0.00	0.00	0.00

TEST C0574 DATE 10/09/73 TEST C0574 DATE 10/09/73 TEST C1239 DATE 10/11/74

DRY 71 WET 53 PRES 24.39 DRY 71 WET 53 PRES 24.39 DRY 72 WET 52 PRES 24.10 DRY 76 WET 50 PRES 24.76

MPG 11.15

MPG 11.15

MPG 12.28

MPG 14.12

VEH. NO. 21A

PAGE 74

MAKE CHEVROLET MODEL NOVA YEAR 73 CYL. 8 CID 307 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	HIS	NOX	ODOM
AS RECEIVED	04.10	-0040	+01	-04	1	1	1	0	2	1	016372
AFTER MAINT	05.05	+0000	+00	+00	1	1	1	0	2	1	016372
AFTER 6 MO	05.11	+0020	+02	-02	1	1	1	0	2	1	023252
AFTER 12 MO	05.00	+0045	+03	-05	1	1	1	0	2	1	033498

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.51	4.95	5.65	6.10	HC	10.46	4.86	5.61	6.24	HC	8.33	4.05	5.33	5.29	HC	7.51	5.00	5.04	5.54	
CO	132.8	087.6	097.4	099.8	CO	168.6	104.3	115.4	120.8	CO	179.9	091.8	110.5	115.5	CO	143.6	085.4	104.2	103.3	
C2	491.6	550.9	462.5	514.0	C2	465.4	526.3	431.5	487.3	C2	473.6	512.2	444.9	495.5	C2	475.7	519.7	439.7	485.8	
NX	1.51	1.41	1.74	1.52	NX	0.98	0.97	0.95	0.91	NX	1.03	0.99	1.26	1.07	NX	1.41	1.29	1.35	1.33	
IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500	
HC	3522	4111	3453	4492	HC	4892	5462	4946	5222	HC	3865	5254	5354	529	HC	6942	6193	6997		
LH	388	532	446	522	LH	522	812	696	696	LH	374	514	487	487	LH	000	000	000		
CO	5.00	3.23	3.94	7.24	CO	7.24	5.57	6.12	6.12	CO	5.59	3.68	5.33	5.33	CO	6.44	4.06	6.30		
NX	047	755	700	035	NX	035	322	506	506	NX	036	766	563	563	NX	063	406	284		
HS	175	210	160	480	HS	480	730	570	140	HS	070	050	080	050	HS	000	000	000		
CS	4.10	2.50	3.30	6.00	CS	6.00	4.60	5.15	0.70	CS	1.00	0.80	1.90	0.60	CS	0.00	0.00	0.00		

TEST C0589 DATE 10/10/73 TEST C0643 DATE 10/15/73 TEST C1107 DATE 4/16/74 TEST C1244 DATE 10/15/74

DRY 76 WET 54 PRES 24.68 DRY 82 WET 58 PRES 24.95 DRY 68 WET 48 PRES 24.90 DRY 76 WET 50 PRES 24.86

MPG 12.91

MPG 12.78

MPG 13.03

MPG 13.39

VEH. NO. 222

PAGE 1-75

MAKE RAMBLER MODEL AMER YEAR 64 CYL. 6 CID 196 WEIGHT 3000 TRANS 3 FXH CTRL 2 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
AS RECEIVED	00.28	+0150	+00	-07	1	0	2	1	0	2	0	068526		
AFTER MAINT	00.28	+0150	+00	-07	1	0	2	1	0	2	0	068526		
AFTER 5 MO	00.32	+0450	+00	+00	1	0	2	1	0	2	0	070750		
AFTER 12 MO	00.50	+0725	+10	+00	2	0	2	1	0	2	0	073542		

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975			
HC	8.55	5.42	6.31	6.32	HC	9.55	5.42	6.31	6.32	HC	5.54	4.13	3.86	4.35	HC	7.81	4.38	5.12	5.31
CO	035.0	062.5	096.6	076.0	CO	095.0	062.5	096.6	076.0	CO	055.0	037.8	047.8	044.2	CO	064.1	045.5	059.6	053.0
C2	387.6	416.9	339.0	389.1	C2	387.6	416.9	339.0	389.1	C2	435.4	448.5	364.6	422.5	C2	343.9	345.1	303.6	333.4
NX	3.29	3.27	2.37	3.02	NX	3.29	3.27	2.37	3.02	NX	4.07	3.37	3.02	3.42	NX	2.97	2.35	2.24	2.45
	IDLE	LO	CR	2500		IDLE	LO	CR	2500		IDLE	LO	CR	2500		IDLE	LO	CR	2500
HC	3523	4150	5510		HC	3523	4150	5510		HC	2444	4509	6104		HC	3284	4594	4716	
LH	476	605	764		LH	476	605	764		LH	215	426	519		LH	000	300	000	
CO	0.33	3.39	9.24		CO	0.33	3.39	9.24		CO	0.43	2.22	8.34		CO	0.54	1.79	3.08	
NX	185	1207	285		NX	186	1207	285		NX	179	1576	036		NX	176	1592	1640	
HS	275	350	450		HS	275	350	450		HS	050	090	090		HS	000	000	000	
CS	0.30	3.40	9.20		CS	0.30	3.40	9.20		CS	0.10	0.70	1.80		CS	0.00	0.00	0.00	

TEST C0607 DATE 10/11/73 TEST C0607 DATE 10/11/73 TEST C1106 DATE 4/15/74 TEST C1243 DATE 10/14/74

DRY 70 WET 53 PRES 24.51 DRY 70 WET 53 PRES 24.51 DRY 72 WET 50 PRFS 24.43 DRY 76 WET 53 PRES 24.99

MPG 16.85

MPG 16.95

MPG 17.61

MPG 20.55

VEH. NO. 235

PAGE 76

MAKE BUICK

MODFL WILD YEAR 65 CYL. 8 CID 425 WEIGHT 4500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	7004
AS RECEIVED	11.10	-0060	+10	+00	1	2	1	0	2	0	078046
AFTER MAINT	11.00	-0060	+22	+00	1	2	1	0	2	0	078046
AFTER 6 MO	10.38	+0150	+00	+00	1	1	1	0	2	0	090979
AFTER 12 MO	05.00	+0020	+00	+00	1	1	1	0	2	0	033265

	IG WS	COIL	SPPKS	AIR/F	A/C	F/4X S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	1	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 19.21	30.27	17.59	24.44	HC 21.40	34.57	19.07	27.60	HC 17.10	16.32	13.05	15.58	HC 14.28	13.70	10.99	13.07	
CO 201.6	263.7	219.5	238.5	CO 202.2	272.6	237.8	248.2	CO 294.0	772.7	302.3	336.8	CO 236.5	254.1	229.6	243.6	
C2 459.1	398.6	374.1	404.5	C2 482.2	426.0	441.7	442.1	C2 612.8	562.4	512.8	559.2	C2 542.7	458.5	422.9	466.3	
NX 2.93	0.96	1.41	1.50	NX 3.83	1.20	2.04	1.98	NX 3.69	1.26	1.71	1.89	NX 2.33	0.77	1.12	1.19	

	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC 16320	6929	5977				HC 16549	6568	6059				HC 8052	9407	8009				
LH 1900	893	796				LH 2500	799	728				LH 000	000	000				
CO 11.88	8.16	6.97				CO 12.52	7.71	7.48				CO 4.95	10.06	9.01				
NX 011	327	790				NX 008	417	762				NX 049	168	140				
HS 2500	1440	1040				HS 2500	620	530				HS 000	000	000				
CS 20.00	9.00	7.40				CS 20.00	6.90	6.70				CS 9.00	0.00	0.00				

TEST C0662 DATE 10/17/73 TEST C0687 DATE 10/18/73 TEST C1111 DATE 4/17/74 TEST C1245 DATE 10/16/74

DRY 69 WET 50 PRES 24.86 DRY 71 WET 52 PRES 24.82 DRY 72 WET 51 PRES 24.33 DRY 77 WET 54 PRES 24.89

MPG 10.47

MPG 9.69

MPG 7.83

MPG 10.00

VEH. NO. 238

PAGE 1 77

MAKE DODGE

MODEL CORO YEAR 69 CYL. 8 CID 318 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	MOX	ODOM
AS RECEIVED	05.40	-0050	+02	+00	1	1	1	0	2	0	051016
AFTER MAINT	04.92	+0000	+00	+00	1	1	1	0	2	0	051016
AFTER 5 MO	04.01	+0000	+00	+00	1	1	1	0	2	0	051439
AFTER 12 MO	03.90	+0000	+00	+00	1	1	1	0	2	0	054678

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS	AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.51	9.88	8.49	8.45	10.13	8.45	10.83	HC 18.47	15.02	11.85	14.86	HC 19.91	15.20	12.47	15.42		
CO 125.0	118.8	102.9	115.7	192.5	192.2	205.2	CO 297.9	261.5	231.0	260.7	CO 292.3	226.9	217.9	238.1		
C2 453.0	464.4	454.7	459.3	376.0	340.5	359.3	C2 434.1	448.0	387.7	428.3	C2 439.1	458.9	391.0	441.9		
NX 3.92	2.90	3.63	3.32	0.50	0.58	0.57	NX 0.60	0.54	0.52	0.57	NX 0.97	0.96	0.81	0.91		

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 792A	5490	4.954	792A	8344	7126	HC 9214	10165	8302	HC 9377	11202	11161	
LH 1478	782	670	LH 1132	1295	1051	LH 846	1085	832	LH 000	000	000	
CO 5.77	1.52	4.22	CO 5.23	11.46	10.54	CO 3.87	9.96	8.38	CO 3.93	9.17	10.11	
NX 069	1417	1198	NX 000	000	000	NX 096	180	215	NX 126	174	179	
HS 1260	540	385	HS 120	110	090	HS 1000	1100	860	HS 000	000	000	
CS 4.80	3.00	3.40	CS 0.40	0.90	0.85	CS 4.40	20.00	9.30	CS 0.00	0.00	0.00	

TEST 00574 DATE 10/19/73 TEST 00735 DATE 10/23/73 TEST 01115 DATE 4/19/74 TEST 01248 DATE 10/17/74

DRY 70 WET 52 PRES 24.89 DRY 76 WET 47 PRES 24.40 DRY 69 WET 48 PRES 24.33 DRY 76 WET 52 PRES 24.96

MPG 13.25

MPG 12.44

MPG 10.07

MPG 10.31

VEH. NO. 239

PAGE 78

MAKE VOLKSWAGON MODEL SFDA VFAP 68 CYL. 4 CID 991 WEIGHT 2000 TRANS 4 EXH CTRL 1 EVAP CTRL 2 PCV 2

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.94	+0010	+00	+00	0	1	1	0	1	0	084309
AFTER MAINT	00.70	+0000	+00	+00	0	1	1	0	2	0	084309
AFTER 6 MO	00.63	+0050	-01	+00	0	1	1	0	1	0	091542
AFTER 12 MO	03.80	+0100	+00	-02	0	1	1	0	2	0	098192

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	2	2	2	1	1	1	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	4.63	3.79	5.30	4.66	4.77	4.09	3.82	4.16	5.69	4.37	3.39	4.49	4.55	8.41	5.34	6.75
CO	093.2	106.4	095.5	101.7	078.9	054.4	062.5	061.8	087.2	053.7	062.7	063.2	097.7	152.5	090.3	128.9
C2	247.4	254.3	197.4	237.1	267.8	295.5	240.3	274.4	268.1	299.1	278.8	270.7	243.3	189.8	206.2	205.5
NX	1.28	0.78	0.73	0.87	2.20	1.97	1.82	1.98	2.35	2.19	1.91	2.15	1.89	0.37	1.51	1.01

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC	5081	3795	2722	3411	2926	2835	20597	3611	2845	4566	4548	3526
LH	401	434	360	430	402	411	2007	352	294	000	000	000
CO	7.78	8.92	4.93	0.78	3.09	4.59	0.73	3.46	3.85	4.89	8.39	6.94
NX	055	247	1387	073	1283	1521	069	1345	1857	068	198	790
HS	400	410	290	250	170	195	300	110	070	100	000	000
CS	7.70	9.00	4.70	0.70	2.80	4.00	0.20	0.70	1.30	0.70	0.00	0.00

TEST C0564 DATE 10/17/73 TEST C0707 DATE 10/19/73 TEST C1110 DATE 4/17/74 TEST C1249 DATE 10/17/74

DRY 74 WET 53 PRES 24.90 DRY 70 WET 50 PRES 24.85 DRY 73 WET 50 PRES 24.33 DRY 79 WET 59 PRES 24.96

MPG 21.64

MPG 23.16

MPG 23.19

MPG 20.74

VEH. NO. 245

MAKE FORD

MODEL F400 YEAR 68 CYL. 8 CID 289 WEIGHT 3500 TRANS 3 FXH CTRL 1 EVAP CTRL 2 PCV 1

		IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ORCH		
AS RECEIVED		03.56	-0115	+06	+00	1	2	1	1	1	0	077348		
AFTER MAINT		08.56	+0000	+00	+00	1	1	1	1	2	0	077348		
AFTER 6 MO		09.56	+0025	+04	+00	1	1	1	1	1	0	084242		
AFTER 12 MO		01.00	+0005	-01	+02	1	1	2	1	2	0	088395		
		IG WS	COIL	SPRKS	AIR/F	F/MX S	IDL/AJ	CHK	DIST AJ	PIS AJ	COND	RIR	DST CAP	RPV
TAMP. 6 MO		1	2	1	1	1	1	1	1	1	1	1	2	2
TAMP. 12 MO		2	2	1	1	2	1	1	2	1	1	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

		CT		CS		HT		1975		CT		CS		HT		1975		CT		CS		HT		1975	
HC		9.52		7.34		6.36		7.53		13.04		7.43		6.75		9.41		7.38		8.26		6.77		7.66	
CO		119.5		088.7		076.1		091.7		172.3		102.6		085.9		112.6		079.8		048.3		051.5		055.8	
C2		377.8		449.2		361.4		409.9		426.3		485.0		402.8		449.9		521.7		591.1		440.2		534.7	
NX		1.48		1.45		1.96		1.60		0.76		0.78		1.18		0.89		1.55		1.40		1.43		1.44	
		IDLE		LO CR		HI CR		2500		IDLE		LO CR		HI CR		2500		IDLE		LO CR		HI CR		2500	
HC		5701		3322		4059		HC		9354		3747		3594		HC		9848		4340		3929		HC	
LH		456		513		618		LH		756		464		453		LH		1148		502		396		LH	
CO		4.24		1.96		3.02		CO		10.14		2.75		4.01		CO		0.64		1.08		2.19		CO	
NX		039		1620		1739		NX		039		465		604		NX		067		656		935		NX	
HS		250		160		235		HS		520		240		240		HS		1000		400		340		HS	
CS		3.00		1.20		2.00		CS		7.40		2.20		3.20		CS		0.70		1.00		2.20		CS	

TEST C0695 DATE 10/19/73 TEST C0750 DATE 10/24/73 TEST C1119 DATE 4/23/74 TEST C1253 DATE 10/23/74

DRY 74 WFT 52 PRES 24.86 DRY 77 WFT 50 PRES 24.40 DRY 70 WFT 49 PRES 24.61 DRY 76 WFT 52 PRES 24.88

MPG 15.42

MPG 13.63

MPG 13.77

MPG 12.65

VEH. NO. 247

PAGE 50

MAKE FORD

MODEL GALA YEAR 68 CYL. 8 CID 390 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.50	+0010	+09	+00	1	2	1	0	2	0	046034
AFTER MAINT	00.09	+0000	+00	+00	1	1	1	0	2	0	046034
AFTER 5 MO	00.06	-0050	+00	+00	1	1	1	0	2	0	049183
AFTER 12 MO	00.08	-0090	+00	+00	1	1	1	0	2	0	053436

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS	AJ	COND	PTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.12	6.51	5.74	6.43	HC	5.66	3.80	3.75	4.17	HC	5.73	3.58	3.53	4.05	HC	18.66
CO	065.6	100.6	054.4	080.4	CO	068.8	008.4	022.8	025.1	CO	072.0	009.4	011.5	023.1	CO	041.3
C2	502.5	520.8	503.7	533.2	C2	814.4	558.3	695.3	701.3	C2	637.4	633.7	535.2	607.2	C2	604.4
NX	7.15	5.13	7.11	6.10	NX	7.04	5.84	7.65	6.59	NX	5.56	5.77	7.18	6.12	NX	6.22

	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC	4569	3535	3180	2448	3147	2346	HC	2258	3304	0117	40	19255	3708	3308	40	19255	3708	3308
LH	502	552	472	168	428	318	LH	257	334	312	LH	000	000	000	LH	000	000	000
CO	6.31	0.25	9.25	0.11	0.42	0.21	CO	0.07	0.27	1.14	CO	0.10	0.16	0.30	CO	0.10	0.16	0.30
NX	065	3298	4275	088	2927	3192	NX	125	3436	2961	NX	112	2006	2649	NX	112	2006	2649
HS	229	180	115	175	210	100	HS	095	135	095	HS	000	800	000	HS	000	800	000
CS	6.00	0.20	0.16	0.09	0.25	0.19	CS	0.13	0.34	0.25	CS	0.55	0.55	0.55	CS	0.55	0.55	0.55

TEST C0694 DATE 10/19/73 TEST C0769 DATE 10/26/73 TEST C1118 DATE 4/22/74 TEST C1247 DATE 10/17/74

DRY 70 WET 50 PRES 24.06 DRY 70 WET 49 PRES 24.75 DRY 72 WET 51 PRES 24.52 DRY 76 WET 53 PRES 24.96

MPG 13.10

MPG 11.81

MPG 13.57

MPG 13.33

VEH. NO. 249

MAKE PLYMOUTH MODEL FURY YEAR 71 CVL. A CID 383 WEIGHT 4002 TRANS 1 EXH CIPL 1 EVAP CTR 2 PCV 1

	IG	MS	COIL	SPPKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	OPV
AS RECEIVED	05.40			-0110	+04				1	1	0	2	0	0	030259				
AFTER MAINT	02.48			+0000	+00				1	1	0	2	0	0	030259				
AFTER 6 MO	07.60			-0050	+00				1	1	0	2	0	0	038154				
AFTER 12 MO	06.80			-0150	+00				1	1	0	2	0	0	045880				

	IG	MS	COIL	SPPKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	OPV
TAMP. 6 MO	2	2	2	2	2	1			2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2			2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	HT	1975	CT	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 11.95	6.75	5.61	7.52	9.49	4.37	5.42	5.73	HC 10.00	11.10	7.64	9.91	HC 11.55	7.94	7.54	8.58						
CO 199.3	157.5	126.0	157.5	CO 170.0	103.4	129.2	124.5	CO 185.3	194.8	151.9	180.9	CO 208.4	178.6	156.6	178.7						
C2 548.2	555.3	480.8	535.2	C2 567.8	657.1	572.4	614.9	C2 554.1	563.5	489.2	541.0	C2 667.0	569.2	537.1	590.8						
NX 2.18	1.13	2.10	.62	NX 1.72	1.23	2.03	1.56	NX 1.75	1.05	1.64	1.36	NX 2.58	1.19	2.38	1.31						
IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR
HC 5950	4087	3766	HC 3114	3344	3349	HC 13089	3996	3845	HC 17915	4112	4018	HC 17915	4112	4018	HC 17915	4112	4018	HC 17915	4112	4018	HC 17915
LH 535	459	425	LH 338	401	385	LH 761	367	327	LH 000	000	000	LH 000	000	000	LH 000	000	000	LH 000	000	000	LH 000
CO 5.93	4.29	4.63	CO 2.88	3.64	4.48	CO 8.22	2.78	4.38	CO 8.07	3.66	3.49	CO 8.07	3.66	3.49	CO 8.07	3.66	3.49	CO 8.07	3.66	3.49	CO 8.07
NX 044	657	1167	NX 072	655	1079	NX 026	617	807	NX 031	364	962	NX 031	364	962	NX 031	364	962	NX 031	364	962	NX 031
HS 365	275	210	HS 560	780	700	HS 620	280	210	HS 260	000	000	HS 260	000	000	HS 260	000	000	HS 260	000	000	HS 260
CS 4.60	3.40	3.70	CS 2.20	3.40	4.00	CS 3.00	3.20	4.90	CS 5.00	3.00	0.00	CS 5.00	3.00	0.00	CS 5.00	3.00	0.00	CS 5.00	3.00	0.00	CS 5.00

TEST C0710 DATE 10/22/73 TEST C0779 DATE 10/26/73 TEST C1120 DATE 4/23/74 TEST C1255 DATE 10/23/74

DRY 70 WET 50 PRES 24.77 DRY 70 WET 50 PRES 24.71 DRY 72 WET 50 PRES 24.61 DRY 76 WET 52 PRES 24.80

MPG 11.05

MPG 10.75

MPG 10.40

MPG 10.02

VEH. NO. 251

PAGE 82

MAKE CHEVROLET MODEL IMPA YEAR 73 CYL. 8 CID 350 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	01.40	+0020	+02	+02	1	2	1	0	2	0	006702
AFTER MAINT	03.70	+0000	+00	+00	1	1	1	0	2	0	006702
AFTER 6 MO	02.82	+0040	-02	-01	1	1	1	0	2	0	010355
AFTER 12 MO	02.50	+0020	+00	-02	1	1	1	0	2	0	015406

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS	AJ	COND	RTR	DST	CAP	RDV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	1	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	3.84	2.92	3.04	3.15	4.04	2.73	2.97	3.08	3.38	2.42	2.57	2.65	4.16	2.76	2.58	3.00
CO	089.5	064.7	069.8	071.1	101.8	069.3	078.5	078.6	081.7	053.0	069.3	067.5	099.8	053.1	060.5	064.9
C2	606.0	544.4	492.2	594.1	579.5	521.1	476.1	572.2	637.4	670.8	520.5	622.1	687.4	700.1	552.3	654.4
NX	1.83	1.33	1.48	1.47	1.65	1.12	1.09	1.22	2.04	1.50	1.40	1.58	2.60	2.27	2.31	2.35
IOLE LO CR HI CR	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
HC	1061	2337	2203	2132	1021	4465	4465	4465	1634	2126	1933	1933	1431	2438	2144	2144
LH	220	407	380	315	436	657	657	657	211	224	191	191	000	000	000	000
CO	1.79	1.63	1.57	4.38	4.30	10.75	10.75	10.75	3.51	1.62	3.09	3.09	3.03	1.64	1.62	1.62
NX	053	649	1356	052	238	121	121	121	060	565	659	659	056	526	967	967
HS	050	155	125	520	790	1180	1180	1180	070	080	100	050	000	000	000	000
CS	1.40	1.30	1.25	3.20	3.20	2.00	2.00	0.30	3.20	1.20	4.00	0.50	0.00	0.00	0.00	0.00

TEST C0724 DATE 10/23/73 TEST C0761 DATE 10/25/73 TEST C1122 DATE 4/24/74 TEST C1251 DATE 10/22/74

DRY 70 WET 50 PRES 24.70 DRY 72 WET 49 PRES 24.61 DRY 70 WET 49 PRFS 24.70 DRY 76 WET 52 PRES 24.92

MPG 12.44

MPG 12.63

MPG 12.19

MPG 11.60

VEH. NO. 252

PAGE 1-83

MAKE OLDSMOBILE MODEL OMEG YEAR 73 CYL. 8 CID 350 WEIGHT 3500 TRANS 3 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODDM
AS RECEIVED	00.42	+0110	-02	-02	2	1	1	0	2	2	009599
AFTER MAINT	00.47	+0000	+00	+00	1	1	1	0	2	1	009599
AFTER 6 MO	00.33	+0100	-04	-03	1	1	1	0	2	2	012095
AFTER 12 MO	00.30	+0110	-04	+01	1	1	1	0	2	1	019988

	IG WS	COIL	SPOKS	AIR/F	A/C	F/NX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	4.66	3.74	4.24	4.12	2.93	3.00	3.20	HC	3.81	4.53	4.62	4.96	4.10	4.25	4.32
CO	0.92.9	0.79.7	0.70.8	0.69.1	0.58.4	0.52.6	0.59.0	CO	0.41.6	0.69.2	0.53.2	0.57.9	0.55.3	0.55.5	0.58.0
C2	577.3	521.0	464.5	568.4	501.8	589.5	589.5	C2	634.2	706.5	528.2	641.9	623.1	502.8	588.0
NX	1.43	0.91	1.10	1.08	1.07	1.38	1.26	NX	1.94	1.20	1.64	1.48	1.52	1.98	1.95
IOLE LO CR HI CR	2500	2500	2500	2500	2500	2500	2500	IOLE LO CR HI CR	2500	2500	2500	2500	2500	2500	2500
HC	1464	2092	2062	1669	2405	2015	2015	HC	0773	2543	2277	0903	2650	3164	3164
LH	218	275	280	227	293	267	267	LH	109	193	191	000	000	000	000
CO	0.41	1.34	0.65	0.55	2.19	0.56	0.56	CO	0.39	2.89	1.56	0.34	1.63	1.63	1.63
NX	0.69	4.85	1.665	0.75	4.43	1.226	1.226	NX	0.75	3.20	1.48	0.78	1.75	1.75	1.75
HS	0.75	140	120	0.95	160	120	0.80	HS	0.50	100	0.90	0.70	0.00	0.00	0.00
CS	0.48	1.30	0.58	0.20	0.50	0.20	0.40	CS	0.40	3.60	1.50	4.20	0.00	0.00	0.00

TEST C0726 DATE 10/23/72 TEST C07A2 DATE 10/25/73 TEST C1125 DATE 4/25/74 TEST C1252 DATE 10/22/74

DRY 70 WET 48 PRES 24.68 DRY 71 WET 50 PRES 24.42 DRY 72 WET 51 PRES 24.70 DRY 76 WET 52 PRES 24.95

MPG 12.66

MPG 12.87

MPG 11.90

MPG 12.86

VEH. NO. 25A

PAGE 84

MAKE FORD

MODFL THUN YEAP 65 CYL. 8 CTO 398 WFLIGHT 5000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS	NOX	0004
AFTER MAINT	05.12	+0000	+00	+06	1	1	1	0	2	2	0	012016
AFTER 6 MO	05.70	+0000	+00	+05	1	1	1	0	2	2	0	013016
AFTER 12 MO	03.14	+0050	+01	+06	1	1	1	0	2	2	0	015143
	00.30	+0040	+01	+12	1	1	1	0	2	2	0	017185

TAMP. 6 MO	2	2	2	2	1	2	2	2	1	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.94	7.53	5.73	7.54	8.57	7.29	11.79	8.89	19.03	7.31	6.33	9.49	19.03	7.14	5.11
CO	142.3	169.1	145.4	156.9	141.1	174.3	174.7	167.5	443.1	195.3	142.5	232.5	40	383.8	142.4
C2	599.1	526.4	467.9	525.4	567.6	568.2	473.8	541.9	563.9	584.8	503.8	558.0	C2	523.4	635.4
NX	3.69	1.80	1.88	2.21	3.59	1.91	1.51	2.15	0.93	1.74	1.95	1.63	0.82	3.79	4.22
IOLE	LO	CR	HT	CR	2500	IOLE	LO	CR	HT	CR	2500	IOLE	LO	CR	HT
HC	4494	3A16	3504	3927	3839	3536	3536	3957	4077	3504	3504	5995	3312	3230	3230
LH	43A	4A8	43A	461	491	449	449	327	390	300	300	LH	003	000	000
CO	5.16	4.15	3.99	5.70	5.48	5.47	5.47	3.44	4.55	3.58	3.58	CO	9.42	1.63	2.39
NX	074	973	1327	085	596	759	759	077	596	1358	1358	NX	185	1256	1295
HS	280	310	240	380	360	270	270	300	380	390	390	HS	000	000	000
CS	4.19	3.40	3.20	4.80	1.20	4.60	4.60	3.80	5.20	4.40	4.40	CS	0.00	0.00	0.00

TEST C0739 DATE 10/24/73 TEST C0762 DATE 10/25/73 TEST C1117 DATE 4/22/74 TEST C1250 DATE 10/21/74

DRY 76 WET 50 PRES 24.56 DRY 72 WET 54 PRES 24.61 DRY 70 WET 50 PRES 24.52 DRY 78 WET 55 PRES 24.63

MPG 11.19

MPG 10.69

MPG 9.34

MPG 10.14

VEH. NO. 260

PAGE 1/85

MAKE CHRYSLER MODEL IMPF YEAP 71 CYL. 8 CIO 440 WEIGHT 5000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	05.20	-0060	-0060	+08	+04	1	1	1	0	1	0	0	023677				
AFTER MAINT	05.20	-0060	-0060	+08	+04	1	1	1	0	1	0	0	023677				
AFTER 5 MO	00.64	+0000	+0000	+01	+05	1	1	1	0	2	0	0	024261				
AFTER 12 MO	01.50	+0010	+0010	+09	+03	1	1	1	0	2	0	0	025589				

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	4.45	4.90	5.34	5.81	HC	4.45	4.99	5.34	5.81	HC	4.45	4.99	5.34	5.81	HC	4.45	4.99	5.34	5.81
CO	199.8	117.6	131.5	138.7	CO	199.8	117.6	131.5	138.7	CO	199.8	117.6	131.5	138.7	CO	199.8	117.6	131.5	138.7
C2	707.0	763.0	511.5	581.5	C2	707.0	763.0	511.5	581.5	C2	707.0	763.0	511.5	581.5	C2	707.0	763.0	511.5	581.5
NX	1.82	1.61	2.24	1.83	NX	1.82	1.61	2.24	1.83	NX	1.82	1.61	2.24	1.83	NX	1.82	1.61	2.24	1.83
IDLE LO CR	HI	CR	2500	HC	3386	3117	3360	HC	37105	2982	2413	HC	37105	2982	2413	HC	37105	2982	2413
LH	303	309	320	LH	303	309	320	LH	3617	262	197	LH	3617	262	197	LH	3617	262	197
CO	5.73	2.62	4.60	CO	5.73	2.62	4.60	CO	8.67	1.68	2.45	CO	8.67	1.68	2.45	CO	8.67	1.68	2.45
NX	077	701	666	NX	077	701	666	NX	1360	919	789	NX	1360	919	789	NX	1360	919	789
HS	175	130	130	HS	175	130	130	HS	190	100	090	HS	190	100	090	HS	190	100	090
CS	4.50	2.20	3.70	CS	4.50	2.20	3.70	CS	3.00	1.40	2.50	CS	3.00	1.40	2.50	CS	3.00	1.40	2.50
IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500	IDLE LO CR	HI	CR	2500
HC	3715	4586	4762	HC	3715	4586	4762	HC	3715	4586	4762	HC	3715	4586	4762	HC	3715	4586	4762
LH	000	000	000	LH	000	000	000	LH	000	000	000	LH	000	000	000	LH	000	000	000
CO	1.56	1.89	2.54	CO	1.56	1.89	2.54	CO	1.56	1.89	2.54	CO	1.56	1.89	2.54	CO	1.56	1.89	2.54
NX	095	1465	1979	NX	095	1465	1979	NX	095	1465	1979	NX	095	1465	1979	NX	095	1465	1979
HS	000	000	000	HS	000	000	000	HS	000	000	000	HS	000	000	000	HS	000	000	000
CS	0.00	0.00	0.00	CS	0.00	0.00	0.00	CS	0.00	0.00	0.00	CS	0.00	0.00	0.00	CS	0.00	0.00	0.00

TEST C0741 DATE 10/24/73 TEST C0741 DATE 10/24/73 TEST C1254 DATE 10/23/74

DRY 74 WET 49 PRES 24.62 DRY 74 WET 49 PRES 24.62 DRY 74 WET 51 PRES 24.58 DRY 76 WET 52 PRES 24.88

MPG 9.71

MPG 9.71

MPG 9.21

MPG 10.42

MAKE FORN

[illegible]

AS RECEIVED	TOLE CO	IDLF RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	0004
AFTER MAINT	02.75	+0170	-06	+03	2	2	1	0	1	0	068680
AFTER 5 MO	07.35	+0000	+00	+00	1	1	1	0	2	0	068699
AFTER 5 MO	03.90	-0075	+00	+00	1	1	1	0	1	0	077535
AFTER 12 MO	03.40	+0309	-00	+04	1	2	1	0	2	0	095967

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/WX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2		2	2	2	1	2	2	2	2		2	2	2	2	2	2	2	2
TAMP. 12 MO	2		2	1	2	2	2	2	2	2		2	2	2	1	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTEO 6 MONTHS

AFTER 12 MONTHS

[illegible]

	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500	IOLE	LO CR	HI CR	2500
HC	3490	2306	4141	HC	5419	3349	3027	HC	7675	3718	3355	HC	1289	4635	3499	2500
LH	294	248	500	LH	426	365	360	LH	615	257	224	LH	003	000	000	000
CO	2.94	0.92	5.45	CO	7.40	1.27	0.90	CO	4.10	0.91	0.36	CO	3.42	2.81	1.25	000
NX	104	994	433	NX	074	1078	2300	NX	092	1242	2461	NX	086	423	1249	000
HS	190	130	320	HS	240	195	180	HS	140	290	255	HS	000	000	000	000
CS	3.10	0.90	5.30	CS	6.60	1.10	0.60	CS	4.00	0.75	0.30	CS	0.00	0.00	0.00	0.00

TEST C0753	DATE 10/25/73	TEST C0807	DATE 10/29/73	TEST C1133	DATE 5/01/74	TEST C1260	DATE 10/28/74
------------	---------------	------------	---------------	------------	--------------	------------	---------------

DRY 69	WET 49	PRES 24.64	DRY 70	WET 50	PRES 24.56	DRY 75	WET 53	PRES 24.61	DRY 76	WET 54	PRES 24.41
--------	--------	------------	--------	--------	------------	--------	--------	------------	--------	--------	------------

406 16.29

MPG 15.52

MPG 15.99

406 15-A7

VEH. NO. 270

PAGE 1-87

MAKE CHEVROLET MODEL NOVA YEAR 71 CYL. 6 CID 250 WEIGHT 3500 TRANS 1 EXH CTR 1 EVAP CTR 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

AS RECEIVED 02.26 +0140 -02 +00 2 1 1 0 095217
 AFTER MAINT 02.26 +0140 -02 +00 2 1 1 0 095217
 AFTER 6 MO 02.49 +0150 +01 -04 1 1 1 0 107212
 AFTER 12 MO 02.40 +0360 -08 +02 1 1 1 0 126349

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV
 TAMP. 6 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CI CS HT 1975 HT 1975 HT 1975 HT 1975
 HC 5.05 2.60 3.13 3.26 HC 5.05 2.60 3.13 3.26 HC 5.05 2.60 3.13 3.26 HC 5.05 2.60 3.13 3.26
 CO 0A5.1 030.4 032.2 042.3 CO 0A5.1 030.4 032.2 042.3 CO 0A5.1 030.4 032.2 042.3 CO 0A5.1 030.4 032.2 042.3
 C2 501.1 4A6.2 392.0 463.2 C2 501.1 4A6.2 392.0 463.2 C2 501.1 4A6.2 392.0 463.2 C2 501.1 4A6.2 392.0 463.2
 NX 4.07 2.79 4.59 3.56 NX 4.07 2.79 4.59 3.56 NX 4.07 2.79 4.59 3.56 NX 4.07 2.79 4.59 3.56

IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500
 HC 2461 2602 3005 3005 HC 2461 2602 3005 3005 HC 2461 2602 3005 3005 HC 2461 2602 3005 3005
 LH 255 344 363 363 LH 255 344 363 363 LH 255 344 363 363 LH 255 344 363 363
 CO 2.47 0.20 1.66 1.66 CO 2.47 0.20 1.66 1.66 CO 2.47 0.20 1.66 1.66 CO 2.47 0.20 1.66 1.66
 NX 088 2888 2496 2496 NX 088 2888 2496 2496 NX 088 2888 2496 2496 NX 088 2888 2496 2496
 HS 140 180 180 180 HS 140 180 180 180 HS 140 180 180 180 HS 140 180 180 180
 CS 2.40 0.20 1.50 1.50 CS 2.40 0.20 1.50 1.50 CS 2.40 0.20 1.50 1.50 CS 2.40 0.20 1.50 1.50

TEST C0775 DATE 10/26/73 TEST C0775 DATE 10/26/73 TEST C1141 DATE 5/02/74 TEST C1276 DATE 11/14/74

DRY 72 WET 50 PRES 24.77 DRY 72 WET 50 PRES 24.77 DRY 72 WET 53 PRES 24.50 DRY 76 WET 54 PRES 24.68

MPG 16.49

MPG 16.49

MPG 16.70

MPG 15.96

VEH. NO. 271

PAGE 08

MAKE PONTIAC MODEL FIVE YEAR 67 CYL. 8 CID 126 WEIGHT 3500 TRANS 1 EXH CTPL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.23	-0115	+00	+00	1	1	1	0	2	0	05902A
AFTER MAINT	03.75	+0000	+00	+00	1	1	1	0	2	0	05902B
AFTER 5 MO	05.04	-0100	+00	+00	1	1	1	0	2	0	061426
AFTER 12 MO	03.30	+0020	-00	+03	1	1	1	0	2	0	064717

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IML/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	REV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	2	1	1	2	2	1	1	1	2	2	2	2	2	2	1	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 5 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 12.14	9.58	10.32	10.33	HC 11.35	7.32	7.45	8.20	HC 11.19	9.18	8.06	9.29	HC 26.09	20.54	14.31	19.97
CO 175.2	157.4	143.2	157.2	CO 188.9	136.1	157.9	153.2	CO 154.7	135.8	129.4	139.0	CO 360.5	365.2	297.7	347.8
C2 445.9	405.1	327.7	392.7	C2 404.6	399.4	326.1	380.2	C2 406.3	380.4	335.1	373.2	C2 448.6	438.6	358.3	418.4
NX 2.20	1.34	1.69	1.62	NX 1.39	1.05	1.35	1.20	NX 1.56	0.91	1.36	1.17	NX 0.37	0.28	0.30	0.39
IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500
HC 7305	4055	4353	4353	HC 6247	4148	4356	4356	HC 10333	5351	5454	5454	HC 4220	7421	7814	7814
LH 910	556	578	578	LH 763	593	626	626	LH 957	567	532	532	LH 000	000	000	000
CO 6.91	2.17	5.89	5.89	CO 4.14	3.58	6.72	6.72	CO 6.61	2.63	4.17	4.17	CO 3.57	8.67	10.19	10.19
NX 049	1713	MS	MS	NX 052	1066	602	602	NX 052	1268	1255	1255	NX 094	142	098	098
HS 900	370	370	370	HS 550	368	355	330	HS 460	540	525	480	HS 000	000	000	000
CS 5.10	1.80	4.60	4.60	CS 3.00	2.60	4.80	2.30	CS 5.10	2.50	4.20	4.10	CS 0.00	0.00	0.00	0.00

TEST 00787 DATE 10/29/73 TEST 00829 DATE 11/01/73 TEST 01176 DATE 6/30/74 TEST 01256 DATE 10/26/74

DRY 70 WET 50 ORES 24.50 DRY 71 WET 52 PPES 24.24 DRY 76 WET 54 PRES 24.90 DRY 76 WET 55 PRES 24.89

MPG 13.25

MPG 13.77

MPG 14.34

MPG 8.73

VEH. NO. 272

PAGE 109

MAKE PLYMOUTH MODEL FURY YEAR 66 CYL. 8 CID 114 WEIGHT 4000 TRANS 1 EXH CTPL 2 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/NX S	IDL/AJ	CHK	DIST AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

	IG MS	COIL	SPRKS	AIR/F	A/C	F/NX S	IDL/AJ	CHK	DIST AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	07.60	+0100	-05	+00	1	2	2	1	0	0	092494					
AFTER MAINT	05.08	+0000	+00	+00	1	1	1	1	0	2	0	092494				
AFTER 6 MO	06.98	+0120	+00	+00	1	1	1	1	0	2	0	094543				
AFTER 12 MO	04.80	+0030	-03	+00	1	1	1	2	0	1	0	096599				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 12.93	7.64	5.81	8.52	HC 9.33	6.32	5.32	6.67	HC 57.12	42.02	37.30	43.87	HC	83.93	74.83	94.43
CO 209.3	139.2	139.9	153.8	CO 154.6	110.7	098.5	116.5	CO 242.3	194.6	170.7	198.0	CO	355.7	211.1	181.8
C2 419.1	443.0	393.8	424.1	C2 489.3	446.1	422.4	448.6	C2 513.3	463.7	420.6	462.1	C2	505.6	423.6	401.3
NX 2.77	2.87	2.93	2.87	NX 3.20	2.97	3.33	3.12	NX 1.33	1.22	1.18	1.23	NX	0.79	0.83	0.91
IDLE LO CR	4193	4513	2500	IDLE LO CR	4548	1667	2905	IDLE LO CR	2779	24690	2500	IDLE LO CR	33231	32394	2500
HC 6679	4193	4513	2500	HC 4548	1667	2905	2500	HC 24956	2779	24690	2500	HC	12834	33231	32394
LH 785	536	606	2500	LH 422	443	307	2500	LH 1905	1840	1852	2500	LH	000	000	000
CO 9.03	3.65	3.52	2500	CO 5.31	3.30	2.19	2500	CO 7.57	2.84	7.65	2500	CO	5.22	1.98	1.76
NX 060	2152	2235	2500	NX 052	1522	1698	2500	NX 05A	715	129	2500	NX	055	907	533
MS 710	330	380	2500	MS 165	HS	145	2500	MS 230	HS	2500	2500	MS	000	000	000
CS 6.50	3.00	2.90	2500	CS 4.00	2.60	1.80	1.90	CS 6.80	2.70	7.10	3.20	CS	0.00	0.00	0.00

TEST 20744 DATE 10/23/73 TEST C0456 DATE 11/05/73 TEST C1143 DATE 5/02/74 TEST C1262 DATE 10/29/74

DRY 70 WET 50 PRES 24.57 DRY 72 WET 53 PRES 24.55 DRY 73 WET 51 PRES 24.44 DRY 76 WET 54 PRES 24.42

MPG 12.86

MPG 13.65

MPG 9.77

MPG 8.09

VEH. NO. 273

PAGE 90

MAKE CHEVROLET MODEL CAPR YEAR 70 CYL. 4 CID 400 WEIGHT 4000 TRANS 1 EXH CYCL 1 EVAP CTRL 2 PCV 1

	INLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKF	A/P	MIS	NOX	ODOM
AS RECEIVED	07.00	-0090	-04	+00	1	2	1	0	2	0	047305
AFTER MAINT	03.75	+0000	+00	+00	1	1	1	0	2	0	047305
AFTER 6 MO	03.85	+0000	-01	+00	1	1	1	0	2	0	051714
AFTER 12 MO	04.10	+0030	+02	+04	1	1	1	0	2	0	055029

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.33	5.27	5.11	6.24	6.92	6.58	5.24	4.15	5.74	HC 10.26	4.80	4.40	5.03	HC 10.26	4.80	4.40	5.03
CO 204.1	109.1	092.9	125.3	106.2	118.1	038.1	065.4	093.2	CO 194.1	078.9	078.6	102.9	CO 194.1	078.9	078.6	102.9
C2 600.5	603.4	448.6	559.8	484.6	432.1	553.5	487.8	509.9	C2 521.6	612.0	535.6	587.7	C2 521.6	612.0	535.6	587.7
NX 2.12	2.02	2.09	2.06	3.56	3.23	3.24	4.89	3.72	NX 2.77	2.64	2.95	2.75	NX 2.77	2.64	2.95	2.75
IDLE LO CR	2814	3375	3818	3424	4607	3409	3652	2500	IDLE LO CR	2500	2500	2500	IDLE LO CR	2500	2500	2500
HC 5203	2814	3375	3818	3424	4607	3409	3652	2500	HC 4541	2570	3609	2500	HC 4541	2570	3609	2500
LH 475	370	404	470	439	516	361	357	2500	LH 000	000	000	2500	LH 000	000	000	2500
CO 7.60	1.63	3.54	4.00	3.18	4.23	1.09	1.09	2500	CO 4.80	1.69	4.61	2500	CO 4.80	1.69	4.61	2500
NX 063	1198	1385	115	2044	114	2692	2215	2500	NX 093	604	608	2500	NX 093	604	608	2500
HS 250	160	190	310	240	410	320	345	2500	HS 145	000	000	2500	HS 145	000	000	2500
CS 5.60	1.20	2.90	3.00	2.30	3.60	0.90	2.95	2500	CS 1.85	0.00	0.00	2500	CS 1.85	0.00	0.00	2500

TEST C07A9 DATE 10/29/73 TEST C0845 DATE 11/02/73 TEST C1139 DATE 5/01/74 TEST C1259 DATE 10/25/74

DRY 70 WET 51 PRES 24.57 DRY 69 WET 50 PRES 24.64 DRY 73 WET 54 PRES 24.62 DRY 76 WET 54 PRES 25.09

MPG 11.47

MPG 12.20

MPG 13.24

MPG 11.60

VEH. NO. 276

PAGE 1-91

MAKE PONTIAC MODEL LEWA YEAR 66 CYL. 8 CID 126 WEIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	07.40	2	2	2	1	2	2	2	1	2	2	2	2	2	2	2	2
AFTER MAINT	04.45	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AFTER 6 MO	07.61	2	2	2	1	2	2	2	1	2	2	2	2	2	2	2	2
AFTER 12 MO	09.40	2	2	2	1	2	2	2	1	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 11.94	8.93	6.47	8.88	HC 10.20	6.41	5.59	7.00	HC 10.34	9.76	7.54	9.27	HC 11.09	11.90	7.90	10.79
CO 14.2	126.3	105.2	125.1	CO 143.2	106.5	121.8	118.5	CO 132.4	132.5	119.0	128.7	CO 160.1	148.2	119.3	142.4
C2 493.7	455.7	409.4	450.8	C2 509.7	554.4	492.2	525.0	C2 530.1	465.8	423.9	467.7	C2 509.9	437.9	388.0	439.1
NX 3.72	2.65	3.24	3.04	NX 3.71	3.14	2.51	3.10	NX 4.47	3.11	3.92	3.62	NX 4.49	3.58	3.76	3.42
IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500
HC 8090	3819	5241	5241	HC 4493	3463	3738	3738	HC 12560	4382	4700	4700	HC 15598	5332	4063	4063
LH 881	481	637	637	LH 599	453	483	483	LH 784	358	351	351	LH 000	000	000	000
CO 7.93	0.62	10.14	10.14	CO 4.74	0.38	3.64	3.64	CO 8.18	1.13	4.99	4.99	CO 9.15	3.71	1.77	1.77
NX 034	265.9	228	228	NX 228	2594	1492	1492	NX 041	2794	451	451	NX 019	1095	2131	2131
HS 900	360	430	430	HS 275	160	185	185	HS 1050	440	425	425	HS 000	000	000	000
CS 6.49	0.52	7.80	7.80	CS 4.30	0.20	3.50	1.90	CS 8.30	1.10	4.90	2.90	CS 0.00	0.00	0.00	0.00

TEST 50798 DATE 10/30/73 TEST 50866 DATE 11/05/73 TEST 51147 DATE 5/06/74 TEST 51272 DATE 11/12/74

DRY 75 WET 53 PRES 24.70 DRY 73 WET 53 PRES 24.67 DRY 76 WET 54 PRES 24.66 DRY 77 WET 52 PRES 24.69

MPG 13.19

MPG 12.15

MPG 12.74

MPG 12.74

VEH. NO. 278

PAGE 92

MAKE FORM

MODEL MUST YEAR 65 CVL. A CIN 249 WEIGHT 3000 TRANS 1 EXH C1PL 2 EVAP C1PL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.30	+0120	+00	+00	1	2	1	0	2	0	059885
AFTER MAINT	05.30	+0120	+00	+00	1	2	1	0	2	0	059885
AFTER 5 MO	03.85	+0200	+00	+00	1	1	1	0	2	0	063401
AFTER 12 MO	07.60	+0060	-03	+06	1	1	1	0	2	0	066552

	IG WS	CCIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS	AJ	COND	RTR	DST	CAP	RDV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.05	5.73	4.93	6.20	9.05	5.73	4.93	6.20	9.05	5.73	4.93	6.20	9.05	5.73	4.93	6.20
CO	096.5	100.6	055.5	087.2	096.5	100.6	055.5	087.2	096.5	100.6	055.5	087.2	096.5	100.6	055.5	087.2
C2	427.2	418.5	796.1	414.5	429.2	418.5	796.1	414.5	429.2	418.5	796.1	414.5	429.2	418.5	796.1	414.5
NX	3.16	2.32	3.96	2.95	3.16	2.32	3.96	2.95	3.16	2.32	3.96	2.95	3.16	2.32	3.96	2.95

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC	4394	4167	3539	4394	4167	3539	4394	4167	3539	4394	4167	3539
LH	485	653	651	485	653	651	485	653	651	485	653	651
CO	5.64	3.15	2.30	5.64	3.35	2.30	5.64	3.35	2.30	5.64	3.35	2.30
NX	364	1321	1304	364	1321	1304	364	1321	1304	364	1321	1304
HS	320	470	310	320	470	310	320	470	310	320	470	310
CS	4.20	2.70	1.90	4.20	2.70	1.90	4.20	2.70	1.90	4.20	2.70	1.90

TEST C0901 DATE 10/30/73 TEST C0801 DATE 10/30/73 TEST C1130 DATE 4/29/74 TEST C1261 DATE 10/28/74

DRY 72 WFT 50 PRES 24.70 DRY 72 WFT 50 PRES 24.70 DRY 70 WFT 53 PRES 24.89 DRY 76 WFT 56 PRES 24.40

MPG 15.59

MPG 15.59

MPG 15.22

MPG 16.77

VEH. NO. 279

PAGE-193

MAKE TOYOTA MODEL STAN YEAP 73 CYL. 4 CID 120 WIGHT 2500 TRANS 1 EXH CTR 1 EVAP CTR 1 PCV 1

	IOLE CO	IOLE RPM	TIMING	DMELL	PCV	A/C	CHCKE	A/P	MIS	NOX	ODOM
AS RECEIVED	03.01	+0030	+00	+00	1	1	1	0	2	0	093829
AFTER MAINT	03.01	+0030	+00	+00	1	1	1	0	2	0	003829
AFTER 6 MO	02.01	+0050	+01	+00	1	1	1	0	2	0	013680
AFTER 12 MO	01.60	+0070	+00	+06	1	2	1	0	2	0	020500

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	WYST AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	?	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	1	2	?	2	2	2	2	1	1	2	1	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	4.36	3.24	2.76	3.34	4.36	3.24	2.76	3.34	4.40	3.31	2.78	3.39	5.20	3.47	3.21	3.76
CO	078.6	061.6	041.9	059.7	078.6	061.6	041.9	059.7	069.2	050.4	040.2	051.5	101.0	037.4	024.7	047.2
C2	429.0	374.9	359.2	381.9	429.0	374.9	359.2	381.9	422.5	396.0	368.1	393.8	441.6	332.7	377.5	394.7
NX	3.73	2.14	3.51	2.85	3.73	2.14	3.51	2.85	3.20	1.96	3.17	2.57	3.70	3.46	5.07	3.96
IOLE	LO	CR	HI	CR	LO	CR	HI	CR	LO	CR	HI	CR	LO	CR	HI	CR
HC	4.956	3174	3009	393	5354	4680	3616	2500	5354	4680	3616	2500	6145	4389	3070	2500
LH	563	418	393	393	790	582	413	2500	790	582	413	2500	000	000	000	000
CO	4.70	2.60	1.75	1.75	2.85	2.53	2.39	2500	2.85	2.53	2.39	2500	2.31	2.97	0.52	0.52
NX	0.82	0.28	2135	2135	1.94	1.457	1.800	2500	1.94	1.457	1.800	2500	202	491	2533	2533
HS	250	190	165	165	490	450	300	230	490	450	300	230	000	000	000	000
CS	2.60	1.90	1.40	3.00	2.05	2.30	1.95	3.80	2.05	2.30	1.95	3.80	0.00	0.00	0.00	0.00

TEST C0902 DATE 10/30/73 TEST C0802 DATE 10/30/73 TEST C1135 DATE 4/30/74 TEST C1257 DATE 11/24/74

DRY 72 WET 50 PRES 24.70 DRY 72 WET 50 PRES 24.70 DRY 70 WET 51 PRES 24.90 DRY 76 WET 58 PRES 24.89

MPG 19.32

MPG 18.32

MPG 18.35

MPG 18.37

VEH. NO. 280

PAGE 94

MAKE CHEVROLET MODEL STAW YEAR 67 CYL. 8 CID 327 WEIGHT 4000 TRANS 3 FXH CTRL 2 EVAP CTRL 2 PCV 1

	IGLF CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	OBOM
AS RECEIVED	05.90	-9240	-02	+06	1	2	1	0	2	0	096491
AFTER MAINT	05.02	+0000	+00	+00	1	1	1	0	2	0	096491
AFTER 6 MO	04.40	-0100	+01	+00	1	1	1	0	2	0	099489
AFTER 12 MO	04.80	+0170	-02	+00	2	1	2	0	2	0	102005

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
YAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	1	2	1	1	1	2	2	2	2	1	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 19.84	12.63	9.96	13.12	HC 20.76	12.09	9.11	13.07	HC 88.68	47.19	32.51	51.90	HC 26.45	12.57	8.66	14.39
CO 210.1	184.6	143.5	178.5	CO 200.9	165.7	137.7	165.3	CO 177.4	154.4	125.1	153.2	CO 262.9	194.3	162.6	199.9
C2 361.5	351.7	316.6	344.1	C2 368.6	395.6	347.2	376.5	C2 363.1	388.6	347.2	371.7	C2 480.0	474.8	425.3	464.2
NX 1.32	0.78	1.21	1.01	NX 1.19	0.73	1.24	0.97	NX 1.75	1.29	1.57	1.47	NX 1.00	0.55	0.90	0.74
IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500	IDLE LO CR	HI CR	2500	2500
HC 7510	5593	4698	4382	HC 6945	5488	4382	4382	HC 25138	22684	21919	21919	HC 7620	5853	5207	5207
LH 979	686	597	567	LH 775	742	567	567	LH 1017	1938	1897	1897	LH 000	000	000	000
CO 6.80	6.12	4.05	3.64	CO 5.60	6.10	3.64	3.64	CO 5.16	5.02	3.49	3.49	CO 4.68	5.79	5.00	5.00
NX 055	720	1375	1234	NX 050	366	1234	1234	NX 040	333	805	805	NX 038	147	293	293
HS 860	550	400	410	HS 550	540	410	410	HS 2500	2500	2500	2500	HS 000	000	000	000
CS 4.80	4.70	3.30	3.70	CS 4.95	4.90	3.70	3.70	CS 4.90	5.00	3.60	6.80	CS 0.00	0.00	0.00	0.00

TEST C0799 DATE 10/30/73 TEST C0852 DATE 11/02/73 TEST C1144 DATE 5/03/74 TEST C1263 DATE 10/29/74

DRY 75 WET 53 PRES 24.70 DRY 71 WET 51 PRES 24.73 DRY 70 WET 52 PRES 24.75 DRY 76 WET 54 PRES 24.41

MPG 13.37

MPG 13.15

MPG 11.47

MPG 10.81

VEH. NO. 286

PAGE. 1.95

MAKE DODGE MODEL CHAP YEAR 68 CYL. 8 CID 318 WFLIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	OST	CAP	RPV
AS RECEIVED	04.40	+0000	+00	-02	1	2	2	1	0	2	0	0	065609				
AFTER MAINT	02.53	+0000	+00	+00	1	1	1	1	0	2	0	0	065609				
AFTER 6 MO	03.87	+0050	-01	-01	1	1	1	1	0	2	0	0	065609				
AFTER 12 MO	03.00	+0110	+00	-02	1	1	1	1	0	2	0	0	072566				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

AS RECEIVED				AFTER MAINTENANCE				AFTER 6 MONTHS				AFTER 12 MONTHS							
CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975				
HC	8.95	6.31	5.72	6.70	HC	43.98	7.53	6.79	14.95	HC	11.96	6.92	6.18	7.77	HC	9.09	5.64	5.63	6.36
CO	170.2	099.4	096.6	113.5	CO	295.6	100.7	095.3	140.0	CO	141.1	084.3	090.5	106.3	CO	172.9	078.3	099.9	104.1
C2	410.3	458.2	411.1	435.4	C2	369.6	438.2	374.8	406.0	C2	414.8	442.7	391.7	422.7	C2	367.5	400.1	341.1	376.9
NX	1.24	2.29	1.82	1.94	NX	1.30	2.71	2.40	2.33	NX	2.04	3.43	2.55	2.90	NX	1.23	2.51	1.78	2.04
IDLE LO CR HI CR				IDLE LO CR HI CR				IDLE LO CR HI CR				IDLE LO CR HI CR							
HC	4096	4482	4187	2500	HC	3862	4772	4638	2500	HC	5360	6115	5675	2500	HC	4815	5370	5706	
LH	439	601	475	2500	LH	451	657	568	2500	LH	427	491	392	2500	LH	000	000	000	
CO	5.10	2.14	4.52	2500	CO	2.82	1.56	4.74	2500	CO	4.38	2.81	4.12	2500	CO	3.99	2.19	3.89	
NX	081	1617	648	2500	NX	078	2388	968	2500	NX	080	1632	1147	2500	NX	052	895	1027	
HS	270	420	280	2500	HS	210	340	270	2500	HS	510	525	510	2500	HS	000	000	000	
CS	3.10	1.90	3.80	3.20	CS	1.70	1.10	2.80	2.30	CS	4.20	2.90	4.30	4.90	CS	0.00	0.00	0.00	

TEST C0915 DATE 10/31/73 TEST C0860 DATE 11/05/73 TEST C1145 DATE 5/06/74 TEST C1264 DATE 11/05/74

DRY 74 WET 50 PRES 24.49 DRY 72 WET 56 PRES 24.76 DRY 71 WET 52 PRES 24.66 DRY 76 WET 46 PRES 24.65

MPG 14.03 MPG 13.23 MPG 14.50 MPG 15.89

VEH. NO. 287

PAGE 96

MAKE BUICK

MODEL LESA YEAR 71 CYL. 8 CID 455 WEIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO
AFTER 12 MO

IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS	AJ	COND	RTR	DST CAP	RPV
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

IOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

05.10	+0020	-19	+00	1	2	0	0	017998
03.70	+0000	+00	+00	1	1	0	0	017998
03.40	-0050	-01	+00	1	1	0	0	020669
04.90	+0100	+02	+00	1	1	0	0	024910

TAMP. 6 MO
TAMP. 12 MO

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	HT	1975	CT	CS	HT	1975
HC 6.58	6.05	5.09	5.89	HC 7.03	5.04	4.64	5.35	HC 5.68	4.40	4.04
CO 143.0	151.2	102.2	135.9	CO 125.1	116.9	094.6	112.4	CO 092.0	071.5	049.7
C2 775.5	763.9	665.4	739.1	C2 839.4	794.5	642.7	761.4	C2 702.1	759.2	613.0
NX 3.61	1.56	3.42	2.50	NX 4.32	1.69	3.35	2.70	NX 4.39	2.43	4.56
IOLE LO CR HI CR	2500	2500	2500	IOLE LO CR HI CR	2500	2500	2500	IOLE LO CR HI CR	2500	2500
HC 3900	2971	2904	HC 3498	3396	2628	HC 3655	3735	HC 4298	3973	3789
LH 406	331	328	LH 356	381	266	LH 264	255	LH 000	000	000
CO 5.56	0.92	2.53	CO 3.92	3.38	1.81	CO 3.62	1.66	CO 4.89	2.18	2.68
NX 071	1454	1798	NX 074	618	1380	NX 081	1332	NX 069	671	1285
HS 275	180	155	HS 160	165	085	HS 320	325	HS 125	HS	000
CS 4.50	0.75	2.20	CS 3.50	3.00	1.50	CS 3.65	1.65	CS 0.00	0.00	0.00

TEST C0917 DATE 10/31/73 TEST C0865 DATE 11/05/73 TEST C1148 DATE 5/05/74 TEST C1255 DATE 11/05/74
DRY 74 WET 50 PRES 24.47 DRY 71 WET 53 PRES 24.70 DRY 77 WET 55 PRES 24.66 DRY 76 WET 50 PRES 24.65

MPG 9.17

MPG 9.32

MPG 10.72

MPG 9.99

VEH. NO. 291

MAKE PLYMOUTH MODEL FURY YEAR 69 CYL. 8 CID 318 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	07.80	-0140	+0.4	+0.0	1	2	1	0	2	0	052667
AFTER MAINT	01.34	+0000	+0.0	+0.0	1	1	1	0	2	0	052667
AFTER 6 MO	03.10	-0030	+0.2	+0.0	2	1	1	0	1	0	058215
AFTER 12 MO	03.50	-0030	-0.8	+0.0	1	1	1	0	1	0	062419

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DSY	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2

AFTER 12 MONTHS

AFTER 6 MONTHS

AFTER MAINTENANCE

AS RECEIVED

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.53	5.98	5.42	6.15	7.89	6.59	27.63	12.70	41.62	35.03	34.42	36.27	33.76	22.98	23.63	25.42
CO	141.9	118.0	094.4	116.5	153.3	102.0	109.3	114.4	164.5	099.3	092.6	105.9	153.1	097.4	123.4	116.3
C2	455.7	459.0	421.9	448.0	471.4	458.3	440.3	461.9	455.7	459.6	417.0	446.5	440.8	436.1	400.0	427.1
NX	2.24	2.05	2.72	2.23	2.79	2.30	2.77	2.53	2.79	2.81	3.07	2.88	2.74	2.15	2.27	2.31

	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC	3590	3475	3360	9051	10404	10327	22529	22494	25121	22529	22494	25121	21296	10040	22021	21296	10040	22021
LH	443	378	381	2054	2018	1991	1936	1967	1850	1936	1967	1850	000	000	000	000	000	000
CO	1.44	2.15	3.04	1.57	3.15	2.41	3.48	2.34	3.03	3.48	2.34	3.03	3.69	3.65	3.25	3.69	3.65	3.25
NX	097	1281	1786	080	1069	1678	079	1359	1113	079	1359	1113	047	833	963	047	833	963
HS	580	250	230	1620	2500	1990	HS	2500	2500	HS	2500	2500	HS	000	000	HS	000	000
CS	7.00	1.70	2.50	1.00	8.20	5.50	CS	3.40	2.50	3.00	3.00	3.70	CS	0.00	0.00	CS	0.00	0.00

TEST C0939 DATE 11/02/73 TEST C092 DATE 11/07/73 TEST C1150 DATE 5/07/74 TEST C1266 DATE 11/06/74

DRY 75 WET 52 PRES 24.57 DRY 74 WET 52 PRES 24.68 DRY 73 WET 53 PRES 24.64 DRY 76 WET 50 PRES 24.75

MPG 13.69

MPG 13.05

MPG 12.24

MPG 12.90

VEH. NO. 292

PAGE 98

MAKE CHEVROLET MODEL NOVA YEAR 71 CYL. 8 CID 307 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	04.40	-0030	+01	+01	1	1	1	0	2	0	029533
AFTER MAINT	04.80	+0000	+00	+00	1	1	1	0	2	0	029533
AFTER 5 MO	04.10	+0000	-01	+00	1	1	1	0	2	0	034594
AFTER 12 MO	05.70	-0030	-04	-02	1	1	1	0	2	0	039462

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS	AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	2	2	2	2	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.50	5.40	4.77	5.67	7.41	5.04	4.83	5.48	6.78	5.71	5.04	5.75	6.07	5.67	4.36	5.39
CO	079.7	046.7	043.3	052.7	074.0	030.2	046.4	043.9	063.9	039.7	038.7	044.5	051.3	039.1	036.3	040.4
C2	536.4	530.4	422.1	501.6	598.5	609.0	467.7	567.6	478.8	461.5	400.5	448.3	576.5	444.7	397.8	444.6
NX	4.13	3.26	3.79	3.59	5.01	4.35	4.84	4.62	3.43	3.13	3.94	3.42	4.95	4.12	4.42	4.78
IOLE LO CR HI CR	5191	4124	3531	2500	4965	1992	3337	2500	9179	5272	3846	2500	8966	5200	4587	2500
HC	5191	4124	3531	2500	4965	1992	3337	2500	9179	5272	3846	2500	8966	5200	4587	2500
LH	534	544	399	2500	488	525	367	2500	771	392	227	2500	000	000	000	2500
CO	5.09	0.79	1.32	2500	5.06	1.22	0.99	2500	4.34	0.54	0.77	2500	5.55	0.99	1.84	2500
NX	055	1996	2272	2500	064	1912	2555	2500	091	2204	2496	2500	069	1477	1684	2500
HS	350	350	215	150	300	330	190	120	1015	480	290	255	000	000	000	000
CS	3.80	0.55	1.20	1.70	3.60	1.10	0.75	1.60	4.40	0.70	0.80	1.10	0.00	0.00	0.00	0.00

TEST COR40 DATE 11/02/73 TEST C0891 DATE 11/07/73 TEST C1151 DATE 5/07/74 TEST C1267 DATE 11/06/74

DRY 71 WFT 51 PRES 24.60 DRY 77 WFT 54 PRES 24.68 DRY 75 WFT 54 PRES 24.63 DRY 76 WFT 51 PRES 24.75

MPG 14.79

MPG 13.62

MPG 16.51

MPG 16.96

VEH. NO. 293

PAGE 1-99

MAKE FORD

MODEL MUST YEAR 72 CYL. 8 CID 351 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

I/OLE CO I/OLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 05.10 +0140 +00 +04 1 2 0 2 0 019842
 AFTER MAINT 07.34 +0000 +00 +00 1 1 0 2 0 019843
 AFTER 6 MO 06.73 +0000 +04 +00 1 1 0 1 0 025670
 AFTER 12 MO 07.20 +0100 +02 +00 1 1 0 2 0 033802

IG WS COIL SPRKS AIR/F A/C F/MX S I/OLE/AJ CHK DIST AJ PIS AJ COND RTR DST CAP RPV
 TAMP. 5 MO 2 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 1 2 1 1 1 2 2 2 1 1 1 1 1 1 1 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT CS HT 1975 HT 1975 HT 1975 HT 1975
 HC 0.24 5.79 5.01 6.32 HC 11.00 9.72 7.51 9.37 HC 17.46 7.95 7.50 9.84 HC 9.33 6.20 5.37 6.42
 CO 174.3 135.1 114.9 137.7 CO 189.5 163.8 109.2 154.0 CO 296.3 198.9 193.8 217.9 CO 114.7 122.3 089.1 111.5
 C2 591.2 654.3 568.2 638.1 C2 574.3 517.5 481.4 529.6 C2 532.9 515.2 449.8 500.8 C2 590.5 552.2 495.3 544.4
 NX 1.31 1.05 1.31 1.17 NX 1.90 1.11 1.96 1.53 NX 0.71 0.61 0.70 0.65 NX 2.20 1.33 2.14 1.74

I/OLE LO CR HI CR 2500 I/OLE LO CR HI CR 2500 I/OLE LO CR HI CR 2500 I/OLE LO CR HI CR 2500
 HC 4917 2137 2665 HC 9565 3755 3692 HC 7352 4613 15698 HC 6775 3114 2590
 LH 469 228 251 LH 1001 432 408 LH 500 360 451 LH 000 000 000
 CO 6.24 1.72 1.69 CO 9.64 2.45 2.94 CO 8.34 6.00 13.58 CO 7.68 1.55 1.05
 NX 054 386 849 NX 021 586 1197 NX 067 167 025 NX 039 347 726
 HS 260 090 100 100 HS 630 265 225 135 HS 470 380 520 317 HS 000 000 000
 CS 4.60 1.40 1.50 1.60 CS 7.60 2.30 2.70 3.00 CS 7.20 6.10 20.00 7.00 CS 0.00 0.00 0.00 0.00

TEST C0461 DATE 11/02/73 TEST C0882 DATE 11/06/73 TEST C1152 DATE 5/07/74 TEST C1270 DATE 11/11/74
 DRY 73 WET 52 PRES 24.61 DRY 78 WET 55 PRES 24.62 DRY 76 WET 56 PRES 24.63 DRY 76 WET 46 PRES 24.89

MPG 10.19

MPG 11.12

MPG 10.19

MPG 12.04

VEH. NO. 296

PAGE 100

MAKE FORD

MODEL MUST YEAR 65 CYL. 8 CID 260 WEIGHT 3000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKER	A/P	MIS	NOX	ODOM
AS RECEIVED	10.30	-0015	+08	+00	1	2	1	0	2	0	052813
AFTER MAINT	02.60	-0055	+07	+00	1	1	1	0	2	0	052913
AFTER 6 MO	02.21	-0025	-02	-01	1	1	1	0	2	0	055395
AFTER 12 MO	00.80	+0000	+04	-03	2	1	1	0	2	0	058936

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	1	1	2	2	2	2	2	2	1	1	2	2	1	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.80	15.81	10.15	13.19	HC 7.97	6.95	5.15	6.66	HC 7.80	5.21	4.92	6.16	HC 6.68	5.42	4.69	5.47
CO 138.5	135.5	101.2	126.6	CO 121.7	079.1	058.5	082.3	CO 117.2	075.6	058.6	079.6	CO 106.0	064.4	057.6	071.2
C2 454.6	370.0	376.0	389.9	C2 429.8	403.5	378.4	402.0	C2 441.0	405.0	383.2	406.5	C2 468.6	415.2	396.4	421.3
NX 3.61	2.06	3.55	2.80	NX 3.26	2.82	3.96	3.23	NX 3.68	3.15	3.34	3.48	NX 4.50	3.60	4.59	4.06
IOLE LO CR	HI CR	2500		IOLE LO CR	HI CR	2500		IOLE LO CR	HI CR	2500		IOLE LO CR	HI CR	2500	
HC 15667	4243	3775		HC 4890	3925	3763		HC 5946	3946	3784		HC 13938	4428	4327	
LH 2500	623	555		LH 685	540	493		LH 673	423	350		LH 000	000	000	
CO 11.09	3.01	3.05		CO 2.74	2.15	2.89		CO 2.32	1.80	2.40		CO 0.88	1.99	2.86	
NX 015	1894	2372		NX 088	1859	2458		NX 084	2072	2799		NX 152	1516	2042	
HS 2500	420	340		HS 530	370	310		HS 300	180	150		HS 000	000	000	
CS 8.30	2.50	2.60		CS 2.40	1.90	2.60		CS 2.20	1.90	2.60		CS 0.00	0.00	0.00	

TEST C0925 DATE 11/01/73 TEST C0853 DATE 11/02/73 TEST C1133 DATE 4/29/74 TEST C1258 DATE 10/25/74

DRY 70 WET 49 PRFS 24.23 DRY 69 WET 51 PRES 24.73 DRY 70 WET 52 PRES 24.89 DRY 76 WET 53 PRES 25.09

MPG 14.13

MPG 16.13

MPG 16.17

MPG 16.18

VEH. NO. 300

MAKE OPEL MODFL WANT YEAR 73 CYL. 4 CID 116 WEIGHT 2250 TRANS 4 EXH CTRL 1 EVAP CTRL 1 PCV 2

IDLE CO IDLE RPM TIMING OWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 06.07 -0150 -01 -00 0 1 1 0 2 1 006817
 AFTER MAINT 03.70 +0000 -01 -05 0 1 1 0 2 1 006817
 AFTER 5 MO 02.30 +0000 +00 +00 0 1 1 0 2 1 011046
 AFTER 12 MO 03.80 +0000 +00 +00 0 1 1 0 2 1 014306

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV
 TAMP. 6 MO 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2
 TAMP. 12 MO 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT CS HT 1975 CT CS HT 1975 CT CS HT 1975 CT CS HT 1975
 HC 5.28 5.05 4.00 4.81 HC 4.24 3.59 3.10 3.59 HC 4.32 4.22 3.31 3.99 HC 4.62 3.65 2.91 3.65
 CO 076.9 088.9 059.7 078.3 CO 067.6 062.9 048.1 059.9 CO 070.0 069.5 047.2 063.4 CO 061.1 059.6 041.9 055.0
 C2 274.6 288.7 244.3 273.4 C2 307.8 319.4 268.9 303.0 C2 313.1 298.6 258.7 290.6 C2 305.4 319.8 256.0 299.1
 NX 2.31 1.36 2.12 1.77 NX 2.24 1.41 2.11 1.78 NX 2.17 1.19 1.86 1.58 NX 1.97 1.10 1.64 1.43

IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500 IDLE LO CR HI CR 2500
 HC 6566 3059 3253 3069 HC 3069 3306 3506 HC 2971 3918 3808 HC 3167 3996 3308
 LH 567 364 424 257 331 402 LH 219 304 284 LH 000 000 000
 CO 8.54 1.73 2.39 3.75 2.65 1.69 CO 3.76 3.18 1.93 CO 5.12 2.02 1.81
 NX 043 1641 2040 070 1000 1956 NX 063 821 2556 NX 055 235 1303
 HS 150 100 120 080 HS 155 205 245 220 HS 220 HS 000 000 090
 CS 2.90 2.50 1.20 0.90 CS 3.50 2.45 3.60 3.10 CS 2.40 3.10 1.90 2.50 CS 0.00 0.00 0.00 0.00

TEST C0972 DATE 11/05/73 TEST C0901 DATE 11/07/73 TEST C1153 DATE 5/08/74 TEST C1269 DATE 11/11/74

DRY 70 WET 52 PRES 24.65 DRY 74 WET 53 PRES 24.69 DRY 70 WET 51 PRES 24.55 DRY 76 WET 51 PRES 24.89

MPG 21.64

MPG 21.82

MPG 22.11

MPG 22.43

VEH. NO. 307

PAGE 102

MAKE CHEVROLET MOFL NOVA YEAR 69 CYL. 6 CID 230 WEIGHT 3000 TRANS 1 FXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	03.50	-0100	-01	-01	1	1	1	0	1	0	029124
AFTER MAINT	05.31	+0000	+00	+00	1	1	1	0	2	0	029124
AFTER 6 MO	08.10	+0000	+00	+00	1	1	1	0	2	0	030796
AFTER 12 MO	07.60	+0040	-01	+00	1	2	1	0	2	0	034313

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	PTR	DST	CAP	RPV
TAMP. 5 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	HT	CS	1975	HT	CS	1975	HT	CS	1975	HT	CS	1975	HT	CS	1975
HC 7.23	4.00	3.98	4.67	HC	5.15	3.37	3.22	4.33	HC	5.50	3.47	2.94	3.72	HC	5.01	3.90	3.73	4.39	
CO 124.4	359.0	064.6	075.5	CO	124.4	057.5	064.5	074.3	CO	094.1	068.2	046.3	068.4	CO	105.0	062.9	060.5	071.0	
C2 420.6	429.0	394.2	417.6	C2	430.8	457.9	393.0	434.2	C2	403.9	442.6	311.0	367.2	C2	440.8	403.2	352.3	396.9	
NX 3.17	3.19	3.85	3.37	NX	2.61	2.54	3.03	2.69	NX	2.60	1.82	2.43	2.15	NX	3.11	2.16	2.76	2.53	
IDLE LO CR	3692	3230	3718	3255	3269	3255	3269	3255	3269	3255	3269	3255	3269	3255	3269	3255	3269	3255	
HC 3993	3692	3230	3718	3255	3269	3255	3269	3255	3269	3255	3269	3255	3269	3255	3269	3255	3269	3255	
LH 374	446	378	351	385	351	385	351	385	351	385	351	385	351	385	351	385	351	385	
CO 4.20	3.70	2.90	5.50	2.89	4.71	2.89	4.71	2.89	4.71	2.89	4.71	2.89	4.71	2.89	4.71	2.89	4.71	2.89	
NX 063	1147	1233	070	1232	850	1232	850	1232	850	1232	850	1232	850	1232	850	1232	850	1232	
HS 280	335	245	250	275	220	275	220	275	220	275	220	275	220	275	220	275	220	275	
CS 3.70	3.50	2.60	4.60	2.60	4.00	2.60	4.00	0.75	CS	0.90	4.00	2.10	1.30	CS	0.00	0.00	0.00	0.00	

TEST C0887 DATE 11/07/73 TEST C0949 DATE 11/12/73 TEST C1157 DATE 5/13/74 TEST C1260 DATE 11/07/74

DRY 74 WET 50 PRFS 24.66 DRY 73 WET 52 PRES 24.52 DRY 70 WET 50 PRES 24.27 DRY 76 WET 52 PRES 24.75

MPG 16.17

MPG 15.78

MPG 18.31

MPG 17.06

VEH. NO. 389

PAGE/103

MAKE FORD

MODEL TORI YFAR 59 CYL. 9 CID 351 WEIGHT 3500 TRANS 1 EXH CTPL 1 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TYMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	0004
AS RECEIVED	86.50	-0050	-02	-02	1	1	1	0	1	0	074369
AFTER MAINT	05.91	+0000	+00	+00	1	1	1	0	2	0	074369
AFTER 5 MO	07.40	+0050	+00	+00	1	1	1	0	2	0	079659
AFTER 12 MO	07.10	+0030	-02	+00	1	1	1	0	1	0	0A5965

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IOU/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 7.47	5.49	5.18	5.82	MC	9.76	5.45	5.25	6.30	MC	5.31	4.46	3.74	4.44	4C	5.52	4.61
CO 126.3	104.6	092.5	105.8	CO	147.8	108.5	086.4	110.6	CO	064.4	374.9	054.4	067.0	CO	075.8	078.7
C2 457.2	466.1	412.9	449.7	C2	480.2	484.1	474.5	480.6	C2	467.7	458.4	388.8	441.0	C2	505.4	474.2
NX 2.28	2.33	2.90	2.44	NX	2.72	3.27	3.94	3.34	NX	3.81	3.01	3.60	3.34	NX	4.02	3.18
IOLE LO CR	HI CR	2500	2500	IOLE LO CR	HI CR	2500	2500	2500	IOLE LO CR	HI CR	2500	2500	IOLE LO CR	HI CR	2500	2500
MC 6065	3695	3776	MC	4604	3146	3382	MC	5594	3202	3237	MC	5818	3387	3627	MC	5818
LH 554	453	453	LH	423	383	421	LH	400	216	212	LH	000	000	000	LH	000
CO 8.05	1.59	2.77	CO	6.14	0.25	0.75	CO	7.20	0.27	1.12	CO	7.04	0.45	0.83	CO	7.04
NX 053	2237	2211	NX	075	2586	4001	NX	034	2505	2796	NX	064	1221	1537	NX	064
HS 300	300	280	HS	270	240	260	HS	550	315	315	HS	125	000	000	HS	125
CS 7.07	1.30	2.30	CS	5.10	0.20	2.20	CS	7.60	0.30	1.15	CS	1.00	0.00	0.00	CS	1.00

TEST C0890 DATE 11/07/73 TEST C0950 DATE 11/12/73 TEST C1159 DATE 5/13/74 TEST C1269 DATE 11/08/74

DRY 75 WET 52 PRES 24.68 DRY 71 WET 51 PRES 24.52 DRY 72 WET 51 PRES 24.27 DRY 76 WET 53 PRES 24.54

MPG 14.05

MPG 13.21

MPG 15.49

MPG 14.87

VEH. NO. 312

PAGE 104

MAKE MERCURY

MODEL COME YEAR 72 CYL. 8 CID 302 WEIGHT 3000 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	NOX	ODOM
AS RECEIVED	02.30	+0020	-01	-08	1	1	1	1	0	2	0	0	008589
AFTER MAINT	05.35	+0000	+00	+00	1	1	1	1	0	2	0	0	008589
AFTER 6 MO	00.85	+0020	+00	+00	1	1	1	1	0	2	0	0	013192
AFTER 12 MO	02.60	+0025	+09	+00	1	1	1	1	0	2	0	0	017005

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.15	3.14	4.34	3.89	6.52	3.64	6.13	4.94	6.85	2.99	4.01	4.08	6.51	3.73	4.86	4.63
CO	087.9	056.6	056.3	063.1	140.3	087.9	092.7	100.2	137.2	045.8	043.0	064.1	117.7	059.8	059.8	071.9
C2	527.7	508.6	446.5	495.4	541.3	623.2	505.3	573.4	492.9	642.9	485.0	568.9	528.9	613.0	492.8	562.1
NX	2.85	1.11	2.65	1.90	3.21	1.30	2.92	2.15	2.42	1.76	2.67	2.15	2.98	1.61	2.99	2.20

	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500
HC	2585	3374	3773	3768	3662	3925	2044	2534	4142	3209	4172	4699	HC	3209	4172	4699		
LH	247	437	478	440	434	501	175	180	315	080	000	000	LH	080	000	000		
CO	2.45	1.93	2.23	5.64	3.33	2.99	0.91	1.13	1.63	2.55	1.51	1.90	CO	2.55	1.51	1.90		
NX	086	756	1718	081	950	1851	157	815	2259	065	451	989	NX	065	451	989		
HS	160	300	330	280	295	330	220	245	410	150	000	000	HS	000	000	000		
CS	2.50	2.70	2.30	4.90	2.80	2.40	0.80	1.20	1.70	2.80	0.00	0.00	CS	0.00	0.00	0.00		

TEST C0904 DATE 11/04/73 TEST C0956 DATE 11/13/77 TEST C1161 DATE 5/14/74 TEST C1274 DATE 11/13/74

DRY 80 WET 56 PRES 24.67 DRY 73 WET 50 PRES 24.51 DRY 75 WET 51 PRES 24.68 DRY 76 WET 52 PRES 24.71

MPG 14.64

MPG 11.93

MPG 13.05

MPG 12.91

VEH. NO. 314

PAGE 105

MAKE FORD

MODEL RPOV YEAR 71 CYL. 5 CID 102 WEIGHT 3500 TRANS 3 EXH CTOL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	OCV	A/C	CHOKE	A/P	MIS	NOX	ONOM
AS RECEIVED	02.30	-0050	+04	+00	1	1	1	0	1	0	020440
AFTER MAINT	00.50	+0000	+08	+00	1	1	1	0	2	0	020440
AFTER 6 MO	00.50	-0100	+00	+00	1	1	1	0	1	0	023544
AFTER 12 MO	01.00	-0020	+07	+03	1	1	1	0	2	0	027225

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PTX	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	1	1	1	2	2	1	1	2	2	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.31	7.71	7.50	8.19	HC	8.57	5.46	8.17	HC	43.26	26.06	22.88	HC	9.75	4.72	5.84
CO 118.2	097.5	093.5	100.7	CO	106.3	075.3	095.1	CO	111.2	059.9	056.5	CO	118.8	071.9	073.6
C2 459.1	495.9	406.2	463.3	C2	504.1	552.4	425.5	C2	425.0	475.0	365.9	C2	472.4	531.9	403.4
NX 2.87	1.53	2.76	2.15	NX	2.58	1.25	2.04	1.75	NX	3.38	2.13	2.93	2.42	1.19	2.04
IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR
HC 6787	4340	3773	HC	1419	1626	3329	HC	1046	3614	6609	HC	1694	4158	5372	HC
LH 1219	497	457	LH	177	392	366	LH	121	310	591	LH	000	000	000	LH
CO 3.34	3.22	2.73	CO	0.54	2.97	2.32	CO	0.48	1.10	1.81	CO	1.03	2.23	2.89	CO
NX 054	1655	1840	NX	091	1546	1711	NX	093	1277	2031	NX	090	386	1135	NX
HS 1000	340	280	HS	165	260	225	HS	135	370	850	HS	000	000	000	HS
CS 2.80	2.70	2.30	CS	0.35	2.60	1.80	CS	0.50	1.30	2.00	CS	0.00	0.00	0.00	CS

TEST 20906 DATE 11/09/73 TEST C0957 DATE 11/13/73 TEST C1162 DATE 5/14/74 TEST C1273 DATE 11/11/74

DRY 74 WET 53 PRES 24.71 DRY 77 WET 52 PRES 24.52 DRY 75 WET 52 PRES 24.48 DRY 77 WET 49 PRES 24.98

MPG 13.76

MPG 13.37

MPG 14.03

MPG 14.04

VEH. NO. 321

PAGE 106

MAKE CHEVROLET MODFL NOVA YEAR 70 CYL. 6 CID 250 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED	INLE CO	INLE RPM	TIMING	DMELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	04.70	+0050	-03	+00	1	2	1	0	2	0	012130
AFTER 5 MO	00.11	+0000	+00	+00	1	1	1	0	2	0	012130
AFTER 12 MO	00.19	+0010	+01	+00	1	1	1	0	2	0	013242
	00.09	+0070	+00	+00	1	1	1	0	2	0	014395

TAMP. 6 MO	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 12 MO	2	2	1	2	1	2	2	2	2	2	2	2	2	2	2	1
	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975			
HC	6.04	3.14	2.79	3.65	HC	4.29	2.60	2.80	HC	4.26	2.01	2.02	2.49	HC	4.62	2.39	2.57	2.91
CO	115.5	042.7	040.2	057.2	CO	069.8	006.3	014.6	CO	071.0	009.9	009.5	022.6	CO	074.3	008.7	014.9	024.2
C2	558.5	539.5	493.3	530.7	C2	509.8	524.9	429.1	C2	464.8	499.2	405.9	466.1	C2	493.8	487.2	401.8	464.9
NX	3.80	2.58	4.10	3.26	NX	4.05	2.92	4.23	NX	3.60	2.53	3.89	3.13	NX	4.27	3.00	4.09	3.57
IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	
HC	3421	2644	2679	HC	2223	2272	2106	HC	2512	2098	2395	HC	2430	2456	2318			
LH	392	238	258	LH	262	240	229	LH	207	141	146	LH	000	000	000			
CO	5.03	0.83	1.43	CO	0.12	0.35	0.25	CO	0.20	0.17	0.46	CO	0.09	0.13	0.14			
NX	090	2139	2324	NX	177	1983	3500	NX	148	1603	2533	NX	085	797	1564			
HS	345	155	145	HS	215	155	125	HS	270	190	200	HS	000	000	000			
CS	4.79	0.85	1.45	CS	0.15	0.40	0.28	CS	0.19	0.17	0.50	CS	0.00	0.00	0.00			

TEST C0935 DATE 11/12/73 TEST C0983 DATE 11/15/73 TEST C1162 DATE 5/16/74 TEST C1278 DATE 11/15/74

DRY 73 WET 50 PRFS 24.73 DRY 74 WET 46 PRFS 24.76 DRY 71 WET 51 PRFS 24.51 DRY 76 WET 51 PRFS 24.72

MPG 14.09

MPG 16.53

MPG 17.48

MPG 17.39

VEH. NO. 125

PAGE 107

MAKE FORD

MODEL GALA YEAR 73 CYL. 8 CID 351 W/FIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	INLE CO	INLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ONOM
AS RECEIVED	05.50	+0020	+02	+00	1	1	1	0	2	1	016385
AFTER MAINT	04.78	+0000	+00	+00	1	1	1	0	2	1	016385
AFTER 5 MO	05.40	+0000	+00	+00	1	1	1	0	2	1	022038
AFTER 12 MO	05.60	+0060	-04	+00	1	1	1	0	2	1	024837

	IG MS	COIL	SPRKS	AID/F	A/C	F/MX S	IDL/AJ	CHK	WIST AJ	PTS	AJ	COND	RIR	DST	CAP	RDV
TAMP. 5 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2
TAMP. 12 MO	2	2	1	1	2	2	2	2	2	2	1	1	1	1	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AFTER 12 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	7.49	5.43	5.37	5.84	7.24	5.21	6.39	5.96	6.43	5.27	4.42	5.27	5.10	4.62	4.51	4.69
CO	117.7	112.7	986.9	106.6	139.7	123.5	99.9	120.2	107.8	110.7	976.3	100.5	103.9	119.0	95.2	105.5
C2	591.3	604.1	520.4	578.3	529.8	528.5	476.4	514.1	479.9	480.0	465.4	475.7	539.0	544.0	480.1	525.2
NX	2.16	1.89	2.25	2.05	2.22	1.47	1.57	1.65	4.06	2.40	3.91	3.14	1.93	2.18	3.55	2.92
IDLE LO CR	3681	3199		2500	3728	3110	3355	2500	4557	3334	3198	2500	4376	3610	3799	2500
HC	4013	454	372	372	328	425	425	372	366	378	244	372	400	000	000	3799
LH	454	454	372	372	328	425	425	372	366	378	244	372	400	000	000	3799
CO	5.85	2.00	2.09	2.09	5.03	1.97	2.09	2.09	5.09	1.42	2.00	2.09	5.58	2.14	2.63	2.09
NX	089	1943	1125	1125	066	1265	1024	110	089	2035	2297	200	072	1788	1794	200
HS	375	335	250	170	220	280	260	110	475	390	345	200	400	000	000	000
CS	5.00	1.85	1.95	2.40	4.10	1.60	1.60	1.70	5.70	1.65	2.25	2.40	3.00	3.00	0.00	0.00

TEST C0918 DATE 11/12/73 TEST C0980 DATE 11/14/73 TEST C1163 DATE 5/14/74 TEST C1271 DATE 11/12/74

DRY 77 WET 52 PRES 24.71 DRY 70 WET 47 PRES 24.51 DRY 74 WET 52 PRES 24.39 DRY 77 WET 49 PRES 24.71

MPG 11.66

MPG 12.74

MPG 13.70

MPG 12.59

Section II Initial and Six Month Data

In this section are the results of emission tests for those vehicles available through at least the six month retest point of the high altitude emission test program. Of the 250 vehicles originally selected for the test program, 165 were available for retest at the six month point.

Figure II-1 is a reproduction of a set of data typical of that contained in this section. To assist investigators in using the data, a line by line explanation of the data follows.

Line (1) Vehicle No.

Each vehicle considered for the program was assigned a number which it retained throughout the program. 327 vehicles were originally considered; 300 received initial emissions inspections; 250 were selected for further testing; 165 completed the six month cycle.

Line (2) Vehicle Identification Data

Make, model, model year, number of cylinders, engine displacement in cubic inches, curb weight in pounds is followed by coded data: vehicles with automatic transmissions were coded "TRANS 1," manual transmission equipped cars were coded "TRANS 3" or "TRANS 4" corresponding to the number of forward speeds; the remaining three entries identify the presence or absence of the equipment listed, "1" indicates equipment installed, "2" indicates equipment not installed.

Line (3) Test Data Summary

Data from three points in the program are summarized. "As Received" indicates data from laboratory screening tests run on all vehicles at the start of the program. Vehicles failing program standards for emissions received corrective maintenance at participating garages and service centers; "After Maintenance" gives results of retests at the laboratory. "After 6 mo" are results of laboratory tests at the end of the six months.

IDLE CO is given in mole percent carbon monoxide. IDLE RPM, ignition timing and dwell in degrees are given as the measured value minus the manufacturer's specification for each parameter.

Following "Dwell" are the coded results of laboratory inspections of

six emission related items in question and answer format:

<u>QUESTION</u>	<u>ANSWER</u>
PCV ok? (positive crankcase ventilation)	"0" not applicable; "1" yes; "2" no
A/C ok? (air cleaner)	"1" yes; "2" no
CHOKE ok? (vacuum kick and heat riser)	"0" not applicable; "1" yes; "2" no
A/P ok? (air pump)	"0" not applicable; "1" yes; "2" no
Misfire?	"1" yes; "2" no
NO _x Control ok?	"0" not applicable; "1" yes; "2" no

Odometer readings give total accumulated vehicle mileage at each point in the program.

Line (4) Results of an unauthorized service check made on 14 emission related items. At the program start, vehicle owner volunteers were requested to refrain from having any maintenance on emission related components during the six month period between the initial test and the first retest unless authorized by the test manager. Paint marks or other identifying marks enabled lab inspectors to identify non-compliance with the no-maintenance request.

Results are coded: "1" indicates part change and/or readjustment
"2" indicates original part and/or setting intact

The items controlled include:

IG WS	=	ignition wires
COIL	=	ignition coil
SPRKS	=	spark plugs
AIR/F	=	air filter
A/C	=	air cleaner hold down nut
F/MX J	=	carburetor idle mixture screw
IDL/AJ	=	idle RPM adjust screw
CHK	=	choke setting
Dist AJ	=	distributor timing adjustment
PTS AJ	=	distributor point cap adjustment
RTR	=	distributor rotor
DST CAP	=	distributor cap
RPV	=	positive crankcase ventilation system

Line (5) Federal Test Procedure Data

Laboratory standard exhaust emission tests were performed according to procedures prescribed in the Federal Register, Volume 38, Number 124, Part III, dated June 28, 1973. Listed are CT (Cold Transient), CS (Cold Stabilized), HT (Hot Transient) and 1975 (Final Test Results Calculated From Preceding Values). The units for CT, CS, and HT are grams/test phase. The final result is given in grams/vehicle mile.

Recorded are readings for "HC" (hydrocarbons), "CO" (carbon monoxide, "C2" (carbon dioxide) and NX (nitrogen oxides). Readings "As Received" and "After Maintenance" will be identical for those vehicles passing the test standards during their initial idle inspections.

Line (6) Emission Test Summary

Additional lab tests were performed using idle and loaded modes of vehicle operation. The first three columns in each set give the results of dynamometer testing using procedures prescribed by Clayton Manufacturing Company with the vehicles in an "Idle" mode, "LO CR" (low cruise) and "HI CR" (high cruise) modes. An unloaded test with engine RPM set to 2500 RPM completes the listing.

Data is recorded for:

HC = ppm carbon using flame ionization detector (Beckman 400)

LH = ppm hydrocarbons as hexane using non-dispersive infrared instrumentation (Beckman 315A)

CO = mole % carbon monoxide using non-dispersive infrared instrumentation (Beckman 315A)

NX = ppm oxides of nitrogen as NO using chemiluminescent detector (Thermo Electron 10A)

HS = ppm hydrocarbons as hexane using non-dispersive infrared instrumentation (Sun EPA 75)

CS = mole % carbon monoxide using non-dispersive infrared instrumentation (Sun EPA-75)

Line (7) Test Sequence Numbering and Test Data Information

Line (8) Dry and Wet Bulb Temperatures in Degrees F. and Barometric Pressure in Inches of Mercury (Uncorrected to Sea Level).

Line (9) Fuel Economy in Miles Per Gallon Calculated From Federal Emission Test Data

VEH. NO. 007

PAGE 1

MAKE CHEVROLET MODEL IMPA YEAR 66 CYL. 8 CID 327 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	NOOM
AS RECEIVED	01.40	-0050	-32	-05	2	1	1	0	2	0	043884
AFTER MAINT	03.30	+0120	-01	+01	2	1	1	0	2	0	043884
AFTER 5 MO	03.45	+0120	+12	+00	1	1	1	0	2	0	046392

	IG WS	COIL	SPRKS	AIR/F	A/C	F/M X S	IML/AJ	CHK	DIST	AJ	PYS	AJ	COND	PTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.67	6.98	7.16	6.96
CO	118.2	104.2	102.9	106.8
C2	441.6	409.2	381.4	408.3
NX	2.89	1.90	2.64	2.26

	CT	CS	HT	1975
HC	6.74	5.17	5.67	5.64
CO	125.8	119.3	108.0	117.3
C2	433.6	426.7	391.9	418.5
NX	1.54	0.93	1.49	1.21

	CT	CS	HT	1975
HC	9.18	7.59	6.57	7.64
CO	166.8	136.1	143.9	144.7
C2	518.1	475.1	418.3	468.3
NX	1.78	1.07	1.37	1.30

	IDLE	LO	CR	HT	CR	2500
HC	4274	3771	3301			
LH	554	409	316			
CO	2.84	4.10	3.73			
NX	427	1236	1540			
HS	415	20	245			535
CS	1.65	4.20	3.80			4.60

	IDLE	LO	CR	HT	CR	2500
HC	3735	3755	3180			
LH	402	375	273			
CO	3.45	4.45	3.37			
NX	175	907	1220			
HS	370	330	235			245
CS	3.80	4.10	3.60			4.60

	IDLE	LO	CR	HT	CR	2500
HC	4156	4175	3644			
LH	478	461	375			
CO	3.23	4.03	3.43			
NX	133	731	944			
HS	402	370	250			240
CS	3.20	4.00	5.20			4.00

TEST C0010 DATE 0/09/73

TEST C0019 DATE 8/10/73

TEST C0094 DATE 2/12/74

DRY 77 WET 58 PQES 24.70

DRY 78 WET 54 PRES 24.75

DRY 70 WET 49 DPES 24.55

MPG 14.89

MPG 14.35

MPG 12.38

VEH. NO. 011

PAGE 2

MAKE CHEVROLET MODEL CHE2 YEAR 66 CYL. 6 CID 194 WEIGHT 3000 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	09.50	-0065	-03	-02	1	2	1	0	2	0	072251
AFTER MAINT	08.00	-0115	-03	+01	1	1	1	0	2	0	072251
AFTER 6 MO	09.60	+0075	-01	+11	1	2	1	0	2	0	075409

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	12.50	10.41	9.66	10.66
CO	118.1	117.2	099.1	112.4
C2	323.1	336.6	251.0	310.0
NX	2.50	2.20	2.12	2.26

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	14.89	11.06	9.14	11.33
CO	111.6	134.1	092.3	117.8
C2	280.1	256.4	245.1	258.2
NX	2.03	0.88	2.00	1.44

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	13.06	13.50	10.96	12.70
CO	124.7	128.5	106.1	121.5
C2	354.9	321.0	260.5	311.3
NX	2.63	1.60	1.60	1.81

TEST C0011 DATE 0/09/73

DRY 44 WFT 61 PRES 24.79

MPG 17.12

TEST C0026 DATE 8/13/73

DRY 78 WFT 58 PRES 24.33

MPG 16.59

TEST C0997 DATE 2/13/74

DRY 69 WFT 48 PRES 24.43

MPG 16.42

VEH. NO. 012

PAGE 3

MAKE CHRYSLER MODEL STAW YEAR 67 CYL. 6 CID 383 WEIGHT 5000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 4 MO

I/OLE CO I/OLE RPM
03.85 +0140
03.85 +0140
00.13 +0080

TIMEING
+00
+00
+00

DWELL
+04
+04
+05

PCV
1
1
1

A/C
1
1
1

CHOKE
1
1
1

A/P
0
0
0

MIS
2
2
2

NOX
0
0
0

ODOM
063004
063004
066203

IG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPY

2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 17.12 5.27 4.84 7.63
CO 233.8 891.4 078.7 117.7
C2 499.4 562.4 511.7 535.1
NX 1.90 2.04 2.97 2.27

I/OLE LO CR HI CR 2500
HC 4076 3862 3679
LM 484 330 273
CO 4.25 3.50 3.86
NX 092 1032 1465
HS 380 360 230 140
CS 4.10 3.50 4.10 3.30

CT CS HT 1975
HC 17.12 5.27 4.84 7.63
CO 233.8 891.4 078.7 117.7
C2 499.4 562.4 511.7 535.1
NX 1.90 2.04 2.97 2.27

I/OLE LO CR HI CR 2500
HC 4076 3862 3679
LM 484 330 273
CO 4.25 3.50 3.86
NX 092 1032 1465
HS 380 360 230 140
CS 4.10 3.50 4.10 3.30

CT CS HT 1975
HC 10.78 5.80 5.00 6.62
CO 206.2 110.9 092.5 125.8
C2 555.5 585.7 582.7 556.4
NX 1.58 1.78 2.16 1.84

I/OLE LO CR HI CR 2500
HC 4319 3463 3723
LM 2368 1035 683
CO 2.98 2.17 4.03
NX 104 1062 1200
HS 280 250 230 100
CS 2.20 2.40 3.80 2.80

TEST C0017 DATE 8/10/73

TEST C0017 DATE 8/10/73

TEST C0996 DATE 2/12/74

DRY 78 WET 55 PRES 24.75

DRY 78 WET 55 PRES 24.75

DRY 59 WET 49 PRES 24.56

MPG 11.97

MPG 11.97

MPG 11.50

VEH. NO. 014

PAGE 4

MAKE CHEVROLET MODEL CHE2 YEAR 64 CYL. 6 CID 194 WEIGHT 3000 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	INL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAO	POV
TAMP.	6	40	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2

	TOLE	CO	TOLE	RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	00.09	-0100	-12	1	1	0	2	0	049237				
AFTER MAINT	00.09	-0100	-12	1	1	0	2	0	049237				
AFTER 6 MO	00.25	+0160	+00	1	2	0	1	0	052547				

AS RECEIVED

	CT	CS	HT	1975
HC	13.48	9.31	7.02	9.55
CO	109.0	107.9	075.0	099.0
C2	280.5	263.1	247.6	262.5
NX	1.80	0.99	1.73	1.37

	IDLE	LO	CR	HI	CR	2500
HC	6665	4282	5044			
LH	958	431	502			
CO	0.14	2.83	10.20			
NX	043	2071	176			365
HS	640	365	415			365
CS	0.15	2.90	9.80			4.30

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	13.48	9.31	7.02	9.55
CO	109.0	107.9	075.0	099.0
C2	280.5	263.1	247.6	262.5
NX	1.80	0.99	1.73	1.37

	IDLE	LO	CR	HI	CR	2500
HC	6665	4288	5044			
LH	958	431	502			
CO	0.14	2.83	10.20			
NX	043	2071	176			365
HS	640	365	415			365
CS	0.15	2.90	9.80			4.30

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	9.75	6.04	7.39	7.60
CO	114.0	090.0	082.0	092.8
C2	308.2	292.7	270.1	289.7
NX	2.15	1.58	2.06	1.83

	IDLE	LO	CR	HI	CR	2500
HC	3328	3947	5248			
LH	382	482	579			
CO	0.29	2.71	9.16			
NX	074	1704	260			1200
HS	240	435	455			1200
CS	0.23	2.60	8.50			2.90

TEST C0018 DATE 8/10/73

DRY 78 WET 56 PRES 24.75

MPG 19.87

TEST C0018 DATE 8/10/73

DRY 78 WET 56 PRES 24.75

MPG 19.87

TEST C0993 DATE 2/12/74

DRY 58 WET 47 PRES 24.55

MPG 19.38

VEH. NO. 015

PAGE 5

MAKE FORD

MODFL STAW YEAR 67 CYL. 8 CID 289 WEIGHT 3500 TRANS 3 EXH CTPL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IDLE CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOKE	A/O	MIS	NOX	ODOM
08.60	-0075	+00	+00	1	1	1	0	2	0	060240
05.91	+0000	+00	+00	1	1	1	0	2	0	060240
05.40	-0005	-02	-04	1	1	1	0	2	0	062504

IG MS COIL SPKKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RRV

TAMP.	6 MO	2	2	2	1	2	2	2	2	1	1	1	1	1	2
-------	------	---	---	---	---	---	---	---	---	---	---	---	---	---	---

AS RECEIVED

AFTER MAINTENANCE

AFTER 5 MONTHS

CT	CS	HT	1975
HC 13.66	15.31	9.79	13.43
CO 126.5	171.4	115.2	146.4
C2 331.4	303.4	276.4	301.8
NX 1.09	0.40	0.87	0.67

CT	CS	HT	1975
HC 9.24	9.62	8.13	9.13
CO 995.7	109.0	120.7	109.4
C2 363.6	351.6	281.1	334.5
NX 1.26	0.60	0.71	0.77

CT	CS	HT	1975
HC 13.63	16.65	12.00	14.73
CO 150.1	197.8	149.9	174.5
C2 327.6	340.0	269.8	317.7
NX 0.65	0.27	0.41	0.39

IDLE LO CR	HI CR	2500
HC 19106	5136	5100
LM 848	589	613
CO 8.87	4.35	4.95
NX 014	687	604
MS 720	460	485
CS 9.40	4.50	4.90

IDLE LO CR	HI CR	2500
HC 6671	4644	4162
LM 605	562	478
CO 6.53	4.05	4.24
NX 034	675	570
MS 800	300	720
CS 6.00	4.20	4.50

IDLE LO CR	HI CR	2500
HC 10655	4761	4805
LM 755	568	622
CO 8.63	5.39	5.47
NX 012	358	430
MS 465	415	430
CS 5.20	4.45	4.60

TEST C0021 DATE 8/13/73

TEST C0055 DATE 8/16/73

TEST C1004 DATE 2/15/74

DRY 77 WET 60 PRES 24.94

DRY 78 WET 57 PRES 24.76

DRY 79 WET 49 PRES 24.65

MPG 15.51

MPG 16.64

MPG 13.95

VEH. NO. 016

PAGE 6

MAKE FORD

MODEL FALC YEAR 67 CYL. 8 CID 289 WEIGHT 3000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.10	+0045	+00	+00	1	2	1	0	2	0	059003
AFTER MAINT	06.10	+0045	+00	+00	1	2	1	0	2	0	059003
AFTER 6 MO	00.26	+0045	+00	+00	1	1	1	0	2	0	065707

	IG WS	COIL	SORKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PTR	DST CAP	REV
TAMP. 6 MO	2	2	2	2	1	2	1	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	7.47	7.38	6.23	7.08
CO	096.9	134.8	106.0	118.9
C2	398.8	362.8	332.0	361.8
NX	2.50	1.10	1.67	1.55

	IDLE LO CR	HI CR	2500
HC	5167	5372	5561
LH	600	672	618
CO	6.52	4.22	7.52
NX	073	894	293
HS	450	560	500
CS	6.50	4.20	7.80

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.47	7.38	6.23	7.08
CO	096.9	134.8	106.0	118.9
C2	398.8	362.8	332.0	361.8
NX	2.50	1.10	1.67	1.55

	IDLE LO CR	HI CR	2500
HC	5167	5372	5561
LH	600	672	618
CO	6.52	4.22	7.52
NX	070	894	293
HS	450	560	500
CS	6.50	4.20	7.80

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	7.32	7.12	6.08	6.87
CO	109.9	146.5	118.6	131.1
C2	425.7	401.3	350.2	392.2
NX	1.91	0.95	1.28	1.24

	IDLE LO CR	HI CR	2500
HC	5574	6216	5257
LH	2586	1414	939
CO	7.80	5.78	7.36
NX	052	442	274
HS	410	600	420
CS	1.80	5.20	7.00

TEST C0022 DATE 8/13/73

DRY 76 WET 59 PRES 24.94

MPG 15.60

TEST C0022 DATE 8/13/73

DRY 76 WET 59 PRES 24.94

MPG 15.60

TEST C0095 DATE 2/12/74

DRY 69 WET 49 PRES 24.56

MPG 14.37

VEH. NO. 017

PAGE 7

MAKE CHEVROLET MODEL RISC YEAR 66 CYL. 8 CID 283 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/4X	S	IOL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	REV
TAMP. 6 MO	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/4X	S	IOL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	REV
TAMP. 6 MO	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2

AS RECEIVED

	CT	CS	HT	1975
HC	16.09	9.43	8.02	10.43
CO	211.5	169.6	144.8	172.6
C2	385.7	370.5	339.2	365.0
NX	2.14	1.21	1.67	1.54

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	14.13	7.39	7.82	8.92
CO	209.6	154.1	141.8	162.3
C2	376.1	358.7	330.5	359.7
NX	1.51	0.92	1.34	1.16

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	7.73	7.05	7.14	7.22
CO	193.1	176.0	173.1	178.8
C2	472.2	433.6	395.9	431.2
NX	0.62	0.84	1.33	0.93

TEST C0020 DATE 8/13/73

DRY 75 WET 62 PRES 24.94

MPG 13.31

TEST C0074 DATE 8/18/73

DRY 74 WET 61 PRES 24.77

MPG 13.86

TEST C1013 DATE 2/21/74

DRY 64 WET 48 PRES 24.53

MPG 12.12

VEH. NO. 023

PAGE 8

MAKE FORD

MODEL STAM YEAR 73 CYL. 8 CID 400 WEIGHT 5000 TRANS 1 EXH CYRL 1 EVAP CYRL 1 PCV 1

	TOLF CO	TOLF RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	02.80	-0145	+08	-02	2	1	1	0	1	1	003001
AFTER MAINT	01.02	-0005	+00	-01	2	1	1	0	1	1	003001
AFTER 6 MO	01.77	-0175	-01	-02	1	2	1	0	1	1	007105

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IOL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	1	1	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	5.01	3.72	3.68	3.98
CO	091.7	069.5	068.0	073.7
C2	645.2	635.8	564.3	618.0
NX	6.53	3.15	5.85	4.61

	IOL	LO	CR	HI	CR	2500
HC	3450	2804	2530			
LH	337	248	189			
CO	3.15	1.47	1.49			
NX	114	2867	3430			
HS	320	230	170	400		
CS	3.00	1.50	1.55	1.80		

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	4.50	3.50	3.30	3.65
CO	087.5	065.9	064.3	070.0
C2	678.3	685.1	602.5	660.4
NX	6.71	3.03	5.60	4.51

	IOL	LO	CR	HI	CR	2500
HC	2854	2562	2377			
LH	274	229	188			
CO	1.01	1.32	1.39			
NX	265	1225	3767			
HS	400	320	340	2500		
CS	1.00	1.20	1.50	1.10		

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	5.57	1.83	4.57	4.40
CO	095.5	055.6	079.1	070.5
C2	684.0	661.2	578.1	640.7
NX	7.47	1.57	6.32	5.23

	IOL	LO	CR	HI	CR	2500
HC	6864	2780	2531			
LH	1254	314	282			
CO	1.55	0.64	1.19			
NX	068	2104	1414			
HS	1200	210	190	200		
CS	1.20	8.00	1.40	1.80		

TEST C0031 DATE 8/14/73

DRY 76 WET 58 PRES 24.78

MPG 11.93

TEST C0041 DATE 8/15/73

DRY 72 WET 56 PRES 24.78

MPG 11.39

TEST C0998 DATE 2/13/74

DRY 70 WET 51 PRES 24.50

MPG 11.64

VEH. NO. 024

MAKE CHRYSLER MODEL NEWP YEAR 64 CYL. 8 CID 361 WEIGHT 4500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	1	2	1	1	1	1	2	2	2	2	2	2	2	2	2	2	1	2
AS RECEIVED	06.90	+0220	+00	+03	1	2	1	0	0	0	0	0	0	0	0	0	0	0
AFTER MAINT	01.08	+0190	+00	+03	1	2	1	0	0	0	0	0	0	0	0	0	0	0
AFTER 6 MO	04.63	+0100	+02	+03	1	1	1	0	0	0	0	0	0	0	0	0	0	0

AFTER 6 MONTHS

AFTER MAINTENANCE

AS RECEIVED

	CT	CS	HT	1975		CT	CS	HT	1975
HC	11.18	6.81	6.43	7.62	HC	9.25	4.57	4.70	5.59
CO	271.2	210.1	203.7	221.1	CO	223.7	096.5	123.6	125.5
C2	443.0	459.3	382.8	434.7	C2	433.5	491.5	403.3	454.9
NX	0.62	0.57	0.59	0.59	NX	0.92	1.27	1.13	1.16

	INLE	LO	CR	HI	CR	2500		INLE	LO	CR	HI	CR	2500
HC	6111	5267	4944				HC	3961	4740				
LH	765	552	466				LH	554	665				
CO	7.39	9.52	9.12				CO	4.39	6.50				
NX	066	130	192				NX	070	441				
HS	520	385	300				HS	420	520				
CS	7.30	9.10	8.80				CS	4.60	6.00				

	CT	CS	HT	1975		CT	CS	HT	1975
HC	11.18	6.81	6.43	7.62	HC	9.25	4.57	4.70	5.59
CO	271.2	210.1	203.7	221.1	CO	223.7	096.5	123.6	125.5
C2	443.0	459.3	382.8	434.7	C2	433.5	491.5	403.3	454.9
NX	0.62	0.57	0.59	0.59	NX	0.92	1.27	1.13	1.16

	INLE	LO	CR	HI	CR	2500		INLE	LO	CR	HI	CR	2500
HC	6111	5267	4944				HC	3961	4740				
LH	765	552	466				LH	554	665				
CO	7.39	9.52	9.12				CO	4.39	6.50				
NX	066	130	192				NX	070	441				
HS	520	385	300				HS	420	520				
CS	7.30	9.10	8.80				CS	4.60	6.00				

TEST C1003 DATE 2/14/74

DRY 72 WFT 54 PRES 24.55

MPG 12.23

TEST C0042 DATE 8/15/73

DRY 78 WFT 58 PRES 24.74

MPG 13.30

TEST C0024 DATE 8/13/73

DRY 78 WFT 58 PRES 24.93

MPG 11.05

VEH. NO. 02F

MAKE CADILLAC MODEL DEVI YEAR 65 CYL. 8 CID 429 WEIGHT 5000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	INLF CO	INLF RPM	TIMING	INWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.95	+0020	+00	+01	1	1	1	0	2	0	084961
AFTER MAINT	05.95	+0020	+00	+01	1	1	1	0	2	0	084961
AFTER 6 MO	05.91	+0090	+01	+00	1	1	1	0	2	0	088884

	IC WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	7.39	5.88	5.22	6.01
CO	099.8	083.8	075.9	085.0
C2	578.1	539.5	493.2	534.8
NX	4.50	4.60	4.35	4.51

	IDLE LO CR	HI CR	2500
HC	4.859	3516	3263
LH	514	329	251
CO	6.36	0.83	1.60
NX	073	2162	1995
HS	370	235	165
CS	6.10	0.80	1.70

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.39	5.88	5.22	6.01
CO	099.8	083.8	075.9	085.0
C2	578.1	539.5	493.2	534.8
NX	4.50	4.60	4.35	4.51

	IDLE LO CR	HI CR	2500
HC	4.859	3516	3263
LH	518	329	251
CO	6.36	0.83	1.60
NX	073	2162	1995
HS	370	235	165
CS	6.10	0.80	1.70

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	7.92	5.67	5.05	5.97
CO	108.8	082.3	073.4	085.4
C2	628.7	552.4	532.3	562.8
NX	4.26	4.02	4.05	4.08

	IDLE LO CR	HI CR	2500
HC	4.784	3066	2825
LH	706	437	366
CO	5.96	0.51	1.43
NX	050	1953	1723
HS	610	120	240
CS	5.60	0.90	1.40

TEST C0029 DATE 8/14/73

DRY 73 WET 56 PRES 24.80

MPG 12.96

TEST C0029 DATE 8/14/73

DRY 73 WET 56 PRES 24.80

MPG 12.96

TEST C1000 DATE 2/14/74

DRY 68 WET 50 PRES 24.51

MPG 12.44

VEH. NO. 027

PAGE 11

MAKE MERCURY MODEL MONR YEAR 65 CYL. 8 CID 190 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX 000H
 AFTER MAINT 01.01 -0025 +00 +02 2 2 0 1 0 072548
 AFTER 5 MO 00.47 +0005 +00 +03 1 2 0 2 0 072548
 077969

TAMP. 6 MO IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ CONO RTR DST CAP RPY 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
 HC 10.43 6.54 6.28 7.28
 CO 178.0 093.7 093.5 111.3
 C2 486.6 501.9 440.2 481.6
 NX 1.56 1.54 1.90 1.64
 IDLE LO CR HI CR 2500
 HC 5150 4646 4065
 LH 747 527 356
 CO 1.17 4.51 2.74
 NX 144 849 1479
 HS 950 510 334 390
 CS 1.15 4.35 2.65 5.50

CT CS HT 1975
 HC 10.43 6.54 6.28 7.28
 CO 178.0 093.7 093.5 111.3
 C2 486.6 501.9 440.2 481.6
 NX 1.56 1.54 1.90 1.64
 IDLE LO CR HI CR 2500
 HC 5150 4646 4065
 LH 747 527 356
 CO 1.17 4.51 2.74
 NX 144 849 1479
 HS 950 510 334 390
 CS 1.15 4.35 2.65 5.50

CT CS HT 1975
 HC 24.06 6.24 11.34 12.41
 CO 224.5 150.9 132.2 161.1
 C2 532.5 531.6 476.6 516.5
 NX 1.20 0.73 1.32 0.99
 IDLE LO CR HI CR 2500
 HC 6070 4526 4163
 LH 1084 553 434
 CO 0.43 4.57 3.76
 NX 100 539 719
 HS 1000 500 300 400
 CS 0.70 4.80 4.40 6.00

TEST C0030 DATE 8/14/73

DRY 75 WET 55 PRES 24.78

MPG 13.11

TEST C0030 DATE 8/14/73

DRY 75 WET 55 PRES 24.78

MPG 13.11

TEST C1001 DATE 2/14/74

DRY 70 WET 51 PRES 24.51

MPG 11.01

VEH. NO. 028

PAGE 12

MAKE OLDSMOBILE MODEL STAM YEAR 64 CYL. 8 CID 130 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 2

	IG MS	COIL	SPPKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	OIST	AJ	PTS	MIS	NOX	ODOM
AS RECEIVED	11.20	+0000		+03	-10	0	2	2	0	2	0	2	0	089020
AFTER MAINT	05.93	+0000		+00	+00	0	1	1	0	2	0	2	0	089020
AFTER 5 MO	00.26	+0000		+00	+00	0	2	1	0	1	0	1	0	09150A

TAMP.	5 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC	14.56	17.39	12.17
CO	195.4	206.0	199.6
C2	468.1	395.3	402.8
NX	2.28	1.05	1.66

CT	CS	HT	1975
HC	3.72	7.18	6.25
CO	184.0	190.7	161.4
C2	484.7	440.5	401.6
NX	1.16	0.59	0.90

CT	CS	HT	1975
HC	8.58	6.31	5.28
CO	184.7	181.3	150.9
C2	446.1	403.3	379.1
NX	0.69	0.42	0.76

AFTER MAINTENANCE

CT	CS	HT	1975
HC	5507	4535	5153
CO	6.32	5.84	10.19
NX	052	280	116
HS	890	560	350
CS	6.20	5.80	10.00

CT	CS	HT	1975
HC	9664	4060	4716
CO	3207	1074	803
NX	021	368	102
HS	520	310	180
CS	4.90	3.80	9.40

TEST C0035 DATE 8/15/73
 DRY 68 WET 55 PRES 24.87
 MPG 11.44

TEST C0096 DATE 8/21/73
 DRY 76 WET 57 PRES 24.80
 MPG 11.92

TEST C1007 DATE 2/18/74
 DRY 77 WET 55 PRES 24.61
 MPG 12.75

VEH. NO. 329

PAGE 13

MAKE PONTIAC MODEL TEMP YEAR 65 CYL. 4 CID 326 WEIGHT 3500 TRANS 1 FMX CTRL 2 EVAP CTRL 2 PCV 1

	INLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	07.33	-0010	-12	+02	1	1	1	0	2	0	059505
AFTER MAINT	05.99	+0000	+00	+00	1	1	1	0	2	0	059585
AFTER 6 MO	06.84	+0060	+02	+02	1	1	1	0	2	0	062471

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	REV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	15.56	10.61	9.81	11.15
CO	234.1	193.7	163.4	193.9
C2	396.4	366.8	328.7	362.4
NX	0.71	0.52	0.72	0.61

	CT	CS	HT	1975
HC	9.76	8.23	7.28	8.29
CO	174.6	160.4	144.1	158.9
C2	371.7	385.1	339.0	369.5
NX	1.07	0.73	1.08	0.90

	CT	CS	HT	1975
HC	14.82	11.30	9.10	11.43
CO	218.3	198.5	177.7	196.9
C2	420.8	406.2	350.5	393.8
NX	0.98	0.60	0.70	0.71

	INLE	LO	CR	HI	CR	2500
HC	8490	4474	5992			
LH	845	463	632			
CO	8.41	3.02	11.41			
NX	0.35	0.29	0.97			
HS	763	360	520	375		
CS	8.29	3.20	20.00	5.15		

	INLE	LO	CR	HI	CR	2500
HC	5785	4752	5187			
LH	699	521	544			
CO	6.45	2.75	6.79			
NX	0.74	0.13	374			
HS	1200	790	800	650		
CS	6.20	3.10	7.00	4.90		

	INLE	LO	CR	HI	CR	2500
HC	6821	4985	5250			
LH	893	582	575			
CO	7.64	3.56	6.54			
NX	0.47	0.62	1.49			
HS	800	440	460	460		
CS	7.40	3.80	1.70	5.20		

TEST C0035 DATE 8/15/73

DRY 68 WET 54 PRFS 24.87

MPG 12.64

TEST C0070 DATE 8/17/73

DRY 71 WET 56 PRFS 24.77

MPG 13.90

TEST C1002 DATE 2/14/74

DRY 72 WET 53 PRFS 24.55

MPG 12.85

VEH. NO. 030

PAGE 14

MAKE CADILLAC MODEL DEVI YEAR 64 CYL. 4 CID 429 WEIGHT 5000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
AS RECEIVED 05.60 +0015 +00 +00 2 2 1 0 2 0 048156
AFTER MAINT 00.11 +0090 +00 +02 2 2 1 0 1 0 048156
AFTER 6 MO 00.21 +0120 +00 +02 1 2 1 0 2 0 048661

IG WS COIL SPOKS AIR/F A/C F/MX S IDL/AJ CHK NIST AJ PTS AJ COND PTR NST CAP QOV
TAMP. 6 MO 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 9.76 9.78 7.99 9.28
CO 230.2 194.5 194.8 202.0
C2 579.5 615.2 500.3 575.8
NX 2.01 2.10 1.93 2.03
IDLE LO CR HI CR 2500
HC 4645 4520 4653
LH 436 409 421
CO 5.96 6.04 7.45
NX 072 639 484
HS 390 343 345 390
CS 5.95 6.10 7.70 5.90

CT CS HT 1975
HC 8.88 8.82 8.16 8.65
CO 203.4 149.6 183.2 170.2
C2 572.5 610.6 493.0 570.0
NX 1.93 2.05 1.83 1.96
IDLE LO CR HI CR 2500
HC 3910 4356 4724
LH 414 425 467
CO 0.14 6.28 8.93
NX 069 596 316
HS 500 710 660 700
CS 0.17 6.50 9.00 6.20

CT CS HT 1975
HC 10.57 6.18 10.54 8.97
CO 216.4 131.4 165.2 158.5
C2 558.5 490.4 449.3 493.3
NX 2.60 2.49 2.41 2.49
IDLE LO CR HI CR 2500
HC 9099 5262 5507
LH 1901 949 741
CO 4.15 4.73 7.91
NX 033 648 358
HS 370 380 350 350
CS 3.60 4.10 6.90 4.99

TEST C0037 DATE 8/15/73

DRY 69 WET 55 PRES 24.87

MPG 9.65

TEST C0056 DATE 8/16/73

DRY 76 WET 58 PRES 24.67

MPG 10.30

TEST C1005 DATE 2/18/74

DRY 69 WET 54 PRES 24.40

MPG 11.59

VEH. NO. 031

PAGE 15

MAKE CHEVROLET MODEL IMPA YEAR 64 CYL. 8 CID 327 WEIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	06.10	+0030	+09	+01	0	2	2	0	2	0	060572
AFTER 5 MO	02.60	-0025	+01	+02	0	1	1	0	2	0	060672
	03.21	+0000	+01	+04	0	1	1	0	2	0	065860

TAMP.	6 MO	2	IG WS	2	COTL	2	SPRKS	2	AIR/F	2	A/C	2	F/MX	2	S	2	IDL/AJ	2	CHK	2	OIST	2	AJ	2	PTS	2	COND	2	RTR	2	DST	2	CAP	2	RDV	2
-------	------	---	-------	---	------	---	-------	---	-------	---	-----	---	------	---	---	---	--------	---	-----	---	------	---	----	---	-----	---	------	---	-----	---	-----	---	-----	---	-----	---

AS RECEIVED

CT	CS	HT	1975
HC	8.85	8.81	6.72
CO	143.5	171.3	126.0
C2	418.8	367.6	351.2
NX	2.00	0.75	1.64
IDLE	LO	CR	HI
HC	5797	5174	4202
LH	657	588	419
CO	6.65	6.46	3.05
NX	064	355	1461
HS	670	550	360
CS	6.45	6.60	3.40

AFTER MAINTENANCE

CT	CS	HT	1975
HC	8.02	8.04	7.55
CO	139.0	169.4	126.0
C2	395.9	337.1	323.5
NX	2.36	0.56	1.58
IDLE	LO	CR	HI
HC	8504	6113	4185
LH	898	656	392
CO	3.90	3.55	1.86
NX	048	178	2017
HS	1050	940	500
CS	3.00	3.50	2.00

AFTER 6 MONTHS

CT	CS	HT	1975
HC	10.89	11.01	7.19
CO	153.6	192.3	144.3
C2	339.3	247.5	247.0
NX	1.52	0.30	0.78
IDLE	LO	CR	HI
HC	10032	7949	4368
LH	1084	962	516
CO	5.96	4.83	3.75
NX	037	134	993
HS	460	560	400
CS	2.60	8.10	3.80

TEST C0038 DATE 8/15/73

DRY 71 WFT 55 PRES 24.87

MPG 13.86

TEST C0073 DATE 8/18/73

DRY 74 WFT 52 PRES 24.76

MPG 14.66

TEST C1008 DATE 2/19/74

DRY 68 WFT 49 PRES 24.26

MPG 15.64

VEH. NO. 032

PAGE 16

MAKE FORD

MODEL MUST YEAR 65 CYL. 6 CID 200 WEIGHT 3000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	04.80	+0140			+00	-01	1	2	1	0	0	2	0	0	065042				
AFTER MAINT	01.44	-0100			+00	-01	1	2	1	0	0	2	0	0	065042				
AFTER 6 MO	03.21	+0000			-03	+01	1	1	1	0	0	2	0	0	066040				

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	RPV
YAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC 10.60	5.56	5.72	6.66	
CO 197.5	092.1	129.3	124.5	
C2 331.8	341.2	301.3	320.2	
NX 1.14	1.96	1.28	1.60	

AFTER MAINTENANCE

	CT	CS	HT	1975
HC 14.59	4.91	4.78	6.90	
CO 201.3	087.5	112.1	118.2	
C2 354.4	354.2	287.8	335.8	
NX 1.26	1.98	1.42	1.67	

AFTER 6 MONTHS

	CT	CS	HT	1975
HC 8.64	5.84	5.92	6.45	
CO 188.3	082.5	107.6	111.6	
C2 338.9	331.6	299.0	324.1	
NX 1.59	2.61	1.47	2.17	

TEST C0039 DATE 8/15/73

DRY 73 WET 56 PRFS 24.08

MPG 16.35

TEST C0057 DATE 8/16/73

DRY 74 WET 58 PRES 24.76

MPG 16.40

TEST C1015 DATE 2/21/74

DRY 70 WET 50 PRES 24.53

MPG 17.14

VEH. NO. 037

PAGE 17

MAKE FORD

MODEL FAIR YEAR 64 CYL. 8 CID 289 WEIGHT 3500 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	00.57	-0137	+06	+05	2	2	1	0	1	0	052629
AFTER MAINT	00.24	+0000	+00	+00	1	1	1	0	2	0	052629
AFTER 5 MO	00.32	+0060	+00	+03	1	1	1	0	2	0	054696

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	REV
TAMP. 6 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	9.16	9.67	7.09	8.85
CO	113.0	152.7	098.8	129.5
C2	459.1	422.5	393.4	422.1
NX	2.66	1.06	2.04	1.67

	CT	CS	HT	1975
HC	12.06	14.33	9.48	12.51
CO	119.8	176.1	109.2	145.8
C2	393.2	369.7	343.4	367.4
NX	1.39	0.72	1.30	1.02

	CT	CS	HT	1975
HC	13.72	19.66	10.81	15.96
CO	139.2	207.0	124.2	169.8
C2	418.0	380.8	342.7	378.0
NX	1.58	0.84	1.24	1.11

	IDLE	LO	CR	HI	CR	2500
HC	5717	4199	3958			
LH	802	435	441			
CO	0.71	3.93	3.28			
NX	0.49	577	1453			340
HS	1620	495	525			260
CS	0.79	3.95	3.30			4.60

	IDLE	LO	CR	HI	CR	2500
HC	17426	3696	3693			
LH	809	383	414			
CO	8.51	3.38	3.23			
NX	0.19	265	940			210
HS	1020	300	350			4.00
CS	9.20	3.50	3.30			4.00

	IDLE	LO	CR	HI	CR	2500
HC	19598	5321	4244			
LH	2276	1119	705			
CO	19.44	4.23	3.83			
NX	800	343	747			260
HS	730	400	340			4.60
CS	9.60	3.50	3.30			4.60

TEST C0045 DATE 8/16/73

TEST C0105 DATE 8/22/73

TEST C1006 DATE 2/10/74

DRY 72 WET 54 PRES 24.78

DRY 76 WET 59 PRES 24.90

DRY 73 WET 55 PRES 24.61

MPG 13.63

MPG 14.00

MPG 12.81

VEH. NO. 038

PAGE 18

MAKE FORD

MODFL GALA YEAR 56 CYL. 8 CID 390 WFIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	OPV
TAMP.	6	MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2
AS RECEIVED	03.00			+0120		+01	1	1	1	1	0	2	0	0	054529				
AFTER MAINT	03.00			+0120		+01	1	1	1	1	0	2	0	0	054529				
AFTER 6 MO	08.19			+0030		+02	1	1	1	1	0	2	0	0	056204				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 9.06	8.04	7.22	8.02	HC 9.06	8.04	7.22	8.02	HC 13.72	14.52	11.25	13.45
CO 190.8	172.6	139.8	167.3	CO 190.8	172.6	139.8	167.3	CO 190.7	214.7	166.6	196.3
C2 671.6	593.2	596.6	610.5	C2 671.6	593.2	596.6	610.5	C2 481.1	440.9	413.9	441.9
NX 4.38	2.25	4.45	3.31	NX 4.38	2.25	4.45	3.31	NX 3.32	1.99	2.94	2.53
IDLE LO CR HI CR	2500			IDLE LO CR HI CR	2500			IDLE LO CR HI CR	2500		
HC 3745	4115	3575		HC 3745	4115	3575		HC 5374	5017	4549	
LH 434	426	299		LH 434	426	299		LH 361	387	326	
CO 3.76	4.75	3.59		CO 3.76	4.75	3.59		CO 7.62	5.96	4.78	
NX 105	1017	1919		NX 105	1017	1919		NX 025	184	489	
HS 560	520	345	485	HS 560	520	345	485	HS 710	660	420	800
CS 3.15	4.40	3.45	6.00	CS 3.15	4.40	3.45	6.00	CS 7.90	6.00	4.90	7.20

TEST C0049 DATE 8/16/73

TEST C0049 DATE 8/16/73

TEST C1012 DATE 2/20/74

DRY 78 WET 57 PRES 24.77

DRY 78 WET 57 PRES 24.77

DRY 76 WET 45 PRES 24.30

MPG 9.91

MPG 9.91

MPG 11.23

VEH. NO. 040

PAGE 19

MAKE FORD

MODEL CUST YEAR 68 CYL. 8 CIO 302 WEIGHT 4000 TRANS 1 EXH CTR 1 EVAP CTR 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DMELL	PCV	A/C	CHKE	A/P	MIS	NOX	ODOM
AS RECEIVED	02.80	+0050	+06	+03	2	1	1	0	2	0	019445
AFTER MAINT	01.79	+0000	+00	+00	1	1	1	0	2	0	019445
AFTER 5 MO	02.94	+0050	+01	+00	1	1	1	0	2	0	020993

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	5.69	4.39	3.97	4.55
CO	065.4	047.5	038.8	046.8
C2	511.8	527.3	457.4	504.7
NX	5.52	4.84	5.22	5.37

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	5.28	3.56	3.45	3.89
CO	071.4	042.0	040.4	047.7
C2	522.6	577.8	497.6	541.3
NX	3.53	3.05	3.93	3.40

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	5.83	4.03	3.92	4.38
CO	107.8	056.0	045.1	063.9
C2	569.8	567.5	483.2	544.6
NX	2.99	3.70	4.51	3.78

	IDLE LO CR	HI CP	2500
HC	3340	3589	3181
LH	330	384	284
CO	3.09	0.55	0.26
NX	185	3112	3882
HS	470	485	343
CS	3.15	0.60	0.32

	IDLE LO CR	HI CP	2500
HC	2854	2965	2473
LH	296	289	284
CO	1.91	0.49	0.28
NX	269	1940	2566
HS	180	220	130
CS	1.80	0.60	0.30

	IDLE LO CR	HI CR	2500
HC	2976	3004	2625
LH	081	334	273
CO	2.99	0.56	0.45
NX	029	852	1112
HS	810	820	680
CS	3.20	1.00	0.50

TEST C0048 DATE 8/16/73

DRY 77 WET 58 PRFS 24.78

MPG 14.95

TEST C0084 DATE 8/20/73

DRY 81 WET 65 PRFS 24.90

MPG 14.17

TEST C1010 DATE 2/20/74

DRY 68 WET 51 PRFS 24.29

MPG 13.52

VEH. NO. 042

PAGE 28

MAKE PLYMOUTH MODEL BELV YEAR 59 CYL. 8 CID 318 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	TOLE CO	INLE RPM	TIMING	DNELL	PCV	A/C	CHOKE	A/P	WIS	NOX	ODOM
AS RECEIVED	05.90	+0250	+00	+03	1	1	1	0	2	0	039269
AFTER MAINT	05.36	+0000	+00	+00	1	1	1	0	2	0	039269
AFTER 5 MO	05.59	-0150	+00	+05	1	2	1	0	2	0	043951

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	WIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	6.03	5.72	4.67	5.49
CO	081.5	074.6	056.9	071.1
C2	438.6	456.8	405.6	438.8
NX	3.41	3.36	3.82	3.50

	CT	CS	HT	1975
HC	4.67	4.26	4.78	4.78
CO	083.3	063.9	048.7	063.8
C2	387.0	402.0	360.6	387.4
NX	3.24	3.41	3.88	3.50

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	5.48	4.78	4.26	4.78
CO	083.3	063.9	048.7	063.8
C2	387.0	402.0	360.6	387.4
NX	3.24	3.41	3.88	3.50

	CT	CS	HT	1975
HC	4.67	4.26	4.78	4.78
CO	083.3	063.9	048.7	063.8
C2	387.0	402.0	360.6	387.4
NX	3.24	3.41	3.88	3.50

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	7.27	5.06	4.31	5.31
CO	119.5	070.6	053.9	076.2
C2	483.7	466.4	431.5	460.3
NX	3.98	4.56	5.23	4.62

	CT	CS	HT	1975
HC	3932	3617	3514	2500
LH	256	266	238	238
CO	5.47	0.68	2.42	2.42
NX	041	1178	692	200
HS	360	340	290	200
CS	5.00	8.00	2.40	2.00

TEST C0061 DATE 8/17/73

DRY 74 WET 54 PRES 24.74

MPG 15.68

TEST C0106 DATE 8/22/73

DRY 75 WET 59 PRES 24.80

MPG 17.72

TEST C1911 DATE 2/20/74

DRY 69 WET 58 PRES 24.29

MPG 14.92

VEH. NO. 044

PAGE 22

MAKE CHEVROLET MODEL CAPR YEAR 67 CYL. 8 CID 327 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	MIS	NOX	ONOM
AS RECEIVED	04.47	+0025			+02	+04	2	1	1	1	0	2	0	2	0	046046
AFTER MAINT	04.47	+0025			+02	+04	2	1	1	1	0	2	0	2	0	046046
AFTER 6 MO	03.21	-0050			+00	+02	1	1	1	1	0	2	0	2	0	049763

TAMP.	6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC	8.59	7.60	6.97
CO	149.1	157.1	132.5
C2	424.1	408.3	422.5
NX	2.44	1.23	2.69

AFTER MAINTENANCE

CT	CS	HT	1975
HC	8.59	7.60	6.97
CO	149.1	157.1	132.5
C2	424.1	408.3	422.5
NX	2.44	1.23	2.69

AFTER 6 MONTHS

CT	CS	HT	1975
HC	9.77	8.42	7.09
CO	159.8	161.5	124.5
C2	456.1	423.3	413.1
NX	3.09	1.55	3.11

TEST C0072 DATE 8/17/73

DRY 71 WET 59 PRES 24.77

MPG 13.23

TEST C0072 DATE 8/17/73

DRY 71 WET 59 PRES 24.77

MPG 13.23

TEST C1014 DATE 2/21/74

DRY 72 WET 52 PRES 24.53

MPG 12.90

VEH. NO. 345

PAGE 23

MAKE DODGE

MODEL DART

YEAR 72

CYL. 6

CIO 225

WEIGHT 3000

TRANS 1

FXH CTRL 1

EVAP CTRL 1

PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	000H
AS RECEIVED	03.60	+0550	+09	-12	1	1	1	0	2	0	005414
AFTER MAINT	02.28	+0000	+00	+00	1	1	1	0	2	0	005414
AFTER 6 MO	04.79	-0025	+00	+05	1	1	1	0	2	0	008592

TAMP.	6 MO	2	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV

AS RECEIVED

CT	CS	HT	1975
HC	5.22	3.49	3.34
CO	145.2	075.9	089.8
C2	356.0	370.4	329.0
NX	2.59	3.13	3.33

IOLE	LO	CR	HI	CR	2500
HC	3454	3341	4196		
LH	331	703	415		
CO	4.24	4.22	10.09		
NX	095	2321	281		
HS	540	460	600		320
CS	4.10	3.20	10.00		2.40

AFTER MAINTENANCE

CT	CS	HT	1975
HC	5.42	3.20	3.05
CO	141.3	066.9	081.6
C2	343.7	363.4	308.5
NX	3.03	3.20	3.10

IOLE	LO	CR	HI	CR	2500
HC	4122	3884	3921		
LH	553	399	470		
CO	2.57	3.42	9.85		
NX	090	1616	283		
HS	600	340	420		240
CS	2.40	3.50	3.50		3.00

AFTER 6 MONTHS

CT	CS	HT	1975
HC	5.91	3.44	3.80
CO	152.8	075.2	096.8
C2	364.5	362.8	322.6
NX	3.85	4.47	3.95

IOLE	LO	CR	HI	CR	2500
HC	3930	3457	4454		
LH	224	262	332		
CO	4.94	3.66	9.71		
NX	032	890	171		
HS	130	360	350		280
CS	5.20	3.80	9.00		3.20

TEST C0066 DATE 8/17/73

DRY 72 WFT 54 PRES 24.76

MPG 17.26

TEST C0118 DATE 8/23/73

DRY 75 WFT 59 PRES 24.81

MPG 18.12

TEST C1018 DATE 2/22/74

DRY 72 WFT 49 PRES 24.61

MPG 17.20

VEH. NO. 04P

PAGE 24

MAKE MERCURY MODEL STAM YEAR 67 CYL. 8 CID 390 WEIGHT 4500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	AS RECEIVED	AFTER MAINT	AFTER 6 MO	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	CONV	RTR	DST	CAP	RDV
	00.70	00.70	00.63	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2
	-0035	-0035	+0000																	
	-24	-24	-02																	
	064033	064033	067647																	

	AS RECEIVED	AFTER MAINT	AFTER 6 MO	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	CONV	RTR	DST	CAP	RDV
	00.70	00.70	00.63	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2
	-0035	-0035	+0000																	
	-24	-24	-02																	
	064033	064033	067647																	

AS RECEIVED

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.11	9.33	8.42	9.03	9.11	9.33	8.42	9.03	9.55	5.27	5.62	6.26
CO	092.4	046.5	046.3	356.1	092.4	046.5	046.3	356.1	149.0	044.3	057.0	069.7
C2	708.3	735.3	584.4	687.8	708.3	735.3	584.4	687.8	577.5	589.5	503.4	563.1
NX	9.14	8.92	9.50	9.09	9.14	8.82	9.50	9.09	5.73	5.67	7.27	6.54

AFTER MAINTENANCE

	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.11	9.33	8.42	9.03	9.11	9.33	8.42	9.03
CO	092.4	046.5	046.3	356.1	092.4	046.5	046.3	356.1
C2	708.3	735.3	584.4	687.8	708.3	735.3	584.4	687.8
NX	9.14	8.92	9.50	9.09	9.14	8.82	9.50	9.09

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.11	9.33	8.42	9.03	9.55	5.27	5.62	6.26
CO	092.4	046.5	046.3	356.1	149.0	044.3	057.0	069.7
C2	708.3	735.3	584.4	687.8	577.5	589.5	503.4	563.1
NX	9.14	8.92	9.50	9.09	5.73	5.67	7.27	6.54

	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500
HC	8481	4201	3742				4410	4066	3640			
LH	1591	492	360				284	276	226			
CO	0.87	1.41	1.70				0.60	1.21	2.07			
NX	150	2938	3161				036	1211	1009			
HS	1450	375	270	185			480	440	360	240		
CS	0.75	1.40	1.80	1.39			0.80	1.20	2.00	2.00		

TEST C0080 DATE 8/20/73

DRY 75 WFT 59 PRES 24.99

MPG 11.07

TEST C0080 DATE 8/20/73

DRY 75 WFT 59 PRES 24.99

MPG 11.07

TEST C1017 DATE 2/22/74

DRY 71 WFT 48 OPES 24.61

MPG 12.86

VEH. NO. 050

PAGE 26

MAKE CHEVROLET MODEL STAW YFAP 65 CYL. 8 CID 327 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED	10.90	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	CONV	RTR	DST	CAP	DOV
AFTER MAINT	09.97																		
AFTER 6 MO	02.65																		

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 26.49	31.53	17.80	26.67	HC 12.68	12.43	8.20	11.31	HC 21.57	22.10	9.67	18.54
CO 239.7	378.0	208.9	302.1	CO 238.6	210.9	150.5	199.9	CO 205.1	301.6	168.6	244.5
C2 423.0	348.5	363.7	368.3	C2 432.7	401.5	356.4	395.5	C2 423.3	382.9	355.7	383.8
NX 1.32	0.32	1.33	0.81	NX 1.12	0.77	1.50	1.05	NX 1.39	0.44	1.19	0.85
TOLE LO CR HI CR	2500			TOLE LO CR HI CR	2500			TOLE LO CR HI CR	2500		
HC 9376	4438	3806		HC 22864	4378	3915		HC 8805	7238	6491	
LH 750	529	408		LH 795	514	442		LH 2704	2405	1718	
CO 11.65	5.57	3.76		CO 9.84	5.71	5.66		CO 10.20	5.79	6.80	
NX 025	554	1246		NX 015	593	713		NX 194	1373	1066	
HS 720	500	355	595	HS 675	275	220	380	HS 603	610	480	680
CS 20.00	5.40	3.70	7.80	CS 20.00	5.40	5.60	8.90	CS 8.00	5.00	6.20	7.20

TEST C0101 DATE 8/22/73

DRY 71 WFT 58 PRES 24.80

MPG 9.61

TEST C0226 DATE 9/05/73

DRY 71 WFT 54 PRES 24.95

MPG 11.95

TEST C1036 DATE 3/04/74

DRY 68 WFT 46 PRES 24.42

MPG 10.78

VEH. NO. 060

PAGE 27

MAKE CADILLAC MODEL DEVI YEAR 70 CYL. 8 CID 472 WEIGHT 5000 TRANS 1 EXH CYPL 1 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	NOX	ODOM
AS RECEIVED	00.69	+0010			-02	+02	1	2		1	0	2	0	0	045946
AFTER MAINT	00.69	+0010			-02	+02	1	0	2	1	0	2	0	0	045946
AFTER 6 MO	03.21	+0050			+09	+00	1	1	1	1	0	1	0	0	049360

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975		CT	CS	HT	1975		CT	CS	HT	1975
HC	8.16	4.69	5.16	5.55	HC	8.16	4.69	5.16	5.55	HC	6.51	5.21	5.31	5.53
CO	262.8	132.3	180.7	173.1	CO	262.8	132.3	180.7	173.1	CO	186.7	132.2	125.1	141.6
C2	617.9	712.5	551.0	647.9	C2	617.9	712.5	551.0	647.9	C2	721.3	770.7	686.8	737.1
NX	1.92	2.14	2.53	2.22	NX	1.92	2.18	2.53	2.22	NX	2.28	2.11	2.93	2.35

	IOLE	LO	CR	HI	CR	2500		IOLE	LO	CR	HI	CR	2500
HC	2031	3225	3385				HC	1079	2576	2224			
LH	425	533	498				LH	231	175	152			
CO	0.78	2.07	4.56				CO	3.11	1.74	0.75			
NX	153	1513	868				NX	134	1022	2115			
MS	130	240	250	090			MS	220	140	100			
CS	0.75	2.00	4.20	2.10			CS	3.20	2.00	0.90			

TEST C0132 DATE 8/24/73

DRY 7A WET 60 PRES 24.70

MPG 9.50

TEST C0132 DATE 8/24/73

DRY 7A WET 50 PRES 24.70

MPG 9.50

TEST C1020 DATE 2/25/74

DRY 50 WET 50 PRES 24.32

MPG 9.12

H CTRL 2 EVAP CTRL 2 PCV 1

	SOLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	0004
AS RECEIVED	05.00	+0240	+12	+07	1	1	1	0	1	0	042005
AFTER MAINT	02.40	-0200	+12	-02	1	2	1	0	2	0	042005
AFTER 6 MO	03.56	-0100	+08	+00	1	1	1	0	2	0	043804

[illegible]

AFter 6 MONTHS

	CT	CS	HT	1975		CT	CS	HT	1975		CT	CS	HT	1975
HC	13.17	10.77	6.59	10.11	HC	16.91	10.00	6.89	10.58	HC	10.20	7.44	6.47	7.75
C0	227.3	189.3	084.3	168.1	C0	237.2	169.9	082.6	159.8	C0	149.5	113.2	122.1	123.3
C2	354.0	365.2	367.2	363.6	C2	363.8	352.6	357.1	356.2	C2	469.6	423.5	386.9	423.8
NX	1.01	1.02	3.39	1.68	NX	1.11	0.79	3.35	1.57	NX	2.20	1.99	1.68	2.00

	INLE	LO CR	HI CR	2500
HC	6013	5220	4302	
LH	795	659	443	
CO	5.76	4.87	3.19	
NX	070	857	1396	
HS	760	595	360	1900
CS	5.00	4.75	3.25	2.90

	INLE	LO CR	HI CR	2500
HC	6157	5378	4442	
LH	1124	895	607	
CO	2.86	4.29	2.93	
NX	061	998	1512	
HS	800	760	420	520
CS	2.40	4.00	2.80	2.60

	INLE	LO CR	HI CR	2500
HC	4610	4783	4746	
LH	549	565	445	
CO	3.67	4.30	3.12	
NX	063	749	191	
HS	500	520	360	650
CS	4.60	4.40	3.20	3.80

TEST C0103	DATE	8/22/73	TEST C0122	DATE	8/23/73	TEST C1024	DATE	2/26/74			
DRY 75	WET	59	DRYS 24.80	DRY 74	WET	60	DRYS 24.76	DRY 69	WET	51	DRYS 24.65

MPG 13.89

MAKE SAMPLES

YEAR "0

Cyl. 6

619 332

WESTERN

23

100

•

• • • • •

AS RECEIVED
AFTER MAINT
AFTER 5 40

INLE CO	INLE RPM
04.65	-0010
04.65	-0010
04.95	+0050

TIMING	DWELL	PCV
+01	+01	1
+01	+01	1
+05	+00	.

A/C	CHOKE	A/D	HI
1	1	0	2
1	1	0	2
1	1	0	2

NOX	0004
0	064875
0	064875

1

1

1

ТАМР. 5 МО

WG	WS	COIL	SPOKE
2	2	2	1

ΔΙΟΓ/Ε Α/Ο Ε/4Υ

YOL/AJ CHK DYST

J PTS AJ COND RT

POST CARD

Авг

Авг

Авг

AS REF TVEY

	CT	CS	HT	1975
HC	5.10	4.55	3.71	4.43
CO	067.5	076.8	052.2	068.1
C2	440.1	395.9	379.3	400.5
NX	6.95	3.93	6.34	5.24

	YOL	LO	CO	MI	CO	2500
HC	5330	4048	3593			
LW	617	337	253			
CO	5.02	1.46	1.40			
NNX	127	2646	1074			
MS	1120	480	320			305
CS	4.80	1.60	1.52			2.70

	CT	CS	WT	1975
MC	5.10	4.55	3.71	4.43
CO	0 67.6	0 76.4	0 52.2	0 68.1
C2	4 40.1	3 95.9	3 79.3	4 09.5
NX	5.96	5.92	6.36	5.24

	INLE	LO CP	HI CP	2500
HC	5930	4048	3593	
LH	617	337	253	
CO	5.02	1.46	1.40	
NX	127	264F	3074	
MS	1120	480	320	395
	4.80	1.50	1.52	2.22

ASTRO MATHEMATICS

	CT	CS	HT	1975
MC	6.98	4.99	3.87	5.02
CO	098.4	074.9	045.6	071.7
C2	421.3	377.9	364.9	383.4
NY	5.70	5.55	7.87	5.24

	INLE	LO CR	HI CR	2500
HC	4577	1757	3455	
LH	540	376	292	
CO	5.13	0.52	1.34	
WX	099	3248	2867	
HS	500	100	290	400

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

TEST 00111 DATE 8/23/73
DRY 74 WET 58 PQFS 24.82

TEST COLL DATE 8/23/73
NOV 74 MET SA DEFS 24.92

TEST C1021 DATE 2/25/74

406 17.09

17-98

MAC 13 1-9

VEH. NO. 066

PAGE 31

MAKE PLYMOUTH MODEL DUST YEAR 70 CYL. 8 CID 318 WEIGHT 3000 TRANS 7 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IBLE CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	08.90	+0110	+02	-02	1	2	1	0	2	0	037361
AFTER MAINT	03.80	-0125	+01	-02	1	2	1	0	2	0	037361
AFTER 6 MO	02.06	+0000	+00	+00	1	1	1	0	2	0	040523

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PYS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975		CT	CS	HT	1975		CT	CS	HT	1975
HC	6.67	7.31	5.56	6.69	HC	7.08	4.77	4.82	5.27	HC	4.88	5.30	3.72	4.77
CO	061.6	081.5	057.4	070.7	CO	067.0	065.0	058.7	063.7	CO	048.3	071.0	051.5	060.9
C2	409.9	419.2	367.4	402.9	C2	435.8	462.0	392.1	437.1	C2	473.1	556.5	423.0	502.0
NX	3.22	2.17	3.07	2.64	NX	3.31	2.27	3.27	2.76	NX	3.87	3.39	3.42	3.50

	IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500
HC	11.81	3506	3593	HC	4247	3137	3363
LH	748	402	413	LH	585	464	500
CO	9.66	1.21	1.94	CO	4.28	1.36	2.29
NX	030	1470	1647	NX	053	1367	1487
HS	765	315	345	HS	300	230	270
CS	9.40	1.30	2.00	CS	3.80	1.20	2.40

TEST C0116 DATE 8/23/73

DRY 77 WET 59 PRES 24.81

MPG 16.65

TEST C0133 DATE 8/24/73

DRY 78 WET 60 PRES 24.70

MPG 16.08

TEST C1034 DATE 3/04/74

DRY 70 WET 49 PRES 24.42

MPG 14.54

VEH. NO. 06A

PAGE 32

MAKE OLDSMOBILE MODEL CUTL YEAR 68 CYL. 8 CID 350 WEIGHT 3500 TRANS 1 FVH CTRL 1 EVAP CTRL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP.	6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP.	6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	0.20	0.00	6.41	7.60
CO	117.5	146.5	085.5	123.5
C2	475.3	438.9	424.1	442.4
NX	3.20	1.68	3.65	2.55

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.80	6.57	5.30	6.47
CO	096.0	092.3	043.0	079.4
C2	539.2	494.4	455.6	487.9
NX	3.65	1.94	3.60	2.76

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.67	5.74	4.11	5.48
CO	115.6	085.0	046.0	081.2
C2	552.6	512.3	481.0	512.2
NX	3.34	1.96	3.26	2.61

TEST C0115 DATE 8/23/73

DRY 75 WET 59 ORES 24.82

MPG 13.49

TEST C0146 DATE 8/27/73

DRY 78 WET 59 PRES 24.65

MPG 14.07

TEST C1026 DATE 2/27/74

DRY 69 WET 49 PRES 24.48

MPG 13.55

VEH. NO. 069

PAGE 33

MAKE FORD

MODEL LTD

YEAR 67

CYL. 8

CID 390

WEIGHT 4000

TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	MIS	NOX	0004
AS RECEIVED	08.50	+0000	-04	+00	1	2	2	1	0	2	0	0	048253
AFTER MAINT	04.31	+0000	-05	-01	1	2	2	1	0	2	0	0	048253
AFTER 6 MO	06.88	-0075	+00	+01	1	2	2	1	0	2	0	0	051532

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	CONO	RTR	NST	CAP	QPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	8.85	10.16	6.88	8.98
CO	080.0	120.1	072.9	098.6
C2	443.3	448.2	399.6	433.7
NX	4.44	3.29	4.17	3.77

	CT	CS	HT	1975
HC	8.60	7.35	6.14	7.28
CO	080.2	082.1	065.8	077.2
C2	536.2	479.7	453.3	484.2
NX	5.22	3.33	4.66	4.09

	CT	CS	HT	1975
HC	8.41	8.88	7.56	8.41
CO	078.8	095.9	067.4	084.4
C2	522.1	467.1	433.8	469.4
NX	5.52	4.27	5.17	4.78

TEST C0119 DATE 8/23/73

DRY 79 DET 61 PRES 24.79

MPG 14.44

TEST C0145 DATE 8/27/73

DRY 79 WET 58 PRES 24.67

MPG 14.17

TEST C1027 DATE 2/27/74

DRY 78 WET 53 PRES 24.48

MPG 14.17

VEH. NO. 073

PAGE 36

MAKE FORD

MODEL TORI

YEAR 71

CYL. 8

DIS 351

WEIGHT 2500

TRANS 1 EXH CTRL 1

EVAP CTRL 1 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IG CO IOL CO
01.80 +0450
00.08 +0000
00.13 +0350

TIME RPM
+04
+00
+02

CHKE A/P MIS NOX
1 0 0
1 0 0
1 0 0

COND
022051
022051
024895

TAMP. 6 MO

COIL 2

SPRKS 2

AIR/F 2

OL/AJ 2

CHK 2

DIST AJ

PTS AJ COND PTR DST CAP RCV

AS RECEIVED

CT CS HT 1975
HC 5.37 4.51 3.93 4.55
CO 050.4 047.9 034.9 044.8
C2 555.6 523.0 478.8 517.5
NX 4.07 3.00 4.11 3.53
IDLE LO CR HI CR 2500
HC 2992 3314 3356
LH 490 510 425
CO 2.06 0.38 0.99
NX 113 1465 2077
HS 290 240 250 100
CS 1.90 0.45 1.05 0.60

AFTER MAINTENANCE

CT CS HT 1975
HC 5.44 3.14 3.99 4.05
CO 124.9 022.1 034.0 046.9
C2 511.2 545.6 465.4 516.1
NX 3.52 3.53 4.42 3.78
IDLE LO CR HI CR 2500
HC 2934 2778 2725
LH 391 324 291
CO 0.10 0.40 1.17
NX 206 2190 2745
HS 190 220 170 900
CS 0.12 0.40 1.10 0.75

AFTER 6 MONTHS

CT CS HT 1975
HC 8.71 4.20 3.72 5.01
CO 132.5 025.5 026.0 048.0
C2 498.6 526.5 466.1 503.9
NX 3.20 3.15 4.03 3.41
IDLE LO CR HI CR 2500
HC 2755 3161 3203
LH 304 322 280
CO 0.14 0.47 1.04
NX 224 2461 2951
HS 255 270 235 105
CS 0.19 0.55 1.00 1.30

TEST C0123 DATE 8/24/73

DRY 70 WET 55 PRES 24.73

MPG 16.73

TEST C0255 DATE 9/07/73

DRY 77 WET 56 PRES 24.59

MPG 14.79

TEST C1043 DATE 3/07/74

DRY 63 WET 48 PRES 24.34

MPG 14.96

VEH. NO. 074

PAGE 37

MAKE FORD

MODEL FAIR YEAR 65 CYL. 8 CID 289 WFLIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	04.20	+0100	+09	+02	0	2	1	0	2	0	073336
AFTER MAINT	05.33	+0000	+00	+00	0	1	1	0	2	0	073336
AFTER 6 MO	05.27	+0000	-01	+00	0	1	1	0	2	0	076307

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	1	1	2	2	2	2	2	2	2	2	1	2

AS RECEIVED

	CT	CS	HT	1975
HC	7.92	7.09	5.85	6.92
CO	102.7	091.7	072.8	088.7
C2	456.4	451.5	410.2	441.1
NX	5.39	4.66	5.43	5.02

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	10.19	7.24	5.65	7.42
CO	162.8	092.0	070.7	100.9
C2	426.2	421.6	406.6	418.4
NX	2.27	2.42	3.55	2.71

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	13.69	8.82	6.30	9.14
CO	184.6	094.1	062.8	104.3
C2	410.0	398.9	386.0	397.6
NX	1.89	1.92	3.20	2.27

	IDLE LO CR	HI CR	2500
HC	4465	3937	3475
LH	642	609	491
CO	4.50	2.67	2.01
NX	177	1567	2826
HS	405	375	275
CS	4.25	2.70	1.95

	IDLE LO CR	HI CR	2500
HC	5557	3622	3125
LH	575	431	344
CO	5.69	2.66	1.91
NX	069	1395	2326
HS	410	285	208
CS	5.40	2.60	1.90

	IDLE LO CR	HI CR	2500
HC	6421	4488	3774
LH	687	549	375
CO	5.39	2.69	1.86
NX	094	1345	2560
HS	580	460	460
CS	4.80	2.50	1.80

TEST C0124 DATE 8/24/73

DRY 70 WFT 59 PRES 24.73

MPG 14.79

TEST C0240 DATE 9/06/73

DRY 80 WFT 56 PRES 24.73

MPG 14.83

TEST C1049 DATE 3/08/74

DRY 69 WFT 48 PRES 24.45

MPG 15.08

VEH. NO. 075

PAGE 38

MAKE FORD	MODEL PINT	YEAR 71	CYL. 4	CID 098	WEIGHT 2250	TRANS 4	FXH CTPL 1	EVAP CTPL 1	PCV 1																										
<table border="0"> <tr> <td>IG</td> <td>WS</td> <td>COIL</td> <td>SPRKS</td> <td>AIR/F</td> <td>A/C</td> <td>F/MX S</td> <td>IDL/AJ</td> <td>CHK</td> <td>DIST</td> <td>MIS</td> <td>NOX</td> <td>ODOM</td> </tr> <tr> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>012609</td> </tr> </table>										IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	MIS	NOX	ODOM	2	2	2	2	2	2	2	2	2	2	2	2	012609
IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	MIS	NOX	ODOM																							
2	2	2	2	2	2	2	2	2	2	2	2	012609																							

TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2
------------	---	---	---	---	---	---	---	---	---	---	---	---

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

AS RECEIVED										AFTER MAINTENANCE										AFTER 6 MONTHS																																																																																																					
<table border="0"> <tr> <td>CT</td> <td>CS</td> <td>HT</td> <td>1975</td> <td>CT</td> <td>CS</td> <td>HT</td> <td>1975</td> <td>CT</td> <td>CS</td> <td>HT</td> <td>1975</td> </tr> <tr> <td>HC 7.20</td> <td>8.36</td> <td>5.77</td> <td>7.40</td> <td>HC 4.98</td> <td>3.97</td> <td>3.27</td> <td>3.99</td> <td>HC 5.74</td> <td>6.53</td> <td>4.03</td> <td>5.67</td> </tr> <tr> <td>CO 082.8</td> <td>079.5</td> <td>061.8</td> <td>075.3</td> <td>CO 070.0</td> <td>052.6</td> <td>046.0</td> <td>054.4</td> <td>CO 076.1</td> <td>080.8</td> <td>050.7</td> <td>071.5</td> </tr> <tr> <td>C2 233.9</td> <td>246.5</td> <td>215.3</td> <td>236.2</td> <td>C2 237.7</td> <td>267.1</td> <td>212.8</td> <td>245.9</td> <td>C2 267.1</td> <td>305.0</td> <td>217.6</td> <td>272.9</td> </tr> <tr> <td>NX 1.54</td> <td>1.41</td> <td>1.56</td> <td>1.49</td> <td>NX 1.39</td> <td>1.35</td> <td>1.31</td> <td>1.35</td> <td>NX 1.40</td> <td>1.11</td> <td>1.20</td> <td>1.20</td> </tr> </table>																														CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975	HC 7.20	8.36	5.77	7.40	HC 4.98	3.97	3.27	3.99	HC 5.74	6.53	4.03	5.67	CO 082.8	079.5	061.8	075.3	CO 070.0	052.6	046.0	054.4	CO 076.1	080.8	050.7	071.5	C2 233.9	246.5	215.3	236.2	C2 237.7	267.1	212.8	245.9	C2 267.1	305.0	217.6	272.9	NX 1.54	1.41	1.56	1.49	NX 1.39	1.35	1.31	1.35	NX 1.40	1.11	1.20	1.20																																
CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975																																																																																																														
HC 7.20	8.36	5.77	7.40	HC 4.98	3.97	3.27	3.99	HC 5.74	6.53	4.03	5.67																																																																																																														
CO 082.8	079.5	061.8	075.3	CO 070.0	052.6	046.0	054.4	CO 076.1	080.8	050.7	071.5																																																																																																														
C2 233.9	246.5	215.3	236.2	C2 237.7	267.1	212.8	245.9	C2 267.1	305.0	217.6	272.9																																																																																																														
NX 1.54	1.41	1.56	1.49	NX 1.39	1.35	1.31	1.35	NX 1.40	1.11	1.20	1.20																																																																																																														
<table border="0"> <tr> <td colspan="10">IDLE LO CR HI CR 2500</td> <td colspan="10">IDLE LO CR HI CR 2500</td> </tr> <tr> <td>HC 40599</td> <td>4852</td> <td>4242</td> <td></td> <td>HC 6632</td> <td>4092</td> <td>3924</td> <td></td> <td>HC 10065</td> <td>4850</td> <td>4225</td> <td></td> </tr> <tr> <td>LH 1624</td> <td>462</td> <td>420</td> <td></td> <td>LH 1005</td> <td>555</td> <td>552</td> <td></td> <td>LH 1047</td> <td>421</td> <td>377</td> <td></td> </tr> <tr> <td>CO 9.95</td> <td>3.68</td> <td>4.56</td> <td></td> <td>CO 6.77</td> <td>2.63</td> <td>3.70</td> <td></td> <td>CO 9.04</td> <td>3.26</td> <td>2.80</td> <td></td> </tr> <tr> <td>NX 021</td> <td>552</td> <td>1336</td> <td></td> <td>NX 055</td> <td>355</td> <td>1049</td> <td></td> <td>NX 053</td> <td>354</td> <td>970</td> <td></td> </tr> <tr> <td>HS 2500</td> <td>335</td> <td>315</td> <td>315</td> <td>HS 700</td> <td>250</td> <td>310</td> <td>200</td> <td>HS 520</td> <td>220</td> <td>200</td> <td>300</td> </tr> <tr> <td>CS 20.00</td> <td>3.80</td> <td>4.50</td> <td>6.50</td> <td>CS 4.80</td> <td>2.60</td> <td>3.50</td> <td>2.30</td> <td>CS 7.90</td> <td>3.00</td> <td>2.80</td> <td>4.00</td> </tr> </table>																														IDLE LO CR HI CR 2500										IDLE LO CR HI CR 2500										HC 40599	4852	4242		HC 6632	4092	3924		HC 10065	4850	4225		LH 1624	462	420		LH 1005	555	552		LH 1047	421	377		CO 9.95	3.68	4.56		CO 6.77	2.63	3.70		CO 9.04	3.26	2.80		NX 021	552	1336		NX 055	355	1049		NX 053	354	970		HS 2500	335	315	315	HS 700	250	310	200	HS 520	220	200	300	CS 20.00	3.80	4.50	6.50	CS 4.80	2.60	3.50	2.30	CS 7.90	3.00	2.80	4.00
IDLE LO CR HI CR 2500										IDLE LO CR HI CR 2500																																																																																																															
HC 40599	4852	4242		HC 6632	4092	3924		HC 10065	4850	4225																																																																																																															
LH 1624	462	420		LH 1005	555	552		LH 1047	421	377																																																																																																															
CO 9.95	3.68	4.56		CO 6.77	2.63	3.70		CO 9.04	3.26	2.80																																																																																																															
NX 021	552	1336		NX 055	355	1049		NX 053	354	970																																																																																																															
HS 2500	335	315	315	HS 700	250	310	200	HS 520	220	200	300																																																																																																														
CS 20.00	3.80	4.50	6.50	CS 4.80	2.60	3.50	2.30	CS 7.90	3.00	2.80	4.00																																																																																																														

TEST C0134	DATE 8/27/73	TEST C0160	DATE 8/28/73	TEST C1029	DATE 2/28/74
DRY 70 WET 54	PRES 24.74	DRY 70 WET 54	PRES 24.78	DRY 58 WET 50	PRES 24.68
MPG 23.57		MPG 25.90		MPG 22.09	

VEH. NO. 076

PAGE 39

MAKE BUICK MODEL LESA YEAR 67 CYL. 8 CID 340 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	PTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	11.36	8.24	7.68	8.74
CO	212.4	220.1	184.3	208.6
C2	401.1	401.8	357.0	389.2
NX	0.90	0.43	0.89	0.66

IG MS

	CT	CS	HT	1975
HC	11.36	8.24	7.68	8.74
CO	212.4	220.1	184.3	208.6
C2	401.1	401.8	357.0	389.2
NX	0.90	0.43	0.89	0.66

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	11.36	8.24	7.68	8.74
CO	212.4	220.1	184.3	208.6
C2	401.1	401.8	357.0	389.2
NX	0.90	0.43	0.89	0.66

IDLE LO CR

	CT	CS	HT	1975
HC	11.36	8.24	7.68	8.74
CO	212.4	220.1	184.3	208.6
C2	401.1	401.8	357.0	389.2
NX	0.90	0.43	0.89	0.66

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	13.37	8.61	9.41	9.63
CO	215.0	207.2	168.3	198.1
C2	401.0	376.8	327.7	368.2
NX	1.35	0.46	0.93	0.78

IDLE LO CR

	CT	CS	HT	1975
HC	13.37	8.61	9.41	9.63
CO	215.0	207.2	168.3	198.1
C2	401.0	376.8	327.7	368.2
NX	1.35	0.46	0.93	0.78

TEST C0135 DATE 8/27/73

DRY 70 WFT 54 PRES 24.74

MPG 11.96

TEST C0135 DATE 8/27/73

DRY 70 WFT 54 PRES 24.74

MPG 11.96

TEST C1025 DATE 2/27/74

DRY 69 WFT 48 PRES 24.46

MPG 12.54

VEH. NO. 378

PAGE 40

MAKE FORD

MODEL STAN YEAR 72 CYL. 8 CID 351 WEIGHT 4000 TRANS 1 EXH CYRL 1 EVAP CYRL 1 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	04.20	-0210	+24	+05	1	1	1	0	2	0	020434
AFTER MAINT	04.20	-0210	+24	+05	1	1	1	0	2	0	020434
AFTER 6 MO	03.83	+0150	+00	+02	1	1	1	0	1	0	023816

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PTR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	5.03	5.00	4.47	4.86
CO	087.2	095.7	072.8	087.6
C2	573.7	660.9	564.3	615.9
NX	5.17	4.36	5.79	4.93

	IDLE LO CR	HI CR	2500
HC	3069	3391	3151
LH	399	490	402
CO	4.73	1.75	1.91
NX	089	1851	1871
HS	275	440	330
CS	4.45	1.65	1.90

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	5.03	5.00	4.47	4.86
CO	087.2	095.7	072.8	087.6
C2	573.7	660.9	564.3	615.9
NX	5.17	4.36	5.79	4.93

	IDLE LO CP	HI CR	2500
HC	3069	3391	3151
LH	399	490	402
CO	4.73	1.75	1.91
NX	089	1861	1871
HS	275	440	330
CS	4.45	1.65	1.90

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.06	17.97	5.39	11.99
CO	089.2	089.7	072.1	084.7
C2	643.4	636.8	538.6	618.9
NX	4.67	3.79	4.05	4.05

	IDLE LO CR	HI CR	2500
HC	7348	3795	3659
LH	1215	388	348
CO	4.05	1.27	1.82
NX	116	1154	1711
HS	1000	300	210
CS	3.80	1.40	1.80

TEST C0137 DATE 8/27/73

DRY 72 WET 55 PRES 24.73

MPG 11.59

TEST C0137 DATE 8/27/73

DRY 72 WET 55 PRES 24.73

MPG 11.59

TEST C1030 DATE 2/28/74

DRY 74 WET 52 PRES 24.68

MPG 11.39

VEH. NO. 070

PAGE 41

MAKE FORD

MODEL STAN YEAR 71 CYL. 8 CID 400 WEIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	MIS	NOX	ODOM
AS RECEIVED	07.60	-0060	+00	+00	+02	1	1	1	0	2	0	2	0	035284
AFTER MAINT	03.06	-0080	+00	+00	-02	1	1	1	0	2	0	2	0	035284
AFTER 6 MO	03.68	+0100	-01	-01	-01	1	1	1	0	1	0	1	0	038100

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	MIS	NOX	ODOM
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975
HC 8.17	5.71	5.07	6.05	HC 17.06	10.89	28.46	14.84
CO 120.9	095.3	059.4	090.7	CO 129.9	098.4	061.9	094.9
C2 571.4	555.0	518.8	548.3	C2 576.7	588.6	484.4	512.8
NX 4.29	3.63	5.47	4.28	NX 6.09	4.33	7.73	5.64

IDLE LO CR HI CR	2500	IDLE LO CR HI CR	2500
HC 5423	3102	2548	9971
LH 654	422	318	1808
CO 0.05	0.63	0.90	3.77
NX 0.34	1.797	1.831	0.93
HS 720	365	205	0.52
CS 0.20	0.65	0.90	1.10

TEST C0138 DATE 8/27/73

TEST C0176 DATE 8/29/73

TEST C1028 DATE 2/28/74

DRY 72 WET 55 PRES 24.73

DRY 72 WET 58 PRES 24.76

DRY 69 WET 48 PRES 24.68

MPG 12.55

MPG 12.76

MPG 12.58

VEH. NO. 080

PAGE 42

MAKE CHEVROLET MODEL MALT YEAR 67 CYL. 8 CID 263 WEIGHT 3500 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	05.60	-0060			-18	+00	1	2	2	1	0	2	0	0	075280				
AFTER MAINT	04.97	+0025			-06	+02	1	2	2	1	0	2	0	0	075280				
AFTER 6 MO	05.04	+0025			-01	+02	1	2	2	1	0	2	0	0	081323				

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
YAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 12.76	12.01	9.20	11.11	HC 16.03	9.95	8.96	10.95	HC 12.19	10.35	6.64	9.70
CO 128.6	108.3	090.5	107.6	CO 132.2	110.0	093.9	110.2	CO 125.0	092.3	063.3	091.1
C2 362.1	367.0	335.0	357.1	C2 371.8	349.4	315.3	344.6	C2 354.7	385.5	323.5	361.9
NX 2.55	1.52	2.37	1.97	NX 2.33	1.09	1.89	1.57	NX 1.43	1.24	1.70	1.41
IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500		IDLE LO CR	HI CR	2500	
HC 16863	5664	4706		HC 12729	5533	4623		HC 7671	4538	4129	
LH 1506	799	667		LH 1264	867	742		LH 849	585	472	
CO 6.56	4.38	3.14		CO 5.93	4.36	3.01		CO 4.13	1.99	2.34	
NX 028	985	1216		NX 022	654	989		NX 035	803	1303	
HS 1750	770	615	720	HS 800	480	370	370	HS 720	480	340	400
CS 5.60	4.30	3.20	4.00	CS 5.00	4.20	2.80	3.00	CS 3.90	2.10	2.30	3.10

TEST C0139 DATE 8/27/73

DRY 75 WET 56 PRES 24.73

MPG 15.87

TEST C0161 DATE 8/28/73

DRY 70 WET 58 PRES 24.78

MPG 16.13

TEST C1033 DATE 3/01/74

DRY 70 WET 52 PRES 24.50

MPG 16.63

VEH. NO. 083

PAGE 43

MAKE DODGE

MODEL DART YEAR 70 CYL. 8 CID 318 WEIGHT 3000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	A/P	MIS	NOX	ODOM
AS RECEIVED	06.30													
AFTER MAINT	00.76													
AFTER 6 MO	01.00													

TAMP.	6 MO	2	2	2	1	1	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975
HC	5.16	4.24	4.26	4.44	5.91	4.16	4.52
CO	092.4	087.8	067.7	083.2	074.1	046.5	046.4
C2	498.1	513.3	440.4	485.9	507.3	525.1	428.0
NX	2.04	1.40	2.29	1.78	2.92	2.12	3.11

IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500
HC	4391	3585	3769			3216	3623	3642			
LH	560	517	501			645	609	556			
CO	7.16	1.43	2.46			1.11	0.79	2.41			
NX	046	608	945			063	1198	1248			
HS	530	390	395	260		400	320	285	180		
CS	6.60	1.60	2.50	1.40		0.90	1.00	2.40	1.00		

TEST C0151 DATE 8/28/73

TEST C0175 DATE 8/29/73

TEST C1032 DATE 3/01/74

DRY 71 WET 54 PRES 24.71

DRY 75 WET 59 PRES 24.76

DRY 68 WET 47 PRES 24.46

MPG 14.04

MPG 15.07

MPG 15.27

VEH. NO. 084

PAGE 44

MAKE PONTIAC MODEL GTO YEAR 70 CYL. 8 CID 400 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	6.34	4.27	4.33	4.72	6.38	4.23	4.31	4.70	11.59	5.18	4.99	6.47
CO	129.8	051.2	062.8	070.9	121.5	057.2	069.3	074.0	211.1	085.2	075.4	100.0
C2	685.6	647.1	607.5	644.2	573.1	638.6	573.5	627.8	643.6	594.3	559.7	595.8
NX	2.06	2.11	2.45	2.19	2.41	2.15	2.36	2.26	1.37	1.46	1.92	1.57

	CT	CS	HT	1975	CT	CS	HT	1975
HC	3902	3037	4270	4270	5723	3181	4005	4005
LH	687	474	645	645	794	264	545	545
CO	2.65	0.59	2.62	2.62	3.14	0.66	2.82	2.82
NX	067	855	604	604	077	1026	876	876
HS	500	290	790	160	720	240	300	140
CS	2.40	0.50	0.70	1.70	4.00	0.70	3.80	1.60

TEST C0149 DATE 8/27/73

TEST C0174 DATE 8/29/73

TEST C1035 DATE 3/84/74

DRY 73 WET 55 PRES 24.71

DRY 73 WET 58 PRES 24.77

DRY 72 WET 50 PRES 24.42

MPG 11.56

MPG 11.74

MPG 11.33

VEH. NO. 085

PAGE 45

MAKE BUICK

MODEL RIV1 YEAR 68 CYL. 8 CID 430 WEIGHT 4500 TRANS 1 EXH CTPL 1 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP.	6	MO	1	2	2	1	1	2	2	2	2	2	2	2	2	2	2	1	1
AS RECEIVED	IDLE CO	06.50	CO	+0090	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	000M						
AFTER MAINT		03.30		-0075	+06	-08	1	1	1	0	2	0	060029						
AFTER 6 MO		02.36		-0050	+00	-04	1	1	1	0	2	0	064324						

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	10.00	7.68	7.81	8.20	7.13	5.62	5.50	5.90	8.69	6.85	5.03	6.73
CO	145.5	155.4	099.7	137.8	127.1	105.2	071.6	100.5	139.0	171.0	076.2	138.0
C2	525.9	493.9	471.7	494.5	500.9	498.5	450.7	485.7	511.7	465.2	456.7	472.6
NX	5.19	3.28	6.16	4.48	4.21	2.62	5.03	3.62	3.31	1.30	4.08	2.49
IDLE	LO CR	41 CR	2500		LO CR	HI CR	2500		LO CR	HI CR	2500	
HC	6062	4178	4903		4829	4060	3671		4270	3763	3170	
LH	893	665	805		733	690	619		462	424	306	
CO	8.63	3.69	2.22		3.74	3.00	1.82		3.00	3.04	2.36	
NX	218	994	1936		074	1403	2474		084	1267	2279	
HS	745	240	315	280	420	360	240	280	280	310	230	280
CS	7.10	3.40	2.00	3.60	3.40	2.80	1.80	2.79	2.15	2.70	2.10	3.10

TEST C0165 DATE 8/29/73

DRY 69 WET 58 PRES 24.76

MPG 12.09

TEST C0190 DATE 8/30/73

DRY 72 WET 56 PRES 24.68

MPG 13.45

TEST C1048 DATE 3/08/74

DRY 71 WET 49 PRES 24.45

MPG 12.53

VEH. NO. 0A7

PAGE 46

MAKE OLDSMOBILE MODEL STAM YEAP 67 CYL. 8 CID 330 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

INLE CO	INLE RPM	TYMING	DWELL	PCV	A/C	CHOKE	A/O	MIS	NOX	ODOM
09.20	+0090	-18	-07	1	2	1	0	2	0	064223
09.20	+0090	-18	-07	1	2	1	0	2	0	064223
07.52	+0075	+00	+00	1	1	1	0	2	0	067056

TAMP. 6 MO

IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
1	2	1	1	1	2	2	1	1	2	2	2	2	1	1	1	1

AS RECEIVED

CT	CS	HT	1975
HC 11.98	11.69	7.75	10.66
CO 193.4	175.7	133.9	167.8
C2 496.9	496.3	440.2	480.8
NX 3.04	1.88	2.85	2.39

AFTER MAINTENANCE

CT	CS	HT	1975
HC 11.98	11.69	7.75	10.66
CO 193.4	175.7	133.9	167.8
C2 496.9	496.3	440.2	480.8
NX 3.04	1.88	2.85	2.39

AFTER 6 MONTHS

CT	CS	HT	1975
HC 11.07	8.95	6.76	8.78
CO 130.2	140.7	111.2	130.3
C2 496.7	416.5	378.1	422.6
NX 3.88	2.18	2.70	2.58

TEST C0164 DATE 8/29/73

DRY 72 WET 57 PRES 24.76

MPG 11.45

TEST C0164 DATE 8/29/73

DRY 72 WET 57 PRES 24.76

MPG 11.45

TEST C1038 DATE 3/05/74

DRY 70 WET 50 PRES 24.41

MPG 13.60

VEH. NO. 091

PAGE 48

MAKE PONTIAC MODEL LFMA YEAR 73 CYL. 8 CID 400 WEIGHT 4000 TRANS 1 FXH CTRL 1 EVAP CTRL 1 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	000M
01.40	+0010	+00	+03	1	2	1	0	2	2	006704
02.16	+0000	+00	+00	1	1	1	0	2	1	006704
01.67	+0000	-04	+00	1	1	1	0	2	2	010112

TAMP. 6 MO

IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	PTX	DST	CAP	RPV
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC 4.06	3.19	3.07	3.34
CO 067.3	039.0	031.7	042.9
C2 724.5	701.5	598.3	577.7
NX 2.27	2.42	4.40	2.94

AFTER MAINTENANCE

CT	CS	HT	1975
HC 5.13	3.25	3.40	3.69
CO 067.2	035.6	036.9	042.6
C2 674.5	678.1	543.3	640.0
NX 2.80	2.05	5.29	3.51

AFTER 6 MONTHS

CT	CS	HT	1975
HC 6.04	4.11	3.54	4.36
CO 118.7	051.7	035.6	061.3
C2 611.3	646.9	530.6	607.2
NX 2.91	3.52	5.23	3.97

TEST C0162 DATE 8/29/73

DRY 70 WET 56 PRES 24.76

MPG 11.79

TEST C0198 DATE 8/31/73

DRY 73 WET 57 PRES 24.53

MPG 12.40

TEST C1042 DATE 3/06/74

DRY 76 WET 51 PRES 24.32

MPG 12.42

VEH. NO. 092

PAGE 49

MAKE FORD

MODEL WAVE YEAR 70 CYL. 6 CID 200 WEIGHT 2750 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PYS AJ COND RTR DST CAP RPY

IG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PYS AJ COND RTR DST CAP RPY

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 4.63 3.17 2.72 3.35
CO 046.7 050.6 027.5 043.4
C2 442.7 424.2 366.1 418.1
NX 8.35 7.07 8.40 7.71

CT CS HT 1975
HC 3.20 2.52 2.25 2.64
CO 030.1 023.2 015.0 022.4
C2 437.9 421.0 366.1 409.3
NX 7.15 6.14 7.71 6.79

CT CS HT 1975
HC 4.39 3.71 3.36 3.76
CO 050.0 065.0 035.6 054.4
C2 445.6 345.9 343.6 366.1
NX 5.50 3.82 5.22 4.56

IOLE LO CR HI CR 2500
HC 3796 3087 3032
LH 567 526 473
CO 5.16 0.12 3.03
NX 071 3250 1350
HS 340 290 260 2500
CS 4.80 0.15 3.00 1.70

IOLE LO CP HI CR 2500
HC 3249 3034 2631
LH 606 609 523
CO 0.71 0.94 1.20
NX 149 2276 3082
HS 125 215 175 700
CS 0.30 0.60 0.80 1.00

IOLE LO CR HI CR 2500
HC 6519 3955 3314
LH 015 094 238
CO 8.54 1.08 0.14
NX 031 255 311
HS 795 420 260 2500
CS 8.50 1.10 0.17 1.10

TEST C0156 DATE 8/28/73

DRY 77 WET 59 PRES 24.77

MPG 17.93

TEST C0201 DATE 8/31/73

DRY 80 WET 57 PRES 24.55

MPG 19.67

TEST C1019 DATE 2/25/74

DRY 68 WET 50 PRES 24.92

MPG 19.22

MAKE PLYMOUTH MODEL DUST YEAR 72 CYL. 6 CID 19A WEIGHT 3000 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	TOLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.10	-0060	+00	-03	1	2	1	0	2	0	020617
AFTER MAINT	00.90	-0120	-03	-03	1	2	1	0	2	0	020617
AFTER 6 MO	00.62	-0750	+07	+00	1	1	1	0	2	0	026525

TAMP.	5	NO	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RVR	DST	CAP	RPV
			2		2	2	2	1		2	2	2		2		2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	6.59	3.43	2.96	3.96
CO	129.2	063.6	076.3	080.6
C2	341.9	344.6	302.2	332.3
NX	2.67	3.85	3.45	3.49
	IDLE	LO CR	HI CR	2500
HC	5575	4257	4945	
LH	794	676	699	
CO	6.03	3.06	8.41	
NX	102	1811	541	
HS	440	275	330	140
CS	5.20	2.80	7.90	1.00

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	4.07	2.96	2.76	3.14
CO	061.0	019.6	045.2	039.6
C2	367.4	372.0	336.5	361.2
NX	3.49	4.30	4.43	4.67

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	4.84	2.93	3.00	3.35
CO	085.7	024.5	054.3	045.6
C2	344.6	355.4	301.6	338.2
NX	4.56	5.87	5.06	5.37
IOLE L O CR HI CR				
HC	4018	3029	4267	2500
LH	517	317	436	
CO	0.10	1.43	8.62	
NX	499	2950	550	
HS	260	300	320	150
CS	0.15	1.60	7.40	0.50

TEST C0183 DATE 8/30/73

DRY 74 WET 56 PRES 24.67

MPG 18.89

TEST C0218 DATE 9/04/73

ORV 73 WET 54 PRES 24.83

MPG 20.56

TEST C1040 DATE 3/06/74

DRY 7A WET 55 PRES 24.32

MPG 21.19

VEH. NO. 095

PAGE 51

MAKE	RAMBLER	MODEL	STAW	YEAR	68	CYL.	8	CID	290	WEIGHT	4000	TRANS	1	EXH	CTRL	1	EVAP	CTRL	2	PCV	1																																												
<table border="0"> <tr> <td>IDLE CO</td> <td>IDLE RPM</td> <td>TIMING</td> <td>OWELL</td> <td>PCV</td> <td>A/C</td> <td>CHOKE</td> <td>A/P</td> <td>MIS</td> <td>NOX</td> <td>ODOM</td> </tr> <tr> <td>AS RECEIVED</td> <td>06.30</td> <td>-0050</td> <td>-03</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>2</td> <td>0</td> <td>052932</td> </tr> <tr> <td>AFTER MAINT</td> <td>02.16</td> <td>-0025</td> <td>-02</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>2</td> <td>0</td> <td>052932</td> </tr> <tr> <td>AFTER 6 MO</td> <td>04.31</td> <td>+0000</td> <td>+00</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>2</td> <td>0</td> <td>056531</td> </tr> </table>																						IDLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM	AS RECEIVED	06.30	-0050	-03	1	1	1	0	2	0	052932	AFTER MAINT	02.16	-0025	-02	1	1	1	0	2	0	052932	AFTER 6 MO	04.31	+0000	+00	1	1	1	0	2	0	056531
IDLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM																																																							
AS RECEIVED	06.30	-0050	-03	1	1	1	0	2	0	052932																																																							
AFTER MAINT	02.16	-0025	-02	1	1	1	0	2	0	052932																																																							
AFTER 6 MO	04.31	+0000	+00	1	1	1	0	2	0	056531																																																							
<table border="0"> <tr> <td>IG WS</td> <td>COIL</td> <td>SPRKS</td> <td>AIR/F</td> <td>A/C</td> <td>F/MX</td> <td>S</td> <td>IDL/AJ</td> <td>CHK</td> <td>QIST</td> <td>AJ</td> <td>PIS</td> <td>AJ</td> <td>COND</td> <td>RTR</td> <td>DST</td> <td>CAP</td> <td>ROV</td> </tr> <tr> <td>TAMP. 6 MO</td> <td>2</td> <td>2</td> <td>1</td> <td>1</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> </tr> </table>																						IG WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	QIST	AJ	PIS	AJ	COND	RTR	DST	CAP	ROV	TAMP. 6 MO	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2								
IG WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	QIST	AJ	PIS	AJ	COND	RTR	DST	CAP	ROV																																																
TAMP. 6 MO	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2																																																

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.30	10.60	9.16	10.18	HC 8.17	5.78	6.15	6.39	HC 8.10	5.68	7.60	7.19
CO 138.7	127.7	113.1	126.0	CO 114.9	078.8	083.4	087.6	CO 109.3	087.9	089.4	092.8
C2 393.5	377.7	349.8	373.3	C2 392.8	396.7	341.7	380.6	C2 416.3	390.7	358.6	387.2
NX 2.31	2.45	3.06	2.59	NX 2.48	2.54	3.13	2.69	NX 3.30	2.84	3.93	3.24

IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 12579	4186	5278	HC 3828	3635	4671	HC 4897	4327	5537
LH 1083	728	785	LH 585	572	684	LH 594	503	598
CO 11.85	1.66	8.37	CO 2.94	1.87	8.09	CO 4.69	1.15	7.75
NX 021	1979	301	NX 167	2202	367	NX 182	2503	377
HS 540	410	500	HS 330	380	440	HS 430	380	400
CS 8.70	1.60	8.30	CS 2.20	1.70	8.10	CS 6.48	1.20	5.40

TEST C0100	DATE	8/30/73	TEST C0202	DATE	8/31/73	TEST C1041	DATE	3/06/74
DRY 74	WET 56	PRES 24.67	DRY 81	WET 57	PRES 24.55	DRY 68	WET 48	PRES 24.32
MPG 14.76			MPG 16.54			MPG 16.93		

VEH. NO. 096

PAGE 52

MAKE PONTIAC MODEL CAT4 YEAR 65 CYL. 8 CID 189 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPW
TAMP.	6	MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

	IOLE	CO	IOLE	RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	03.10	-0010	+00	1	2	1	0	0	076369				
AFTER MAINT	06.00	+0300	+00	1	2	1	0	0	076369				
AFTER 6 MO	06.23	+0000	-01	1	2	1	0	0	078559				

AS RECEIVED

	CT	CS	HT	1975
HC	36.25	33.74	31.40	33.62
CO	224.8	168.6	198.2	188.6
C2	449.2	420.7	374.2	413.7
NX	1.26	0.96	1.11	1.06

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	17.29	12.70	11.37	13.33
CO	307.2	219.8	243.4	244.7
C2	404.5	417.5	363.0	399.7
NX	0.62	0.55	0.66	0.60

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	15.18	14.55	12.68	14.16
CO	260.3	218.6	233.8	231.5
C2	415.6	399.2	335.8	385.1
NX	0.98	0.71	0.77	0.78

TEST C0181 DATE 8/30/73

DRY 75 WET 56 PRFS 24.67

MPG 10.91

TEST C0219 DATE 9/04/73

DRY 70 WET 54 PRES 24.48

MPG 10.78

TEST C1051 DATE 3/08/74

DRY 72 WET 49 PRES 24.45

MPG 11.22

VEH. NO. 097

PAGE 53

MAKE PLYMOUTH MODEL VALI YEAR 64 CYL. 6 CID 170 WEIGHT 3000 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 09.40 +0000 +09 -02 1 0 2 0 026268
 AFTER MAINT 09.40 +0000 +09 -02 1 0 2 0 026268
 AFTER 6 MO 07.16 +0950 +05 -05 1 1 2 0 028148

IG WS COIL SPOKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PIS AJ COND RTR DST CAP REV
 TAMP. 6 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
 HC 10.46 8.55 6.74 8.45
 CO 147.2 136.9 123.7 135.4
 C2 301.1 321.9 276.0 304.8
 NX 1.89 1.83 1.84 1.84
 IDLE LO CR HI CR 2500
 HC 28157 5518 5596
 LH 1097 834 832
 CO 9.33 5.23 8.31
 NX 021 1282 406
 HS 1080 400 450 550
 CS 10.00 4.90 9.40 6.50

AFTER MAINTENANCE

CT CS HT 1975
 HC 10.46 8.55 6.74 8.45
 CO 147.2 136.9 123.7 135.4
 C2 301.1 321.9 276.0 304.8
 NX 1.89 1.83 1.84 1.84
 IDLE LO CR HI CR 2500
 HC 28157 5518 5596
 LH 1097 834 832
 CO 9.33 5.23 8.31
 NX 021 1282 406
 HS 1080 400 450 550
 CS 10.00 4.90 8.40 6.50

AFTER 6 MONTHS

CT CS HT 1975
 HC 9.57 6.50 5.79 6.95
 CO 164.9 125.9 118.2 131.9
 C2 359.4 365.2 300.0 345.9
 NX 2.71 2.72 2.47 2.64
 IDLE LO CR HI CR 2500
 HC 4215 4009 4705
 LH 353 454 509
 CO 2.45 3.75 7.98
 NX 204 1319 068
 HS 380 420 410 420
 CS 3.80 3.60 8.00 6.20

TEST C01A2 DATE 8/30/73

DRY 76 WET 56 PRES 24.67

MPG 16.37

TEST C01B2 DATE 8/30/73

DRY 76 WET 56 PRES 24.67

MPG 16.37

TEST C1045 DATE 3/07/74

DRY 70 WET 49 PRES 24.35

MPG 15.49

VEH. NO. 104

PAGE 54

MAKE PLYMOUTH MODEL 8FLV YEAR 68 CYL. 8 CID 273 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
09.90 +0001 +02 1 1 0 2 0 058630
AFTER MAINT 03.95 +0000 +00 1 1 0 2 0 058630
AFTER 6 MO 08.19 -0050 -03 1 2 1 0 2 0 962810

TAMP. 6 MO IG MS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPY 2

AS RECEIVED

CT CS HT 1975
HC 10.59 8.81 6.55 8.55
CO 203.0 186.7 145.8 178.8
C2 412.3 420.3 369.6 404.5
NX 1.16 1.35 1.86 1.45

IDLE LO CR HI CR 2500
HC 12925 3941 6727
LH 596 469 553
CO 10.42 2.82 8.01
NX 024 991 251
HS 620 315 360 215
CS 20.00 2.90 8.10 4.60

AFTER MAINTENANCE

CT CS HT 1975
HC 10.99 5.26 4.80 6.33
CO 212.0 109.4 130.1 136.1
C2 420.5 422.2 382.3 410.8
NX 0.95 1.53 1.78 1.48

IDLE LO CR HI CR 2500
HC 4066 3937 4699
LH 801 745 755
CO 4.24 3.60 8.37
NX 086 1006 272
HS 290 280 310 190
CS 4.70 3.40 8.40 4.40

AFTER 6 MONTHS

CT CS HT 1975
HC 10.56 8.08 4.44 7.59
CO 219.0 185.2 878.5 162.7
C2 405.2 437.3 399.9 428.2
NX 0.99 1.26 3.73 1.09

IDLE LO CR HI CR 2500
HC 6455 4357 5280
LH 532 416 470
CO 8.52 2.59 7.48
NX 053 1170 315
HS 460 340 360 220
CS 8.10 2.60 7.10 5.00

TEST C0204 DATE 9/04/73

DRY 71 WET 55 PRES 24.77

MPG 12.50

TEST C0270 DATE 9/10/73

DRY 71 WET 62 PRES 24.82

MPG 13.82

TEST C1064 DATE 3/15/74

DRY 70 WET 48 PRES 24.43

MPG 12.73

VEH. NO. 106

PAGE 55

MAKE FORD

MODEL GALA YEAR 64 CYL. 8 CID 289 WEIGHT 4500 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 2

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTQ	DST	CAP	RDV
AS RECEIVED	03.30																		
AFTER MAINT	06.02																		
AFTER 6 MO	08.19																		

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTQ	DST	CAP	RDV
FAMP. 6 MO	1	2	1	1	2	1	2	2	2	1	1	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975
HC	14.68	13.30	18.25	12.55	10.29	7.50	9.99
CO	157.1	171.6	113.2	138.0	147.2	103.5	133.1
C2	414.4	480.8	367.9	383.7	388.7	369.8	382.4
NX	1.91	1.34	2.00	1.50	1.01	1.54	1.26

IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC	12298	4005	7459	3535	3785
LH	688	489	700	511	581
CO	8.88	3.22	7.50	3.05	4.83
NX	036	797	038	539	1029
HS	605	255	360	175	230
CS	8.80	3.10	6.80	3.00	4.20

TEST C0207 DATE 9/04/73

TEST C0335 DATE 9/14/73

TEST C1052 DATE 3/11/74

DRY 69 WET 52 PRES 24.86

DRY 78 WET 55 PRES 24.63

DRY 69 WET 50 PRES 24.44

MPG 13.21

MPG 14.29

MPG 12.93

VEH. NO. 107

MAKE CHEVROLET MODEL CORV YEAR 65 CYL. 6 CID 164 WEIGHT 2750 TRANS 4 EXH CTPL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IDLE CO I/OLE RPM
01.70
04.30
04.31

TIMEING
+02
+07
+00

DWELL
-03
-03
+02

PCV
0
0
0

A/C
1
1
1

CHOKE
1
1
1

A/P
0
0
0

MIS
2
2
2

NOX
0
0
0

ODOM
075078
076078
078647

TAMP. 6 MO 2 IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PIS AJ COND PTR DST CAP RPV

AS RECEIVED

CT CS HT 1975
HC 10.62 8.83 5.85 9.38
CO 093.8 079.8 033.1 065.7
C2 297.9 332.9 155.1 276.2
NX 1.58 1.34 1.77 1.51

IDLE LO CR HI CR 2500
HC 13045 5210 4.40
LH 2088 555 738
CO 2.45 3.77 4.05
NX 046 822 1229
HS 2500 480 400 400
CS 2.00 3.60 3.80 4.00

AFTER MAINTENANCE

CT CS HT 1975
HC 10.31 6.44 5.40 6.96
CO 107.7 102.3 094.8 098.6
C2 292.3 339.3 280.4 313.2
NX 1.21 1.11 1.38 1.21

IDLE LO CR HI CR 2500
HC 5531 4802 4636
LH 500 529 533
CO 4.74 4.99 5.15
NX 054 376 904
HS 360 355 375 345
CS 4.55 4.85 4.90 6.10

AFTER 6 MONTHS

CT CS HT 1975
HC 14.43 10.71 7.27 10.53
CO 120.6 111.8 090.9 107.8
C2 308.7 326.5 260.3 304.4
NX 1.23 1.15 1.38 1.23

IDLE LO CR HI CR 2500
HC 15941 8788 7514
LH 1962 791 633
CO 4.70 5.26 5.40
NX 044 614 560
HS 2000 800 560 840
CS 4.40 4.80 5.00 6.00

TEST C0209 DATE 9/04/73
DRY 72 WET 53 PRES 24.87
MPG 21.60

TEST C0229 DATE 9/05/73
DRY 75 WET 56 PRES 24.87
MPG 18.18

TEST C1050 DATE 3/08/74
DRY 70 WET 48 PRES 24.45
MPG 17.56

VEH. NO. 109

PAGE 57

MAKE RAMBLER MODEL AMER YEAR 66 CYL. 6 CID 232 WEIGHT 3000 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	000M
AS RECEIVED	07.20	+0040	-05	-01	2	1	1	0	2	0	064169
AFTER MAINT	07.20	+0040	-05	-01	2	1	1	0	2	0	064169
AFTER 6 MO	08.52	+0050	-01	+01	1	1	1	0	2	0	067233

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975
HC 10.17	7.78	6.98	8.06	HC 9.18	11.73	6.89	9.85
CO 104.7	113.9	097.3	107.4	CO 094.9	119.2	091.4	106.4
C2 307.0	279.2	250.8	277.1	C2 343.5	304.5	268.7	302.7
NX 3.12	1.51	2.10	2.01	NX 3.78	1.76	2.83	2.49

IOLE LO CR	HI CR	2500	IOLE LO CR	HI CR	2500
HC 17023	4650	4177	HC 16408	4933	4552
LH 1029	706	563	LH 1192	470	363
CO 8.49	2.57	2.62	CO 9.32	2.65	3.50
NX 026	1805	2058	NX 040	1783	1470
HS 720	340	265	HS 900	460	320
CS 8.00	2.45	2.00	CS 7.60	2.40	3.30

TEST C0211 DATE 9/04/73

TEST C0211 DATE 9/04/73

TEST C1047 DATE 3/07/74

DRY 77 WET 55 PRES 24.86

DRY 77 WET 55 PRES 24.86

DRY 72 WET 44 PRES 24.35

MPG 18.90

MPG 18.90

MPG 17.78

VEH. NO. 110

PAGE 58

MAKE CHEVROLET MODEL CHEV YEAR 69 CYL. 8 CID 307 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX 0004

AS RECEIVED 02.70 +0100 -01

AFTER MAINT 00.90 -0010 +02

AFTER 5 MO 01.77 +0000 +01

TAMP. 6 MO IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPY

AS RECEIVED

CT CS HT 1975
HC 9.11 5.42 5.43 6.20
CO 151.5 085.5 090.8 100.8
C2 431.5 452.9 378.6 427.8
NX 2.12 2.06 2.13 2.09
IDLE LO CR HI CR 2500
HC 4161 4612 4387
LH 519 612 536
CO 3.07 3.92 4.18
NX 090 995 1410
HS 310 350 290
CS 3.00 4.00 4.10 3.20

AFTER MAINTENANCE

CT CS HT 1975
HC 8.35 5.11 5.50 5.90
CO 143.2 064.5 089.3 087.9
C2 439.9 454.9 398.7 436.2
NX 2.19 2.14 2.39 2.22
IDLE LO CR HI CR 2500
HC 3505 4566 4261
LH 410 560 456
CO 1.05 3.97 3.96
NX 109 9AC 1483
HS 340 415 330
CS 0.95 3.85 3.90 4.60

AFTER 6 MONTHS

CT CS HT 1975
HC 10.46 5.07 5.23 6.24
CO 169.0 081.5 095.0 103.5
C2 432.8 460.7 409.4 440.6
NX 1.33 1.41 1.57 1.44
IDLE LO CR HI CR 2500
HC 4314 5105 4929
LH 452 466 397
CO 1.84 4.27 4.26
NX 092 365 730
HS 440 400 340
CS 1.80 3.80 4.00 4.60

TEST C0221 DATE 9/05/73

DRY 71 WET 52 PRES 24.94

MPG 14.70

TEST C0242 DATE 9/06/73

DRY 77 WET 55 PRES 24.70

MPG 15.02

TEST C1046 DATE 3/07/74

DRY 68 WET 44 PRES 24.35

MPG 14.30

VEH. NO. 115

PAGE 54

MAKE CHEVROLET MODEL IMPA YEAR 67 CYL. 8 CID 283 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	03.45	+0020	+00	+06	1	2	1	0	2	0	064860
AFTER MAINT	06.22	+0000	+00	+00	1	1	1	0	2	0	064860
AFTER 6 MO	06.56	-0100	+01	+05	1	2	1	0	2	0	059272

	IG WS	COIL	SPRKS	AIR/F	A/C	F/4X S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	1

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 13.28	13.48	11.24	12.82	HC 17.44	12.68	10.79	13.15	HC 26.00	17.49	12.78	17.96
CO 176.1	178.3	154.2	171.2	CO 213.4	190.9	161.8	187.5	CO 255.1	238.8	178.1	225.4
C2 452.8	438.1	416.8	435.2	C2 425.0	387.7	392.4	396.8	C2 457.6	398.8	382.5	486.6
NX 2.32	1.21	2.37	1.77	NX 1.58	0.80	1.64	1.19	NX 1.36	0.58	1.09	0.89

IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500
HC 8665	6758	8687	HC 7437	5826	6913	HC 9947	6586	7928
LM 1488	1095	1161	LM 1164	906	1052	LM 1224	837	921
CO 3.75	3.50	9.60	CO 7.88	4.30	8.52	CO 6.45	4.14	9.39
NX 224	1268	245	NX 080	746	231	NX 064	450	127
HS 1090	790	800	HS 1160	880	940	HS 1080	760	780
CS 3.60	3.30	9.20	CS 7.20	4.40	9.10	CS 6.20	4.00	9.00

TEST C0236 DATE 9/06/73

TEST C0381 DATE 9/19/73

TEST C1073 DATE 3/21/74

DRY 76 WET 57 PRES 24.89

DRY 81 WET 55 PRES 24.58

DRY 69 WET 48 PRES 24.52

MPG 11.96

MPG 12.15

MPG 10.90

VEH. NO. 116

PAGE 60

MAKE CHEVROLET MODEL VEGA YEAR 73 CYL. 4 CID 140 WFLIGHT 2500 TRANS 3 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IG	MS	COIL	SPRKS	AIO/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	DTS	AJ	COND	RTR	DST	CAP	RPV	
TAMP.	6	MO	1	2	1	2	2	2	2	2	2	2	2	2	1	1	1	1	1	2

	AS RECEIVED	AFTER MAINT	AFTER 5 MO
IDLE CO	08.80	-0100	-0100
INLE RPM	-0110	-0110	-0100
OWELL	-01	+00	+00
PCV	1	2	1
A/C	2	2	1
CHOK	1	1	1
A/P	0	0	0
MIS	2	2	2
NOX	1	1	1
ODOM	009706	009706	014416

AS RECEIVED

	CT	CS	HT	1975
HC	5.98	5.20	3.90	5.00
CO	100.2	085.3	066.9	083.3
C2	270.5	271.6	221.2	257.4
NX	1.56	0.88	1.41	1.17

	INLE	LO	CR	HI	CR	2500
HC	20309	3128	3218			
LH	1036	319	358			
CO	8.95	2.80	4.95			
NX	020	555	784			
HS	710	165	190			110
CS	8.90	2.70	4.50			3.90

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	9.11	5.85	5.08	6.32
CO	105.5	087.7	073.7	087.5
C2	256.1	266.5	242.7	257.7
NX	1.31	0.87	1.80	1.22

	INLE	LO	CR	HI	CR	2500
HC	4505	3238	3495			
LH	556	400	454			
CO	2.95	2.31	5.65			
NX	049	436	505			
HS	340	150	205			120
CS	2.75	2.30	5.00			3.50

AFTER 5 MONTHS

	CT	CS	HT	1975
HC	7.06	5.50	4.16	5.45
CO	091.0	090.7	064.7	083.6
C2	343.0	360.0	275.3	332.9
NX	2.15	0.94	1.93	1.47

	INLE	LO	CR	HI	CR	2500
HC	9873	5178	4655			
LH	857	380	312			
CO	7.86	4.04	3.65			
NX	036	219	500			
HS	700	400	340			400
CS	7.20	4.80	3.80			5.40

TEST C0246 DATE 9/07/73

DRY 72 WET 53 PRES 24.76

MPG 22.04

TEST C0278 DATE 9/10/73

DRY 73 WET 54 PRES 24.86

MPG 21.45

TEST C1057 DATE 3/12/74

DRY 71 WET 50 PRES 24.79

MPG 18.50

VEH. NO. 11P

PAGE 61

MAKE PONTIAC MODEL CATA YEAR 67 CYL. 8 CID 400 WEIGHT 4000 TRANS 1 EXH CYRL 1 EVAP CYRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	00.39	+0000	-04	+03	1	1	1	0	1	0	071126
AFTER MAINT	00.39	+0000	-04	+03	1	1	1	0	1	0	071126
AFTER 6 MO	00.59	+0100	-06	+00	1	1	1	0	2	0	077038

	IS WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	5.75	4.59	4.47	4.80	5.75	4.59	4.47	4.80	7.25	4.93	4.73	5.36
CO	100.7	058.4	079.5	073.1	100.7	058.4	079.5	073.1	137.3	065.9	086.0	086.4
C2	546.6	542.1	450.7	517.7	546.6	542.1	450.7	517.7	606.0	578.6	500.9	562.8
NX	3.32	2.82	3.17	3.02	3.32	2.82	3.17	3.02	2.13	2.30	2.64	2.36
IOLE LO CR HI CR	2500				IOLE LO CR HI CR	2500			IOLE LO CR HI CR	2500		
HC	3828	3517	3113		3828	3517	3113		4013	3476	3376	
LH	411	377	309		411	377	309		430	347	299	
CO	0.50	2.52	2.94		0.50	2.52	2.94		0.57	2.11	3.09	
NX	163	1371	1727		163	1371	1727		118	1311	1114	
HS	240	220	170	135	240	220	170	135	330	260	240	190
CS	0.50	2.90	3.00	3.90	0.50	2.90	3.00	3.90	0.57	2.00	3.10	2.40

TEST C0240 DATE 9/07/73

TEST C0240 DATE 9/07/73

TEST C1053 DATE 3/11/74

DRY 72 WET 56 PRES 24.74

DRY 72 WET 56 PRES 24.74

DRY 70 WET 50 PRES 24.45

MPG 13.75

MPG 13.75

MPG 12.45

VEH. NO. 11a

PAGE 62

MAKE PONTIAC

MODEL LEWA

YEAR 71

CYL. 8

CIN 150

WEIGHT 3500

TRANS 1

EXH CTRL 1

EVAP CTRL 2

PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IDLE CO

TIMING

DWELL

PCV

A/C

CHOK

A/P

MIS

NOX

ODOM

TAMP. 5 MO

IG WS

COIL

SPRKS

A/P/F

A/C

F/MX S

IDL/AJ

CHK

PIS AJ

COND

RTR

DST CAP

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975
HC	6.49	4.36	3.60
CO	119.9	047.7	039.1
C2	568.5	570.7	492.1
NX	2.97	3.03	4.10

CT	CS	HT	1975
HC	6.49	4.36	3.60
CO	119.9	047.7	039.1
C2	568.5	570.7	492.1
NX	2.97	3.03	4.10

CT	CS	HT	1975
HC	6.36	4.12	3.27
CO	119.6	047.1	030.2
C2	570.4	553.7	482.0
NX	2.10	2.26	3.08

IDLE	LO CR	HI CR	2500
HC	4107	3395	2837
LH	553	355	258
CO	2.75	1.23	0.95
NX	175	190	130
HS	335	190	130
CS	2.50	1.10	0.90

IDLE	LO CR	HI CR	2500
HC	4107	3395	2837
LH	553	355	258
CO	2.75	1.23	0.95
NX	175	190	130
HS	335	190	130
CS	2.50	1.10	0.90

IDLE	LO CR	HI CR	2500
HC	3968	2566	2589
LH	428	228	206
CO	1.93	0.35	1.22
NX	094	1351	1728
HS	380	120	220
CS	2.40	0.60	1.20

TEST C0249 DATE 9/07/73

DRY 76 WET 59 PRES 24.72

MPG 13.54

TEST C0249 DATE 9/07/73

DRY 76 WET 59 PRES 24.72

MPG 13.54

TEST C1039 DATE 3/06/74

DRY 68 WET 47 PRES 24.32

MPG 13.84

VEH. NO. 120

PAGE 63

MAKE DODGE

MODEL CORO YEAR 67 CYL. 8 CID 318 WEIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
AS RECEIVED 03.20 +0200 +00 -01 1 1 1 2 0 044942
AFTER MAINT 03.40 +0020 +00 +00 1 1 1 2 0 044942
AFTER 6 MO 03.50 +0150 +00 -02 1 1 1 2 0 047393

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PIS AJ COND RTR DST CAP REV
TAMP. 6 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
MC 8.55 6.21 5.15 6.41
CO 131.1 101.9 087.0 103.9
C2 431.5 443.2 399.8 428.7
NX 2.67 2.15 2.83 2.45

CT CS HT 1975
MC 14.00 10.54 9.17 10.61
CO 180.9 154.2 116.0 149.2
C2 442.4 405.1 382.7 406.7
NX 2.07 1.43 2.25 1.79

CT CS HT 1975
MC 15.09 7.62 5.99 8.73
CO 166.8 122.0 095.8 124.1
C2 427.8 412.5 373.6 404.9
NX 1.70 1.37 1.96 1.60

IOLE LO CR HI CR 2000
MC 6252 4684 4126
LH 512 571 442
CO 3.49 5.55 4.85
NX 121 605 904
HS 350 365 269 220
CS 3.40 5.30 4.70 3.30

IOLE LO CR HI CR 2500
MC 5119 4643 4492
LH 660 615 539
CO 3.69 3.09 5.20
NX 075 1235 714
HS 470 410 330 340
CS 3.65 3.00 4.80 4.20

IOLE LO CR HI CR 2500
MC 5956 5664 5171
LH 614 576 449
CO 3.79 3.39 4.75
NX 076 965 656
HS 485 465 380 350
CS 3.50 3.25 4.60 3.40

TEST CORRS DATE 9/07/73

TEST C0279 DATE 9/10/73

TEST C1055 DATE 3/12/74

DRY 70 WET 60 PRES 24.76

DRY 70 WET 60 PRES 24.83

DRY 70 WET 50 PRES 24.79

MPG 14.55

MPG 13.20

MPG 14.19

VEH. NO. 122

PAGE 64

MAKE PONTIAC MODEL F10F YEAR 67 CYL. 8 CID 326 W/FIGHT 3507 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	INLE CO	IOLE RPM	TIMING	WELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.90	-0110	+00	-02	1	1	1	0	2	0	042146
AFTER MAINT	05.40	+0120	+00	+03	1	1	1	0	2	0	042146
AFTER 6 MO	07.68	-0100	+00	+00	1	1	1	0	2	0	045915

	IG WS	COIL	SPOKS	AIP/F	A/C	F/MX S	INL/AJ	CHK	DIST AJ	PIS AJ	COND	PTR	DST	CAP	RPV
YAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	1

AS RECEIVED

	CT	CS	HT	1975
HC	9.91	11.88	9.48	10.80
CO	088.4	138.6	091.9	115.2
C2	426.7	365.1	336.8	370.1
NX	4.12	1.85	3.36	2.74
IDLE LO CR	HI	CR	2500	
HC	19722	4720	4183	
LH	1845	636	566	
CO	7.32	2.55	2.31	
NX	026	1924	3119	
HS	240	355	305	427
CS	6.80	2.70	2.40	5.70

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	14.09	12.81	8.76	11.95
CO	115.4	150.8	099.0	129.0
C2	396.2	358.4	352.9	364.8
NX	3.14	1.35	3.52	2.33
IDLE LO CR	HI	CR	2500	
HC	18165	4409	4122	
LH	1241	537	506	
CO	6.53	2.49	2.18	
NX	038	1756	2896	
HS	740	290	255	330
CS	5.40	2.30	2.00	4.40

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	12.49	16.86	9.58	13.93
CO	096.9	151.7	088.5	122.7
C2	463.5	445.2	389.3	433.5
NX	3.21	1.89	3.04	2.48
IDLE LO CR	HI	CR	2500	
HC	14008	5550	4632	
LH	1762	560	434	
CO	8.39	2.47	1.39	
NX	035	1428	3190	
HS	1450	510	350	600
CS	7.70	2.60	1.40	4.90

TEST C0267 DATE 9/10/73

DRY 70 WET 61 PRES 24.84

MPG 15.22

TEST C0291 DATE 9/11/73

DRY 76 WET 62 PRES 24.72

MPG 14.72

TEST C1054 DATE 3/11/74

DRY 70 WET 50 PRES 24.45

MPG 13.29

VEH. NO. 123

PAGE 65

MAKE CHEVROLET MODEL IMP YEAR 64 CYL. 8 CID 283 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IDLE CO 07.40
INLE RPM +0100
TIMING -01
DWELL +00
PCV 1
A/C 1
CHOKE 1
A/P 0
MIS 2
NOX 0
ODOM 085172

IG WS 2
COIL 2
SPRKS 2
AIR/F 2
A/C 2
F/4X S 2
INL/AJ 2
CHK 2
DIST AJ 2
PTS AJ 2
COND 2
RTR 2
DST CAP 2
OPV 2

TAMP. 6 MO

AS RECEIVED

CT CS HT 1975
HC 11.45 8.91 8.07 9.21
CO 187.6 154.0 152.8 160.7
C2 403.3 388.6 346.1 379.9
NX 1.63 1.04 1.44 1.27

IDLE LO CR HI CR 2500
HC 8637 5442 4994
LH 922 710 586
CO 8.36 6.48 5.89
NX 044 459 924
HS 615 450 360 550
CS 7.80 6.00 5.40 5.80

AFTER MAINTENANCE

CT CS HT 1975
HC 10.48 8.48 7.91 9.74
CO 210.8 200.9 182.5 197.8
C2 435.6 412.5 373.0 406.4
NX 1.20 0.66 1.04 0.89

IDLE LO CR HI CR 2500
HC 9043 4426 4071
LH 879 614 571
CO 9.50 6.54 5.86
NX 031 329 669
HS 580 410 350 420
CS 8.70 6.60 5.70 5.60

AFTER 6 MONTHS

CT CS HT 1975
HC 14.05 12.98 10.39 12.48
CO 211.8 209.9 189.5 204.7
C2 419.4 424.2 370.2 408.2
NX 0.84 0.42 0.78 0.60

IDLE LO CR HI CR 2500
HC 11422 6897 6282
LH 893 619 517
CO 9.69 5.93 5.52
NX 017 320 569
HS 810 540 420 720
CS 9.00 5.80 5.40 6.00

TEST C0250 DATE 9/07/73

DRY 76 WET 60 PRES 24.72

MPG 13.47

TEST C0361 DATE 9/18/73

DRY 77 WET 53 PRES 24.79

MPG 11.96

TEST C1067 DATE 3/18/74

DRY 72 WET 51 PRES 24.58

MPG 11.58

VEH. NO. 126

PAGE 66

MAKE CHEVROLET MODEL IMPA YEAR 66 CYL. 8 CIO 327 WEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 1 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS	AJ	CONE	RTR	OST	CAP	RPV
08.20	+0045	2	1	1	2	2	2	2	2	2	2	2	2	2	2
03.50	+0000	2	1	1	2	2	2	2	2	2	2	2	2	2	2
03.80	+0025	2	1	1	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS	AJ	CONE	RTR	OST	CAP	RPV
08.20	+0045	2	1	1	2	2	2	2	2	2	2	2	2	2	2
03.50	+0000	2	1	1	2	2	2	2	2	2	2	2	2	2	2
03.80	+0025	2	1	1	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC 10.39	9.29	7.56	9.04
CO 145.9	158.0	121.7	145.4
C2 483.3	420.8	384.3	423.8
NX 3.87	2.09	2.99	2.71

CT	CS	HT	1975
HC 757A	4619	3854	2500
LH 871	613	485	
CO 9.07	3.67	2.48	
NX 044	1268	2268	325
HS 680	420	280	5.00
CS 8.80	3.50	2.50	

AFTER MAINTENANCE

CT	CS	HT	1975
HC 9.78	7.36	6.26	7.56
CO 142.9	118.9	105.7	120.3
C2 444.3	414.3	379.8	411.0
NX 3.03	1.98	2.87	2.66

CT	CS	HT	1975
HC 522A	4504	4048	2500
LH 919	750	625	
CO 4.03	4.27	2.79	
NX 063	1106	1977	320
HS 520	340	245	6.20
CS 3.30	3.70	2.60	

AFTER 6 MONTHS

CT	CS	HT	1975
HC 8.77	7.18	6.44	7.31
CO 090.9	072.6	059.2	072.7
C2 509.8	458.5	426.9	465.6
NX 4.79	2.80	4.09	3.57

CT	CS	HT	1975
HC 10634	6070	4756	2500
LH 1440	624	449	
CO 1.33	4.04	2.25	
NX 065	1048	2323	420
HS 980	700	480	1.90
CS 3.30	3.50	2.20	

TEST C0292 DATE 9/11/73

DRY 59 WET 59 PRES 24.79

MPG 13.09

TEST C0306 DATE 9/12/73

DRY 79 WET 60 PRES 24.65

MPG 14.28

TEST C1060 DATE 3/13/74

DRY 70 WET 51 PRES 24.59

MPG 14.77

[illegible]

AS RECEIVED

AFTER MAINTENANCE

TEST C0283 DATE 9/11/73

DRY 72 WET 62 PRES 24.79

MPG 14.81

TEST	CO309	DATE	9/12/73
1	100	100	100
2	100	100	100
3	100	100	100
4	100	100	100
5	100	100	100
6	100	100	100
7	100	100	100
8	100	100	100
9	100	100	100
10	100	100	100
11	100	100	100
12	100	100	100
13	100	100	100
14	100	100	100
15	100	100	100
16	100	100	100
17	100	100	100
18	100	100	100
19	100	100	100
20	100	100	100
21	100	100	100
22	100	100	100
23	100	100	100
24	100	100	100
25	100	100	100
26	100	100	100
27	100	100	100
28	100	100	100
29	100	100	100
30	100	100	100
31	100	100	100
32	100	100	100
33	100	100	100
34	100	100	100
35	100	100	100
36	100	100	100
37	100	100	100
38	100	100	100
39	100	100	100
40	100	100	100
41	100	100	100
42	100	100	100
43	100	100	100
44	100	100	100
45	100	100	100
46	100	100	100
47	100	100	100
48	100	100	100
49	100	100	100
50	100	100	100
51	100	100	100
52	100	100	100
53	100	100	100
54	100	100	100
55	100	100	100
56	100	100	100
57	100	100	100
58	100	100	100
59	100	100	100
60	100	100	100
61	100	100	100
62	100	100	100
63	100	100	100
64	100	100	100
65	100	100	100
66	100	100	100
67	100	100	100
68	100	100	100
69	100	100	100
70	100	100	100
71	100	100	100
72	100	100	100
73	100	100	100
74	100	100	100
75	100	100	100
76	100	100	100
77	100	100	100
78	100	100	100
79	100	100	100
80	100	100	100
81	100	100	100
82	100	100	100
83	100	100	100
84	100	100	100
85	100	100	100
86	100	100	100
87	100	100	100
88	100	100	100
89	100	100	100
90	100	100	100
91	100	100	100
92	100	100	100
93	100	100	100
94	100	100	100
95	100	100	100
96	100	100	100
97			

DRV 77 WET 60 PRES 24.65

MPG 16.90

YEST CLOS8 DATE 3/13/76

DRY 69 WET 50 PDES 24.69

405 13.79

VEH. NO. 129

PAGE 6A

MAKE CHEVROLET MODEL RISC YEAR 65 CYL. 8 CID 283 WEIGHT 3500 TRANS 1 FXH CTPL 2 EVAP CTPL 2 PCV 1

AS RECEIVED	IGLE CO	IGLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODON
AFTER MAINT	08.70	+0050	-14	+00	0	2	1	0	2	0	07359A
AFTER 6 MO	05.60	+0000	+00	+02	0	2	1	0	2	0	07359A
	05.90	+0050	-04	-14	0	1	1	0	2	0	096516

TAMP. 6 MO	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	CMD	PTQ	DST	CAP	DOV
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC 10.32	8.96	7.11	8.73
CO 160.7	164.3	136.5	155.8
C2 394.3	366.4	341.0	365.2
NX 2.50	1.31	1.96	1.74
IDLE LO CR	HI CR	2500	
HC 13746	5330	4515	
LH 617	654	546	
CO 9.41	5.69	4.47	
NX 025	616	1207	
HS 300	455	315	550
CS 9.20	5.20	4.20	4.40

AFTER MAINTENANCE

CT	CS	HT	1975
HC 8.27	6.72	5.33	6.66
CO 144.2	133.6	125.4	133.6
C2 394.0	377.0	339.7	370.2
NX 1.42	0.77	1.27	1.04
IDLE LO CR	HI CR	2500	
HC 6862	4167	3802	
LH 773	689	629	
CO 5.99	5.06	4.39	
NX 050	491	852	
HS 490	355	290	390
CS 5.70	4.80	4.20	5.70

AFTER 6 MONTHS

CT	CS	HT	1975
HC 12.02	10.08	9.31	10.27
CO 146.4	130.4	122.8	135.8
C2 427.4	400.5	363.1	395.7
NX 1.75	0.96	1.50	1.27
IDLE LO CR	HI CR	2500	
HC 8169	6317	5338	
LH 729	615	493	
CO 5.76	4.27	3.83	
NX 755	556	947	
HS 680	620	620	800
CS 5.60	4.30	4.40	5.00

TEST C0295 DATE 9/12/73
 DRY 71 WET 60 PRES 24.69
 MPG 13.97

TEST C0324 DATE 9/13/73
 DRY 78 WET 56 PRES 24.63
 MPG 14.92

TEST C1059 DATE 3/13/74
 DRY 69 WET 52 PRES 24.59
 MPG 13.81

VEH. NO. 130

PAGE 69

MAKE FORD

MODEL MUST YEAR 65 CYL. 6 CID 200 WEIGHT 2750 TRANS 3 FXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IDLE CO IDLE RPM
03.50 +0020
03.50 +0020
05.27 -0010

DWELL TIMING
-07
-07
-02

PCV A/C CHOKE A/P MIS NOX
1 1 1 0 1 0
1 1 1 0 1 0
1 1 1 0 2 0

0004
092515
092515
094277

TAMP. 6 MO

IG MS COIL SPOKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPY
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 9.70 8.66 5.60 6.03
CO 067.9 077.9 048.4 067.6
C2 309.2 295.0 272.2 291.6
NX 3.67 2.03 3.44 2.77

CT CS HT 1975
HC 5.70 4.66 5.60 8.03
CO 067.8 077.9 048.4 067.6
C2 309.2 295.0 272.2 291.6
NX 3.67 2.03 3.44 2.77

CT CS HT 1975
HC 8.18 8.51 6.51 7.89
CO 064.4 074.7 051.4 066.1
C2 291.1 285.1 272.1 282.7
NX 3.84 2.36 3.61 3.01

IDLE LO CR HI CR 2500
HC 5810 4998 4775
LH 544 562 561
CO 3.97 4.71 5.42
NX 061 529 922
HS 450 355 340 240
CS 3.80 4.50 5.00 3.50

IDLE LO CR HI CR 2500
HC 5810 4998 4775
LH 544 562 561
CO 3.97 4.71 5.42
NX 061 529 922
HS 450 355 340 240
CS 3.80 4.50 5.00 3.50

IDLE LO CR HI CR 2500
HC 9817 5546 5115
LH 829 519 413
CO 5.13 4.29 1.22
NX 051 596 3617
HS 100 480 320 500
CS 5.00 4.20 1.20 5.40

TEST C0297 DATE 9/12/73

TEST C0297 DATE 9/12/73

TEST C1063 DATE 3/15/74

DRY 71 WET 60 PRES 24.68

DRY 71 WET 60 PRES 24.68

DRY 69 WET 48 OPES 24.43

MPG 21.04

MPG 21.04

MPG 21.64

VEH. NO. 132

PAGE 70

MAKE VOLKSWAGON MODEL SED4 YEAR 65 CYL. 4 CIO 073 WEIGHT 2000 TRANS 4 FXH CTRL 2 EVAP CTRL 2 PRV 2

AS RECEIVED	INLE CO	INLE RPM	TIMING	INWELL	OCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	01.47	-0085	-01	-01	0	1	1	0	1	0	089782
AFTER 5 MO	05.40	+0575	-01	-02	0	1	1	0	2	0	089782
	07.20	+0125	-10	-15	0	1	1	0	2	0	088220

TAMP. 5 MO	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	DDV
	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC 5.56	6.02	4.38	5.47
CO 075.7	091.5	060.7	079.6
C2 243.0	226.7	210.4	225.6
NX 3.23	1.24	2.78	2.08
IDLE LO CR	HI CR	2500	
HC 12924	4315	3128	
LH 2042	518	440	
CO 1.76	4.61	1.91	
NX 072	1198	3889	
HS 1350	240	160	360
CS 1.50	4.20	1.80	8.10

AFTER MAINTENANCE

CT	CS	HT	1975
HC 4.95	6.83	4.41	5.77
CO 077.0	103.6	066.0	087.6
C2 232.5	209.2	197.0	210.7
NX 2.41	0.97	1.88	1.50
IDLE LO CR	HI CR	2500	
HC 7918	4068	3038	
LH 1143	707	566	
CO 6.00	5.15	2.37	
NX 052	986	2958	
HS 465	265	190	500
CS 5.60	4.70	2.35	9.30

AFTER 6 MONTHS

CT	CS	HT	1975
HC 4.22	4.59	3.57	4.23
CO 080.9	109.2	069.6	092.3
C2 263.6	259.5	222.9	250.2
NX 2.69	1.29	2.23	1.84
IDLE LO CR	HI CR	2500	
HC 8597	4215	3251	
LH 451	306	245	
CO 9.02	4.70	2.55	
NX 072	537	2243	
HS 500	400	390	560
CS 7.60	7.10	2.80	5.20

TEST C0296 DATE 9/12/73

DRY 69 WET 60 PRES 24.68

MPG 24.20

TEST C0325 DATE 9/13/73

DRY 78 WET 56 PRFS 24.63

MPG 24.30

TEST C1062 DATE 3/14/74

DRY 70 WET 48 PRES 24.15

MPG 21.80

MAKE OLDSMOBILE MODEL CUTL YEAR 65 CYL. 8 CIO 330 WEIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODJ4
AFTER MAINT	04.30	+0000	+07	+00	0	1	1	0	1	0	045665
AFTER 5 MO	04.30	+0000	+09	+00	0	1	1	0	1	0	045665
	05.91	+0160	+00	+04	0	1	1	0	2	0	048410

[illegible]

AS RECEIVED

	CT	CS	HT	1975
HC	3.56	6.58	6.32	6.92
CO	150.6	142.5	132.0	141.3
C2	456.8	433.7	390.9	426.7
NX	1.61	0.78	1.24	1.08

	HC	LH	CO	NX	HS	CS	TOLE	LO CR	HI CR	2500
							6865	4931	4554	
							859	754	679	
							4.53	5.35	5.15	
							057	424	764	
							500	410	310	265
							4.50	5.20	4.90	6.50

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	8.56	6.58	6.32	6.92
CO	150.6	142.5	132.0	141.3
C2	456.8	433.7	390.9	426.7
NX	1.61	0.78	1.24	1.08

	INLE	LO CP	HI CR	2500
HC	6865	4931	4554	
LH	859	754	679	
CO	4.53	5.35	5.15	
NX	057	424	764	
HS	500	410	310	265
CS	4.50	5.20	4.90	6.50

AFTER 6 MONTHS

	CT	CS	4T	1975
MC	7.93	7.14	6.44	7.11
CO	168.4	170.1	147.3	163.4
C2	431.8	391.5	355.5	389.9
NX	1.55	0.64	1.16	0.98

	HC	LH	GO	NX	HS	CS
IOL	6315	605	589	055	420	540
LO CR	5394	565	518	329	400	500
HI CR	4873	458	550	361	310	500
2500					440	620

TEST C0314 DATE 9/13/73
DRY 71 WET 56 PRES 24.73

MPG 13.28

TEST C0314 DATE 9/13/73
NRV 71 WFT 56 PRES 24.73

MPG 13.28

TEST C1061 DATE 3/14/74
DRY 70 WET 48 PRES 24.15

MPG 13.31

VEH. NO. 137

PAGE 73

MAKE CHEVROLET MODEL STAW YEAR 64 CYL. 8 CIO 327 WEIGHT 4500 TRANS 1 EXH CTRL 2 FVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IGLF CO	IDLF RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
01.87	+0200	+10	+04	2	2	1	0	1	0	071086
01.87	+0200	+10	+04	2	2	1	0	1	0	071086
07.04	+0050	+00	+02	1	1	1	0	2	0	074176

TAMP. 6 MO

IG WS	COIL	SPDKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PTR	DST	CAP	RPV
2	2	2	2	1	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975
HC 6.71	4.31	4.38	4.83
CO 120.2	067.1	083.1	082.7
C2 503.0	524.7	433.7	494.9
NX 4.44	4.45	3.85	4.29

IDLE LO CR	HI CR	2500
HC 5807	3256	3215
LH 833	521	500
CO 2.21	1.91	3.23
NX 117	2123	1997
HS 450	205	195
CS 2.00	1.90	0.90

CT	CS	HT	1975
HC 6.71	4.31	4.38	4.83
CO 120.2	067.1	083.1	082.7
C2 503.0	524.7	433.7	494.9
NX 4.44	4.45	3.85	4.29

IDLE LO CR	HI CR	2500
HC 5807	3256	3215
LH 833	521	500
CO 2.21	1.91	3.23
NX 117	2123	1997
HS 450	205	195
CS 2.00	1.90	0.90

CT	CS	HT	1975
HC 11.78	10.15	7.56	9.78
CO 128.5	110.8	109.7	114.2
C2 466.0	474.1	405.8	453.4
NX 3.24	3.64	2.83	3.33

IDLE LO CR	HI CR	2500
HC 13254	4379	4624
LH 1083	402	404
CO 9.07	2.93	4.26
NX 030	993	1165
HS 740	340	300
CS 7.00	3.00	4.10

TEST C0315 DATE 9/13/73

DRY 70 WET 54 PRES 24.73

MPG 13.92

TEST C0315 DATE 9/13/73

DRY 70 WET 54 PRES 24.73

MPG 13.92

TEST C1065 DATE 3/15/74

DPY 72 WET 49 PRES 24.43

MPG 13.42

MAKE OLDSMOBILE MODEL DYNA YEAR 66 CYL. 8 CID 425 WEIGHT 4500 TRANS 1 EXH CYCL 2 EVAP CYCL 2 PCV 1

AS RECEIVED	TOLE CO	INLF RPM	TYMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	0904
AFTER MAINT	00.75	-0060	+02	+01	1	2	1	0	2	0	04A553
AFTER 5 MO	07.04	+0000	+00	+00	1	1	1	0	2	0	04A553
	05.75	+0120	+02	+03	1	1	1	0	2	0	050741

TAMP.	5	MO
IG WS	2	2
COTL	2	2
SBRKS	2	2
AIR/F	2	2
A/C	2	2
F/WX S	2	2
INL/AJ	2	2
CHK	2	2
NYS AJ	2	2
PIS AJ	2	2
COND	2	2
RTR	2	2
DST CAP	2	2
RDV	2	2

AS RECEIVED

	CT	CS	HT	1975
MC	9.11	4.73	5.15	5.76
CO	208.5	099.4	113.3	126.1
C2	654.3	670.9	557.0	535.8
NX	1.88	1.44	1.88	1.65

AFTEO MAINTENANCE

	CT	CS	HY	1975
HC	11.20	9.76	7.52	9.64
CO	207.6	151.3	141.6	163.6
C2	549.3	501.0	445.2	495.7
NX	2.50	1.83	2.61	2.13

AFTER 5 MONTHS

	CT	CS	HT	1975
HC	45.97	35.32	33.89	37.15
CO	212.5	146.6	146.2	160.3
C2	479.3	454.7	394.5	441.3
NX	1.51	1.52	1.47	1.53

	TOLE	LO CR	HI CR	2500
MC	2965	3115	3511	
LH	450	464	496	
CO	0.85	1.96	4.25	
NX	115	634	767	
HS	130	140	173	105
CS	0.70	0.90	4.30	3.10

	IOLE	LO CP	HI CP	2530
MC	8110	4078	4228	
LH	890	556	541	
CO	8.16	3.23	6.47	
NX	930	1218	672	
HS	810	405	370	930
CS	7.40	3.30	6.60	5.20

	MC	LH	CO	NX	MS	CS
TOLE	14900	14932	6.30	046	2500	5.60
LO CO	14196	1952	3.13	1184	2500	7.40
HT CR	14649	1838	5.08	526	2500	4.90
						4.60

TFST C0327 DATE 9/14/73

DRY 70 WET 59 PRFS 24.80

MPG 10.45

TEST C0374 DATE 9/19/73

NPV 79 WFT 56 PRES 24.69

MPG 11.45

TEST C1069 DATE 3/19/74

DRY 68 WET 48 PRES 24.50

mpg : 0.99

VEH. NO. 142

PAGE 75

MAKE CHEVROLET MODEL NOVA YEAR 72 CYL. 8 CID 350 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IDLE CO IDLE RPM
01.30 +0000
03.03 +0000
01.37 +0100

DWELL
-04
+00
+01

A/C
2
1
1

CHOKE
1
1
1

A/P
0
0
0

MIS
2
2
2

NOX
0
0
0

0004
025592
025592
029174

IS WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP REV

2 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 6.73 3.80 3.20 4.25
CO 124.9 036.4 037.7 055.3
C2 578.1 594.4 497.7 564.2
NX 4.21 2.88 4.60 3.67

IDLE LO CR HI CR 2500
HC 2853 3028 2367
LH 530 603 490
CO 1.20 1.24 0.23
NX 161 1788 2956
HS 220 220 130 135
CS 1.50 1.39 0.25 1.60

CT CS HT 1975
HC 3.41 3.33 3.19 3.31
CO 068.6 054.5 058.2 058.4
C2 628.0 637.5 509.9 600.1
NX 2.87 1.75 2.34 2.14

IDLE LO CR HI CR 2500
HC 2900 2973 1755
LH 269 283 190
CO 3.19 2.28 0.45
NX 194 1045 1647
HS 225 220 090 130
CS 3.50 2.20 0.50 3.00

CT CS HT 1975
HC 4.46 3.39 2.47 3.36
CO 092.5 039.5 036.1 049.7
C2 514.8 535.7 430.0 502.0
NX 2.81 1.77 2.99 2.33

IDLE LO CR HI CR 2500
HC 1910 1721 1088
LH 340 310 170
CO 1.14 1.06 0.27
NX 116 1035 1960
HS 230 220 090 080
CS 0.90 1.40 0.20 1.40

TEST C0346 DATE 9/17/73

TEST C037A DATE 9/19/73

TEST C1074 DATE 3/21/74

DRY 72 WET 56 PRES 24.92

DRY 82 WET 55 PRES 24.68

DRY 72 WET 50 PRES 24.52

MPG 13.40

MPG 12.68

MPG 15.04

VEH. NO. 143

PAGE 76

MAKE	FORD	MODEL	MUST	YEAR	66	CYL.	8	GID	289	WEIGHT	3000	TRANS	1	EXH	CTRL	2	EVAP	CTRL	2	PCV	1
AS RECEIVED		IGLE CO	TOLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM									
AFTER MAINT		03.40	-0135	-06	-02	1	1	1	0	2	0	038659									
AFTER 5 MO		02.34	+0000	+00	+00	1	1	1	0	2	0	038659									
		04.63	-0050	+00	+00	1	1	1	0	2	0	041130									

TAMP.	6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
		IG MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	INL/AJ	CHK	DIST	AJ	PTS	AJ	CJND	RTR	NST	CAP	QPV		

AS RECEIVED

CT	CS	HT	1975
HC 11.01	8.47	5.67	6.22
CO 110.0	089.3	053.6	083.7
C2 459.4	416.4	400.9	421.1
NX 3.16	3.00	3.97	3.30

AFTER MAINTENANCE

CT	CS	HT	1975
HC 10.82	7.73	5.82	7.85
CO 106.6	074.0	046.1	073.1
C2 447.4	418.6	398.7	419.1
NX 3.50	3.62	4.20	3.76

AFTER 5 MONTHS

CT	CS	HT	1975
HC 9.54	8.14	6.13	7.87
CO 100.0	089.3	059.4	080.8
C2 445.8	396.0	376.9	401.1
NX 3.67	3.62	5.05	4.93

TEST C0340 DATE 9/17/73
 DRY 70 WET 58 PRES 24.83

MPG 15.39

TEST C0400 DATE 9/21/73
 DRY 73 WET 52 PRES 24.65

MPG 15.94

TEST C1072 DATE 3/20/74
 DRY 74 WET 50 PRES 24.70

MPG 16.11

VEH. NO. 147

MAKE CHEVROLET MODEL IMPA YEAR 70 CYL. 8 CID 350 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPPKS	AIR/F	A/C	F/MX	S	IDL/AJ	C4K	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP.	6	MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

	IG	MS	COIL	SPPKS	AIR/F	A/C	F/MX	S	IDL/AJ	C4K	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
AS RECEIVED	06.07	+0050	+0000	+0000	+00	+02	1	2	1	0	1	0	0	0	080466				
AFTER MAINT	01.97	+0000	+0000	+00	+00	+00	1	1	1	0	2	0	0	0	080466				
AFTER 5 MO	06.50	+0080	+0000	+00	+00	+00	1	1	1	0	2	0	0	0	085794				

AS RECEIVED

	CT	CS	HT	1975
HC	11.61	7.88	5.01	8.14
CO	104.0	104.0	082.6	116.0
C2	548.0	573.9	455.8	535.7
NX	1.97	2.26	2.34	2.22

	IDLE	LO	CR	HI	CR	2500
HC	6254	3340	3584			
LH	863	532	549			
CO	6.82	1.36	3.52			
NX	153	1700	1297			
HS	800	230	250	115		
CS	6.30	1.60	3.50	1.40		

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	11.93	3.77	3.95	5.53
CO	221.2	055.5	068.6	093.8
C2	499.8	595.9	478.5	543.2
NX	1.21	1.85	1.98	1.75

	IDLE	LO	CR	HI	CR	2500
HC	3557	2272	3101			
LH	539	446	501			
CO	2.17	0.24	2.49			
NX	146	822	1366			
HS	280	120	200	062		
CS	2.00	0.25	2.50	0.50		

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	41.61	5.74	5.49	13.10
CO	336.5	116.8	112.6	161.6
C2	556.2	574.3	508.2	552.2
NX	0.99	1.70	2.03	1.65

	IDLE	LO	CR	HI	CR	2500
HC	5007	3195	3731			
LH	468	281	333			
CO	6.46	1.61	3.58			
NX	073	1130	1109			
HS	400	200	220	080		
CS	6.00	1.60	3.50	1.30		

TEST C0345 DATE 9/17/73

• DRY 70 WFT 56 PRES 24.87

MPG 11.98

TEST C0493 DATE 10/01/73

DPY 76 WFT 54 PRES 24.70

MPG 12.59

TEST C1025 DATE 4/01/74

DPY 69 WFT 50 PRES 24.47

MPG 10.51

VEH. NO. 148

PAGE 78

MAKE PLYMOUTH MODEL SATE YEAR 72 CYL. 8 CTR 400 WFIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND PTR DST CAP QPV

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND PTR DST CAP QPV

TAMP. 6 MO

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND PTR DST CAP QPV

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 8.62 5.60 4.52 5.93
CO 184.3 142.5 103.3 140.4
C2 530.2 538.0 472.5 518.2
NX 1.91 1.29 2.17 1.66
IDLE LO CR HI CP 2500
HC 4666 3285 3250
LH 517 475 462
CO 7.27 2.76 3.29
NX 055 960 1533
HS 389 270 255 130
CS 6.50 2.80 3.40 3.00

CT CS HT 1975
HC 7.82 4.24 4.75 5.13
CO 168.8 099.6 107.6 110.6
C2 537.3 577.7 463.8 537.7
NX 2.14 1.58 2.25 1.88
IDLE LO CR HI CR 2500
HC 3317 3801 5403
LH 329 420 595
CO 3.31 3.84 11.38
NX 070 888 114
HS 180 250 349 150
CS 3.20 3.70 20.00 3.60

CT CS HT 1975
HC 8.72 4.04 3.84 4.96
CO 148.3 084.3 079.5 096.4
C2 523.8 586.1 484.6 544.9
NX 2.01 1.64 2.34 1.91
IDLE LO CR HI CR 2500
HC 3053 2344 3836
LH 270 187 304
CO 2.43 0.37 3.47
NX 070 912 1063
HS 200 130 200 090
CS 2.40 0.40 3.40 2.50

TEST C0357 DATE 9/18/73

TEST C0403 DATE 9/21/73

TEST C1056 DATE 1/18/74

DRY 71 WET 51 PRES 24.79

DRY 79 WET 56 PRES 24.65

DRY 6A WET 51 PRES 24.58

MPG 11.76

MPG 12.24

MPG 12.51

VEH. NO. 149

PAGE 79

MAKE FORD

MODEL GALA YEAR 56 CYL. 8 CID 352 WEIGHT 4000 TRANS 1 FXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/NX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	PPV
TAMP.	5	MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

	AS RECEIVED	INLE CO	INLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	06.60	+0060	+10	-04	1	1	1	1	0	2	0	078274
AFTER MAINT	03.70	+0000	+00	+00	1	1	1	1	0	2	0	078274
AFTER 5 MO	10.60	+0000	+00	+02	1	1	1	1	0	2	0	092799

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	10.66	8.78	6.57	8.56	11.20	10.10	6.07	9.21	14.89	15.14	9.81	13.61
CO	129.6	136.5	095.2	123.6	112.2	099.3	062.5	091.8	137.8	176.9	110.7	150.4
C2	518.1	478.2	440.1	476.0	461.4	434.3	406.6	432.3	503.1	475.0	463.1	477.6
NX	4.39	3.59	3.72	3.80	2.96	3.28	3.68	3.32	2.67	2.41	3.04	2.64
INLE LO CR	3610	3740	3740	3740	5679	4123	3664	3664	12484	4570	3727	3727
LH	751	610	630	630	1191	644	550	550	748	414	302	302
CO	6.85	2.15	2.31	2.31	7.13	1.18	0.98	0.98	11.32	2.37	1.89	1.89
NX	092	1727	2330	2330	070	2289	2813	2813	017	1342	1902	1902
HS	505	410	300	210	320	275	210	270	650	385	250	240
CS	7.20	2.60	2.55	3.00	4.00	1.10	0.80	1.80	9.60	2.40	1.80	4.10

TEST C0744 DATE 9/17/73

TEST C0472 DATE 9/28/73

TEST C1077 DATE 3/25/74

DRY 70 WET 56 PRFS 24.86

DRY 70 WET 55 PRES 24.85

DRY 73 WET 52 PRFS 24.53

MPG 12.78

MPG 14.71

MPG 11.77

VEH. NO. 153

PAGE 00

MAKE CHEVROLET MODEL RFLA YEAR 65 CYL. 8 CID 283 WEIGHT 4000 TRANS 1 FX4 CTPL 2 EVAP CTPL 2 PCV 2

INLF CO INLF RCM TIMING DWELL PCV A/C CHOKE A/P MTS NOX ODOM

AS RECEIVED 02.40 +0000 +00 0 2 1 0 2 0 130460
 AFTER MAINT 02.36 +0000 +00 0 1 1 0 2 0 130460
 AFTER 6 MO 01.90 -0030 +00 0 1 1 0 2 0 133737

IG WS COIL SPKRS AIR/F A/C F/MX S IDL/AJ CHK NIST AJ PIS AJ COND RTR DST CAP QPV
 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
 HC 11.44 8.51 7.77 8.92
 CO 151.3 160.5 141.5 153.3
 C2 419.8 394.9 349.6 367.4
 NX 1.91 0.62 1.18 1.02
 INLF LO CR HI CR 2500
 HC 5367 5454 5891
 LH 776 776 783
 CO 2.65 4.72 7.52
 NX 0.85 4.28 4.06
 HS 700 640 620 550
 CS 2.75 4.70 8.00 5.00

AFTER MAINTENANCE

CT CS HT 1975
 HC 12.38 8.70 7.56 9.15
 CO 191.8 188.9 161.0 181.8
 C2 434.6 397.3 350.3 392.1
 NX 1.49 0.51 1.03 0.86
 IDLE LO CR HI CR 2500
 HC 4712 4939 6306
 LH 651 617 692
 CO 2.56 5.76 10.75
 NX 0.77 1.97 2.02
 HS 580 520 575 550
 CS 2.50 5.70 20.00 5.60

AFTER 6 MONTHS

CT CS HT 1975
 HC 11.93 8.48 7.66 8.79
 CO 167.3 175.7 151.6 167.3
 C2 432.2 403.2 352.1 395.1
 NX 1.25 0.40 0.72 0.57
 IDLE LO CR HI CR 2500
 HC 4510 5495 5899
 LH 507 553 543
 CO 1.59 4.44 6.90
 NX 0.73 4.16 3.12
 HS 480 500 460 560
 CS 2.00 4.40 6.50 5.70

TEST C0370 DATE 9/19/73

DRY 72 WET 56 PRES 24.67

MPG 13.57

TEST C0425 DATE 3/24/73

DRY 75 WET 51 PRES 24.48

MPG 12.61

TEST C1075 DATE 3/25/74

DRY 70 WET 50 PRES 24.53

MPG 12.99

VEH. NO. 154

PAGE 81

MAKE VOLKSWAGON MODEL SED4 YEAR 68 CYL. 4 CID 091 WEIGHT 2000 TRANS 1 EXH CTPL 1 EVAP CTRL 2 PCV 2

	INLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHKE	A/P	MIS	NOX	0704
AS RECEIVED	08.90	-0260	+02	+00	0	1	1	0	2	0	050486
AFTER MAINT	10.20	+0050	+09	+00	0	1	1	0	2	0	050486
AFTER 6 MO	04.95	+0100	+03	+01	0	1	1	0	2	0	054367

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	PPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	11.67	19.72	10.70	15.53
CO	113.7	164.8	106.2	137.8
C2	250.0	202.7	207.3	213.9
NX	2.11	0.70	1.42	1.19

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	9.43	16.23	10.11	13.11
CO	115.5	191.8	120.5	150.9
C2	260.8	217.0	228.4	229.3
NX	2.92	0.88	1.88	1.59

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	3.72	2.26	2.66	2.68
CO	054.8	039.8	053.7	046.8
C2	305.4	290.9	255.3	284.1
NX	3.46	2.22	2.38	2.53

TEST C0371 DATE 9/13/73

DRY 70 WET 52 PRFS 24.68

MPG 18.57

TEST C0394 DATE 7/20/73

DRY 78 WET 56 PPES 24.58

MPG 17.54

TEST C1071 DATE 3/20/74

DRY 69 WET 47 PPES 24.70

MPG 24.33

	IDLE	LO	CP	HI	CR	2500
HC	32148	6234	4715			
LH	2500	862	617			
CO	10.72	7.41	5.47			
NX	016	777	1307			
HS	2500	710	440	890		
CS	20.00	8.10	5.60	20.00		

	IDLE	LO	CP	HI	CR	2500
HC	29266	4905	3770			
LH	2500	552	418			
CO	11.95	4.64	6.01			
NX	014	1513	1240			
HS	2500	530	340	2500		
CS	20.00	4.70	6.10	20.00		

	IDLE	LO	CR	HI	CR	2500
HC	5109	3468	3114			
LH	466	333	252			
CO	4.98	2.85	3.56			
NX	065	1992	2067			
HS	400	300	220	490		
CS	4.40	2.40	3.00	3.20		

VEH. NO. 156

PAGE 82

MAKE VOLKSWAGON MODEL SED4 YEAR 71 CYL. 4 CID 097 WEIGHT 2000 TRANS 4 EXH CTPL 1 EVAP CTRL 2 PCV 2

INLE CO INLE R/W TIMING JWEILL PCV A/C CHOKE A/P MIS NOX ODOY

AS RECEIVED
AFTER MAINT
AFTER 5 MO

03.99
03.58
03.06

-0055
+0000
+0400

024425
024425
027405

IG MS COIL SPRKS AIR/F A/C F/MX S INL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
HC 4.73 3.61 3.62 3.85
CO 060.4 073.8 053.9 065.5
C2 288.7 291.8 252.5 280.2
NX 3.02 1.49 2.63 2.09

INLE LO CR HI CR 2500
HC 4240 3281 2859
LH 441 381 342
CO 4.66 3.78 2.39
NX 072 991 2298
HS 335 270 210 160
CS 4.10 3.90 2.50 1.90

AFTER MAINTENANCE

CT CS HT 1975
HC 5.90 3.95 4.16 4.42
CO 076.9 072.2 056.9 068.9
C2 293.7 296.1 252.5 283.5
NX 2.62 1.46 2.36 1.95

INLE LO CR HI CR 2500
HC 4735 3429 2978
LH 528 405 368
CO 4.14 3.20 2.56
NX 069 993 1872
HS 330 235 210 135
CS 3.80 3.20 3.00 1.20

AFTER 6 MONTHS

CT CS HT 1975
HC 5.57 3.98 3.26 4.11
CO 066.8 070.4 052.0 064.5
C2 292.4 328.9 278.2 307.2
NX 3.17 2.19 2.46 2.58

IDLE LO CR HI CR 2500
HC 4724 2895 2319
LH 423 296 246
CO 3.19 2.59 1.95
NX 063 1597 2619
HS 380 240 190 240
CS 3.00 2.80 1.60 4.00

TEST C0195 DATE 9/20/73

DRY 71 WET 56 PRFS 24.70

MPG 22.54

TEST C0436 DATE 9/25/73

DRY 70 WET 52 PRFS 24.44

MPG 21.95

TEST C1076 DATE 3/25/74

DRY 72 WET 53 PRFS 24.53

MPG 21.13

MAKE OLDSMOBILE MODEL STAW YEAR 70 CYL. 8 CIO 455 WEIGHT 4500 TRANS 1 FWH CYOL 1 EVAP CIOPL 2 PCV 2

[illegible]

AS RECEIVED	01.50	-0005	-02	+01	2	1	0	2	0	033747
AFTER MAINT	01.50	-0005	-02	+01	2	1	0 <td>2</td> <td>0</td> <td>033747</td>	2	0	033747
AFTER 6 MO	01.44	+0020	+02	-02	1	1	0	2	0	036400

[illegible]

AS DEFECTIVE

	CT	CS	WT	1975
HC	6.69	4.89	4.41	5.13
CO	091.2	067.5	056.3	069.3
C2	734.8	698.9	630.9	687.5
NX	5.05	3.44	4.97	4.20

TEST COPY 7AYF 9/29/77

NAVY 71 WET 54 PRES 24.70

4PG 10.96

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	6.69	4.99	4.41	5.13
CO	091.2	067.5	056.3	069.3
C2	734.8	698.9	630.9	687.5
NY	5.05	3.44	4.97	4.20

	INLE	LO CP	HI CR	2500
HC	3004	3307	2903	
LH	277	383	311	
CO	1.60	1.60	1.03	
NX	080	1410	2172	
HS	180	240	162	080
CS	1.90	1.80	1.10	1.50

TEST CASE 7 DATE 7/20/73

NOV 71 WET 54 DECS 24.70

MPG 10.96

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.16	4.60	4.00	4.76
CO	110.9	052.0	053.7	065.2
C2	680.2	701.7	591.0	666.7
NX	3.86	3.81	4.75	4.08

VFST C1069 DATE 8/18/74

DRY 72 WET 51 DOFS 24.58

495 11.36

VEH. NO. 161

PAGE 84

MAKE MERCURY MODEL COUG YEAR 69 CYL. 4 CID 351 WEIGHT 3500 TRANS 1 EX4 CYRL 1 EVAP CTPL 2 PCV 1

AS RECEIVED
 AFTER MAINT
 AFTER 6 MO

TOLFC CO 00.30
 TOLFC CO 01.20
 TOLFC CO 01.70

TOLFC ROW -0050
 TOLFC ROW +0000
 TOLFC ROW +0075

TIMING -05
 TIMING +00
 TIMING +00

DWELL +00
 DWELL +00
 DWELL +00

PCV 1
 PCV 1
 PCV 1

A/C 2
 A/C 2
 A/C 2

A/C 2
 A/C 2
 A/C 2

CHOKE 1
 CHOKE 1
 CHOKE 1

A/P 0
 A/P 0
 A/P 0

MJS 2
 MJS 2
 MJS 2

NOX 0
 NOX 0
 NOX 0

ODOM 047191
 ODOM 047191
 ODOM 049753

IG MS 2
 COIL 2
 SPPKS 2

AIR/F 2
 A/C 2
 F/MX S 2

IDL/AJ 2
 IDL/AJ 2
 IDL/AJ 2

CHK 2
 DIST AJ 2
 PYS AJ 2

COND 2
 PTR 2
 NST CAP 2

6 MO 2
 6 MO 2
 6 MO 2

AS RECEIVED

CT CS HT 1975
 HC 6.16 3.96 3.97 4.43
 CO 053.9 026.1 019.7 027.0
 C2 547.2 548.8 479.8 529.3
 NX 5.54 4.34 5.94 5.06

IDLE LO CR HI CR 2500
 HC 2747 3523 3740
 LH 324 420 435
 CO 0.37 0.23 0.81
 NX 233 2387 3327
 HS 190 240 260 100
 CS 0.45 0.25 0.85 0.45

AFTER MAINTENANCE

CT CS HT 1975
 HC 6.93 4.62 4.57 5.09
 CO 040.9 019.9 016.6 023.4
 C2 558.2 535.4 478.6 524.4
 NX 7.74 5.06 5.25 5.39

IDLE LO CR HI CR 2500
 HC 3362 4103 3980
 LH 315 596 576
 CO 1.37 0.18 0.54
 NX 092 2944 5013
 HS 190 285 285 100
 CS 1.40 0.17 0.50 0.45

AFTER 6 MONTHS

CT CS HT 1975
 HC 6.07 4.32 3.93 4.58
 CO 054.5 029.4 022.5 032.8
 C2 529.3 526.7 468.2 511.0
 NX 5.18 4.57 5.74 5.07

IDLE LO CR HI CR 2500
 HC 3929 3669 3757
 LH 427 372 361
 CO 0.56 0.17 0.92
 NX 170 2895 3046
 HS 310 265 260 075
 CS 1.60 0.18 0.90 0.40

TEST C0397 DATE 9/21/73
 DRY 70 WET 55 ORFS 24.56

MPG 15.20

TEST C0451 DATE 9/26/73
 DRY 71 WET 53 PRES 24.45

MPG 15.43

TEST C1073 DATE 3/26/74
 DRY 72 WET 56 PRES 24.63

MPG 15.44

VEN. NO. 166

PAGE 05

MAKE VOLKSWAGON MODEL SEDAN YEAR 70 CYL. 4 CID 097 WEIGHT 2000 TRANS 4 EXH CTPL 1 EVAP CTRL 2 PCV 2

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	NOX	ONNM
AS RECEIVED	04.20	-0060			+05	+00	0	1	1	1	0	2	0	0	012474
AFTER MAINT	06.74	+0000			+00	+00	0	1	1	1	0	2	0	0	012474
AFTER 5.40	07.70	+0100			+00	+00	0	1	1	1	0	2	0	0	014485

TAMP.	6	MO	2	2	2	1	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975
HC	5.35	6.21	5.28
CO	076.4	063.6	069.0
C2	301.3	339.3	255.4
NX	2.64	1.87	2.24

CT	CS	HT	1975
HC	7.80	6.51	4.84
CO	098.3	073.6	072.5
C2	269.1	287.7	240.7
NX	1.92	1.40	1.59

CT	CS	HT	1975
HC	5.73	6.55	4.91
CO	069.1	081.4	063.8
C2	300.3	321.3	271.3
NX	2.33	1.57	1.92

IDLE	LO	CR	HI	CR	2500
HC	8898	2754	2993		
LH	745	265	307		
CO	4.45	1.61	3.06		
NX	051	1172	2276		
HS	200	205	210		180
CS	4.50	1.75	3.10		1.60

IDLE	LO	CP	HI	CR	2500
HC	14020	3520	3504		
LH	2242	706	674		
CO	8.92	2.11	4.08		
NX	033	928	1731		
HS	1350	210	210		300
CS	7.00	2.10	4.00		3.20

IDLE	LO	CR	HI	CR	2500
HC	13322	3008	2738		
LH	799	273	270		
CO	8.51	1.91	2.47		
NX	025	1130	2075		
HS	695	210	190		150
CS	8.80	2.00	2.40		2.90

TEST C0413 DATE 9/24/73

DRY 72 WET 54 PRES 24.49

MPG 20.54

TEST C0468 DATE 9/27/73

DRY 70 WET 54 PRES 24.94

MPG 21.51

TEST C1041 DATE 3/27/74

DRY 69 WET 50 PRES 24.62

MPG 20.34

VEH. NO. 1A8

PAGE 86

MAKE VOLKSWAGON MODEL SED4 YEAR 66 CYL. 4 CID 178 WEIGHT 2000 TRANS 4 EXH CTRL 2 EVAP CTRL 2 PCV 2

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	PIR	DST	CAP	RPV
TAMP.	6	MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

	AS RECEIVED	AFTER MAINT	AFTER 6 MO
AS RECEIVED	09.30	+0465	
AFTER MAINT	04.30	+0325	
AFTER 6 MO	09.40	+0075	

AS RECEIVED

	CT	CS	HT	1975
HC	9.37	12.27	8.16	10.31
CO	102.9	130.5	099.9	116.2
C2	246.6	251.5	233.3	245.4
NX	3.33	1.59	2.61	2.23

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.22	8.25	5.42	7.25
CO	088.3	094.1	078.4	089.5
C2	248.1	236.0	205.8	230.2
NX	2.83	1.46	2.10	1.92

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	13.11	16.21	11.15	14.16
CO	113.2	140.6	111.0	126.7
C2	221.7	238.9	214.6	228.6
NX	1.04	0.63	0.86	0.78

TEST C0415 DATE 9/24/73
 DRY 70 WET 57 PRES 24.51

MPG 19.34

TEST C0437 DATE 9/25/73
 DRY 70 WET 52 PRES 24.44

MPG 22.71

TEST C1088 DATE 3/28/74
 DRY 69 WET 50 PRES 24.56

MPG 18.85

	CT	CS	HT	1975
HC	13235	4488	3831	
LH	1039	501	400	
CO	10.37	5.37	4.15	
NX	026	1365	2286	
HS	860	380	290	429
CS	9.20	5.20	4.00	7.60

	CT	CS	HT	1975
HC	5457	4428	3633	
LH	504	508	445	
CO	4.92	6.54	3.96	
NX	056	635	2526	
HS	365	335	260	340
CS	4.90	6.20	3.90	5.50

	CT	CS	HT	1975
HC	25579	6949	5716	
LH	1452	588	514	
CO	9.93	9.12	6.29	
NX	031	035	617	
HS	1900	550	420	550
CS	9.00	7.60	6.00	8.60

VEH. NO. 170

PAGE 87

MAKE FORD

MODEL MUST YEAR 66 CYL. 8 CID 289 WEIGHT 3000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	INLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	09.50	+0000	+01	+00	1	1	1	0	2	0	041054
AFTER MAINT	02.70	+0000	+00	+00	1	1	1	0	2	0	041054
AFTER 5 MO	05.10	+0000	+00	+00	1	1	1	0	1	0	047553

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IOLE/AJ	CHK	DIST AJ	PTS AJ	COMP	RTQ	DST CAP	REV
TAMP. 5 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	12.59	11.54	3.13	10.81
CO	152.1	151.3	087.0	133.6
C2	403.2	399.7	179.2	394.7
NX	1.47	1.50	2.74	1.94

	CT	CS	HT	1975
HC	9.95	6.82	5.21	7.03
CO	135.2	101.7	060.6	097.3
C2	390.5	424.5	374.3	403.5
NX	1.93	2.00	1.01	2.27

	CT	CS	HT	1975
HC	8.95	6.69	4.82	6.64
CO	143.5	116.8	069.7	109.4
C2	402.8	393.4	364.0	387.2
NX	1.43	1.01	1.60	1.26

TEST C0432 DATE 9/25/73

DRY 70 WET 53 PRES 24.49

MPG 13.94

TEST C0452 DATE 9/26/73

DRY 69 WET 52 PRES 24.88

MPG 15.33

TEST C1080 DATE 3/26/74

DRY 76 WET 53 PRES 24.63

MPG 15.36

	LO CR	HI CR	2500
HC	8452	4350	3940
LH	724	542	476
CO	9.69	2.00	2.24
NX	027	1308	1789
HS	540	390	300
CS	9.10	2.10	2.20

	LO CR	HI CR	2500
HC	4062	4308	3977
LH	529	618	556
CO	3.12	1.45	1.63
NX	043	1316	2561
HS	325	365	285
CS	3.00	1.55	1.80

	LO CR	HI CR	2500
HC	12132	4674	4033
LH	1455	464	359
CO	5.13	1.98	2.39
NX	050	907	1312
HS	1050	325	240
CS	4.10	1.70	2.20

VEH. NO. 171

PAGE 88

MAKE FORM

MODEL STAN YEAR 65 CYL. 8 CID 289 WEIGHT 4500 TRANS 1 EXH CYCL 2 EVAP CYCL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
04.80 +0020 -03 +03 1 1 1 0 2 0 0 371092
03.05 +0000 +00 +00 1 1 1 0 2 0 0 371092
05.70 +0050 +02 +00 1 1 1 0 2 0 0 073888

TAMP. 6 MO

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ CONN PTR OST CAP RPY
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
HC 17.03 13.84 10.72 13.64
CO 190.7 155.8 132.6 156.7
C2 486.1 477.8 450.2 471.9
NX 2.11 1.99 2.54 2.17
IDLE LO CR HI CR 2500
HC 6219 5411 5347
LH 844 768 704
CO 4.83 3.61 6.46
NX 972 1000 445
HS 770 600 470 520
CS 4.00 3.70 6.50 4.60

AFTER MAINTENANCE

CT CS HT 1975
HC 18.22 13.74 10.46 13.77
CO 199.3 143.6 115.9 147.6
C2 478.3 459.7 457.9 463.1
NX 2.45 2.22 3.64 2.66
IDLE LO CR HI CR 2500
HC 7212 6154 4762
LH 913 801 569
CO 3.42 3.15 1.78
NX 860 1347 2372
HS 780 575 310 390
CS 3.60 3.40 1.90 4.40

AFTER 6 MONTHS

CT CS HT 1975
HC 15.05 12.40 8.65 11.91
CO 158.1 132.5 101.9 129.4
C2 456.7 457.7 425.1 448.5
NX 2.06 1.95 2.57 2.15
IDLE LO CR HI CR 2500
HC 10235 6249 4494
LH 1108 546 394
CO 5.73 3.01 2.35
NX 853 1086 1640
HS 920 610 380 600
CS 5.20 3.00 2.20 4.10

TEST C0427 DATE 9/25/73

DRY 72 WET 56 PRES 24.48

MPG 11.70

TEST C0477 DATE 9/28/73

DRY 71 WET 56 PRES 24.86

MPG 12.06

TEST C1078 DATE 3/26/74

DRY 68 WET 49 PRES 24.63

MPG 12.92

VEH. NO. 172

PAGE 89

MAKE CHEVROLET MODEL IMPA YEAR 64 CYL. 4 CID 283 WEIGHT 3500 TRANS 1 EXH CTR 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	OST	CAP	POV
TAMP.	6	MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
AS RECEIVED	IGLE	CO	IOLE	RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	3004						
AFTER MAINT	03.20		+0290		+12	-06	0	2	1	0	2	0	110629						
AFTER 6 MO	04.41		+0000		+00	+00	0	1	1	0	2	0	110629						
	05.10		+0075		+02	+01	0	1	1	0	1	0	112949						

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975							
HC	17.08	14.01	11.81	14.04	HC	16.24	12.20	10.03	12.44	HC	18.63	16.20	12.87	15.79				
CO	201.6	210.2	174.2	198.4	CO	224.8	226.2	175.8	211.9	CO	221.1	256.1	189.4	230.3				
C2	354.4	334.9	309.4	331.9	C2	372.9	329.8	308.3	332.8	C2	348.3	327.8	288.2	321.1				
NX	1.37	0.56	1.11	0.93	NX	0.99	0.38	0.81	0.62	NX	0.75	0.31	0.59	0.48				
IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	IOLE	LO	CR	HI	CR	2500	
HC	6684	6724	5890		HC	8481	6562	5307		HC	11731	9241	8331		HC	11731	9241	8331
LH	847	807	717		LH	801	748	602		LH	1239	968	847		LH	1239	968	847
CO	3.91	7.34	6.08		CO	5.65	9.06	5.82		CO	6.13	8.70	5.73		CO	6.13	8.70	5.73
NX	127	414	833		NX	049	143	677		NX	048	122	424		NX	048	122	424
HS	670	680	540	1000	HS	550	420	350	650	HS	720	775	750	1000	HS	720	775	750
CS	3.30	7.40	5.00	9.00	CS	5.00	3.40	5.80	20.00	CS	4.60	8.00	5.40	20.00	CS	4.60	8.00	5.40

TEST C0428 DATE 9/25/73

DRY 72 WET 51 PRES 24.58

MPG 12.95

TEST C0478 DATE 9/28/73

DRY 70 WET 54 PRES 24.86

MPG 12.53

TEST C1084 DATE 3/27/74

DRY 68 WET 50 PRES 24.56

MPG 12.16

VEH. NO. 175

PAGE 98

MAKE CHEVROLET MODEL NOVA YEAR 72 CYL. 8 CIP 350 WEIGHT 3500 TRANS 1 EXH CTOL 1 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IG MS 2 2
COIL 2 2
SPRKS 2 2
AIR/F 2 2
A/C 1 1
F/MX S 2 2
INL/AJ 2 2
CHK 2 2
DIST AJ 2 2
PTS AJ 2 2
COND RTR 2 2
DST CAP 2 2
POV 1 2

NOX 0 0 0
MIS 2 2 2
A/P 1 1 0
CHOKE 1 1 1
A/C 2 1 1
PCV 1 1 1
DWELL +01 +00 +02
TIMING +00 +00 +00

NOX 0 0 0
MIS 2 2 2
A/P 1 1 0
CHOKE 1 1 1
A/C 2 1 1
PCV 1 1 1
DWELL +01 +00 +02
TIMING +00 +00 +00

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 6.90 4.96 4.63 5.28
CO 894.9 865.7 859.8 870.2
C2 555.9 546.3 477.1 529.1
NX 3.72 2.40 3.87 3.04

INLE LO CR HI CR 2500
HC 4411 4106 3577
LH 556 541 463
CO 2.94 2.01 0.98
NX 101 169 2638
HS 395 350 270 1A5
CS 3.00 2.60 1.15 2.60

CT CS HT 1975
HC 6.50 4.06 4.03 4.56
CO 129.9 874.7 867.0 884.1
C2 536.7 561.0 474.4 531.9
NX 2.21 1.70 2.61 2.06

INLE LO CR HI CR 2500
HC 4254 3621 3240
LH 653 643 580
CO 4.30 2.88 1.65
NX 883 934 1740
HS 210 160 110 085
CS 3.40 2.50 1.40 2.50

CT CS HT 1975
HC 6.72 4.62 4.21 4.94
CO 118.1 877.8 867.2 883.3
C2 549.0 563.9 485.2 539.2
NX 2.17 1.62 2.46 1.97

INLE LO CR HI CR 2500
HC 4928 4310 3102
LH 396 298 154
CO 3.79 2.19 1.26
NX 869 979 1642
HS 1060 540 590 380
CS 2.70 1.20 0.90 1.70

TEST C0443 DATE 9/26/73

TEST C0596 DATE 10/10/73

TEST C1097 DATE 4/09/74

DRY 70 WET 53 PRES 24.77

DRY 72 WET 52 PRES 24.64

DRY 74 WET 56 PRES 24.33

MPG 13.58

MPG 13.13

MPG 12.99

VEH. NO. 177

PAGE 91

MAKE CHRYSLER MODEL NEWP YEAR 72 CYL. 8 CID 400 WEIGHT 4500 TRANS 1 EXH CYRL 1 EVAP CYRL 1 PCV 1

	IGLF CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	09.10	+0180	-02	+10	1	1	1	0	2	0	029493
AFTER MAINT	01.10	+0120	-10	+08	1	1	1	0	2	0	029493
AFTER 5 MO	01.60	-0020	-01	-01	1	1	1	0	2	0	032361

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	INL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP.	5	MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	27.89	48.60	21.07	36.63
CO	265.8	394.3	230.8	322.1
C2	453.2	423.6	415.9	427.7
NX	1.28	0.51	1.50	0.95

	IDLE	LO	CR	HI	CR	2500
HC	12879	5268	4088			
LH	1037	722	568			
CO	11.37	7.72	5.63			
NX	020	270	771			
HS	730	415	270	2500		
CS	9.50	7.80	5.60	20.00		

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.66	4.21	4.54	5.02
CO	129.2	055.1	068.6	074.3
C2	567.2	586.4	501.9	558.9
NX	3.14	2.36	3.55	2.85

	IDLE	LO	CR	HI	CR	2500
HC	3036	3081	3239			
LH	313	353	344			
CO	1.20	0.38	2.30			
NX	073	1861	2206			
HS	120	180	115	065		
CS	1.25	0.40	2.40	0.90		

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.88	4.94	4.51	5.23
CO	129.8	058.7	071.2	077.1
C2	592.7	614.6	522.7	584.5
NX	2.76	2.24	3.50	2.70

	IDLE	LO	CR	HI	CR	2500
HC	2633	3517	3156			
LH	282	342	264			
CO	1.71	1.77	2.51			
NX	069	1401	1578			
HS	190	270	190	105		
CS	1.50	1.70	2.50	1.75		

TEST C0445 DATE 9/26/73

DRY 70 WET 56 PRES 24.77

MPG 9.49

TEST C0480 DATE 9/28/73

DRY 70 WET 54 PRES 24.83

MPG 12.88

TEST C1082 DATE 3/27/74

DRY 72 WET 52 PRES 24.62

MPG 12.33

VEH. NO. 179

PAGE 92

MAKE CHEVROLET MODEL NOVA YEAR 73 CYL. 8 CID 307 WEIGHT 3500 TRANS 1 EXH CTPL 1 EVAP CTRL 1 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	PTR	DST	CAP	PPV
TAMP. 6 MO	2	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2
AS RECEIVED	01.16	-0200			+00	+01	1	1	1	1	0	2	1	1	017115				
AFTER MAINT	02.12	+0000			+00	+00	1	1	1	1	0	2	1	1	017115				
AFTER 5 MO	01.07	+0240			+01	-02	1	1	1	1	0	2	1	1	027457				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
MC 4.08	2.50	2.49	2.83	MC 7.19	2.96	2.80	3.80	MC 8.77	3.01	3.82	4.44
CO 084.8	056.7	067.7	065.6	CO 122.4	051.1	059.9	069.5	CO 160.4	079.4	103.0	102.9
C2 599.2	562.6	471.6	545.0	C2 630.4	593.8	533.5	584.7	C2 588.0	580.4	494.7	558.2
NX 1.91	1.32	1.44	1.48	NX 1.84	1.84	2.09	1.91	NX 1.82	1.37	1.39	1.47
IDLE LO CR HI CR	2500			IDLE LO CR HI CR	2500			IDLE LO CR HI CR	2500		
MC 0898	1919	1319		MC 3560	2567	1764		MC 3008	2655	2186	
LH 197	303	266		LH 424	335	293		LH 283	238	183	
CO 1.62	2.21	2.67		CO 3.03	1.08	1.87		CO 2.78	2.62	3.89	
NX 049	546	556		NX 087	1045	849		NX 149	417	346	
HS 020	040	030	020	HS 175	110	080	065	HS 070	060	050	040
CS 0.37	0.50	0.65	0.15	CS 1.60	0.65	1.21	0.17	CS 0.80	0.70	1.10	0.30

TEST C0708 DATE 10/22/73

DRY 70 WET 51 PRES 24.73

MPG 13.56

TEST C0615 DATE 10/11/73

DRY 74 WET 52 PRES 24.47

MPG 12.65

TEST C1104 DATE 4/15/74

DRY 68 WET 49 PPES 24.43

MPG 12.14

VEH. NO. 1A0

PAGE 93

MAKE FORD

MODEL GALA YEAR 68 CYL. 8 CID 302 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PIS AJ COND RTR DST CAP RPV

AS RECEIVED

AFTER MAINTENANCE

AFTER 5 MONTHS

CT CS HT 1975
HC 6.89 5.66 5.60 6.32
CO 090.5 066.7 057.2 069.1
C2 585.8 535.0 488.1 532.6
NX 7.19 6.09 7.55 6.73

CT CS HT 1975
HC 14.87 4.53 4.77 6.76
CO 188.3 081.2 071.5 100.9
C2 555.6 529.7 471.8 519.1
NX 3.00 3.23 4.03 3.41

CT CS HT 1975
HC 6.99 5.46 6.14 5.97
CO 132.9 058.8 094.8 084.3
C2 503.2 491.8 430.0 477.0
NX 3.81 5.04 4.52 4.64

INLE LO CR HI CR 2500
HC 6014 3294 3960
LH 791 591 616
CO 7.17 0.42 5.67
NX 064 3619 861
HS 550 235 265 2500
CS 7.20 0.55 5.40 1.10

INLE LO CR HI CR 2500
HC 4391 2572 3585
LH 501 441 526
CO 7.38 0.57 6.02
NX 067 1461 604
HS 210 110 150 080
CS 6.00 0.50 5.10 1.10

INLE LO CR HI CR 2500
HC 7940 3464 5328
LH 744 334 453
CO 2.24 0.30 7.88
NX 088 3150 012
HS 280 120 120 200
CS 1.10 0.10 2.60 0.20

TEST C0456 DATE 9/27/73

TEST C0599 DATE 10/10/73

TEST C1102 DATE 4/11/74

DRY 74 WET 73 PRES 25.04

DRY 71 WET 52 PRES 24.66

DRY 73 WET 52 PRES 24.20

MPG 13.47

MPG 12.74

MPG 14.18

VEH. NO. 181

PAGE 94

MAKE CHEVROLET MODEL NOVA YEAR 68 CYL. 8 CID 107 WEIGHT 1000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.80	-0060	+09	-05	1	1	1	0	2	0	042449
AFTER MAINT	05.57	+0000	+00	+00	1	1	1	0	2	0	042449
AFTER 5 YR	05.43	+0000	+02	+00	2	1	1	0	2	0	045570

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	CONM	RTR	DST	CAP	RDV
TAMP. 6 NO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	8.27	7.34	5.60	7.05
CO	108.6	896.2	872.7	892.3
C2	431.6	483.1	366.9	399.0
NX	3.45	2.69	3.48	3.07

	IDLE	LO	CR	HT	CR	2500
HC	6918	4425	4354			
LH	1109	755	704			
CO	7.35	2.29	2.99			
NX	065	1765	1959			
HS	740	390	330			340
CS	7.00	2.50	3.00			2.50

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	6.67	5.56	5.02	5.64
CO	120.1	100.0	97.5	103.5
C2	445.9	434.1	385.3	425.1
NX	2.42	1.70	2.37	2.04

	IDLE	LO	CR	HT	CR	2500
HC	4946	3670	3577			
LH	625	508	483			
CO	6.09	2.96	3.68			
NX	085	1276	1375			
HS	295	175	155			150
CS	5.55	2.50	3.20			2.60

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.63	5.59	5.33	5.75
CO	119.5	108.6	107.8	104.8
C2	420.8	405.1	398.1	404.7
NX	2.23	2.05	2.65	2.25

	IDLE	LO	CR	HT	CR	2500
HC	7134	4593	4475			
LH	684	456	484			
CO	5.33	1.82	3.03			
NX	093	1384	1378			
HS	520	360	300			210
CS	4.80	1.80	3.40			2.00

TEST C0457 DATE 9/27/73

DRY 70 WET 54 PRES 25.06

MPG 15.73

TEST C0602 DATE 10/11/73

DRY 70 WET 53 PRES 24.49

MPG 14.71

TEST C1095 DATE 4/09/74

DRY 59 WET 44 PRES 24.51

MPG 15.58

VEH. NO. 185

PAGE 95

MAKE TOYOTA

MODEL CORO YEAR 71 CYL. 4 CID 071 WEIGHT 2000 TRANS 4 EXH CT'L 1 EVAP CTRL 2 PCV 2

	INLE CO	INLF RPM	TIMING	ONELL	PCV	A/C	CHKE	A/P	MIS	NOX	ODOM
AS RECEIVED	04.10	+0210	+00	-11	0	1	1	0	2	0	029881
AFTER MAINT	01.16	+0010	+00	+00	0	1	1	0	2	0	029881
AFTER 6 MO	03.10	+0025	-01	+00	0	1	1	0	2	0	034267

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST AJ	PTS AJ	CONO	RTR	DST CAP	OPV
RAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	5.69	6.12	4.04	5.45
CO	046.8	058.2	037.5	050.1
C2	319.8	347.4	279.3	322.7
NX	3.94	1.63	3.10	2.52

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	4.47	3.50	3.38	3.67
CO	038.3	034.8	032.6	034.9
C2	280.0	319.9	247.0	291.3
NX	2.98	1.26	2.24	1.69

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	4.02	3.54	3.80	3.49
CO	047.0	046.0	041.3	044.9
C2	265.8	284.3	232.2	266.0
NX	2.30	1.19	1.80	1.59

TEST C0469 DATE 9/28/73

DRY 76 WET 57 PRFS 24.88

MPG 21.28

TEST C0494 DATE 10/01/73

DRY 75 WET 56 PRFS 24.78

MPG 24.19

TEST C1093 DATE 4/05/74

DRY 70 WET 50 PRFS 24.81

MPG 25.63

MAKE VOLKSWAGON MODEL SED4 YEAR 70 CYL. 4 CID 097 WEIGHT 2000 TRANS 4 EXH CTPL 1 FVAP CTRL 2 PCV 2

	INLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.10	-0100	+04	-07	0	1	1	0	2	0	049300
AFTER MAINT	04.95	+0000	+04	+00	0	1	1	0	2	0	048300
AFTER 6 MO	00.30	+0300	+01	+00	0	1	1	0	2	0	153496

	TG WS	COIL	SPOKS	AIO/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTX	NST	CAP	REV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	5.62	5.49	3.68	5.02
CO	081.7	040.4	040.4	049.1
C2	292.6	328.8	276.7	306.8
NX	3.97	3.74	4.40	3.97

	IDLE	LO CR	HI CR	2500
HC	14291	3744	3159	
LH	2500	526	509	
CO	6.00	0.89	1.74	
NX	035	2479	4267	
HS	2500	220	200	350
CS	5.01	0.90	1.70	0.55

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	5.34	3.65	3.24	3.89
CO	082.2	060.4	064.3	066.1
C2	265.6	304.1	248.2	240.5
NX	2.01	1.49	1.64	1.64

	IDLE	LO CR	HI CR	2500
HC	5145	2209	2353	
LH	594	408	442	
CO	5.56	1.32	2.06	
NX	066	933	2389	
HS	330	130	140	200
CS	5.30	1.25	1.90	2.00

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	3.99	2.51	2.16	2.72
CO	063.4	033.0	029.9	039.5
C2	325.5	349.5	297.6	338.1
NX	3.74	3.00	3.39	3.26

	IDLE	LO CR	HI CR	2500
HC	1215	1451	1695	
LH	173	170	191	
CO	0.33	0.15	0.35	
NX	096	1706	3540	
HS	110	090	110	130
CS	0.32	0.17	0.40	0.20

TEST C0470 DATE 9/20/73

DRY 70 WET 55 PRES 24.85

MPG 22.28

TEST C0495 DATE 10/01/73

DRY 74 WET 56 PRES 24.70

MPG 22.46

TEST C1087 DATE 6/01/74

DRY 70 WET 52 PRES 24.45

MPG 22.31

VEH. MC. 190

PAGE 98

MAKE PLYMOUTH MODEL DUST YEAR 73 CYL. 6 CID 225 WEIGHT 3000 TRANS 1 FWH CTOL 1 EVAP CTOL 1 PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOK	A/P	MIS	NOX	000M
AS RECEIVED	00.60	+0030	+01	+00	1	2	1	1	2	1	000056
AFTER MAINT	00.60	+0030	+01	+00	1	2	1	1	2	1	000056
AFTER 6 MO	01.60	-0100	+00	+00	1	1	1	1	2	1	010159

TAMP.	6 MO	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	DDV
		2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
MC	5.02	2.90	3.89	3.62
CO	096.3	033.7	049.6	051.2
C2	420.3	458.6	402.0	434.9
NX	2.52	3.21	3.17	3.05

	IOLE	LO CR	HI CR	2500
MC	2747	2723	3908	
LH	340	412	543	
CO	0.72	0.19	6.19	
NX	299	2095	601	
MS	170	165	280	095
CS	0.60	0.18	5.20	0.25

AFTER MAINTENANCE

	CT	CS	HT	1975
MC	5.02	2.90	3.89	3.62
CO	096.3	033.7	049.6	051.2
C2	420.3	458.6	402.0	434.9
NX	2.52	3.21	3.17	3.05

	IOLE	LO CR	HI CR	2500
MC	2747	2723	3908	
LH	340	412	543	
CO	0.72	0.19	6.19	
NX	299	2095	601	
MS	170	165	280	095
CS	0.60	0.18	6.20	0.25

AFTER 6 MONTHS

	CT	CS	HT	1975
MC	6.25	3.35	3.29	3.94
CO	132.6	047.0	053.3	066.7
C2	410.0	448.2	376.3	420.3
NX	1.37	1.94	3.88	2.36

	IOLE	LO CR	HI CR	2500
MC	3035	3097	4753	
LH	305	285	428	
CO	1.83	0.70	7.76	
NX	209	3215	156	
MS	225	210	115	100
CS	1.70	0.60	7.20	0.25

TEST C0498 DATE 10/02/73

DRY 63 WET 54 PRES 24.67

MPG 16.91

TEST C0498 DATE 10/02/73

DRY 69 WET 54 PRES 24.67

MPG 16.91

TEST C1091 DATE 4/04/74

DRY 70 WET 50 PRES 24.71

MPG 16.57

PCV 1

	SOLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.70	+0050	-02	+00	1	1	1	0	2	0	022266
AFTER MAINT	07.20	+0140	+00	+00	1	1	1	0	2	0	022266
AFTER 6 MO	08.70	+0500	-04	+00	1	1	1	0	1	0	024954

TAMP.	6	MO
IG MS	2	
COIL	2	
SPOKS	1	
AIR/F	1	
A/C	1	
F/WX S	2	
IOL/AJ	2	
CHK	2	
DIST AJ	2	
PTS AJ	2	
COND	2	
PTR	2	
DST CAP	2	
OPV	2	

AFTCO MAINTENANCE

AFTER 6 MONTHS

	CY	CS	WT	1975
HC	19.01	14.67	11.00	14.02
CO	124.2	162.6	102.0	130.9
C2	310.4	202.3	209.3	291.5
NY	1.24	0.01	2.02	1.36

	CT	CS	HT	1975
MC	19.26	14.13	11.02	14.34
CO	146.0	170.3	119.7	151.2
C2	329.8	311.8	276.3	305.7
NX	1.81	1.14	1.20	1.34

	CR	CS	WT	1975
MC	12.58	11.49	8.11	10.70
CO	123.6	158.9	110.3	138.1
C2	339.7	325.6	275.3	314.5
NX	1.57	0.86	1.47	1.18

	INLE	LO	CR	HI	CR	2500
HC	6564	4482	5427			
LN	648	687	694			
CO	7.54	3.96	8.93			
NX	041	703	203			
HS	500	420	475			720
CS	6.90	4.00	8.10			6.40

	IDLE	LO CP	HI CR	2500
HG	6389	4656	5366	
LW	776	760	842	
CO	8.11	2.79	9.15	
NX	050	1606	178	
MS	320	300	330	295
CS	7.60	3.00	2.40	4.10

	IDLE	LQ	CR	HI	CR	2500
MC	9070	5574	6983			
LH	516	446	547			
CO	8.97	2.69	9.12			
NX	039	1815	831			
HS	425	390	420			400
CS	8.70	2.70	8.70			5.10

TEST C0499 DATE 10/02/73

TEST C0527 DATE 10/03/73

TEST C1088 DATE 4/02/74

DRY 69 WET 54 PRES 24.67

ORV 69 WET 56 PRES 24.81

DRY 70 WET 50 PRES 24.41

MPG 15.00

MPG 15.13

MPG 15.75

VEH. NO. 19F

PAGE 100

MAKE CHEVROLET MODEL CAPR YEAR 71 CYL. 8 CID 400 WEIGHT 4500 TRANS 1 EXH CTPL 1 EVAP CTPL 2 PCV 1

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IGN/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	NST	CAP	DPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2

	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IGN/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	NST	CAP	DPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.35	4.48	4.44	4.85
CO	083.0	035.2	051.0	049.6
C2	689.6	700.6	624.1	677.1
NX	5.29	5.03	6.57	5.72

	CT	CS	HT	1975
HC	6.13	3.76	3.84	4.28
CO	099.1	035.1	054.0	053.8
C2	594.5	619.6	541.5	592.7
NX	4.83	4.18	5.18	4.59

	CT	CS	HT	1975
HC	7.53	5.22	5.18	5.69
CO	108.0	053.0	074.4	070.4
C2	712.4	655.9	603.5	653.2
NX	5.51	4.38	5.46	4.91

	IOLE	LO	CR	HI	CR	2500
HC	2890	2873	3035			
LH	350	359	373			
CO	0.41	0.52	1.60			
NX	416	2584	2323			
HS	210	160	160	075		
CS	0.45	0.50	1.70	1.60		

	IOLE	LO	CP	HI	CR	2500
HC	3108	2584	2833			
LH	655	594	583			
CO	0.50	0.21	1.65			
NX	111	2362	2528			
HS	215	140	150	090		
CS	0.50	0.20	1.60	1.80		

	IOLE	LO	CR	HI	CR	2500
HC	4153	3073	2413			
LH	435	266	220			
CO	2.28	0.44	1.36			
NX	121	2521	2585			
HS	380	200	160	050		
CS	2.30	0.49	1.50	0.65		

TEST C0513 DATE 10/03/73

TEST C0570 DATE 10/08/73

TEST C1090 DATE 4/04/74

DRY 75 WET 55 PRES 24.71

DRY 72 WET 48 PRES 24.42

DRY 70 WET 50 PRES 24.71

MPG 11.56

MPG 12.90

MPG 11.39

VEH. NO. 197

PAGE 101

MAKE FORD

MODEL PINT YEAR 72 CYL. 4 CID 122 WEIGHT 2250 TRANS 1 EXH CYRL 1 EVAP CYRL 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 06.10 +0310 +00 -04 1 1 0 2 0 011175
 AFTER MAINT 06.10 +0310 +00 -04 1 1 0 2 0 011175
 AFTER 6 MO 06.50 +0000 +00 +10 1 1 0 2 0 013995

TAMP. 6 MO IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PIS AJ CONO PTR DST CAP QPV

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
 HC 5.76 4.73 5.93 5.28
 CO 104.2 071.5 078.3 080.2
 C2 322.6 321.2 304.5 316.8
 NX 3.08 2.45 3.33 3.43

CT CS HT 1975
 HC 5.76 4.73 5.93 5.28
 CO 104.2 071.5 078.3 080.2
 C2 322.6 321.2 304.5 316.8
 NX 3.08 2.45 3.33 3.03

CT CS HT 1975
 HC 6.75 5.06 4.04 5.13
 CO 130.2 090.6 082.3 096.6
 C2 310.7 307.0 264.5 296.0
 NX 1.72 1.66 1.74 1.69

IDLE LO CR HI CR 2500
 HC 4686 4517 5152
 LH 769 769 831
 CO 6.81 1.74 7.85
 NX 086 2068 717
 HS 260 250 300 250
 CS 6.10 1.50 7.10 5.00

IDLE LO CR HI CR 2500
 HC 4686 4517 5152
 LH 769 769 831
 CO 6.91 1.74 7.85
 NX 086 2068 717
 HS 260 250 300 250
 CS 6.10 1.50 7.10 5.00

IDLE LO CR HI CR 2500
 HC 5367 5514 6820
 LH 406 447 512
 CO 6.42 2.33 0.08
 NX 075 1460 600
 HS 280 325 360 300
 CS 5.80 2.20 7.40 4.50

TEST C0530 DATE 10/04/73

TEST C0530 DATE 10/04/73

TEST C1089 DATE 4/02/74

DRY 69 WET 54 PRES 24.94

DRY 69 WET 54 PRES 24.94

DRY 73 WET 51 PRES 24.11

MPG 19.38

MPG 19.38

MPG 19.20

VEH. NO. 200

PAGE 102

MAKE CHEVROLET MODEL NOVA YEAR 72 CYL. 4 CID 307 WEIGHT 3500 TRANS 1 EXH CTPL 1 EVAP CTRL 1 PCV 1

	TOLE CO	INLE RPM	YIMING	OWFL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.75	+0080	+02	+03	2	1	1	0	1	0	015710
AFTER MAINT	01.93	+0000	+00	+00	1	1	1	0	2	0	015710
AFTER 5 MO	05.72	-0020	+00	+00	1	1	1	0	1	0	020305

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST CAP	RDV
YAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	9.90	7.78	6.94	7.99	9.53	5.57	5.68	6.43	7.17	6.61	5.42	6.39
CO	160.4	117.7	109.4	124.3	174.8	068.7	106.8	101.5	135.2	109.1	101.1	112.3
C2	498.3	516.6	447.1	493.5	528.5	563.5	450.0	524.7	472.7	490.3	422.3	467.0
NX	1.64	1.61	1.76	1.66	0.98	1.53	1.33	1.36	1.30	1.57	1.50	1.50

	INLE	LO CR	HI CR	2500	INLE	LO CR	HI CR	2500	INLE	LO CR	HI CR	2500
HC	6233	4756	5561		4551	4327	5108		7410	3992	6974	
LH	1231	891	1001		628	566	783		702	323	584	
CO	6.45	1.47	4.12		2.16	2.56	10.29		7.03	0.96	9.49	
NX	082	1133	839		149	406	141		060	1016	121	
HS	570	270	420	160	315	225	355	115	460	260	340	130
CS	5.80	1.30	3.60	1.30	1.40	2.30	9.00	2.10	4.80	1.40	6.80	1.20

TEST C0531 DATE 10/04/73

DRY 70 WFT 54 PRES 24.94

MPG 12.47

TEST C0502 DATE 10/09/73

DRY 71 WFT 53 PRES 24.17

MPG 12.64

TEST C1096 DATE 4/09/74

DRY 70 WFT 52 PRES 24.51

MPG 13.41

VEH. NO. 206

PAGE 103

MAKE CADILLAC MOFL FLEE YEAR 65 CYL. 8 CID 429 WEIGHT 5500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.30	-0420	+00	+00	1	1	1	0	2	0	053146
AFTER MAINT	06.30	-0420	+00	+00	1	1	1	0	2	0	053146
AFTER 6 MO	03.50	-0430	+01	+00	1	1	1	0	2	0	055816

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PTR	OST CAP	ROV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	15.66	14.97	9.79	13.67
CO	211.0	172.2	139.8	171.3
C2	646.8	555.8	511.6	562.6
NX	4.28	2.70	3.62	3.29

	IOLE	LO CR	HI CR	2500
HC	11533	4733	4078	
LH	1289	823	724	
CO	7.03	4.48	4.92	
NX	035	1086	1122	
HS	170	340	260	270
CS	6.50	4.30	4.70	4.70

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	15.66	14.97	9.79	13.67
CO	211.0	172.2	139.8	171.3
C2	646.8	555.8	511.6	562.6
NX	4.28	2.70	3.62	3.29

	IOLE	LO CR	HI CR	2500
HC	11533	4733	4078	
LH	1289	823	724	
CO	7.03	4.48	4.92	
NX	035	1086	1122	
HS	170	340	260	270
CS	6.50	4.30	4.70	4.70

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.57	5.46	5.04	5.57
CO	124.1	124.2	104.1	118.6
C2	520.1	500.8	461.7	494.0
NX	2.43	1.81	2.27	2.07

	IOLE	LO CR	HI CR	2500
HC	4177	4561	3705	
LH	410	471	352	
CO	4.05	3.99	4.38	
NX	054	952	1119	
HS	300	380	280	310
CS	3.60	4.00	4.40	4.50

TEST C0540 DATE 10/05/73

DRY 71 WET 55 PRES 24.84

MPG 10.14

TEST C0548 DATE 10/05/73

DRY 71 WET 55 PRES 24.94

MPG 10.14

TEST C1092 DATE 4/05/74

DRY 70 WET 50 PRES 24.81

MPG 12.76

VEH. NO. 207

PAGE 104

MAKE VOLKSWAGON MODEL SORK YEAR 72 CYL. 4 CID 997 WEIGHT 2500 TRANS 4 EXH CTRL 1 EVAP CTRL 1 PCV 2

	INLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	02.90	+0160	+05	-01	0	1	0	0	2	0	011511
AFTER MAINT	02.90	+0160	+05	-01	0	1	0	0	2	0	011511
AFTER 5 MO	01.30	+0200	+00	+00	0	1	1	0	2	0	013864

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PIR	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	6.50	5.27	3.70	5.09
CO	042.3	040.1	021.6	035.4
C2	346.2	377.2	319.4	354.7
NX	5.20	3.25	4.63	4.04

	IDLE LO CR	HI CR	2500
HC	2964	0999	1319
LH	445	433	465
CO	3.03	0.20	0.14
NX	099	1083	3501
HS	115	070	080
CS	2.90	0.08	0.08

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	6.50	5.27	3.70	5.09
CO	042.3	040.1	021.6	035.4
C2	346.2	377.2	319.4	354.7
NX	5.20	3.25	4.63	4.04

	IDLE LO CR	HI CR	2500
HC	2964	0999	1319
LH	445	433	465
CO	3.03	0.20	0.14
NX	099	1083	3501
HS	115	070	080
CS	2.90	0.08	0.04

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	4.99	3.36	2.59	3.49
CO	042.6	027.0	025.9	030.0
C2	323.1	373.4	342.1	354.2
NX	3.13	2.47	3.08	2.79

	IDLE LO CR	HI CR	2500
HC	1420	0509	0669
LH	127	085	094
CO	1.41	0.15	0.14
NX	112	709	2220
HS	045	040	045
CS	1.50	0.16	0.14

TEST C0557 DATE 10/08/73

DRY 69 WET 49 PRES 24.46

MPG 20.89

TEST C0557 DATE 10/08/73

DRY 69 WET 49 PRES 24.46

MPG 20.89

TEST C1094 DATE 4/08/74

DRY 71 WET 50 PRES 24.82

MPG 21.60

VEH. NO. 20A

PAGE 105

MAKE DATSUN MODEL 510 YEAR 71 CYL. 4 CID 097 WEIGHT 2000 TRANS 4 FXH CTRL 1 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	CONO	RTR	DST	CAP	QOV
TAMP. 6 MO	2	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2

	AS RECEIVED	03.50	02.45	02.26	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00
AS RECEIVED	03.50	02.45	02.26	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00	02.00

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	4.28	4.65	3.94	4.37	8.41	3.26	3.36	4.36	6.65	2.05	3.24	3.75
CO	036.2	047.7	036.8	042.2	064.3	042.0	042.0	046.6	056.2	044.0	039.2	045.2
C2	343.2	338.4	282.3	323.9	331.6	337.2	205.6	321.7	339.3	360.7	298.0	338.8
NX	4.83	2.90	4.01	3.61	4.06	2.20	3.35	2.91	5.14	2.47	3.90	3.43

	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500
HC	8242	3907	3354	4352	3821	3382	3968	3535	1167	3968	3535	1167
LH	822	787	672	393	551	494	351	348	152	351	348	152
CO	4.78	2.36	1.00	3.31	2.76	1.04	2.25	2.30	0.77	2.25	2.30	0.77
NX	024	2507	3800	039	2221	4108	043	1922	1729	043	1922	1729
HS	270	190	165	130	150	150	380	140	080	380	140	080
CS	3.50	1.65	0.80	2.50	1.80	0.80	2.40	2.40	0.20	2.40	2.40	0.20

TEST C0558 DATE 10/08/73

DRY 69 WET 49 PRES 24.45

MPG 22.04

TEST C0586 DATE 10/09/73

DRY 70 WET 52 PRES 24.39

MPG 21.79

TEST C1099 DATE 4/10/74

DRY 73 WET 52 PRES 24.10

MPG 21.12

VEH. NO. 211

PAGE 106

MAKE PLYMOUTH MODEL FURY YEAR 70 CYL. 8 CID 314 WEIGHT 4000 TRANS 1 EXH CTOL 1 EVAP CTRL 2 PCV 1

	AS RECEIVED	AFTER MAINT	AFTER 6 MO	IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	PPV
INLE CO	02.80	03.29	03.68	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2
INLE RPM	+0060	+0000	+0000																	
TIMING	+10	+00	-03																	
OWELL	-10	+00	+00																	
PCV	1	1	1																	
A/C	2	1	1																	
CHOKF	1	1	1																	
A/P	0	0	0																	
MIS	1	2	2																	
NOX	0	0	0																	
OROM	063652	063652	063652																	
	059734	059734	059734																	

	AS RECEIVED	AFTER MAINTENANCE	AFTER 6 MONTHS
CT	7.05	4.42	5.30
HC	162.0	094.0	135.6
CO	517.6	597.7	529.4
C2	516.2	513.1	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	AS RECEIVED	AFTER MAINTENANCE	AFTER 6 MONTHS
CT	7.05	4.42	5.30
HC	162.0	094.0	135.6
CO	517.6	597.7	529.4
C2	516.2	513.1	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05

	AS RECEIVED	AFTER MAINTENANCE	AFTER 6 MONTHS
CT	7.05	4.42	5.30
HC	162.0	094.0	135.6
CO	517.6	597.7	529.4
C2	516.2	513.1	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05

	AS RECEIVED	AFTER MAINTENANCE	AFTER 6 MONTHS
CT	7.05	4.42	5.30
HC	162.0	094.0	135.6
CO	517.6	597.7	529.4
C2	516.2	513.1	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05

	AS RECEIVED	AFTER MAINTENANCE	AFTER 6 MONTHS
CT	7.05	4.42	5.30
HC	162.0	094.0	135.6
CO	517.6	597.7	529.4
C2	516.2	513.1	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05

	AS RECEIVED	AFTER MAINTENANCE	AFTER 6 MONTHS
CT	7.05	4.42	5.30
HC	162.0	094.0	135.6
CO	517.6	597.7	529.4
C2	516.2	513.1	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05

	AS RECEIVED	AFTER MAINTENANCE	AFTER 6 MONTHS
CT	7.05	4.42	5.30
HC	162.0	094.0	135.6
CO	517.6	597.7	529.4
C2	516.2	513.1	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05
CT	7.27	4.27	5.16
HC	167.9	105.4	133.3
CO	532.7	573.3	462.4
C2	532.7	573.3	462.4
NX	4.03	3.33	1.05

TEST C0573 DATE 10/09/73

TEST C0627 DATE 10/12/73

TEST C1100 DATE 4/11/74

DRY 74 WET 53 PRES 24.79

DRY 70 WET 49 PRES 24.52

DRY 68 WET 50 PRES 24.20

MPG 11.55

MPG 11.66

MPG 11.84

VEH. NO. 212

PAGE 107

MAKE FORD

MODEL MUST YEAR 67 CYL. 8 CIO 289 WEIGHT 3000 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

	INLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	09.85	-0250	-02	+02	1	1	1	0	2	0	051835
AFTER MAINT	09.85	+0000	+00	+00	1	1	1	0	2	0	051835
AFTER 6 MO	10.25	-0150	+00	+00	1	1	1	0	2	0	054950

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPM
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	1	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC 16.37	16.63	12.00	15.29	1975
CO 173.1	181.1	130.7	165.4	15.34
C2 302.0	292.7	296.0	295.6	106.9
NX 0.85	0.52	1.25	0.79	319.3

	IDLE LO CR	HI CR	2500
HC 16921	4953	4627	2500
LH 1368	901	873	4968
CO 10.35	4.37	4.05	507
NX 017	917	1250	3.49
HS 740	335	320	1436
CS 20.00	4.00	3.80	5.00

TEST C0572 DATE 10/08/73

TEST C0720 DATE 10/22/73

TEST C1113 DATE 4/18/74

DRY 72 WET 48 PRES 24.42

DRY 77 WET 53 MPES 24.80

DRY 72 WET 51 PRES 24.90

MPG 14.75

MPG 16.02

MPG 17.57

VEH. NO. 213

PAGE 108

MAKE CHEVROLET MODEL STAM YEAR 66 CYL. 8 CID 283 WEIGHT 4000 TRANS 3 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	WIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP.	6	MO	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2
AS RECEIVED	05.70		+0000		+02	+00	1	1	1	1	0	2	0	0	061637				
AFTER MAINT	05.70		+0000		+02	+00	1	1	1	1	0	2	0	0	061637				
AFTER 5 MO	03.83		+0350		+06	+00	1	1	1	1	0	2	0	0	067976				

AS RECEIVED

CT	CS	HT	1975
HC	13.45	15.88	11.48
CO	145.9	174.6	138.8
C2	463.6	550.2	450.7
NX	2.32	2.15	2.51
IDLE LO CR	5621	5548	2500
LH	1391	1005	989
CO	6.06	4.58	7.32
NX	037	941	432
HS	570	350	335
CS	5.30	4.00	6.60

AFTER MAINTENANCE

CT	CS	HT	1975
HC	13.45	15.88	11.48
CO	145.9	174.6	138.8
C2	463.6	550.2	450.7
NX	2.32	2.15	2.51
IDLE LO CR	5621	5548	2500
LH	1391	1005	989
CO	6.06	4.58	7.32
NX	037	941	432
HS	570	350	335
CS	5.30	4.00	6.60

AFTER 5 MONTHS

CT	CS	HT	1975
HC	12.12	11.29	8.42
CO	156.5	159.1	121.0
C2	472.4	475.9	417.8
NX	2.94	2.11	2.92
IDLE LO CR	9627	5358	4711
LH	691	426	394
CO	3.85	3.79	3.48
NX	034	1047	1140
HS	369	240	210
CS	2.60	2.60	2.50

TEST C0574 DATE 10/09/73

DRY 71 WET 53 PRES 24.39

MPG 11.15

TEST C0574 DATE 10/09/73

DRY 71 WET 53 PRES 24.39

MPG 11.15

TEST C1098 DATE 4/10/74

DRY 72 WET 52 PRES 24.10

MPG 12.28

VEH. NO. 214

PAGE 109

MAKE PONTIAC MODEL DATA YEAR 66 CYL. 8 GIN 389 WEIGHT 4000 TRANS 1 EXH CTOL 2 EVAP CTRL 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
 AS RECEIVED 03.30 -0060 -03 +00 2 1 1 0 2 0 045086
 AFTER MAINT 01.43 +0000 +00 1 1 1 0 2 0 046086
 AFTER 6 MO 05.93 +0020 -04 +02 1 1 1 0 2 0 048414

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND PTR NST CAP BPV
 TAMP. 6 MO 2 2 2 2 1 2 2 1 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
 HC 10.70 7.20 6.21 7.66
 CO 167.1 103.3 086.7 112.0
 C2 490.3 477.5 444.4 471.0
 NX 2.83 1.69 3.43 2.41
 IDLE LO CR HI CR 2500
 HC 5654 4095 3940
 LH 895 776 735
 CO 3.64 1.42 2.44
 NX 058 1739 2018
 HS 400 245 210 200
 CS 3.20 1.30 2.10 2.80

AFTER MAINTENANCE

CT CS HT 1975
 HC 17.54 5.25 4.62 7.65
 CO 193.9 089.6 061.6 109.7
 C2 487.2 488.9 502.6 488.2
 NX 2.50 1.76 1.71 2.32
 IDLE LO CR HI CR 2500
 HC 11074 2919 2312
 LH 000 182 308
 CO 3.47 2.43 0.85
 NX 095 927 2179
 HS 400 340 190 220
 CS 3.80 2.10 0.90 1.50

AFTER 6 MONTHS

CT CS HT 1975
 HC 19.06 9.24 6.32 8.60
 CO 130.1 144.3 107.8 131.2
 C2 533.7 509.8 479.4 506.4
 NX 2.55 1.61 2.72 2.11
 IDLE LO CR HI CR 2500
 HC 7857 4454 3710
 LH 699 456 351
 CO 5.02 2.49 2.12
 NX 052 1307 1924
 HS 620 360 300 320
 CS 6.00 2.80 2.40 3.00

TEST C0575 DATE 10/09/73

DRY 71 WET 53 PRES 24.40

MPG 13.27

TEST C0722 DATE 10/22/73

DRY 74 WET 52 PRES 24.90

MPG 13.04

TEST C1114 DATE 4/18/74

DRY 72 WET 51 PRES 24.90

MPG 12.04

VEH. NO. 218

PAGE 110

MAKE CHEVROLET MODEL NOVA YEAR 73 CYL. 4 CID 307 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	TQLE CO	IDLE RPM	TIMING	WELL	PCV	A/C	CHKE	A/P	WIS	NOX	ODOM
AS RECEIVED	04.10	-0040	+01	-04	1	1	1	0	2	1	016372
AFTER MAINT	05.85	+0000	+00	+00	1	1	1	0	2	1	016372
AFTER 5 MO	05.11	+0020	+02	-02	1	1	1	0	2	1	023252

TAMP.	6 MO	IG WS	COIL	SPOKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	CONM	RTR	NST	CAP	PDV
		2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	9.51	4.95	5.65	6.10
CO	132.8	087.6	097.4	099.8
C2	491.6	550.9	462.5	514.0
NX	1.51	1.41	1.74	1.52

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	10.46	4.86	5.61	6.24
CO	168.6	104.3	115.4	120.8
C2	465.4	526.3	431.5	487.3
NX	0.98	0.87	0.95	0.91

AFTER 5 MONTHS

	CT	CS	HT	1975
HC	8.30	4.05	5.33	5.29
CO	179.9	091.8	110.5	115.5
C2	473.6	512.2	444.9	485.5
NX	1.93	0.99	1.26	1.07

TEST C0589 DATE 10/10/73

DRY 75 WET 54 PRES 24.68

MPG 12.91

TEST C0643 DATE 10/15/73

DRY 82 WET 58 PRES 24.95

MPG 12.78

TEST C1107 DATE 4/16/74

DRY 68 WET 48 PRES 24.80

MPG 13.03

VEH. NO. 222

PAGE 112

MAKE RAMBLER MODEL AMF YEAR 64 CYL. 6 CID 196 WEIGHT 3000 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

INLE CO	INLF RPM	TIMING	INWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
00.28	+0150	+00	-07	0	2	1	0	2	0	058526
00.28	+0150	+00	-07	0	2	1	0	2	0	068526
00.32	+0450	+00	+00	0	1	1	0	2	0	070750

TAMP. 6 MO

IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	INL/AJ	CHK	DIST	AJ	PTS	AJ	CONM	PTP	DST	CAP	OPV
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC 8.55	5.42	6.31	6.32
CO 095.0	062.5	086.6	076.0
C2 387.6	416.9	339.0	389.1
NX 3.29	3.27	2.37	3.02

AFTER MAINTENANCE

CT	CS	HT	1975
HC 8.55	5.42	6.31	6.32
CO 095.0	062.5	086.6	076.0
C2 387.6	416.9	339.0	389.1
NX 3.29	3.27	2.37	3.02

AFTER 6 MONTHS

CT	CS	HT	1975
HC 5.54	4.13	3.86	4.35
CO 055.0	037.8	047.8	044.2
C2 435.4	448.5	364.6	422.5
NX 4.07	3.37	3.02	3.42

INLE	LO CR	HT CR	2500
HC 3523	4150	5510	
LH 476	605	764	
CO 0.33	3.38	9.24	
NX 186	1207	285	
HS 275	350	450	380
CS 0.30	3.40	9.20	4.60

INLE	LO CR	HT CR	2500
HC 3523	4150	5510	
LH 476	605	764	
CO 0.33	3.38	9.24	
NX 186	1207	285	
HS 275	350	450	380
CS 0.30	3.40	9.20	4.60

INLE	LO CR	HT CR	2500
HC 2444	4589	6184	
LH 215	426	519	
CO 0.43	2.22	8.84	
NX 179	1576	036	
HS 050	090	090	050
CS 0.10	0.70	1.90	0.30

TEST C0607 DATE 10/11/73
DRY 70 WET 53 PRES 24.51

MPG 16.45

TEST C0607 DATE 10/11/73
DRY 70 WET 53 PRES 24.51

MPG 16.45

TEST C1106 DATE 4/15/74
DRY 72 WET 50 PPFS 24.43

MPG 17.61

VEH. NO. 223

PAGE 113

MAKE BUICK

MODEL WILD YEAR 64 CYL. 8 CID 401 WEIGHT 4500 TRANS 1 EXH CTRL 7 FVAP CTRL 2 PCV 1

	INLE CO	INLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	WIS	NOX	0904
AS RECEIVED	01.90	-0080	+00	+01	1	1	1	0	2	0	051818
AFTER MAINT	03.00	+0020	+00	+00	1	1	1	0	2	0	051818
AFTER 6 MO	02.26	-0050	+02	+00	1	1	1	0	2	0	053291

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	CONJ	PTR	DST CAP	00V
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	10.68	12.12	8.24	10.74
CO	093.4	124.8	079.9	105.7
C2	459.0	425.2	422.9	431.6
NX	5.72	2.96	4.74	4.03

	CT	CS	HT	1975
HC	10.87	11.22	8.01	10.25
CO	092.6	113.6	078.2	099.4
C2	487.6	468.1	462.1	470.5
NX	5.40	3.38	5.12	4.29

	CT	CS	HT	1975
HC	9.77	10.18	7.93	9.47
CO	090.6	118.7	080.0	102.1
C2	428.6	414.4	384.0	408.9
NX	5.71	3.12	4.45	4.03

	IOLE	LO CR	HI CR	2500
HC	11614	4849	4106	
LH	1550	637	519	
CO	5.69	2.44	1.42	
NX	0.36	1.933	3009	
HS	370	410	325	370
CS	1.85	2.25	1.50	3.10

	IOLE	LO CR	HI CR	2500
HC	9665	5851	4216	
LH	1140	699	571	
CO	6.38	2.88	1.71	
NX	0.41	1.670	2756	
HS	390	490	310	300
CS	2.80	2.40	1.40	2.30

	IOLE	LO CR	HI CR	2500
HC	13982	5752	4433	
LH	1200	528	372	
CO	7.13	3.12	1.71	
NX	0.32	1.252	2358	
HS	120	180	140	200
CS	0.90	1.00	0.80	1.40

TEST C0608 DATE 10/11/73

DRY 75 WET 55 PRES 24.51

MPG 14.10

TEST C0632 DATE 10/12/73

DRY 71 WET 50 PRES 24.52

MPG 13.51

TEST C1101 DATE 4/11/74

DRY 72 WET 52 PRES 24.20

MPG 14.86

VEH. NO. 224

PAGE 114

MAKE CHEVROLET MODEL MALI YEAR 68 CYL. 6 CID 250 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	INLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	05.90	-0200	-02	-09	1	2	1	0	2	0	043307
AFTER MAINT	05.09	+0000	+00	+00	1	1	1	0	2	0	043307
AFTER 6 MO	05.39	+0100	+01	+05	1	1	1	0	2	0	052443

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	ROV
TAMP. 6 MO	2	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	20.33	5.18	5.50	8.45
CO	212.6	114.7	889.3	129.1
C2	459.2	464.8	407.8	447.8
NX	2.46	1.63	2.86	2.15

	IDLE	LO	CR	HI	CR	2500
HC	4.438	3.95	4.281			
LH	4.74	4.13	4.71			
CO	6.41	4.03	4.90			
NX	0.76	0.52	0.82			260
HS	2.90	2.10	2.00			2.40
CS	5.00	3.00	4.30			2.40

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.22	3.59	3.64	4.36
CO	120.1	866.1	046.3	071.9
C2	458.2	463.1	393.6	442.8
NX	3.00	1.95	3.26	2.48

	IDLE	LO	CP	HT	CR	2500
HC	3.657	2.822	3.693			
LH	3.59	3.90	4.74			
CO	5.54	0.38	3.61			
NX	0.74	1.910	1.14			230
HS	1.90	1.55	2.15			2.40
CS	4.80	0.32	0.90			2.40

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	15.02	4.38	4.42	6.62
CO	179.9	105.7	882.1	114.7
C2	423.2	435.0	395.8	421.6
NX	2.24	1.67	2.94	2.11

	IDLE	LO	CR	HI	CR	2500
HC	4.617	2.543	4.969			
LH	4.82	2.18	4.15			
CO	5.84	0.22	7.46			
NX	0.86	2.039	4.82			500
HS	4.90	2.00	3.80			3.20
CS	5.80	0.07	8.00			3.20

TEST C0617 DATE 10/12/73

DRY 75 WET 55 PRES 24.48

MPG 13.18

TEST C0678 DATE 10/18/73

DRY 70 WET 52 PRES 24.49

MPG 15.64

TEST C1121 DATE 4/23/74

DRY 74 WET 52 PRES 24.60

MPG 14.30

VEH. NO. 234

PAGE 115

MAKE MERCURY MODEL COUG YEAR 58 CYL. 8 CID 302 WEIGHT 3500 TRANS 1 FXH CTRL 1 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	ATR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
YAMP. 6 MO	2	1	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2

	YOLE	CO	IOLE	RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	06.00	+0050	+11	+03	1	2	0	0	0	0	0	0	074754
AFTER MAINT	06.36	+0000	+00	+00	1	1	0	0	0	0	0	0	074758
AFTER 6 MO	01.41	+0030	-05	+03	1	1	0	0	0	0	0	0	078364

AS RECEIVED

	CT	CS	HT	1975
HC	5.16	7.34	5.25	6.33
CO	066.5	059.3	039.5	055.3
C2	421.1	408.0	357.7	396.8
NX	4.63	2.96	4.94	3.86

	IDLE	LO	CR	HI	CR	2500
HC	9075	4130	3590			
LH	1739	514	439			
CO	6.62	0.78	0.86			
NX	050	3041	4267			
HS	2500	600	490			370
CS	6.60	0.90	0.90			1.10

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	5.21	3.64	3.30	3.87
CO	092.1	070.2	048.8	068.8
C2	466.0	491.4	393.8	459.0
NX	2.60	2.14	2.63	2.37

	IDLE	LO	CR	HI	CR	2500
HC	3785	3248	2908			
LH	405	426	377			
CO	5.90	1.23	1.04			
NX	072	1867	2542			
HS	340	220	190			120
CS	5.00	1.10	0.90			1.80

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	4.78	4.83	4.52	4.73
CO	073.5	050.4	041.1	052.7
C2	505.7	520.7	456.4	499.7
NX	3.08	2.12	3.25	2.63

	IDLE	LO	CR	HI	CR	2500
HC	2440	3135	2945			
LH	250	319	283			
CO	1.52	1.13	1.43			
NX	120	1532	2314			
HS	200	380	240			240
CS	1.20	1.10	1.40			2.00

TEST C0661 DATE 10/17/73

DRY 69 WET 50 PRES 24.86

MPG 17.68

TEST C0717 DATE 10/22/73

DRY 80 WET 51 PRES 24.43

MPG 15.37

TEST C1116 DATE 4/19/74

DRY 74 WET 52 PRES 24.22

MPG 14.91

VEH. NO. 235

PAGE 116

MAKE BUICK

MODEL WILD YEAR 65 CYL. 8 CID 425 WEIGHT 4500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IOLE CO	IOLE RPM	TIMING	HWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODNM
AS RECEIVED	11.10	-0060	+10	+00	1	2	1	0	2	0	078046
AFTER MAINT	11.00	-0060	+22	+00	1	2	1	0	2	0	078046
AFTER 5 MO	10.38	+0150	+00	+00	1	1	1	0	2	0	080979

	IG WS	COIL	SPOKS	AID/F	A/C	F/4X S	IDL/AJ	CHK	DIST AJ	PYS AJ	COND	FTR	DST CAP	PPV
TAMP. 6 MO	2	2	2	2	1	2	1	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	19.21	30.27	17.59	24.44
CO	201.6	263.7	219.5	238.5
C2	459.1	398.6	374.1	404.5
NX	2.93	0.94	1.41	1.50

	IOLE	LO CR	HI CR	2500
HC	16320	6029	5977	
LH	1800	993	796	
CO	11.88	8.16	6.97	
NX	011	327	790	
HS	2500	1443	1040	2500
CS	20.00	9.00	7.40	9.80

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	21.90	34.57	19.07	27.60
CO	202.2	272.6	237.8	248.2
C2	482.2	426.0	441.7	442.1
NX	3.83	1.20	2.04	1.98

	IOLE	LO CR	HI CR	2500
HC	16549	6568	6059	
LH	2500	799	728	
CO	12.62	7.71	7.48	
NX	008	417	762	
HS	2500	620	530	720
CS	20.00	6.90	6.70	7.30

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	17.10	16.32	13.05	15.58
CO	294.0	372.7	302.9	336.8
C2	612.8	562.4	512.6	559.2
NX	3.63	1.26	1.71	1.49

	IOLE	LO CR	HI CR	2500
HC	8902	6231	5011	
LH	712	579	476	
CO	10.44	8.67	7.65	
NX	076	394	723	
HS	400	240	160	160
CS	3.59	3.50	2.90	2.60

TEST C0662 DATE 10/17/73

DRY 69 WFT 50 PRES 24.86

MPG 10.40

TEST C0687 DATE 10/18/73

DRY 71 WFT 52 PRES 24.82

MPG 9.69

TEST C1111 DATE 4/17/74

DRY 72 WFT 51 PRES 24.33

MPG 7.83

MAKE CHEVROLET MODEL IMPA YFAP.65 CYL. 8 CID 327 WFEIGHT 4000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED	IOLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	00.20	-0010	+02	+01	1	2	1	0	2	0	061259
AFTER 6 MO	00.16	+0000	+00	+00	1	1	1	0	2	0	061259
	00.25	+0110	+01	-01	1	1	1	0	2	0	062890

[illegible]

AFTER MAINTENANCE

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	13.24	10.28	9.29	10.62
CO	240.1	220.0	162.5	208.3
C2	423.5	413.9	392.5	410.0
NX	0.89	0.67	1.44	0.93

	IDLE	LO CR	HI CR	2500
HC	7311	5017	6232	
LH	858	641	833	
CO	9.24	4.64	9.23	
NX	046	764	225	
HS	385	800	950	929
CS	8.40	4.60	9.30	6.80

	CT	CS	HT	1975
HC	9.39	6.20	6.25	6.88
CO	202.7	131.5	132.5	146.7
C2	462.9	453.3	413.2	444.2
NX	1.21	0.92	1.53	1.15

	CT	CS	HT	1975
HC	12.33	8.56	8.27	9.27
CO	230.6	153.6	159.7	171.4
C2	483.3	493.5	445.3	478.0
NX	0.99	0.90	1.44	1.07

TEST C0563 DATE 10/17/73

TEST C0690 DATE 10/18/73

TEST C1112 DATE 4/18/74

DRY 71 WET 51 PRES 24.86

DRY 72 WET 52 PRES 24.93

OPY 69 WET 49 PRES 24.90

MPG 11.56

MPG 12.79

MPG 11.47

VEH. NO. 23A

PAGE 11A

MAKE DODGE MODEL CORO YEAR 69 CYL. 8 CID 318 WEIGHT 3500 TRANS 1 EXH CTOL 1 EVAP CTRL 2 PCV 1

IDLF CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
 AS RECEIVED 05.49 -0050 +02 +00 1 1 1 0 2 0 051016
 AFTER MAINT 04.92 +0000 +00 +00 1 1 1 0 2 0 051016
 AFTER 5 MO 04.01 +0000 +00 +00 1 1 1 0 2 0 051439

IG WS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND PTR DST CAP PAV
 TAMP. 6 MO 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
 HC 10.51 9.88 8.49 9.63
 CO 125.0 118.8 102.9 115.7
 C2 453.0 464.4 454.7 459.3
 NX 3.92 2.90 3.63 3.32

IDLE LO CR HI CR 2500
 HC 7828 5499 4954
 LH 1478 782 670
 CO 5.77 3.52 4.22
 NX 069 1417 1198
 HS 1260 540 365 400
 CS 4.80 3.00 3.40 4.30

AFTER MAINTENANCE

CT CS HT 1975
 HC 15.18 10.13 8.85 10.83
 CO 253.4 192.5 192.2 205.2
 C2 343.1 376.0 340.5 359.3
 NX 0.50 0.58 0.59 0.57

IDLE LO CR HI CR 2500
 HC 7882 8344 7126
 LH 1132 1296 1051
 CO 5.23 11.46 10.54
 NX 000 000 000 090
 HS 120 110 090 090
 CS 0.40 0.90 0.85 0.40

AFTER 6 MONTHS

CT CS HT 1975
 HC 18.47 15.02 11.85 14.86
 CO 297.9 251.5 231.0 260.7
 C2 434.1 448.0 387.7 428.3
 NX 0.60 0.54 0.62 0.57

IDLE LO CR HI CR 2500
 HC 9214 10165 8302
 LH 846 1085 832
 CO 3.87 3.96 8.38
 NX 096 180 215
 HS 1000 1100 960 900
 CS 4.40 20.00 9.90 20.00

TEST C0674 DATE 10/18/73

DRY 70 WET 52 PRES 24.89

MPG 13.26

TEST C0736 DATE 10/23/73

DRY 76 WET 47 PRES 24.40

MPG 12.44

TEST C1115 DATE 4/19/74

DRY 69 WET 48 PRES 24.33

MPG 10.87

VEH. NO. 239

PAGE 119

MAKE VOLKSWAGON MODEL SED4 CYL. 4 CID 091 WEIGHT 2000 TRANS 4 EXH CTRL 1 EVAP CTRL 2 PCV 2

	IG	HS	COIL	SPRKS	AID/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RDV
TAMP.	6	MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

	IG	HS	COIL	SPRKS	AID/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RDV
TAMP.	6	MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	4.63	3.79	6.30	4.66
CO	093.2	106.4	099.5	101.7
C2	247.4	254.3	197.4	237.1
NX	1.24	0.78	0.73	0.87

	IDLE	LO	CR	HI	CR	2500
HC	5081	3799	2722			
LH	401	434	360			
CO	7.78	8.92	4.93			
NX	055	247	1387			
HS	400	410	290			720
CS	7.70	9.00	4.70			20.00

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	4.77	4.09	3.82	4.16
CO	078.9	054.4	062.5	061.8
C2	267.8	295.5	240.3	274.4
NX	2.20	1.97	1.82	1.98

	IDLE	LO	CR	HI	CR	2500
HC	3411	2926	2835			
LH	430	402	411			
CO	0.78	3.09	4.59			
NX	073	1293	1521			
HS	250	170	185			260
CS	0.70	2.80	4.00			2.90

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	5.69	4.33	3.89	4.49
CO	087.2	053.7	062.7	063.2
C2	268.1	289.1	238.8	270.7
NX	2.35	2.19	1.91	2.15

	IDLE	LO	CR	HI	CR	2500
HC	20567	3611	2845			
LH	2007	352	294			
CO	0.73	3.46	3.85			
NX	069	1345	1857			
HS	300	110	070			100
CS	0.20	0.70	1.30			0.70

TEST C0664 DATE 10/17/73

DRY 74 WET 53 PRES 24.90

MPG 21.64

TEST C0707 DATE 10/19/73

DRY 70 WET 50 PRES 24.95

MPG 23.16

TEST C1110 DATE 4/17/74

DRY 70 WET 50 PRES 24.33

MPG 23.18

VEN. NO. 245

PAGE 121

MAKE FORD

MODEL FAIR YEAR 68 CYL. 8 GTO 289 WEIGHT 3500 TRANS 2 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	PTR	DST	CAP	RPV
TAMP.	6	NO	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2

	AS RECEIVED	HY	1975	CT	CS	HT	1975	CT	CS	HT	1975
AS RECEIVED	03.56	-0115	7.53	9.52	7.34	6.36	7.53	9.52	7.34	6.36	7.53
AFTER MAINT	08.56	+0000	091.7	119.5	088.7	076.1	091.7	119.5	088.7	076.1	091.7
AFTER 5 MO	00.56	+0025	405.9	377.8	449.2	361.4	405.9	377.8	449.2	361.4	405.9

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	PTR	DST	CAP	RPV
TAMP.	6	NO	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2

	AS RECEIVED	HY	1975	CT	CS	HT	1975	CT	CS	HT	1975
AS RECEIVED	03.56	-0115	7.53	9.52	7.34	6.36	7.53	9.52	7.34	6.36	7.53
AFTER MAINT	08.56	+0000	091.7	119.5	088.7	076.1	091.7	119.5	088.7	076.1	091.7
AFTER 5 MO	00.56	+0025	405.9	377.8	449.2	361.4	405.9	377.8	449.2	361.4	405.9

	AS RECEIVED	HY	1975	CT	CS	HT	1975	CT	CS	HT	1975
AS RECEIVED	03.56	-0115	7.53	9.52	7.34	6.36	7.53	9.52	7.34	6.36	7.53
AFTER MAINT	08.56	+0000	091.7	119.5	088.7	076.1	091.7	119.5	088.7	076.1	091.7
AFTER 5 MO	00.56	+0025	405.9	377.8	449.2	361.4	405.9	377.8	449.2	361.4	405.9

TEST C0696 DATE 10/19/73

DRY 74 WET 52 PRES 24.86

MPG 15.42

	AS RECEIVED	HY	1975	CT	CS	HT	1975	CT	CS	HT	1975
AS RECEIVED	03.56	-0115	7.53	9.52	7.34	6.36	7.53	9.52	7.34	6.36	7.53
AFTER MAINT	08.56	+0000	091.7	119.5	088.7	076.1	091.7	119.5	088.7	076.1	091.7
AFTER 5 MO	00.56	+0025	405.9	377.8	449.2	361.4	405.9	377.8	449.2	361.4	405.9

	AS RECEIVED	HY	1975	CT	CS	HT	1975	CT	CS	HT	1975
AS RECEIVED	03.56	-0115	7.53	9.52	7.34	6.36	7.53	9.52	7.34	6.36	7.53
AFTER MAINT	08.56	+0000	091.7	119.5	088.7	076.1	091.7	119.5	088.7	076.1	091.7
AFTER 5 MO	00.56	+0025	405.9	377.8	449.2	361.4	405.9	377.8	449.2	361.4	405.9

TEST C0750 DATE 10/24/73

DRY 77 WET 50 PRES 24.60

MPG 13.63

	AS RECEIVED	HY	1975	CT	CS	HT	1975	CT	CS	HT	1975
AS RECEIVED	03.56	-0115	7.53	9.52	7.34	6.36	7.53	9.52	7.34	6.36	7.53
AFTER MAINT	08.56	+0000	091.7	119.5	088.7	076.1	091.7	119.5	088.7	076.1	091.7
AFTER 5 MO	00.56	+0025	405.9	377.8	449.2	361.4	405.9	377.8	449.2	361.4	405.9

	AS RECEIVED	HY	1975	CT	CS	HT	1975	CT	CS	HT	1975
AS RECEIVED	03.56	-0115	7.53	9.52	7.34	6.36	7.53	9.52	7.34	6.36	7.53
AFTER MAINT	08.56	+0000	091.7	119.5	088.7	076.1	091.7	119.5	088.7	076.1	091.7
AFTER 5 MO	00.56	+0025	405.9	377.8	449.2	361.4	405.9	377.8	449.2	361.4	405.9

TEST C1119 DATE 4/23/74

DRY 70 WET 49 PRES 24.61

MPG 13.77

VEH. NO. 247

PAGE 122

MAKE FORD

MODEL GALA YEAR 68 CYL. 8 CID 190 WEIGHT 4000 TRANS 1 FWH CTRL 1 EVAP CTRL 2 PCV 1

IGLE CO IDLE RPM
 AS RECEIVED 05.50 +0010
 AFTER MAINT 00.09 +0000
 AFTER 5 40 00.06 -0050

DMELL PCV A/C CHOKE A/P MIS NOX
 +00 1 2 1 0 2 0
 +00 1 1 1 0 2 0
 +00 1 1 1 0 2 0

0000
 046034
 046034
 049183

IG WS COIL SPKKS AIO/F A/C F/MX S IML/AJ CHK DIST AJ PYS AJ COND RTR DST CAP OPV
 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

TAMP. 6 MO

AS RECEIVED

CT CS HT 1975
 HC 7.12 6.51 5.74 6.43
 CO 065.5 100.6 054.4 080.4
 C2 602.5 520.8 503.7 533.2
 NX 7.15 5.13 7.11 6.10
 IDLE LO CR HI CR 2500
 HC 4569 3535 3100
 LH 502 552 472
 CO 6.31 0.25 0.25
 NX 365 3298 4275
 HS 220 190 115 126
 CS 5.00 0.20 0.16 0.60

AFTER MAINTENANCE

CT CS HT 1975
 HC 5.66 3.80 3.75 4.17
 CO 068.8 009.4 022.8 025.1
 C2 814.4 658.3 695.3 701.3
 NX 7.04 5.84 7.65 6.59
 IDLE LO CR HI CR 2500
 HC 2448 3147 2346
 LH 369 428 318
 CO 0.11 0.42 0.21
 NX 088 2927 3192
 HS 175 210 100 099
 CS 0.09 0.25 0.19 0.60

AFTER 6 MONTHS

CT CS HT 1975
 HC 5.73 3.58 3.63 4.05
 CO 072.0 009.4 011.5 023.1
 C2 637.4 633.7 535.2 607.2
 NX 5.56 5.77 7.18 6.12
 IDLE LO CR HI CR 2500
 HC 2258 3304 0117
 LH 257 334 312
 CO 0.07 0.27 1.14
 NX 125 3436 2961
 HS 095 135 095 040
 CS 0.13 0.34 0.25 0.55

TEST 20694 DATE 10/13/77

DRY 70 WET 50 PRES 24.86

MPG 13.10

TEST 03768 DATE 10/26/77

DRY 70 WET 49 PRES 24.75

MPG 11.81

TEST 11116 DATE 4/22/74

DRY 72 WET 51 PRES 24.52

MPG 13.57

VEH. NO. 249

PAGE 123

MAKE	PLYMOUTH	MODEL	FURY	YEAR	71	CYL.	8	GID	1A3	WEIGHT	4070	TRANS	1	EXH	CTRL	1	EVAP	CTRL	2	PCV	1
IDLE CO		IDLE RPM		TIMING		DWELL		PCV		A/C		CHOKE		A/P		MIS		NOX		ODDM	
AS RECEIVED		05.40		-0110		+04		+00		1		1		0		2		0		030259	
AFTER MAINT		02.40		+0000		+00		+00		1		1		0		2		0		030259	
AFTER 5 MO		07.60		-0050		+00		-01		1		1		0		2		0		030154	
IG WS		COIL		SPRKS		AIR/F		A/C		F/MX		S		IDL/AJ		CHK		DIST		AJ	
TAMP. 6 MO		2		2		2		1		1		2		2		2		2		2	

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 11.95	6.75	5.61	7.52	HC 9.49	4.37	5.42	5.73	HC 10.00	11.10	7.64	9.91
CO 199.3	157.5	126.0	157.5	CO 170.0	103.4	129.2	124.5	CO 185.3	194.8	151.9	180.9
C2 548.2	559.3	480.8	535.2	C2 567.8	657.1	572.4	614.9	C2 554.1	563.5	489.2	541.0
NX 2.18	1.13	2.10	1.62	NX 1.72	1.23	2.03	1.55	NX 1.75	1.05	1.64	1.36
IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500	IDLE LO CR	HI CR	2500			
HC 5950	4087	3766	HC 3114	3344	3349	HC 13089	3996	3845			
LH 535	459	425	LH 333	401	385	LH 761	367	327			
CO 5.93	4.29	4.63	CO 2.88	3.64	4.48	CO 8.22	2.78	4.38			
NX 044	657	1157	NX 072	655	1079	NX 026	617	807			
HS 365	275	210	HS 560	780	700	HS 640	280	210			
CS 4.60	3.40	3.70	CS 2.20	3.40	4.00	CS 8.20	3.20	4.80			
								5.00			

TEST C0710 DATE 10/22/73

DRY 70 WET 50 REQES 24.77

MPG 11.05

TEST C0779 DATE 10/26/73

DRY 70 WET 50 PRES 24.71

MPG 10.75

TEST C1120 DATE 4/23/74

DPY 72 WET 50 PRES 24.61

MPG 10.40

VEH. NO. 252

PAGE 125

MAKE OLDSMOBILE MODEL OMEG YEAR 73 CYL. 8 CIO 150 WEIGHT 1500 TRANS 3 FXH CTRL 1 EVAP CTRL 1 PCV 1

	IOLE CO	IOLE RPM	TIMING	DMELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	00.42	+0110	-02	-02	2	1	1	0	2	2	009599
AFTER MAINT	00.47	+0000	+00	+00	1	1	1	0	2	1	009599
AFTER 6 MO	00.33	+0100	-04	-03	1	1	1	0	2	2	012095

	IG MS	COIL	SPOKS	AIQ/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	OTS	AJ	CONO	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	4.66	3.74	4.24	4.07
CO	082.9	079.7	070.8	077.9
C2	577.3	621.0	464.5	568.4
NX	1.49	0.91	1.10	1.08

	CT	CS	HT	1975
HC	4.12	2.93	3.00	3.20
CO	069.1	058.4	052.6	059.0
C2	600.5	632.4	501.8	589.5
NX	1.59	1.07	1.39	1.26

	CT	CS	HT	1975
HC	3.81	4.53	4.62	4.40
CO	041.6	069.2	053.2	059.0
C2	634.2	706.5	528.2	641.9
NX	1.94	1.20	1.64	1.48

	IOLE	LO	CR	HI	CR	2500
HC	1464	2092	2062			
LH	218	275	280			
CO	0.41	1.34	0.65			
NX	069	485	1665			
HS	075	140	120	095		
CS	0.48	1.30	0.58	1.50		

	IOLE	LO	CR	HI	CR	2500
HC	1669	2405	2015			
LH	227	293	267			
CO	0.55	2.10	0.56			
NX	075	443	1226			
HS	090	160	120	080		
CS	0.20	0.50	0.20	0.40		

	IOLE	LO	CR	HI	CR	2500
HC	0773	2543	2277			
LH	108	193	191			
CO	0.39	2.89	1.56			
NX	075	320	1148			
HS	050	100	090	070		
CS	0.40	3.50	1.60	4.20		

TEST C0726 DATE 10/23/73

TEST C0782 DATE 10/26/73

TEST C1125 DATE 4/25/74

DRY 70 WET 48 PRES 24.68

DRY 71 WET 50 PRES 24.42

DRY 72 WET 51 PRES 24.70

MPG 12.66

MPG 12.87

MPG 11.90

VEH. NO. 25A

PAGE 126

MAKE FORD

MODEL THUN YEAR 65 CYL. 8 CID 390 WEIGHT 5000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IG	CO	SPRKS	AIR/F	A/C	F/MX	S	IML/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	RPV
YAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	1	2	2	2	2	2	2	2
AS RECEIVED	05.12	+0000		+00	+06	1		1	1		2	0	0	083016				
AFTER MAINT	05.70	+0000		+00	+05	1		1	1		2	0	0	083016				
AFTER 6 MO	03.14	+0050		+01	+06	1		1	1		2	0	0	095143				

	IG	CO	SPRKS	AIR/F	A/C	F/MX	S	IML/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	RPV
YAMP. 6 MO	2	2	2	2	1	1	2	2	2	2	1	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC	9.94	7.53	5.73
CO	142.3	169.1	145.4
C2	599.1	526.4	467.9
NX	3.69	1.40	1.08

IDLE	LO	CR	HI	CR	2500
HC	4494	3816	3504		
LH	436	488	438		
CO	5.16	4.15	3.99		
NX	074	973	1327		
HS	280	310	249		
CS	4.10	3.40	3.20		

AFTER MAINTENANCE

CT	CS	HT	1975
HC	8.97	7.29	11.79
CO	141.1	174.3	174.7
C2	567.6	568.2	473.8
NX	3.59	1.91	1.51

IDLE	LO	CR	HI	CR	2500
HC	3927	3839	3536		
LH	461	491	449		
CO	5.70	5.48	5.47		
NX	085	596	759		
HS	380	360	270		
CS	4.80	1.20	4.60		

AFTER 6 MONTHS

CT	CS	HT	1975
HC	19.03	7.31	6.33
CO	443.1	195.3	142.5
C2	563.9	584.8	503.8
NX	0.93	1.74	1.95

IDLE	LO	CR	HI	CR	2500
HC	1957	4077	3504		
LH	127	390	308		
CO	3.44	4.55	3.58		
NX	077	696	1358		
HS	300	380	330		
CS	3.80	5.20	4.40		

TEST C0739 DATE 10/24/73

DRY 76 WET 50 PRES 24.5A

MPG 11.19

TEST C0762 DATE 10/25/73

DRY 72 WET 54 PRES 24.61

MPG 10.69

TEST C1117 DATE 4/22/74

DRY 70 WET 50 PRES 24.52

MPG 9.34

VEH. NO. 259

PAGE 127

MAKE VOLKSWAGON MODEL FAST YEAR 66 CYL. 4 CID 997 WEIGHT 2250 TRANS 4 EXH CTRL 2 EVAP CTRL 2 PCV 2

	IG WS	COIL	SPPKS	AIR/F	A/C	F/MX S	IOL/AJ	CHK	DIST AJ	PTS AJ	NOX	ODOM
AS RECEIVED	05.40	+0050	+05	+00	0	1	1	0	2	0	0	115141
AFTER MAINT	05.40	+0050	+05	+00	0	1	1	0	2	0	0	115141
AFTER 6 MO	00.77	-0050	+00	+00	0	1	2	0	1	0	0	121515

TAMP.	6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	7.74	4.14	3.60	4.74
CO	140.9	064.3	066.5	080.9
C2	287.9	234.6	194.8	234.7
NX	1.06	1.33	1.40	1.29

	CT	CS	HT	1975
HC	7.74	4.14	3.60	4.74
CO	140.9	064.3	066.5	080.9
C2	287.9	234.6	194.8	234.7
NX	1.06	1.33	1.40	1.29

	CT	CS	HT	1975
HC	6.08	4.66	3.27	4.57
CO	095.1	031.1	037.6	046.3
C2	249.3	297.6	240.1	271.5
NX	1.70	2.39	2.53	2.29

TEST C0740 DATE 10/24/73
 DRY 79 WET 50 PRES 24.62

MPG 23.64

TEST C0740 DATE 10/24/73
 DRY 79 WET 50 PRES 24.62

MPG 23.64

TEST C1127 DATE 4/26/74
 DRY 75 WET 55 PRES 24.55

MPG 24.83

VEH. NO. 260

PAGE 128

MAKE CHRYSLER MODEL IMPE YEAR 71 CYL. 8 G10 440 WEIGHT 5000 TRANS 1 EXH CTRL 1 FVAP CTRL 2 PCV 1

IGLE CO IDLE RPM DWELL PCV A/C CHOKE A/P MIS NOX ODO M

AS RECEIVED
AFTER MAINT
AFTER 5 MO

05.20 -0060 +04 1 1 0 0 023677
05.20 -0060 +04 1 1 0 0 023677
00.64 +0000 +05 1 1 0 2 0 024251

IG MS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RIR DST CAP REV
TAMP. 6 MO 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
HC 8.45 4.99 5.34 5.81
CO 199.8 117.6 131.5 138.7
C2 707.0 763.0 511.5 681.5
NX 1.82 1.61 2.24 1.83
IDLE LO CR HI CR 2500
HC 3386 3117 3360
LH 303 309 320
CO 5.73 2.62 4.60
NX 077 701 666
HS 175 130 130 140
CS 4.50 2.20 3.70 3.00

AFTER MAINTENANCE

CT CS HT 1975
HC 8.45 4.99 5.34 5.81
CO 199.8 117.6 131.5 138.7
C2 707.0 763.0 511.5 681.5
NX 1.82 1.61 2.24 1.83
IDLE LO CR HI CR 2500
HC 3386 3117 3360
LH 303 309 320
CO 5.73 2.62 4.60
NX 077 701 666
HS 175 130 130 140
CS 4.50 2.20 3.70 3.00

AFTER 6 MONTHS

CT CS HT 1975
HC 8.55 4.37 4.86 5.40
CO 201.5 096.6 106.1 121.2
C2 757.5 820.9 646.7 759.3
NX 1.78 1.74 2.07 1.84
IDLE LO CR HI CP 2500
HC 37105 2982 2413
LH 3617 262 187
CO 8.67 1.68 2.46
NX 1360 919 789
HS 190 100 090
CS 3.00 1.40 2.50 1.80

TEST C0741 DATE 10/24/73

DRY 74 WFT 49 PRES 24.62

MPG 9.71

TEST C0741 DATE 10/24/73

DRY 74 WFT 49 PRFS 24.62

MPG 9.71

TEST C1126 DATE 4/25/74

DRY 74 WFT 51 PPFS 24.68

MPG 9.21

VEH. NO. 261

PAGE 129

MAKE FORD

MODEL MUST YEAR 69 CYL. 6 CID 200 WEIGHT 3000 TRANS 3 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	0004
AS RECEIVED	02.75	+0170	-06	+03	2	2	1	0	1	0	068680
AFTER MAINT	07.35	+0000	+00	+00	1	1	1	0	2	0	068680
AFTER 6 MO	03.90	-0075	+00	+00	1	1	1	0	1	0	077635

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	5.51	4.54	4.25	4.66
CO	076.7	098.0	069.2	085.5
C2	401.3	427.0	340.3	397.5
NX	1.75	0.97	1.37	1.25

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	6.17	6.04	5.68	5.97
CO	095.9	142.2	089.7	118.0
C2	300.1	378.5	339.4	369.6
NX	1.64	0.78	1.49	1.16

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	5.30	5.17	3.89	4.04
CO	068.5	080.1	045.7	068.2
C2	447.6	456.1	384.9	434.6
NX	2.55	1.51	2.39	1.97

	IDLE	LO	CR	HI	CR	2500
HC	3490	2306	4141			
LH	294	248	500			
CO	2.94	0.92	6.45			
NX	104	994	433			
HS	190	130	320	175		
CS	3.10	0.90	5.30	3.50		

	IDLE	LO	CR	HI	CR	2500
HC	5419	3349	3027			
LH	426	366	360			
CO	7.80	1.27	0.90			
NX	074	1078	2300			
HS	240	195	180	140		
CS	6.80	1.10	0.80	2.90		

	IDLE	LO	CR	HI	CR	2500
HC	7675	3718	3365			
LH	615	257	224			
CO	4.10	0.91	0.96			
NX	092	1242	2461			
HS	600	290	255	350		
CS	4.00	0.75	0.80	3.50		

TEST C0753 DATE 10/25/73

DRY 69 WET 49 PRES 24.64

MPG 16.29

TEST C0807 DATE 10/30/73

DRY 70 WET 50 PRES 24.56

MPG 15.52

TEST C1139 DATE 5/01/74

DRY 75 WET 53 PRES 24.61

MPG 15.99

VEH. NO. 262

PAGE 130

MAKE CHEVROLET MODEL STAW YEAR 73 CYL. 8 CID 454 WEIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

	IOLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	01.70	-0160	+00	+01	1	1	1	0	1	1	017416
AFTER MAINT	02.66	+0000	+00	+00	1	1	1	0	2	1	017416
AFTER 6 MO	02.72	-0100	-02	-09	1	1	1	0	2	1	019248

TAMP.	6 MO	IG WS	COIL	SPRKS	ATQ/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PIS AJ	COND	RTR	DST CAP	POV
		2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	2.99	2.40	2.49	2.55
CO	041.6	037.7	031.5	036.8
C2	771.3	786.3	524.1	738.2
NX	2.99	1.38	3.96	2.43

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	5.41	3.55	3.87	4.03
CO	057.2	041.7	038.1	044.0
C2	796.3	753.5	652.9	734.6
NX	3.93	1.73	3.58	2.70

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	4.19	3.05	3.88	3.52
CO	040.5	043.9	029.0	039.1
C2	703.7	732.0	585.2	685.3
NX	3.23	1.55	3.18	2.35

	IOLE	LO CR	HI CR	2500
HC	2541	2042	1798	
LH	346	294	266	
CO	3.23	0.21	0.66	
NX	046	362	2131	
HS	165	095	060	1300
CS	2.30	0.18	0.60	0.25

TEST C0754 DATE 10/25/73

DRY 69 WET 48 PRES 24.64

MPG 11.04

TEST C0808 DATE 10/30/73

DRY 70 WET 50 PRES 24.55

MPG 10.91

TEST C1131 DATE 4/29/74

DRY 71 WET 53 PRES 24.49

MPG 11.75

VEH. NO. 264

MAKE OPEL

MODEL 1900

YEAR 72

CYL. 4

CID 116

WEIGHT 2250

TRANS 4

EXH CTPL 1

EVAP CTRL 1

PCV 2

AS RECEIVED	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	DDV
6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
AS RECEIVED	01.29	-0200		+05	+04	0	1	1	0	1	0	0	022672				
AFTER MAINT	06.80	+0000		+03	+04	0	1	1	0	2	0	0	022672				
AFTER 6 MO	05.87	+0000		+00	+00	0	1	1	0	1	0	0	029397				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 7.11	6.05	4.65	5.88	HC 6.39	4.24	4.55	4.78	HC 6.98	7.20	6.34	7.89
CO 107.2	105.4	063.4	094.2	CO 093.0	074.5	060.0	076.5	CO 125.6	102.2	065.3	096.9
C2 273.2	282.0	238.7	268.2	C2 295.1	290.0	253.0	280.8	C2 309.1	328.0	276.6	309.8
NX 2.15	0.84	1.85	1.40	NX 2.79	1.32	1.87	1.78	NX 2.00	1.08	1.95	1.52
INLE LO CR HI CR	2500			INLE LO CR HI CR	2500			INLE LO CR HI CR	2500		
HC 3340	3823	3495		HC 4638	4118	3603		HC 4328	4122	23270	
LH 386	470	447		LH 356	512	412		LH 312	331	1956	
CO 1.42	3.02	1.48		CO 7.30	3.79	1.52		CO 6.40	2.92	1.54	
NX 058	1219	3005		NX 046	714	2838		NX 051	945	2335	
HS 090	185	153	190	HS 230	375	275	210	HS 350	350	2500	490
CS 1.40	2.60	1.40	3.60	CS 6.30	3.20	1.40	3.00	CS 5.70	2.60	1.10	3.40

TEST C0772 DATE 10/26/73

DRY 72 WET 50 PRES 24.77

MPG 20.49

TEST C0795 DATE 10/29/73

DRY 77 WET 52 PRES 24.53

MPG 21.40

TEST C1137 DATE 5/01/74

DRY 69 WET 52 PPES 24.61

MPG 18.29

VEH. NO. 267

PAGE 133

MAKE FORD

MODEL FALC YEAR 67 CYL. 6 CID 200 WEIGHT 2750 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

IDLE CO IDLE RPM

AS RECEIVED
AFTER MAINT
AFTER 6 MO

00.70 +0000
05.39 +0000
05.43 -0020

TIMING
+09
+00
+00

OWELL
-01
+00
+00

PCV
1
1
1

A/C
2
1
1

CHOKE
0
0
0

A/P
0
0
0

MIS
2
2
2

NOX
0
0
0

ODOM
103550
103550
106598

TAMP. 6 MO

IG WS 2

GCIL 2

AIR/F 2

SPRKS 2

A/C 1

F/MX 2

S 2

IDL/AJ 2

CHK 2

DIST AJ 2

PYS AJ 2

COND 2

RTR 2

DST 2

CAP 2

RPV 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT 3.05 2.77 2.40 2.89
HC 034.2 029.6 021.6 028.3
CO 375.7 354.3 308.1 345.9
C2 7.33 3.36 5.39 4.76
NX

CT 4.12 3.63 3.12 3.59
HC 044.5 055.4 036.8 047.9
CO 328.0 324.1 295.3 316.9
C2 5.48 3.44 5.11 4.33
NX

CT 3.99 3.75 2.95 3.56
HC 030.4 041.8 023.5 034.3
CO 318.4 317.9 304.8 314.5
C2 5.61 3.57 5.01 4.62
NX

IDLE LO CR HI CR 2500
HC 2233 3124 3074
LH 240 464 445
CO 0.86 0.31 0.71
NX 084 3872 3976
HS 260 340 300 150
CS 0.80 0.10 0.60 0.30

IDLE LO CR HI CR 2500
HC 4139 2632 2839
LH 387 387 443
CO 5.61 0.14 0.01
NX 065 5165 3992
HS 235 185 230 500
CS 4.20 0.15 0.72 0.60

IDLE LO CR HI CR 2500
HC 4955 2953 3000
LH 398 349 371
CO 6.04 0.27 0.11
NX 065 2647 5102
HS 145 130 130 170
CS 5.60 0.30 0.15 0.75

TEST C0784 DATE 10/26/78

DRY 69 WET 52 PRES 24.80

MPG 22.29

TEST C0930 DATE 11/01/73

DRY 72 WET 52 PRES 24.24

MPG 22.07

TEST C1132 DATE 4/29/74

DRY 69 WET 51 PRES 24.89

MPG 23.46

VEH. NO. 268

PAGE 134

MAKE DODGE

MODEL DART

YEAR 73

CYL. 6

CIN 225

WEIGHT 3000

TRANS 1

EXH CTRL 1

EVAP CTRL 1

PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

I/OLE CO
04.60
04.60
02.98

TIMING
+02
+02
+02

OWELL
+00
+00
+00

PCV
1
1
1

A/C
2
2
1

CHOKF
1
1
1

A/P
0
0
0

MIS
1
1
1

NOX
1
1
1

000M
025094
025094
034746

TAMP. 6 MO

IG WS COIL SPRKS
2 2 2

AIR/F
2 2 2

A/C
1 1 1

F/MX S
2 2 2

IDL/AJ
2 2 2

CHK
2 2 2

DIST AJ
2 2 2

PTS AJ
2 2 2

COND
2 2 2

RTR
2 2 2

NSI CAP
2 2 2

POV
2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT 4.78 3.74 3.17 3.80
HC 086.4 051.9 052.7 059.4
CO 426.6 409.3 346.8 395.6
NX 3.43 3.16 3.26 3.24
IDLE LO CR HI CR 2500
HC 4223 3070 4214
LH 352 368 488
CO 4.95 1.06 7.98
NX 085 2968 529
HS 250 235 295
CS 4.40 1.00 6.80 0.85

CT 4.78 3.74 3.17 3.80
HC 086.4 051.9 052.7 059.4
CO 426.6 409.3 346.8 395.6
NX 3.43 3.16 3.26 3.24
IDLE LO CR HI CR 2500
HC 4223 3070 4214
LH 352 368 488
CO 4.95 1.06 7.98
NX 086 2968 529
HS 250 235 295
CS 4.40 1.00 6.80 0.85

CT 34.54 31.01 30.47 31.60
HC 113.9 066.9 095.9 084.8
CO 362.3 359.1 302.1 344.0
NX 2.30 2.20 1.97 2.16
IDLE LO CR HI CR 2500
HC 24974 23407 25269
LH 1931 1835 1806
CO 3.26 0.85 7.22
NX 072 2444 292
HS 2500 2500 2500
CS 2.90 0.90 6.90 1.00

TEST C0774 DATE 10/26/73

DRY 72 WFT 50 PRES 24.77

MPG 17.78

TEST C0774 DATE 10/26/73

DRY 72 WFT 50 PRES 24.77

MPG 17.78

TEST C1129 DATE 4/26/74

DRY 76 WFT 54 PRES 24.44

MPG 15.43

VEH. NO. 270

MAKE CHEVROLET MODEL NOVA YEAR 71 CYL. 6 CID 250 W/FIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

IG MS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	WIST AJ	PTS AJ	COND	RTR	DST CAP	RPV
2	2	2	2	2	2	2	2	2	2	2	2	2	2

TAMP. 6 MO

AS RECEIVED	IOLE CO	IOLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	02.26	+0140	-02	+00	2	1	1	0	1	0	095217
AFTER 6 MO	02.49	+0150	+01	-04	1	1	1	0	2	0	107212

AS RECEIVED

CT	CS	HT	1975
HC 5.05	2.60	3.13	3.26
CO 085.1	030.4	032.2	042.3
C2 501.1	486.2	392.0	463.2
NX 4.07	2.79	4.59	3.56

IOLE LO CR HI CR 2500

HC 2461	2602	3005
LH 255	344	363
CO 2.47	0.20	1.66
NX 088	2888	2496
HS 140	180	180
CS 2.40	0.20	1.50

AFTER MAINTENANCE

CT	CS	HT	1975
HC 5.05	2.60	3.13	3.26
CO 085.1	030.4	032.2	042.3
C2 501.1	486.2	392.0	463.2
NX 4.07	2.79	4.59	3.56

IOLE LO CR HI CR 2500

HC 2461	2602	3085
LH 255	344	363
CO 2.47	0.20	1.66
NX 088	2888	2496
HS 140	180	180
CS 2.40	0.20	1.50

AFTER 6 MONTHS

CT	CS	HT	1975
HC 5.72	3.37	3.17	3.80
CO 053.2	034.4	029.5	037.0
C2 478.3	478.6	423.1	463.1
NX 7.13	5.58	8.22	6.63

IOLE LO CR HI CR 2500

HC 3905	2739	2649
LH 435	260	215
CO 4.33	0.18	0.96
NX 107	4355	4301
HS 290	235	215
CS 2.45	0.15	0.75

TEST C0775 DATE 10/26/73

DRY 72 WET 50 PRES 24.77

MPG 16.49

TEST C0775 DATE 10/26/73

DRY 72 WET 50 PRES 24.77

MPG 16.49

TEST C1141 DATE 5/02/74

DPY 72 WET 53 PRES 24.50

MPG 16.70

VEH. NO. 271

PAGE 136

MAKE PONTIAC

MODEL FIRE Y FAR 67 CYL. 8 CID 326 WEIGHT 3500 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	OTHER
AS RECEIVED	06.23	-0115	+00	+00	1	1	1	0	2	0	059028
AFTER MAINT	03.75	+0000	+00	+00	1	1	1	0	2	0	059028
AFTER 6 MO	05.04	-0100	+00	+00	1	1	1	0	2	0	061426

	IG	WS	COIL	SPOKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	POV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	12.18	9.58	10.32	10.33
CO	175.2	157.4	143.2	157.2
C2	445.9	405.1	329.7	392.7
NX	2.20	1.34	1.69	1.62

	CT	CS	HT	1975
HC	11.35	7.32	7.45	8.20
CO	188.9	136.1	157.9	153.2
C2	404.6	399.4	326.1	380.2
NX	1.39	1.05	1.35	1.20

	CT	CS	HT	1975
HC	11.18	9.18	8.06	9.29
CO	154.7	135.8	129.4	138.0
C2	406.3	380.4	335.1	373.2
NX	1.56	0.91	1.36	1.17

	IDL	LO	CR	HI	CR	2500
HC	7305	4055	4353			
LH	910	566	578			
CO	6.91	2.17	5.88			
NX	049	1713	855			
HS	800	370	370			480
CS	5.10	1.80	4.60			2.80

	IDL	LO	CR	HI	CR	2500
HC	6247	4148	4356			
LH	763	593	626			
CO	4.14	3.58	6.72			
NX	052	1066	602			
HS	550	360	355			330
CS	3.00	2.60	4.80			2.30

	IDL	LO	CR	HI	CR	2500
HC	10333	5351	5464			
LH	957	567	532			
CO	6.61	2.63	4.17			
NX	052	1268	1256			
HS	860	540	525			480
CS	5.10	2.50	4.20			4.10

TEST C07A7 DATE 10/29/73

TEST C0829 DATE 11/01/73

TEST C1136 DATE 4/30/74

DRY 70 WET 50 PRES 24.59

DRY 73 WET 52 PRES 24.24

DRY 76 WET 54 PRES 24.90

MPG 13.25

MPG 13.77

MPG 14.34

VEH. NO. 272

PAGE 137

MAKE PLYMOUTH MODEL FURY YEAR 66 CYL. 8 CIO 314 WEIGHT 4000 TRANS 1 FXH CTPL 2 EVAP CTRL 2 PCV 1

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	ROV
TAMP.	6	NO	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2

	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	ROV
AS RECEIVED	07.60			+0100	-05	+00	1	2	2	1	0	1	0	0	092494				
AFTER MAINT	05.08			+0000	+00	+00	1	1	1	1	0	2	0	0	092494				
AFTER 6 MO	06.98			+0120	+00	+00	1	1	1	1	0	2	0	0	094647				

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC	12.93	7.64	6.81	8.52	9.33	6.32	5.32	6.67	57.12	42.02	37.30	43.67
CO	208.3	139.2	139.9	153.8	154.6	110.7	98.5	116.5	242.3	194.6	170.7	198.0
C2	419.1	443.0	393.8	424.1	409.3	446.1	422.4	448.6	513.3	463.7	420.6	462.1
NX	2.77	2.87	2.93	2.87	3.20	2.97	3.33	3.12	1.33	1.22	1.18	1.23

	CT	CS	HT	1975	CT	CS	HT	1975
HC	6679	4193	4513	2500	24956	22779	24690	2500
LH	785	536	606		LH	1905	1840	1852
CO	8.03	3.65	3.52		CO	7.57	2.84	7.65
NX	060	2152	2235		NX	058	715	129
HS	710	330	380	165	HS	2500	2500	2500
CS	6.50	3.00	2.90	5.70	CS	6.80	2.70	7.10

TEST C0798 DATE 10/29/73

TEST C0856 DATE 11/05/73

TEST C1143 DATE 5/02/74

DRY 70 WET 50 PRES 24.57

DRY 72 WET 53 PRES 24.55

DRY 72 WET 51 PRES 24.44

MPG 12.86

MPG 13.65

MPG 9.77

MAKE CHEVROLET MODEL CAPR YEAR 70 CYL. 8 CID 400 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED	IGLF CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AFTER MAINT	07.00	-0090	-04	+00	1	2	1	0	2	0	047305
AFTER 5 MO	03.75	+0000	+00	+00	1	1	1	0	2	0	047305
	03.85	+0000	-01	+00	1	1	1	0	2	0	051714

TAMP. 6 MO	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	PTR	DST	CAP	RDV
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

CT	CS	HT	1975
HC 10.33	5.27	5.11	6.28
CO 208.1	109.1	092.9	125.3
C2 600.5	603.4	448.6	559.8
NX 2.12	2.02	2.09	2.06
IDLE LO CR	HI CR	2500	
HC 5203	2814	3375	
LH 475	370	404	
CO 7.60	1.63	3.54	
NX 063	1198	1385	
HS 250	160	190	110
CS 5.60	1.20	2.90	2.90

AFTER MAINTENANCE

CT	CS	HT	1975
HC 11.30	5.20	6.92	6.96
CO 197.1	082.5	106.2	113.1
C2 525.7	554.9	408.6	530.4
NX 3.74	3.56	4.32	3.81
IDLE LO CR	HI CR	2500	
HC 3818	3357	3424	
LH 470	439	443	
CO 4.00	1.46	3.18	
NX 115	2645	2084	
HS 310	250	240	075
CS 3.00	1.10	2.39	1.70

AFTER 6 MONTHS

CT	CS	HT	1975
HC 6.54	5.28	4.15	5.24
CO 118.1	098.1	065.4	093.2
C2 432.1	553.5	487.8	509.9
NX 3.23	3.28	4.89	3.72
IDLE LO CR	HI CR	2500	
HC 4607	3409	3662	
LH 516	361	357	
CO 4.23	1.09	3.09	
NX 114	2692	2215	
HS 410	320	345	145
CS 3.60	0.90	2.95	1.95

TEST C0789 DATE 10/29/73

DRY 78 WET 51 PRES 24.57

MPG 11.47

TEST C0845 DATE 11/02/73

DRY 69 WET 50 PRES 24.64

MPG 12.20

TEST C1139 DATE 5/01/74

DRY 73 WET 54 PRES 24.62

MPG 13.24

VEH. NO. 276

PAGE 139

MAKE PONTIAC MODEL LEWA YEAR 66 CYL. 8 CID 326 WEIGHT 3500 TRANS 1 EXH CIPL 2 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DMELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM
AS RECEIVED	07.40	-0070	-03	+00	1	1	1	0	2	0	073426
AFTER MAINT	04.45	+0008	+00	+00	1	1	1	0	2	0	073426
AFTER 6 MO	07.61	+0020	+00	+00	1	1	1	0	2	0	075841

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	PPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	11.94	8.93	6.47	8.88
CO	148.2	126.3	105.2	125.1
C2	493.7	455.7	409.4	450.8
NX	3.72	2.65	3.24	3.04

	CT	CS	HT	1975
HC	10.30	6.41	5.59	7.00
CO	143.2	106.6	121.8	118.5
C2	509.7	554.4	492.2	525.0
NX	3.71	3.18	2.51	3.10

	CT	CS	HT	1975
HC	10.34	9.76	7.54	9.27
CO	132.4	132.5	119.0	128.7
C2	530.1	465.8	423.9	467.7
NX	4.47	3.11	3.92	3.62

	IDLE	LO	CR	HI	CR	2500
HC	8090	3838	5241			
LH	881	481	637			
CO	7.93	0.62	10.14			
NX	034	2668	228			150
HS	800	360	430			
CS	6.40	0.52	7.80			2.40

	IDLE	LO	CR	HI	CR	2500
HC	4493	3469	3738			
LH	599	459	483			
CO	4.74	0.38	3.64			
NX	228	2594	1492			175
HS	275	180	185			
CS	4.30	0.20	3.50			1.90

	IDLE	LO	CR	HI	CR	2500
HC	12660	4392	4700			
LH	784	358	361			
CO	8.18	1.13	4.98			
NX	041	2794	451			415
HS	1050	440	425			
CS	8.30	1.10	4.90			2.90

TEST C0798 DATE 10/30/73

TEST C0866 DATE 11/05/73

TEST C1147 DATE 5/06/74

DRY 75 WET 53 PRES 24.70

DRY 73 WET 53 PRES 24.67

DRY 76 WET 54 PRES 24.66

MPG 13.19

MPG 12.15

MPG 12.74

VEH. NO. 277

PAGE 140

MAKE FORD

MODEL STAW YEAR 66 CYL. 8 CID 289 WEIGHT 3000 TRANS 1 FX4 CTRL 2 EVAP CTRL 2 PCV 1

IOL CO IOL RPM
 AS RECEIVED 07.40 +0060
 AFTER MAINT 02.00 +0000
 AFTER 5 MO 03.31 +0000

TIME DWELL PCV A/C CHOKE A/P MIS NOX
 -02 +00 1 2 1 0 0 0
 -02 +00 1 1 1 0 2 0
 +00 +00 1 1 1 0 2 0

IG WS COIL SPKRS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PIS AJ COND RT2 DST CAP OPV
 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
 HC 14.33 15.94 9.96 13.94
 CO 151.0 220.6 128.2 180.4
 C2 368.8 344.4 313.6 341.6
 NX 1.84 0.89 1.82 1.35
 IOL LO CR HI CR 2500
 HC 5223 5219 4592
 LH 449 706 555
 CO 7.75 4.39 3.72
 NX 056 1150 1353
 HS 235 400 290 560
 CS 4.50 2.50 2.20 5.30

CT CS HT 1975
 HC 13.27 11.98 9.63 11.60
 CO 151.5 164.6 112.9 147.5
 C2 401.0 367.7 347.9 369.2
 NX 1.95 1.14 2.06 1.57
 IOL LO CR HI CR 2500
 HC 3928 5405 4972
 LH 544 764 640
 CO 2.15 3.79 5.86
 NX 064 1149 591
 HS 135 185 135 250
 CS 2.00 3.50 5.20 9.80

CT CS HT 1975
 HC 12.88 12.63 8.54 11.55
 CO 135.4 163.9 109.4 142.8
 C2 406.6 357.6 329.7 368.1
 NX 1.79 1.01 1.66 1.35
 IOL LO CR HI CR 2500
 HC 4998 8415 5836
 LH 579 836 592
 CO 3.50 6.09 3.05
 NX 057 646 1494
 HS 570 940 560 850
 CS 3.10 5.70 2.30 7.60

TEST C0854 DATE 11/05/73

TEST C0884 DATE 11/06/73

TEST C1140 DATE 5/01/74

DRY 69 WET 50 PRES 24.55

DRY 76 WET 54 PRES 24.64

DRY 75 WET 53 PRES 24.66

MPG 13.32

MPG 13.97

MPG 14.34

VEH. NO. 278

PAGE 141

MAKE FORD

MODEL MUST YEAR 65 CYL. 8 CID 289 W/FIGHT 3000 TRANS 1 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IDLE CO IDLE RPM
05.30 +0120
05.30 +0120
03.85 +0200

IG WS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND PTR DST CAP RPV
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
HC 9.05 5.73 4.93 6.20
CO 096.5 100.5 055.5 087.2
C2 429.2 418.5 396.1 414.5
NX 3.16 2.32 3.96 2.95

AFTER MAINTENANCE

CT CS HT 1975
HC 9.05 5.73 4.93 6.20
CO 096.5 100.6 055.5 087.2
C2 429.2 418.5 396.1 414.5
NX 3.16 2.32 3.96 2.95

AFTER 6 MONTHS

CT CS HT 1975
HC 6.54 5.37 4.48 5.37
CO 086.2 109.8 066.8 092.4
C2 442.6 435.6 385.2 423.1
NX 3.28 1.64 2.98 2.36

IDLE LO CP HI CP 2500
HC 4394 4167 3539
LH 485 653 651
CO 5.64 3.35 2.30
NX 064 1321 1304
HS 320 470 310 380
CS 4.20 2.70 1.90 3.40

IDLE LO CR HI CR 2500
HC 4011 4562 3530
LH 417 478 309
CO 4.15 1.91 1.61
NX 145 1822 2200
HS 380 320 150 150
CS 4.10 2.20 1.60 3.20

TEST C0801 DATE 10/30/73

DRY 72 WET 50 PRES 24.70

MPG 15.59

TEST C0801 DATE 10/30/73

DRY 72 WET 50 PRES 24.70

MPG 15.59

TEST C1120 DATE 4/29/74

DRY 70 WET 53 PRES 24.89

MPG 15.22

VEH. NO. 279

PAGE 142

MAKE	TOYOTA	MODEL	STAM	YEAR	73	CYL.	4	CID	120	WEIGHT	2500	TRANS	1	EXH	CYRL	1	EVAP	CYRL	1	PCV	1																																																								
<table border="0"> <tr> <td></td> <td>I/OLE</td> <td>CO</td> <td>I/OLE</td> <td>RPM</td> <td>TIMING</td> <td>DWELL</td> <td>PCV</td> <td>A/C</td> <td>CHOK</td> <td>A/P</td> <td>MIS</td> <td>NOX</td> <td>ODOM</td> </tr> <tr> <td>AS RECEIVED</td> <td>03.01</td> <td></td> <td>+0030</td> <td></td> <td>+00</td> <td>+00</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>2</td> <td>0</td> <td>003629</td> </tr> <tr> <td>AFTER MAINT</td> <td>03.01</td> <td></td> <td>+0030</td> <td></td> <td>+00</td> <td>+00</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>2</td> <td>0</td> <td>003629</td> </tr> <tr> <td>AFTER 5 MO</td> <td>02.01</td> <td></td> <td>+0050</td> <td></td> <td>+01</td> <td>+00</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>2</td> <td>0</td> <td>013650</td> </tr> </table>																							I/OLE	CO	I/OLE	RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM	AS RECEIVED	03.01		+0030		+00	+00	1	1	1	0	2	0	003629	AFTER MAINT	03.01		+0030		+00	+00	1	1	1	0	2	0	003629	AFTER 5 MO	02.01		+0050		+01	+00	1	1	1	0	2	0	013650
	I/OLE	CO	I/OLE	RPM	TIMING	DWELL	PCV	A/C	CHOK	A/P	MIS	NOX	ODOM																																																																
AS RECEIVED	03.01		+0030		+00	+00	1	1	1	0	2	0	003629																																																																
AFTER MAINT	03.01		+0030		+00	+00	1	1	1	0	2	0	003629																																																																
AFTER 5 MO	02.01		+0050		+01	+00	1	1	1	0	2	0	013650																																																																
<table border="0"> <tr> <td></td> <td>IG</td> <td>WS</td> <td>COIL</td> <td>SPRKS</td> <td>AIR/F</td> <td>A/C</td> <td>F/MX</td> <td>S</td> <td>IDL/AJ</td> <td>CHK</td> <td>DIST</td> <td>AJ</td> <td>PYS</td> <td>AJ</td> <td>COND</td> <td>RTR</td> <td>DST</td> <td>CAP</td> <td>RPV</td> </tr> <tr> <td>TAMP.</td> <td>5</td> <td>NO</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> <td>2</td> </tr> </table>																							IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	RPV	TAMP.	5	NO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																
	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PYS	AJ	COND	RTR	DST	CAP	RPV																																																										
TAMP.	5	NO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																																																										

AS RECEIVED

CT	CS	HT	1975
HC	4.36	3.24	2.76
CO	078.6	061.6	041.9
C2	429.0	374.9	359.2
NX	3.73	2.14	3.51
IDLE LO CR HI CR 2500			
HC	4856	3174	3009
LH	563	418	393
CO	4.70	2.60	1.75
NX	082	828	2135
HS	250	190	165
CS	2.60	1.90	1.40

AFTER MAINTENANCE

CT	CS	HT	1975
HC	4.36	3.24	2.76
CO	078.6	061.6	041.9
C2	429.0	374.9	359.2
NX	3.73	2.14	3.51
IDLE LO CP HT CR 2500			
HC	4856	3174	3009
LH	563	418	393
CO	4.70	2.60	1.75
NX	082	828	2135
HS	250	190	145
CS	2.60	1.90	1.40

AFTER 6 MONTHS

CT	CS	HT	1975
HC	4.40	3.31	2.76
CO	069.2	050.4	040.2
C2	422.5	396.0	368.1
NX	3.28	1.96	3.17
IDLE LO CR HI CP 2500			
HC	5354	4680	3616
LH	790	582	413
CO	2.85	2.53	2.09
NX	104	1457	1800
HS	490	450	300
CS	2.05	2.30	1.85

TEST C0902 DATE 10/30/73

DRY 72 WET 50 PRES 24.70

MPG 18.32

TEST C0902 DATE 10/30/73

DRY 72 WET 50 PRES 24.70

MPG 18.32

TEST C1135 DATE 4/30/74

DRY 70 WET 51 PRES 24.90

MPG 18.35

VEH. NO. 280

PAGE 143

MAKE CHEVROLET MODEL STAW YEAR 67 CYL. 8 CID 327 WEIGHT 4000 TRANS 3 EXH CTRL 2 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IOLE CO	IDLF RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
05.90	-0240	-02	+06	1	2	1	0	2	0	036491
05.02	+0000	+00	+00	1	1	1	0	2	0	036491
04.40	-0100	+01	+00	1	1	1	0	2	0	099430

IG WS COIL SPKRS AIR/F A/C F/NX S IDL/AJ CHK DIST AJ PTS AJ COND PIR DST CAP RPV

YAMP.	6 MO	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2
-------	------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975
HC 19.84	12.63	8.96	13.12
CO 210.1	184.6	143.5	178.5
C2 361.5	351.7	316.6	344.0
NX 1.32	0.78	1.21	1.01

CT	CS	HT	1975
HC 20.76	12.08	9.11	13.07
CO 200.9	165.7	137.7	165.3
C2 368.6	395.6	347.2	376.5
NX 1.19	0.73	1.24	0.97

CT	CS	HT	1975
HC 88.68	47.19	32.51	51.80
CO 177.8	158.4	125.1	153.2
C2 363.1	389.6	347.2	371.7
NX 1.76	1.29	1.57	1.47

IOLE	LO	CR	HI	CR	2500
HC 7510	5583	4698			
LH 879	686	597			
CO 6.80	6.12	4.05			
NX 055	720	1375			
HS 860	550	400	640		
CS 4.80	4.70	3.30	5.80		

IOLE	LO	CR	HI	CR	2500
HC 6945	5488	4382			
LH 775	742	567			
CO 5.60	6.10	3.64			
NX 050	366	1234			
HS 550	540	410	450		
CS 4.95	4.90	3.70	5.90		

IOLE	LO	CR	HI	CR	2500
HC 25138	22684	21919			
LH 1017	1938	1897			
CO 5.36	5.02	3.49			
NX 040	333	805			
HS 2500	2500	2500	2500		
CS 6.90	5.00	3.60	6.80		

TEST C0799 DATE 10/30/73

DRY 75 WET 53 PRES 24.70

MPG 13.37

TEST C0852 DATE 11/02/73

DRY 71 WET 51 PRES 24.73

MPG 13.15

TEST C1144 DATE 5/03/74

DRY 70 WET 52 PRES 24.75

MPG 11.47

VEH. NO. 284

PAGE 144

MAKE RAMPLER MODEL AMBA YEAR 71 CYL. 8 CID 401 WEIGHT 4000 TRANS 1 FXH STPL 1 EVAP CTRL 2 PCV 1

INLE CO INLE RPM TIMING OWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 07.60 -0090 +00 +07 1 1 1 0 1 0 031837

AFTER MAINT 00.38 +0000 +00 +00 1 1 1 0 1 0 031837

AFTER 6 MO 03.90 +0100 +01 +01 1 1 1 0 2 0 037324

IG WS COIL SPPKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV

TAMP. 6 MO 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975

HC 8.77 6.74 7.36 7.34

CO 074.9 120.7 074.8 098.4

C2 559.5 491.0 449.2 493.8

NX 5.12 2.83 5.31 4.21

IDLE LO CR HI CR 2500

HC 5701 3584 3224

LH 459 496 417

CO 8.25 1.34 1.54

NX 049 2427 3779

HS 270 300 230 1510

CS 6.30 1.10 1.20 1.09

AFTER MAINTENANCE

CT CS HT 1975

HC 6.03 4.42 4.87 4.88

CO 057.9 040.5 051.7 047.2

C2 586.3 598.0 541.2 575.7

NX 5.24 3.54 5.36 4.40

IDLE LO CR HI CR 2500

HC 2830 3890 3886

LH 295 466 448

CO 0.42 1.70 2.71

NX 201 2386 2678

HS 100 150 130 080

CS 0.35 0.90 1.10 0.90

AFTER 6 MONTHS

CT CS HT 1975

HC 7.22 5.17 5.30 5.63

CO 054.6 059.1 059.2 058.2

C2 528.2 463.6 460.1 476.2

NX 6.55 3.79 5.46 4.83

IDLE LO CR HI CR 2500

HC 10410 10634 4502

LH 162 000 060

CO 7.50 3.00 2.32

NX 152 5729 3335

HS 490 460 400 1600

CS 4.40 1.50 2.30 1.40

TEST C0814 DATE 10/31/73

DRY 70 WET 45 PRES 24.53

MPG 13.26

TEST C0894 DATE 11/07/73

DRY 76 WET 54 PRES 24.64

MPG 13.39

TEST C1145 DATE 5/03/74

DRY 69 WET 55 PRES 24.77

MPG 15.22

VEH. NO. 286

PAGE 145

MAKE DODGE

MODEL CHAR YEAR 68 CYL. 8 CID 318 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IOL F CO	IOL E RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	04.40	+0000	+00	-02	1	2	1	0	2	0	065609
AFTER MAINT	02.53	+0000	+00	+00	1	1	1	0	2	0	065609
AFTER 6 MO	03.87	+0050	-01	-01	1	1	1	0	2	0	065609

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IOL/AJ	CHK	DIST	AJ	PIS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	8.05	6.31	5.72	6.70
CO	170.2	099.4	096.6	113.5
C2	410.3	458.8	411.1	435.4
NX	1.24	2.29	1.82	1.94
IOL E LO CR HI CR	2500			
HC	4096	4482	4187	
LH	439	601	475	
CO	5.10	2.14	4.52	
NX	081	1617	648	
HS	270	420	280	250
CS	3.10	1.90	3.80	3.20

	CT	CS	HT	1975
HC	11.96	6.92	6.18	7.77
CO	181.1	084.3	090.5	106.3
C2	414.8	442.7	391.7	422.7
NX	2.04	3.43	2.56	2.90
IOL E LO CR HI CR	2500			
HC	5360	6115	5675	
LH	427	481	392	
CO	4.38	2.81	4.12	
NX	090	1632	1147	
HS	510	525	510	470
CS	4.20	2.90	4.30	4.90

TEST C0916 DATE 10/31/73

DRY 74 WET 50 PRES 24.49

MPG 14.03

TEST C0860 DATE 11/05/73

DRY 72 WET 56 PRFS 24.76

MPG 13.23

TEST C1146 DATE 5/06/74

DRY 71 WET 52 PRES 24.66

MPG 14.50

VEN. NO. 287

PAGE 146

MAKE BUICK

MODEL LESA YEAR 71 CYL. 8 CID 455 W/FIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 5 MO

IDLE CO IDLE RPM
05.10 +0020
03.70 +0000
03.40 -0050

TIMEING
-10
+00
-01

WELL PCV A/C CHOKE A/P MIS NOX ODOM
+00 1 2 0 0 01799A
+00 1 1 0 2 0 01799A
+00 1 1 0 2 0 020669

IG MS COIL SPRKS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PYS AJ COND RTR DST CAP RPV
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
HC 6.58 6.05 5.09 5.89
CO 143.0 151.2 102.2 135.9
C2 775.5 761.5 665.8 739.1
NX 3.61 1.55 3.42 2.50

IDLE LO CR HI CR 2500
HC 3980 2971 2904
LH 406 331 328
CO 5.56 0.92 2.53
NX 071 1454 1798
HS 275 180 155 070
CS 4.50 0.75 2.20 2.25

AFTER MAINTENANCE

CT CS HT 1975
HC 7.03 5.04 4.64 5.35
CO 125.1 116.9 894.6 112.4
C2 839.4 794.5 642.7 761.8
NX 4.32 1.69 3.35 2.70

IDLE LO CR HI CR 2500
HC 3498 3396 2628
LH 356 381 266
CO 3.92 3.38 1.81
NX 076 618 1380
HS 140 165 085 065
CS 3.50 3.00 1.50 2.40

AFTER 6 MONTHS

CT CS HT 1975
HC 5.68 4.40 4.04 4.57
CO 92.0 871.5 949.7 869.8
C2 702.1 759.2 613.0 705.7
NX 4.39 2.43 4.56 3.43

IDLE LO CR HI CR 2500
HC 3655 3735 2708
LH 264 255 154
CO 3.62 1.66 0.72
NX 081 1332 2533
HS 320 325 205 125
CS 3.65 1.65 0.75 1.60

TEST C0417 DATE 10/31/73

DRY 74 WET 50 PRES 24.47

MPG 9.17

TEST C0465 DATE 11/05/73

DRY 71 WET 53 PRES 24.70

MPG 9.32

TEST C1148 DATE 5/06/74

DRY 77 WET 55 PRES 24.65

MPG 10.72

VEH. NO. 291

PAGE 147

MAKE PLYMOUTH MODEL FURY YEAR 69 CYL. 8 CID 318 WEIGHT 4000 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

	IGLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	000H
AS RECEIVED	07.80	-0140	+0R	+00	1	2	1	0	2	0	052667
AFTER MAINT	01.34	+0000	+00	+00	1	1	1	0	2	0	052667
AFTER 5 MO	03.10	-0030	+02	+00	2	1	1	0	1	0	058215

	IG WS	COIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	7.53	5.98	5.42	6.15
CO	141.9	118.0	094.4	116.5
C2	455.7	459.0	421.8	448.0
NX	2.28	2.05	2.72	2.29

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.09	6.59	27.63	12.70
CO	153.3	102.0	109.3	114.8
C2	473.4	468.9	440.3	461.9
NX	2.79	2.30	2.77	2.53

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	41.62	35.09	34.42	36.27
CO	164.5	089.3	092.6	105.9
C2	455.7	458.6	417.0	446.5
NX	2.79	2.81	3.07	2.88

TEST C0439 DATE 11/02/73

DRY 75 WFT 52 PRES 24.57

MPG 13.69

TEST C0892 DATE 11/07/73

DRY 74 WFT 52 PRES 24.68

MPG 13.05

TEST C1150 DATE 5/07/74

DRY 73 WFT 53 PRES 24.64

MPG 12.24

VEH. NO. 292

PAGE 148

MAKE CHEVROLET MODEL NOVA YEAR 71 CYL. 8 CID 307 WEIGHT 3500 TRANS 1 EXH CTPL 1 EVAP CTRL 2 PCV 1

	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AS RECEIVED	04.40	-0030	+01	+01	1	1	1	0	2	0	029533
AFTER MAINT	04.60	+0000	+00	+00	1	1	1	0	2	0	029533
AFTER 6 MO	04.10	+0000	-01	+00	1	1	1	0	2	0	034594

	IG MS	CCIL	SPRKS	AIR/F	A/C	F/MX S	IDL/AJ	CHK	DIST AJ	PTS AJ	COND	PTX	DST CAP	RPV
TAMP. 6 MO	2	2	2	2	1	2	2	2	2	2	2	2	2	2

AS RECEIVED

	CT	CS	HT	1975
HC	7.50	5.40	4.77	5.67
CO	079.7	046.7	043.3	052.7
C2	536.4	530.4	422.1	501.6
NX	4.13	3.26	3.79	3.59

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	7.41	5.04	4.83	5.48
CO	074.0	030.2	046.4	043.9
C2	598.5	609.0	467.7	567.6
NX	5.01	4.35	4.84	4.62

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	6.78	5.71	5.04	5.75
CO	063.9	039.7	038.7	044.5
C2	478.8	461.6	400.6	448.3
NX	5.43	3.13	3.94	3.42

TEST C0840 DATE 11/02/73

DRY 71 WET 51 ORFS 24.60

MPG 14.79

TEST C0891 DATE 11/07/73

DRY 77 WET 54 PRES 24.68

MPG 13.62

TEST C1151 DATE 5/07/74

DRY 75 WET 54 PRES 24.63

MPG 16.61

	IDLE LO CR	HI CR	2500
HC	5191	4124	3531
LH	534	546	399
CO	5.09	0.79	1.32
NX	055	1996	2272
HS	350	350	215
CS	3.80	0.55	1.20

	IDLE LO CR	HI CR	2500
HC	4965	3992	3337
LH	488	525	367
CO	5.06	1.22	0.99
NX	064	1912	2555
HS	300	310	190
CS	3.60	1.10	0.75

	IDLE LO CR	HI CR	2500
HC	9179	5272	3846
LH	771	392	227
CO	4.34	0.54	0.77
NX	091	2204	2486
HS	1015	480	290
CS	4.40	0.70	0.90

VEH. NO. 293

PAGE 149

MAKE FORD

MODEL MUST YEAP 72 CYL. 8 CIO 351 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IDLE CO IDLE RPH TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
05.10 +0140 +00 +04 1 2 1 0 2 0 019843
07.34 +0000 +00 +00 1 1 1 0 2 0 019843
05.73 +0000 +04 +00 1 1 1 0 1 0 025670

TAMP. 6 MO

TG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV
2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 8.28 5.79 5.01 6.32
CO 174.3 135.1 114.9 137.7
C2 691.2 654.3 568.2 638.1
NX 1.31 1.05 1.31 1.17

CT CS HT 1975
HC 11.00 9.72 7.51 9.37
CO 189.5 163.8 109.2 154.0
C2 574.3 537.5 481.4 529.6
NX 1.94 1.11 1.96 1.53

CT CS HT 1975
HC 17.46 7.95 7.60 9.84
CO 296.3 198.9 193.8 217.9
C2 532.9 515.2 449.8 500.8
NX 0.71 0.61 0.70 0.65

IDLE LO CR HI CR 2500
HC 4817 2137 2665
LH 469 228 251
CO 6.28 1.72 1.69
NX 354 346 849
HS 263 090 100 100
CS 4.60 1.40 1.50 1.60

IDLE LO CR HI CR 2500
HC 9665 3755 3692
LH 1001 432 408
CO 9.64 2.45 2.94
NX 021 536 1197
HS 630 265 225 135
CS 7.60 2.30 2.70 3.00

IDLE LO CR HI CR 2500
HC 7352 4613 15698
LH 500 360 451
CO 8.34 6.80 13.58
NX 047 167 025
HS 470 380 520 310
CS 7.23 6.10 20.00 7.00

TEST C0941 DATE 11/02/73

TEST C0942 DATE 11/06/73

TEST C1152 DATE 5/07/74

DRY 73 WET 52 PRES 24.61

DRY 78 WET 55 PRES 24.62

DRY 76 WET 56 PRES 24.63

MPG 10.19

MPG 11.12

MPG 10.19

VEH. NO. 296

PAGE 158

MAKE	FORD	MODEL	MUST	YEAR	65	CYL.	8	CID	260	WEIGHT	3000	TRANS	1	EXH	CIRL	2	EVAP	CIRL	2	PCV	1
AS RECEIVED		I/OLE CO		I/OLE RPM		TIMING		DWELL		PCV		A/C		CHOK		A/P		MIS		NOX	
AFTER MAINT		10.30		-0015		+00		+00		1		2		1		0		2		0	
AFTER 6 MO		02.60		-0055		+07		+00		1		1		1		0		2		0	
		02.21		-0025		-07		-01		1		1		1		0		2		0	

IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	I/OLE/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 10.80	15.81	10.15	13.19	HC 7.97	6.95	5.15	6.66	HC 7.80	6.21	4.82	6.16
CO 138.5	135.5	101.2	126.6	CO 121.7	079.1	050.5	082.3	CO 117.2	075.6	050.6	079.6
C2 454.6	370.0	378.0	389.9	C2 429.8	403.5	378.4	402.0	C2 441.0	405.0	383.2	406.5
NX 3.61	2.06	3.55	2.80	NX 3.26	2.82	3.96	3.23	NX 3.58	3.15	3.94	3.48

I/OLE	LO	CR	HI	CR	2500	I/OLE	LO	CR	HI	CR	2500
HC 15667	4243	3775				HC 5946	3946	3704			
LH 2500	623	555				LH 673	423	360			
CO 11.09	3.01	3.05				CO 2.32	1.80	2.40			
NX 015	1894	2372				NX 984	2072	2799			
HS 2500	420	340	760			HS 300	180	160	210		
CS 9.30	2.50	2.60	1.40			CS 2.20	1.90	2.40	3.90		

TEST C0825 DATE 11/01/73

DRY 70 WET 43 PRES 24.23

MPG 14.13

TEST C0853 DATE 11/02/73

DRY 59 WET 51 PPFS 24.73

MPG 16.13

TEST C1133 DATE 4/29/74

DRY 70 WET 52 PRES 24.89

MPG 16.17

VEH. NO. 29A

PAGE 151

MAKE RAMPLER MODEL JAVE YEAR 72 CYL. 8 CID 160 WEIGHT 1500 TRANS 4 EXH CTRL 1 FVAP CTRL 1 PCV 1

	IDLE CO	IDLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	000M
AS RECEIVED	01.20	-0180	-02	+00	2	2	1	0	2	0	023737
AFTER MAINT	00.27	+0000	+00	+00	1	1	1	0	2	0	023737
AFTER 6 MO	00.24	-0100	+01	+04	1	2	1	0	1	0	027819

	IG	MS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	RTR	DST	CAP	RPV
TAMP. 6 MO	2	2	2	2	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975	CT	CS	HT	1975	CT	CS	HT	1975
HC 20.55	6.00	9.09	9.90	9.08	7.00	3.79	3.71	4.46	7.00	3.79	3.71	4.46
CO 223.4	101.4	121.1	132.4	063.0	109.1	068.3	062.0	000.9	109.1	068.3	062.0	000.9
C2 525.7	566.0	487.6	535.8	475.1	591.0	565.9	503.9	551.8	591.0	565.9	503.9	551.8
NX 0.90	1.35	1.45	1.28	3.34	1.89	1.58	2.12	1.79	1.89	1.58	2.12	1.79

	IDLE	LO	CR	HI	CR	2500	IDLE	LO	CR	HI	CR	2500
HC 0926	0569	0954	2193	2193	1385	1672	1385	1672	1580	1385	1672	1580
LH 182	192	222	328	328	091	104	091	104	094	091	104	094
CO 1.70	1.05	2.34	1.16	1.16	0.36	0.63	0.36	0.63	1.07	0.36	0.63	1.07
NX 055	846	788	2179	2179	092	1206	092	1206	1720	092	1206	1720
HS 030	025	035	140	140	100	115	100	115	075	100	115	075
CS 0.50	0.32	0.65	0.09	0.19	0.27	0.53	0.27	0.53	1.00	0.27	0.53	1.00

TEST C0870 DATE 11/06/73

DRY 69 WET 50 PRES 24.65

MPG 11.49

TEST C0907 DATE 11/08/73

DRY 74 WET 52 PRES 24.72

MPG 12.91

TEST C1155 DATE 5/09/74

DRY 75 WET 53 PRES 24.61

MPG 12.85

MAKE UPPEL

MODEL	MANT	YEAR	73	CYL.	4	CID	116	WEIGHT	2250	TRANS	4	FHX	CTRL	1	FVAP	CTRL	1	PCV	2
-------	------	------	----	------	---	-----	-----	--------	------	-------	---	-----	------	---	------	------	---	-----	---

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IOLE CO	IOLE RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
06.07	-0150	-01	-08	0	1	1	0	2	1	006817
03.70	+0000	-01	-05	0	1	1	0	2	1	006817
02.30	+0000	+00	+00	0	1	1	0	2	1	011046

[illegible]

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

	CT	CS	HT	1975
MC	5.28	5.05	4.00	4.81
CO	076.9	088.9	059.7	078.3
CC	274.6	288.7	244.3	273.4
NNX	2.31	1.36	2.12	1.77

	IOLE	LO CR	HI CR	2500
MC	6566	3058	3253	
LH	567	364	424	
CO	8.58	1.73	2.39	
NNX	043	164.1	204.0	
HS	150	100	120	080
SS	2.90	2.50	1.20	0.90

	CT	CS	WT	1975
HC	4.24	3.59	3.10	3.59
CO	067.6	062.9	048.1	059.6
C2	307.8	319.4	268.9	303.0
NX	2.24	1.41	2.11	1.78
IDLE				
HC	3069	3306	3506	2500
LH	257	331	402	
CO	3.75	2.66	3.69	
NX	070	1000	1956	
HS	155	205	245	220
CS	3.50	2.45	3.60	3.10

	CT	CS	HT	1975
HC	4.32	4.22	3.31	3.99
CO	070.0	069.5	047.2	063.4
C2	313.1	298.6	258.7	290.6
NX	2.17	1.19	1.86	1.58

	LO	CR	HI	CR	2500
HC	2971	3918	3808		
LH	219	304	284		
CO	3.76	3.18	1.93		
NX	763	821	2556		
HS	160	360	335		220
CS	2.40	3.10	1.80		2.60

TEST C0072 DATE 11/06/73

TEST C0901 DATE 11/07/73

TEST C1153 DATE 5/08/76

DRY 70 WET 52 PRES 24.65

DRY 74 WET 53 PRES 24.59

DPY 70 WET 51 PRES 24.55

MPG 21.64

mpg 21.82

4PG 22.11

VEH. NO. 309

PAGE 155

MAKE FORD

MODEL TORY YEAR 69 CYL. 8 CID 151 WEIGHT 3500 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

INLE CO IDLE RPM
06.50 -0050
AFTER MAINT 05.91 +0000
AFTER 6 MO 07.40 +0050

ODOM
074369
074369
079659

IS WS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPY
2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 7.47 5.49 5.18 5.82
CO 126.3 104.6 092.5 105.8
C2 457.2 466.1 412.9 449.5
NX 2.28 2.33 2.90 2.48
IOLE LO CR HI CR 2500
HC 6065 3695 3776
LH 554 453 453
CO 8.05 1.59 2.72
NX 053 2237 2211
HS 380 300 280 140
CS 7.00 1.30 2.30 1.80

CT CS HT 1975
HC 9.76 5.45 5.25 6.30
CO 147.8 109.5 086.4 110.6
C2 480.2 484.1 474.5 490.6
NX 2.72 3.27 3.94 3.34
IOLE LO CR HI CR 2500
HC 4604 3146 3382
LH 423 383 421
CO 6.14 0.26 0.75
NX 075 2586 4001
HS 270 240 260 120
CS 5.10 0.20 2.20 2.00

CT CS HT 1975
HC 5.31 4.46 3.74 4.44
CO 064.4 074.9 054.4 057.8
C2 467.7 458.4 388.8 441.0
NX 3.81 3.01 3.60 3.34
IOLE LO CR HI CR 2500
HC 5594 3202 3297
LH 400 216 212
CO 7.20 0.27 1.12
NX 034 2505 2796
HS 550 315 315 125
CS 7.69 0.30 1.15 1.00

TEST C0890 DATE 11/07/73

TEST C0950 DATE 11/12/73

TEST C1159 DATE 5/13/74

DRY 75 WFT 52 PRES 24.68

DRY 71 WFT 51 PRFS 24.52

DRY 72 WFT 51 PRFS 24.27

MPG 14.05

MPG 13.21

MPG 15.89

MAKE FRONT

MODEL MAKE YEAR 72 CYL. 6 CID 250 WEIGHT 2750 TONS 1 EXH CTOL 1 EVAP CTOL 1 PCV 1

AS RECEIVED	TOLE CO	IDLE RPM	TYING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	09.10	-0120	-04	+00	1	2	1	0	2	0	022036
AFTER 6 MO	01.35	+0000	+00	+00	1	1	1	0	2	0	022036
	00.12	+0100	+01	+00	1	1	1	0	2	0	027913

[illegible]

AS RECEIVED

	CT	CS	HT	1975
HC	4.51	3.68	3.34	3.76
CO	075.0	102.9	076.5	089.7
C2	480.4	396.8	384.0	410.8
NX	4.15	1.80	3.36	2.72

	IDLE	LO CR	HI CR	2500
HC	4617	3330	2764	
LH	390	411	312	
CO	9.10	3.67	1.91	
NX	058	1156	2295	
HS	250	290	180	210
CS	8.40	3.40	1.80	4.20

AFTER MAINTENANCE

	CT	CS	HT	1975
HC	3.87	2.80	3.91	3.30
CO	046.9	030.3	037.9	035.9
C2	477.5	450.7	393.4	440.4
NX	5.46	3.49	4.47	4.17

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	3.31	2.95	2.74	2.97
CO	018.5	010.2	017.7	014.0
C2	461.8	440.5	495.7	432.5
NX	9.58	6.34	7.31	7.29

TEST C0903 DATE 11/08/73

JURY 08 WET 96 PRES 24.67

MPG 15.80

TEST C0951 DATE 11/13/73

GRV 71 WFT 51 PRES 24.50

MPG 17.56

TEST C1160 DATE 5/14/74

OPV 72 WFT 51 PRES 24.48

MPG 19.20

VEH. NO. 312

PAGE 157

MAKE MERCURY MODEL COME YEAR 72 CYL. 8 CID 302 WEIGHT 3000 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

AS RECEIVED IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM
 AFTER MAINT 02.30 +0020 -01 -08 1 1 1 0 2 0 008589
 AFTER 5 MO 00.65 +0020 +00 +00 1 1 1 0 2 0 008589
 013182

YAMP. 5 MO IG WS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RPV
 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975
 HC 5.15 3.10 4.34 3.89
 CO 087.9 056.6 056.3 063.1
 C2 527.7 508.6 446.5 495.4
 NX 2.85 1.11 2.65 1.90
 IDLE LO CR HI CR 2500
 HC 2585 3374 3773
 LH 247 437 478
 CO 2.45 1.93 2.23
 NX 086 756 1718
 HS 160 300 330 130
 CS 2.50 2.70 2.30 1.20

AFTER MAINTENANCE

CT CS HT 1975
 HC 6.52 3.64 6.13 4.94
 CO 140.3 087.9 092.7 100.2
 C2 541.3 623.2 505.3 573.4
 NX 3.21 1.30 2.92 2.15
 IDLE LO CR HI CR 2500
 HC 3768 3662 3925
 LH 440 434 501
 CO 5.64 3.33 2.99
 NX 081 950 1851
 HS 280 295 330 180
 CS 4.90 2.80 2.40 3.10

AFTER 6 MONTHS

CT CS HT 1975
 HC 6.85 2.99 4.01 4.08
 CO 137.2 045.8 043.0 064.1
 C2 492.8 542.9 489.0 568.8
 NX 2.42 1.76 2.67 2.15
 IDLE LO CR HI CR 2500
 HC 2044 2538 4142
 LH 175 180 315
 CO 0.91 1.13 1.63
 NX 157 115 2259
 HS 220 245 410 150
 CS 0.90 1.20 1.70 2.00

TEST C0904 DATE 11/08/73

DRY 80 WET 56 PRES 24.67

MPG 14.68

TEST C0956 DATE 11/13/73

DRY 73 WET 50 PRES 24.51

MPG 11.93

TEST C1161 DATE 5/14/74

DRY 75 WET 51 PRES 24.48

MPG 13.05

VEH. NO. 319

PAGE 159

MAKE FORD

MODEL TORI YEAR 71 CYL. 8 CID 351 WEIGHT 3500 TRANS 1 EXH CYRL 1 EVAP CTRL 2 PCV 1

TOLF CO IDLE RPM
05.10 -0100
03.07 +0000
03.60 +0050

TIMEG DWELL PCV A/C CHOKF A/P MIS NOX ODOM
+00 +01 1 1 1 0 2 0 013444
+00 +00 1 1 1 0 2 0 013444
+00 +00 1 1 1 0 2 0 015216

IG WS COIL SPKRS AIR/F A/C F/MX S IDL/AJ CHK DIST AJ PTS AJ COND RTR DSF CAP RPV
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

TAMP. 6 NO

AS RECEIVED

CT CS HT 1975
HC 6.29 5.31 4.91 5.41
CO 075.7 092.7 157.0 079.3
C2 606.3 564.4 472.2 547.6
NX 5.13 2.68 4.33 3.65
IDLE LO CR HI CR 2500
HC 4376 3293 3312
LH 392 436 425
CO 5.31 0.88 1.14
NX 065 2136 2929
HS 310 285 240 170
CS 5.00 0.90 1.00 1.10

AFTER MAINTENANCE

CT CS HT 1975
HC 7.20 6.67 6.05 6.61
CO 085.0 096.7 055.9 082.9
C2 581.7 470.7 510.6 505.0
NX 4.56 2.00 4.50 3.23
IDLE LO CR HI CR 2500
HC 3372 3297 3179
LH 298 391 354
CO 3.29 1.09 1.11
NX 073 2173 2891
HS 200 260 215 150
CS 3.40 0.90 0.90 0.85

AFTER 6 MONTHS

CT CS HT 1975
HC 5.29 4.71 4.32 4.72
CO 065.5 085.4 049.6 071.3
C2 496.9 450.3 414.1 450.0
NX 3.43 1.67 3.21 2.47
IDLE LO CR HI CR 2500
HC 4168 3268 3202
LH 326 243 217
CO 3.67 0.85 1.39
NX 993 1706 2242
HS 430 350 305 180
CS 3.60 0.80 1.40 1.60

TEST C0923 DATE 11/09/73

DRY 68 WET 51 PRES 24.85

MPG 12.92

TEST C0979 DATE 11/14/73

DRY 73 WET 49 PRES 24.49

MPG 13.57

TEST C1167 DATE 5/15/74

DRY 81 WET 54 PRES 24.31

MPG 15.44

VEH. NO. 321

MAKE CHEVROLET MODEL NOVA YEAR 70 CYL. 6 CID 250 WFLIGHT 3510 TRANS 1 EXH CTRL 1 EVAP CTRL 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AS RECEIVED 04.70 +0050 -02 +00 1 2 0 0 012130
 AFTER MAINT 00.11 +0000 +00 +00 1 1 0 2 0 012130
 AFTER 6 MO 00.19 +0010 +01 +00 1 1 0 2 0 013242

IG WS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP RRV
 TAMP. 6 MO 2 2 1 2 1 2 2 2 2 1 2 2 2 2 2 1

AS RECEIVED

CT CS HT 1975
 HC 6.04 3.14 2.78 3.65
 CO 115.5 042.7 040.2 057.2
 C2 558.5 539.5 493.3 530.7
 NX 3.80 2.58 4.10 3.26

IDLE LO CR HI CR 2500
 HC 3421 2644 2679
 LH 392 238 258
 CO 5.09 0.83 1.43
 NX 090 2139 2324
 HS 345 155 145 080
 CS 4.70 0.85 1.45 1.35

AFTER MAINTENANCE

CT CS HT 1975
 HC 4.29 2.29 2.60 2.80
 CO 059.8 006.9 014.6 022.2
 C2 508.0 524.9 429.1 494.9
 NX 4.05 2.92 4.23 3.52

IDLE LO CR HI CR 2500
 HC 2223 2272 2106
 LH 262 240 229
 CO 0.12 0.35 0.25
 NX 177 1989 3500
 HS 215 155 125 045
 CS 0.15 0.40 0.28 0.35

AFTER 6 MONTHS

CT CS HT 1975
 HC 4.26 2.01 2.02 2.48
 CO 071.0 009.9 009.5 022.6
 C2 464.8 499.2 405.9 466.1
 NX 3.60 2.53 3.89 3.13

IDLE LO CR HI CR 2500
 HC 2512 2098 2395
 LH 207 141 146
 CO 0.20 0.17 0.46
 NX 148 1603 2533
 HS 270 190 290 085
 CS 0.19 0.17 0.50 0.28

TEST C0935 DATE 11/12/73

DRY 73 WET 50 PRES 24.73

MPG 14.09

TEST C0983 DATE 11/15/73

DRY 74 WET 46 PRES 24.76

MPG 16.53

TEST C1169 DATE 5/16/74

DRY 71 WET 51 PRES 24.51

MPG 17.48

MAKE CHEVROLET MODEL NOVA YEAR 73 CYL. 6 CID 250 WEIGHT 3500 TRANS 3 EXH CTRL 4 FVAP CTRL 1 PCV 1

AS RECEIVED	IDLE CO	IDLE RPM	TIMING	DWELL	PCV	A/C	CHOKE	A/P	MIS	NOX	ODOM
AFTER MAINT	00.95	+0060	-01	+01	1	2	1	0	2	1	004582
AFTER 5 MO	01.57	+0000	+00	+00	1	1	1	0	2	1	004692
	01.60	-0050	-01	+00	1	1	1	0	2	1	017220

TAMP.	6	NO	IG	WS	COIL	SPRKS	AIR/F	A/C	F/MX	S	IDL/AJ	CHK	DIST	AJ	PTS	AJ	COND	PR2	NST	CAP	OPV	
			2		2	2	2	1		2	2	2		2	2		2	2	2	2	2	2

AS RECEIVED

	CT	CS	WT	1975
HC	7.28	2.57	3.20	3.73
CO	090.1	047.1	052.4	057.5
C2	539.0	626.6	478.0	567.2
NX	1.60	1.10	1.73	1.38

	IDLE	LO CR	HI CR	2500
HC	0788	0968	0537	
LH	122	171	138	
CO	1.32	0.94	1.09	
NX	067	490	869	
HS	043	050	030	025
CS	0.95	0.80	0.95	0.32

AFTE? MAINTENANCE

	CT	CS	HT	1975
MC	7.90	2.78	4.38	4.30
CO	065.7	045.0	051.7	055.4
C2	483.2	547.0	426.2	500.1
NX	2.00	1.15	2.03	1.57
	IDLE	LO CR	HI CR	2500
MC	0863	1924	1155	
LH	127	254	201	
CO	1.90	1.04	1.39	
NX	043	695	1441	
HS	050	135	050	030
CS	1.50	0.70	1.00	0.15

AFTER 6 MONTHS

	CT	CS	HT	1975
HC	3.41	2.23	3.08	2.71
CO	057.9	041.7	044.0	045.7
C2	519.0	514.5	404.4	484.9
NX	1.9A	0.94	1.71	1.37

TEST C0939 DATE 11/12/73

DRY 77 WET 52 PQES 24.70

MPG 13.31

TEST C0984 DATE 11/15/73

DRY 73 WFT 47 PRES 24.75

MOG 14. A3

TEST C1164 DATE 5/15/76

DRY 6A WET 50 PRES 24.36

MPG 15.76

VEH. NO. 325

MAKE FORD MODEL GALA YEAR 73 CYL. 8 C/D 151 WEIGHT 4500 TRANS 1 EXH CTRL 1 EVAP CTRL 1 PCV 1

IG WS COIL SPKKS AIR/F A/C F/MX S IOL/AJ CHK DIST AJ PTS AJ COND RTR DST CAP QDV

2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

IGLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

05.50 +0020 +02 +00 1 1 1 0 2 1 0004

AFTER MAINT 04.78 +0000 +00 +00 1 1 1 0 2 1 016385

AFTER 5 MO 05.40 +0000 +00 +00 1 1 1 0 2 1 022039

AS RECEIVED

CT CS HT 1975

HC 7.48 5.43 5.37 5.84

CO 117.7 112.7 086.9 106.6

C2 591.9 604.1 520.4 578.3

NX 2.16 1.89 2.25 2.05

IDLE LO CR HI CR 2500

HC 4013 3681 3199

LH 454 454 372

CO 5.85 2.00 2.09

NX 083 1943 1125

HS 375 335 250 179

CS 5.00 1.85 1.95 2.40

AFTER MAINTENANCE

CT CS HT 1975

HC 7.24 5.21 6.39 5.96

CO 138.7 123.5 099.9 120.2

C2 528.8 528.5 476.4 514.1

NX 2.22 1.47 1.57 1.65

IDLE LO CR HI CR 2500

HC 3728 3310 3355

LH 328 425 425

CO 5.03 1.97 2.09

NX 066 1265 1024

HS 220 280 260 110

CS 4.10 1.60 1.60 1.70

AFTER 6 MONTHS

CT CS HT 1975

HC 6.43 5.27 4.42 5.27

CO 107.8 110.7 076.3 100.5

C2 478.9 480.0 465.4 475.7

NX 4.05 2.40 3.81 3.14

IDLE LO CR HI CR 2500

HC 4557 3334 3198

LH 366 278 244

CO 5.09 1.42 2.00

NX 089 2035 2287

HS 475 390 345 200

CS 5.70 1.65 2.25 2.40

TEST C0938 DATE 11/12/73

DRY 77 WET 52 PRES 24.71

MPG 11.66

TEST C0980 DATE 11/14/73

DRY 70 WET 47 BRFS 24.51

MPG 12.34

TEST C1163 DATE 5/14/74

DRY 74 WET 52 PRFS 24.39

MPG 13.70

VEH. NO. 326

PAGE 164

MAKE TOYOTA

MODEL CORO

YEAR 69

CYL. 4

CID 116

WEIGHT 2500

TRANS 4

EXH CTR 1

EVAP CTR 2

PCV 2

AS RECEIVED
AFTER MAINT
AFTER 6 MO

IG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK OIST AJ PTS AJ COND RTR DST CAP RDV
1 2 1 1 1 2 2 2 1 1 1 1 1 1 2 2 2

TAMP. 6 MO

IG MS COIL SPRKS AIR/F A/C F/MX S IOL/AJ CHK OIST AJ PTS AJ COND RTR DST CAP RDV
1 2 1 1 1 2 2 2 1 1 1 1 1 1 2 2 2

AS RECEIVED

AFTER MAINTENANCE

AFTER 6 MONTHS

CT CS HT 1975
HC 5.16 7.09 6.76 6.59
CO 120.7 156.9 170.9 153.7
C2 328.3 348.0 251.9 320.0
NX 2.69 1.44 0.84 1.54
IDLE LO CR HI CR 2500
HC 4433 5320 4169
LH 301 678 508
CO 3.66 11.22 11.06
NX 034 196 275
HS 210 360 250 750
CS 3.20 8.40 9.10 3.60

CT CS HT 1975
HC 4.70 3.89 5.01 4.37
CO 141.3 149.2 150.2 147.8
C2 268.3 350.1 277.6 317.1
NX 1.32 0.76 1.01 0.95
IDLE LO CR HI CR 2500
HC 2796 1567 2639
LH 439 234 324
CO 1.00 4.41 6.40
NX 090 522 1100
HS 150 080 140 210
CS 0.50 3.40 4.70 1.60

CT CS HT 1975
HC 5.80 6.21 4.27 5.59
CO 144.8 170.2 142.3 157.2
C2 281.9 275.9 235.5 266.0
NX 1.53 0.52 0.79 0.82
IDLE LO CR HI CR 2500
HC 3069 5446 3736
LH 191 421 290
CO 3.52 10.92 7.95
NX 046 245 454
HS 205 415 320 900
CS 3.20 9.00 7.70 5.70

TEST C0952 DATE 11/13/73

TEST C0981 DATE 11/14/73

TEST C1165 DATE 5/15/74

DRY 75 WET 52 PRES 24.50

DRY 71 WET 48 PRES 24.51

DRY 74 WET 53 PRES 24.34

MPG 15.32

MPG 15.82

MPG 16.79

VEH. NO. 327

MAKE TOYOTA MODEL CORO YEAR 70 CYL. 4 CID 113 WFIGHT 2500 TRANS 4 FX4 CTPL 1 EVAP CTPL 2 PCV 1

AS RECEIVED IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX ODOM

AFTER MAINT 00.21 +0200 +05 -02 1 1 1 0 1 0 051836

AFTER 6 MO 00.15 +0270 -04 -05 1 1 1 0 1 0 051836

 07.40 +0050 +00 +00 1 1 1 0 2 0 060987

Y6 WS COIL SPKRS AIR/F A/C F/MX S INL/AJ CHK DIST AJ PTS AJ CONO PTR DST CAP RPV

TAMP. 6 MO 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2

AS RECEIVED

CT CS HT 1975

HC 8.29 4.92 4.46 5.50

CO 135.8 042.0 042.5 061.7

C2 337.2 399.1 324.8 365.6

NX 2.49 3.13 3.24 3.06

IOLE LO CP HI CR 2500

HC 5732 2697 2703

LH 955 302 310

CO 0.32 0.21 0.39

NX 132 2299 3654

HS 400 510 160 110

CS 0.25 0.20 0.40 0.20

AFTER MAINTENANCE

CT CS HT 1975

HC 6.68 3.44 3.23 4.06

CO 088.4 016.1 023.6 031.3

C2 334.3 433.6 343.1 387.7

NX 2.33 4.00 3.38 3.53

IOLE LO CP HT CR 2500

HC 1726 2205 2693

LH 227 258 319

CO 0.23 0.27 2.00

NX 186 1834 2888

HS 170 130 170 145

CS 0.19 0.27 1.80 2.00

AFTER 5 MONTHS

CT CS HT 1975

HC 4.73 5.44 4.09 4.92

CO 079.9 116.1 070.0 095.5

C2 305.3 305.9 256.0 292.5

NX 2.72 1.31 1.91 1.77

IOLE LO CR HI CR 2500

HC 7417 5529 3976

LH 435 384 273

CO 8.86 4.83 2.40

NX 094 599 1994

HS 475 450 330 350

CS 7.50 4.40 2.30 1.90

TEST C0978 DATE 11/14/73

DRY 72 WET 49 PRES 24.46

MPG 18.56

TEST C0982 DATE 11/15/73

DRY 75 WET 49 PRES 24.77

MPG 19.67

TEST C1166 DATE 5/15/74

DRY 80 WET 53 PRES 24.32

MPG 19.45

Section III Initial Inspection Data

The following pages contain the results of the initial emissions inspection made at the start of the high altitude vehicular emission control program. Data for 300 vehicles is presented. From this group, 250 vehicles were selected as candidates for retest at six month intervals (see Sections I and II).

Figure III-1 is a reproduction of a typical set of data. To assist investigators in using the data, a line by line explanation of the data follows.

1 VEH. NO. 063 TEST SEQ. 1 YEAR 67 MAKE PLYMOUTH MODEL FURY ODOMETER 042005 NO. CYL. 8 CID 318

2 CARB. VENT. 2 TRANS. 1 WEIGHT 4000 EXH. CON. 2 EVAP. CON. 2 PCV 1

3 IDLE CO 05.00 IDLE RPM +0240 TIMING +12 DWELL +07 PCV 1 A/C 1 CHOK 1 A/P 0 MIS 1 NOX 0

4 From station -0200 +12 -02 1 2 1 1 0 2 0

5 IDLE HC 2500 HC 1400 IDLE CO 01.90 2500 CO 01.60 CODE 2

6 INITIAL 0340 1700 00.20 01.60 2

7 AFT. RPM. ADJ 0520 0000 00.00 00.00 00.00

8 AFT. T1 ADJ1 0000 0000 00.00 00.00 00.00

9 AFT. T1 ADJ2 0400 0300 00.20 01.30 00.00

FINAL 0400 0300 00.20 01.30 00.00

ADOL RPRS 005.50 EST 000.00

5 Test No. C0103 Date 08/22/73 Dry 75 Wet 59 Pres 24.80 Test No. C0122 Date 08/23/73 Dry 74 Wet 60 Pres 24.76

CT	CS	HI	1975
HC 13.17	01.77	06.59	10.11
CO 0227.3	0189.3	0084.1	0168.1
CO2 0354.8	0365.2	0367.2	0363.6
NOX 01.01	01.02	03.39	01.68
HC 06013	05220	04302	2500
LHC 0795	0659	0443	
CO 05.76	04.87	03.19	
NOX 0070	0857	1396	
HCSUN 0760	0595	0360	1900
COSUN 05.00	04.75	03.25	02.90

MPG 13.50

CT	CS	HI	1975
HC 16.91	10.00	06.89	10.58
CO 0237.2	0169.9	0082.6	0159.8
CO2 0368.8	0352.6	0357.1	0356.2
NOX 01.11	00.79	03.35	01.57
HC 06157	05378	04442	2500
LHC 1124	0895	0507	
CO 02.86	04.29	02.93	
NOX 0061	0998	1512	
HCSUN 0800	0760	0420	0520
COSUN 02.40	04.00	02.80	02.60

MPG 13.90

Figure III-1 Typical Initial Test Data

Line (1) Vehicle Identification Data

Vehicle No: Sequential number assigned each vehicle at start of program and retained throughout its history of testing.

Test Sequence No: The original sample of 300 vehicles were assigned to one or more subgroups to satisfy the requirements of the test program.

Numer codes identify these assignments.

<u>Code No.</u>	<u>Assignment</u>
1	Inspection/maintenance fleet
2	Tune-up evaluation
3	High altitude retrofit w/maintenance
4	Sea level retrofit w/maintenance
5	Sea level and high level retrofits
6	High level retrofit w/o maintenance
7	Sea level retrofit w/o maintenance
2-7*	Mandatory maintenance fleet

Year: Last two digits of vehicle model year

Make: Manufacturer of vehicle

Model: Manufacturer's model designation

Odometer: Accumulated mileage

No. Cyl: Engine cylinders

CID: Engine displacement in cubic inches

* At the conclusion of the subgroup test programs 2 through 7, the vehicles were restored to their initial configurations and were transferred to the mandatory maintenance program.

Line (2) Additional Vehicle Data

Carb. Vent: Number of venturi chambers or barrels

Trans: Transmission code "1" = automatic, "3" = 3 speed, "4" = 4 speed

Weight: Vehicle curb weight in pounds

Exh. Con, Evap. Con, PCV: "1" = installed, "2" = not installed

Line (3) Initial Vehicle Checks

Idle CO: Carbon monoxide in mole %

Idle RPM: Measured reading minus manufacturer's specification

Timing: Measured timing in degrees minus manufacturer's specification

Dwell: Measured dwell in degrees minus manufacturer's specification

The next six items in line 3 are coded answers to the following questions.

<u>Question</u>	<u>Answer</u>
PCV ok?	"0" = NA, "1" = yes, "2" = no
Air cleaner ok?	"1" = yes, "2" = no
Choke ok?	"0" = NA, "1" = yes, "2" = no
Air pump ok?	"0" = NA, "1" = yes, "2" = no
Misfire?	"1" = yes, "2" = no
NO _x control ok?	"0" = NA, "1" = yes, "2" = no

"From Owner" are laboratory readings obtained on garage type equipment.

"From Station" are laboratory readings repeated after vehicles had been submitted to participating service centers for testing and maintenance (if vehicle failed program emission standards at service center).

Line (4) Garage Data

Participating service centers were asked to keep test records for each vehicle and to follow prescribed test sequences. The operators were supplied Sun EPA-75 HC/CO instrumentation and the following pass/fail limits:

<u>Model Year</u>	<u>Allowable</u>	
	<u>HC</u>	<u>CO</u>
1964 - 1967	800 ppm	6.0%
1968 - 1973	330 ppm	4.0%

Readings were made at idle and at 2500 rpm for both HC and CO. The "CODE" column is the serviceman's decision on pass/fail.

CODE

- | | |
|---|--------------------------------------|
| 1 | HC/CO Emissions ok |
| 2 | HC emissions above allowable |
| 3 | CO emissions above allowable |
| 4 | HC and CO emissions above allowables |

The left column indicates the test sequence followed by participating service centers.

1. Initial. Measure HC/CO. If vehicle passes, stop.
2. After RPM Adj. For any failures, check idle RPM and adjust if necessary. Measure HC/CO. If vehicle passes, stop.
3. After T1 Adj.1 If vehicle fails CO, adjust carburetor idle mixture screw and RPM. Measure HC/CO. If vehicle passes, stop.
4. After T1 Adj.2 If vehicle fails HC, adjust timing if out of specification. Measure HC/CO.
5. Final. Last check of HC/CO readings before return of vehicle to laboratory.

Cost: Labor charges for each step in the service center procedure are recorded in the last column.

Line (5). Repair costs to bring the vehicle into compliance by the service center are recorded as the first entry.

For vehicles not meeting specification at the final test and requiring more than the \$50 maximum allowed by the test program, the service center operator was asked to estimate the repair cost to effect compliance. This is the second entry on Line (5).

Line (6) Laboratory Test Data

Laboratory test sequence number, data, dry and wet bulb temperatures in degrees F. and barometric pressure.

Line (7) Federal Test Procedure Data

Laboratory standard exhaust emission tests were performed according to procedures prescribed in the Federal Register, Volume 38, Number 124, Part III, dated June 28, 1973. Listed are CT (Cold Transient), CS (Cold Stabilized) HT (Hot Transient) and 1975 (Final Test Results Calculated From Preceding Values). The units for CT, CS, and HT are grams/test phase. The final result is given in grams/vehicle mile.

Recorded are readings for "HC" (hydrocarbons), "CO" (carbon monoxide), "C2" (carbon dioxide) and "NX" (nitrogen oxides). Readings "As Received" and "After Maintenance" will be identical for those vehicles passing the test standards during their initial idle inspections.

Two sets of readings were made. The initial set is for the vehicle as received from the vehicle owner. The second set is a retest at the laboratory after the vehicle had been submitted to a participating service center.

Line (8) Laboratory Idle/Loaded Mode Test.

Additional lab tests were performed using idle and loaded modes of vehicle operation. The first three columns in each set give the results of dynamometer testing using procedures prescribed by Clayton Manufacturing Company with the vehicles in an "Idle" mode, "LO CR" (low cruise) and "HI CR" (high cruise) modes. An unloaded test with engine RPM set to 2500 RPM completes the listing.

Data is recorded for:

HC = ppm carbon using flame ionization detector (Beckman 400)

LH = ppm hydrocarbons, as hexane using non-dispersive infrared instrumentation (Beckman 315A)

CO = mole % carbon monoxide using non-dispersive infrared instrumentation (Beckman 315A)

NX = ppm oxides of nitrogen as NO using chemiluminescent detector (Thermo Electron 10A)

HS = ppm hydrocarbons as hexane using non-dispersive infrared instrumentation (Sun EPA 75)

CS = mole % carbon monoxide using non-dispersive infrared instrumentation (Sun EPA 75)

Line (9) Fuel economy in miles per gallon calculated from the Federal Emission Test Data

VEH.NO. 001 TEST SEQ. 1 YEAR 55 MAKE OLDSMOBILE MODEL DELT ODOMETER 040150 NO.CYL. 8 CID 425

CARB.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
05.59 +0125 -05 -01 2 1 1 0 2 0
FROM STATION 05.59 +0125 -05 -01 2 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0320	0150	04.20	04.80	1	004.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0320	0150	04.20	04.80	1	

ADDL PPRS 000.00 EST 000.00

TEST NO.C0001 DATE 08/07/73 DRY 76 WET 60 PRES 24.65 TEST NO.C0001 DATE 08/07/73 DRY 76 WET 60 PRES 24.65

	CT	CS	HT	1975
HC	19.26	06.28	05.60	08.81
CO	0247.5	0118.6	0106.6	0142.3
CO2	0483.2	0513.5	0477.5	0497.2
NOX	01.66	01.50	02.01	01.68

	IDLE	LO CR	HI CR	2500
HC	05022	03434	03366	
LHC	0439	0293	0264	
CO	05.87	03.01	03.52	
NOX	0047	0802	1240	
HCSUN	0385	0246	0220	0140
COSUN	06.25	03.30	03.50	04.70

MPG 11.90

	CT	CS	HT	1975
HC	19.26	06.28	05.50	08.81
CO	0247.5	0118.6	0106.6	0142.3
CO2	0483.2	0513.5	0477.5	0497.2
NOX	01.66	01.50	02.01	01.68

	IDLE	LO CR	HI CR	2500
HC	05022	03434	03366	
LHC	0439	0293	0264	
CO	05.87	03.01	03.52	
NOX	0047	0802	1240	
HCSUN	0385	0246	0220	0140
COSUN	06.25	03.30	03.50	04.70

MPG 11.90

VEH.NO. 002 TEST SEQ. 1 YEAR 67 MAKE MERCURY MODEL COUG ODOMETER 070863 NO.CYL. 8 CID 289
 CARB.VENT. 4 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 07.50 -0075 -10 +03 1 1 1 0 2 0
 FROM STATION 03.60 -0125 -06 +02 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0500	0520	07.40	05.90	3	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0400	0460	03.10	06.60	1	005.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0400	0520	03.10	03.10	1	

ANAL OPERS 030.00 EST 000.00

TEST NO.C00003 DATE 06/07/73 DRY 74 WET 57 PRES 24.65 TEST NO.C00015 DATE 06/10/73 DRY 75 WET 55 PRES 24.75

	CT	CS	HT	1975
HC	17.95	10.42	10.21	11.94
CO	0174.6	0168.1	0167.0	0175.6
CO2	0402.2	0425.3	0352.9	0400.4
NOX	01.78	01.65	01.08	01.52

	INLE	LO CR	HI CR	2500
HC	07647	06680	06773	
LHC	0726	0888	0856	
CO	08.03	06.93	09.93	
NOX	0098	0549	0202	0580
HCSUN	0600	0810	0765	
COSUN	07.60	06.80	09.60	06.80

MPG 12.48

	CT	CS	HT	1975
HC	17.65	09.02	08.92	11.26
CO	0095.4	0098.7	0095.0	0092.0
CO2	0472.3	0425.2	0380.2	0422.6
NOX	04.42	02.63	03.92	03.11

	INLE	LO CR	HI CR	2500
HC	10592	05434	05070	
LHC	1195	0716	0598	
CO	04.26	01.99	02.01	
NOX	0103	2161	2560	0350
HCSUN	0910	0590	0500	
COSUN	04.00	02.05	02.10	03.30

MPG 14.78

912

VEH.NO. 003 TEST SEQ. 1 YEAR 66 MAKE BUICK MODFL LESA ODOMETER 022750 NO.CYL. 4 CID 340

CARB.VENT. 4 TRANS. 1 W/FIGHT 4000 FWH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CC IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.90 +0130 +13 -01 1 1 1 0 1 0
FROM STATION 05.00 +0130 +00 -02 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLF CO	2500 CO	CODE	COST
INITIAL	1900	0400	01.60	05.00	4	003.50
AFT.RPM.ADJ 1550	0550		01.35	03.60	2	001.50
AFT.TI ADJ1 1200	1000		00.00	07.60	4	002.50
AFT.TI ADJ2 0000	0000		09.00	00.00	0	001.50
FINAL	0795	0300	05.60	05.20	1	

ADDL RPRS 010.75 EST 000.00

TEST NO.C00002 DATE 08/07/73 DRY 72 WET 54 PRES 24.64 TEST NO.C00007 DATE 08/08/73 DRY 76 WET 59 PRES 24.77

	CT	CS	HT	1975
HC	07.50	06.74	06.27	06.79
CO	0189.7	0144.1	0156.0	0156.8
CO2	0408.2	0416.3	0367.1	0401.0
NOX	01.62	01.37	01.47	01.45

	CT	CS	HT	1975
HC	09.25	06.78	05.35	07.06
CO	0194.8	0164.1	0161.4	0170.7
CO2	0402.1	0405.6	0359.7	0392.1
NOX	00.87	00.62	00.87	00.74

MPG 13.32

MPG 13.05

	IDLE	LO CP	HI CP	2500
HC	07776	04349	04502	
LHC	1185	0504	0484	
CO	03.18	07.07	11.08	
NOX	0076	0457	0235	
HCSUN	0800	0430	0405	1850
COSUN	13.10	06.90	20.00	05.40

	IDLE	LO CP	HI CP	2500
HC	04730	03563	04347	
LHC	0458	0388	0415	
CO	05.11	05.97	10.67	
NOX	0044	0233	0155	
HCSUN	0420	0335	0350	0325
COSUN	05.00	17.10	20.00	06.20

VEH.NO. 004 TEST SEQ. 1 YEAR 67 MAKE BUICK MODFL SPEC 000WFTFR 044935 NO.CYL. 8 CID 300

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO ICLF RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 06.30 -0040 +12 +02 1 1 1 0 2 0
 FROM STATION 05.30 +0075 +00 +01 1 1 1 0 2 0

INITIAL	0600	2500 HC	2500 CO	CODE	COST
AFT.RPM.ADJ	0310	0160	04.40	3	001.80
AFT.YI ADJ1	0400	0130	03.60	1	001.80
AFT.YI ADJ2	0000	0000	00.00	0	000.00
FINAL	0400	0130	03.60	1	

ANAL PORS 000.00 EST 000.00

TEST NO.C00005 DATE 08/08/73 DRY 73 WET 60 PORS 24.75 TEST NO.C0013 DATE 08/09/73 DRY 80 WET 56 PRES 24.79

CT	CS	HT	1975
HC	19.97	08.35	06.84
CO	0239.8	0153.2	0153.5
CO2	0405.3	0393.4	0357.7
NOX	01.10	00.55	01.13

IDLE	LO CR	HI CP	2500
HC	05303	03799	05055
LHC	0484	0398	0533
CO	06.58	04.59	10.90
NOX	0035	04.01	0131
HC SUN	0455	0365	0460
COSUN	05.90	04.60	20.00

MPG 12.80

CT	CS	HT	1975
HC	19.61	05.90	15.33
CO	0239.2	0145.4	0131.2
CO2	0385.9	0398.8	0344.4
NOX	00.92	00.47	01.03

IDLE	LO CR	HI CP	2500
HC	04514	03979	05040
LHC	1476	0404	0535
CO	05.27	05.28	10.79
NOX	0042	0457	0133
HC SUN	0390	0355	0440
COSUN	05.30	04.70	20.00

MPG 13.64

97

VEH.NO. 006 TEST SEQ. 1 YEAR 67 MAKE CADILLAC MODFL SEDA ODOMETER 104304 NO.CYL. 8 CID 429
 CARB.VENT. & TRANS. 1 WEIGHT 5000 FWM.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 09.10 +0040 +05 +00 1 1 1 0 2 0
 FROM STATION 06.70 +0050 +02 +00 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0530	0420	09.40	05.40	1	001.50
AFT.RPM.ADJ	0620	0300	08.00	04.80	4	000.00
AFT.TI ADJ1	0500	0180	05.00	03.80	1	003.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0500	0180	05.00	03.80	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C00006 DATE 08/08/73 DRY 80 WET 60 PRES 24.75 TEST NO.C00012 DATE 08/09/73 DRY 75 WET 56 PRES 24.79

	CT	CS	HT	1975
HC	13.07	11.74	09.14	11.30
CO	0237.8	0243.0	0180.5	0224.6
CO2	0605.7	0505.5	0483.3	0520.3
NOX	02.02	01.01	02.04	01.51

	INLE	LO CR	HI CR	2500
HC	09593	04336	03515	
LHC	0674	0502	0305	
CO	09.83	04.79	04.52	
NOX	0025	0607	0783	
HCSUN	0600	0445	0245	0370
COSUN	09.70	04.80	04.10	06.00

MPG 09.80

	CT	CS	HT	1975
HC	11.68	09.78	07.32	09.66
CO	0235.7	0232.9	0149.7	0216.0
CO2	0569.6	0476.5	0463.5	0492.4
NOX	01.70	00.93	01.87	01.30

	INLE	LO CR	HI CR	2500
HC	05714	04372	03476	
LHC	0573	0502	0296	
CO	07.00	04.78	03.48	
NOX	0035	0621	1034	
HCSUN	0470	0420	0240	0365
COSUN	07.00	04.65	03.40	06.20

MPG 10.33

VEH.NO. 007 TEST SEQ. 1 YEAR 66 MAKE CHEVROLET MODEL 14PA ODOMETER 043884 NO.CYL. 4 CID 327

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.40 -0050 -32 -05 2 1 1 0 2 0
 FROM STATION 03.30 +0120 -01 +01 2 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2000	1900	00.10	06.00	2	005.50
AFT.RPM.ADJ	1700	1900	02.00	06.00	2	003.30
AFT.TI ADJ1	0200	0175	01.50	04.50	1	003.30
AFT.TI ADJ2	0300	0300	00.00	00.00	0	000.00
FINAL	0200	0175	01.50	04.50	1	

ADOL RPR < 000.00 EST 000.00

TEST NO.C0010 DATE 08/09/73 DAY 77 WET 58 PRES 24.79 TEST NO.C0019 DATE 08/10/73 DRY 78 WET 54 PRES 24.75

	CT	CS	HT	1975
HC	06.63	06.94	07.16	06.96
CO	0119.2	0104.2	0102.9	0106.8
CO2	0441.6	0409.2	0381.4	0408.3
NOX	02.88	01.80	02.64	02.28

	IDLE	LO CR	HI CR	2500
HC	04274	03771	03301	
LHC	0554	0409	0316	
CO	02.04	04.10	03.73	
NOX	0427	1236	1540	
HCSUN	0415	0320	0265	0535
COSUN	01.65	04.20	03.80	04.60

MPG 14.89

	CT	CS	HT	1975
HC	06.74	05.17	05.57	05.64
CO	0125.0	0119.3	0104.0	0117.3
CO2	0433.6	0426.7	0391.9	0414.5
NOX	01.54	00.93	01.49	01.21

	IDLE	LO CR	HI CR	2500
HC	03735	03755	03140	
LHC	0402	0375	0273	
CO	03.45	04.45	03.37	
NOX	0175	0407	1220	
HCSUN	0370	0330	0235	0245
COSUN	03.40	04.10	03.50	04.60

MPG 14.15

VEH.NO. 098 TEST SEQ. 1 YEAR 54 MAKE VOLKSWAGON MODEL SED4 ODOMETER 105841 NO.CYL. 4 CID 073

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 2 EVAP.CON. 2 PCV 2

TOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 04.40 +0330 -22 -15 0 2 1 0 2 0
 FROM STATION 04.40 +0330 -22 -15 0 2 1 0 2 0

	TOLE HC	2500 HC	TOLE CO	2500 CO	CODE	COST
INITIAL	0400	0600	02.50	04.70	1	035.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0400	0600	02.50	04.70	1	

ADNL CORR 000.00 EST 000.00

TEST NO.C00009 DATE 08/09/73 DRY 75 WET 54 PRES 24.00 TEST NO.C00009 DATE 08/09/73 DRY 75 WET 58 PRES 24.00

	CT	CS	HT	1975
HC	06.73	09.27	05.43	07.16
CO	0070.3	0075.7	0061.0	0070.5
CO2	0207.7	0213.9	0195.2	0207.4
NOX	01.43	01.29	01.69	01.51

	TOLE	LO CR	HI CO	2500
HC	06165	04317	04530	
LHC	0533	0563	0406	
CO	04.73	04.48	05.68	
NOX	0059	1293	1540	
HC SUN	0405	0420	0300	0355
CO SUN	04.65	04.30	05.50	06.90

MPG 26.13

MPG 26.13

VEH.NO. 010 TEST SEQ. 1 YEAR 66 MAKE CHRYSLER MODEL 300 ODOMETER 066644 NO.CYL. 6 CID 383

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.52 +0190 +07 -05 1 2 1 0 2 0

FROM STATION 06.07 +0080 +00 +03 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CO/F	COST
INITIAL	0325	0175	06.90	05.00	3	000.00
AFT.RPM.ADJ	0320	0200	06.90	05.50	3	000.00
AFT.TI ADJ1	0220	0400	02.60	01.75	1	012.00
AFT.TI ADJ2	0000	0000	09.00	00.00	0	000.00
FINAL	0220	0400	02.60	01.75	1	

ADDL PRS 000.00 EST 000.00

TEST NO.C00008 DATE 08/08/73 DRY 83 WET 54 PRES 24.75 TEST NO.C00016 DATE 08/10/73 DRY 78 WET 56 PRES 24.74

	CT	CS	HT	1975
HC	12.14	09.79	08.51	09.97
CO	0242.4	0179.4	0161.3	0187.6
CO2	0475.4	0452.5	0435.1	0452.5
NOX	01.76	01.49	02.44	01.41

	IDLE	LO CR	HI CR	2500
HC	04313	05223	15240	
LHC	0734	0559	0500	
CO	09.01	05.73	07.49	
NOX	0024	0300	0734	
HCSUN	0620	0590	0510	0350
COSUN	09.40	05.80	07.70	06.40

MPG 11.44

MPG 11.75

VEH.NO. 011 TEST SEQ. 1 YEAR 66 MAKE CHEVROLET MODEL CHE2 ODOMETER 072251 NO.CYL. 6 CID 194
 CARB.VENT. 1 TRANS. 3 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO INL. RPM TIMING DWELL PCV A/F CHOKE A/P MIS NOX
 FROM OWNER 09.50 -0065 -03 1 2 1 0 2 0
 FROM STATION 08.00 -0115 -03 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0400	0250	08.00	04.80	3	005.50
AFT.RPM.ADJ	0400	0300	06.90	04.80	3	000.00
AFT.TI ADJ1	0450	0300	04.20	04.80	1	005.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0450	0300	04.70	04.80	1	

ANAL CORR 000.00 EST 000.00

TEST NO.C0011 DATE 08/09/73 DRY 84 WET 51 PRES 24.79 TEST NO.C0026 DATE 08/13/73 DRY 78 WET 58 PRES 24.93

	CT	CS	WT	1975
HC	12.59	10.41	09.66	10.66
CO	0119.1	0117.2	0099.1	0112.4
CO2	0323.1	0336.6	0251.0	0310.0
NOX	02.59	02.20	02.12	02.26

	INLE	LO CR	HI CP	2500
HC	15829	03974	05675	
LHC	0815	0447	0645	
CO	10.16	01.62	09.82	
NOX	0024	2073	0200	
HC/SUN	0720	0335	0475	0385
CO/SUN	09.60	01.85	09.50	06.90

MPG 17.12

	CT	CS	WT	1975
HC	14.89	11.06	09.14	11.33
CO	0111.6	0134.1	0092.3	0117.9
CO2	0290.1	0256.4	0245.1	0258.2
NOX	02.03	00.98	02.00	01.44

	INLE	LO CR	HI CR	2500
HC	15775	04506	05542	
LHC	0894	0499	0510	
CO	09.98	02.50	08.17	
NOX	0025	1982	0342	
HC/SUN	0730	0365	0450	0385
CO/SUN	09.70	02.60	08.20	05.90

MPG 19.59

VEH.NO. 012 TEST SEQ. 1 YEAR 67 MAKE CHRYSLER MODEL STAM 0704FTED 063004 NO.CYL. 4 CID 383

CARR.VENT. & TRANS. 1 WEIGHT 5000 EXH.COM. 2 EVAP.COM. 2 PCV 1

INLF CO INLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.85 +0140 +00 +04 1 1 1 0 2 0
 FROM STATION 03.85 +0140 +00 +04 1 1 1 0 2 0

INITIAL	INLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
0200	0090	0090	03.50	02.70	1	002.50
AFT.RPM.ADJ 0000	0000	0000	09.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000	0000	09.00	00.00	0	000.00
FINAL 0200	0090	0090	03.50	02.70	1	

ADML PORS 000.50 EST 000.00

TEST NO.C0017 DATE 08/10/73 DRV 78 WFT 55 PRES 24.75 TEST NO.C0017 DATE 08/10/73 DRV 78 WFT 55 PRES 24.75

CT	CS	HT	1975	CT	CS	HT	1975		
HC	17.12	05.27	04.84	07.63	HC	17.12	05.27	04.84	07.63
CO	0233.0	0091.8	0078.7	0117.7	CO	0233.0	0091.8	0078.7	0117.7
CO2	0499.4	0562.4	0511.7	0535.1	CO2	0499.4	0562.4	0511.7	0535.1
NOX	01.90	02.04	02.97	02.27	NOX	01.90	02.04	02.97	02.27

INLF	LO CR	HI CR	2500
HC	04076	03862	03679
LHC	0484	0330	0273
CO	04.25	03.50	03.86
NOX	0092	1032	1465
HCSUN	0388	0360	0230
COSUN	04.10	03.50	04.10

MPG 11.97

MPG 11.97

VEH.NO. 013 TEST SEQ. 1 YEAR 65 MAKE DODGE MODEL DART ODOMETER 032679 NO.CYL. 6 CID 225
 CARR.VENT. 1 TRANS. 1 WEIGHT 3000 FXH.COM. 2 EVAP.COM. 2 PCV 1

TITLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.20 -0010 +07 +01 1 1 2 0 2 0
 FROM STATION 03.20 -0010 +07 +01 1 1 2 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0210	0170	01.50	01.30	1	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI 10J2	0000	0000	01.00	00.00	1	000.00
FINAL	0210	0170	01.50	01.30	1	

ADJL RPRS 000.00 EST 000.00

TEST NO.C00014 DATE 08/10/73 ORY 70 WET 56 PRES 24.75 TEST NO.C00014 DATE 08/10/73 ORY 70 WET 56 PRES 24.75

	CT	CS	HT	HT	1975
HC	09.17	03.43	02.93	02.33	04.49
CO	0149.8	0047.4	0050.0	0050.0	0069.5
CO2	0347.9	0361.9	0338.9	0338.9	0352.6
NOX	03.59	04.75	05.44	05.44	04.70

	IDLE	LO CR	HI CR	2500
HC	04086	02861	02741	
LHC	0468	0264	0229	
CO	03.29	00.92	01.49	
NOX	0278	3377	3464	
HCSUM	0405	0205	0190	0185
COSUM	03.35	01.00	01.60	01.75

MPG 14.71

MPG 14.71

VEH.NO. 014 TEST SEQ. 1 YEAR 64 MAKE CHEVROLET MODEL CHEV ODOMETER 049237 NO.CYL. 6 CID 194

CARR.VENT. 1 TRANS. 3 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

SOLE CO INLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 00.09 -0100 -12 +02 1 1 1 0 2 0
 FROM STATION 00.09 -0100 -12 +02 1 1 1 0 2 0

INITIAL	SOLE HC	2500 HC	SOLE CO	2500 CO	SOLE	COST
0320	0260	00.20	01.40	1	004.00	
AFT.RPM.ADJ 0000	0000	00.00	00.00	0	000.00	
AFT.TI ANJ1 0000	0000	00.00	00.00	0	000.00	
AFT.TI ANJ2 0000	0000	00.00	00.00	0	000.00	
FINAL	0320	0260	01.40	1		

ADNL RPRS 000.00 EST 000.00

TEST NO.C0018 DATE 08/10/73 DRY 78 WET 55 PRES 24.75 TEST NO.C0018 DATE 08/10/73 DRY 78 WET 56 PRES 24.75

CT	CS	HT	1975
HC	13.48	09.31	07.02
CO	0109.0	0107.9	0075.0
CO2	0280.5	0263.1	0247.6
NOX	01.80	00.99	01.73

HC	LHC	CO	NOX	HCSUN	COSUN
06565	04288	05044	0043	0640	00.15
0958	0431	0502	0043	0365	00.15
00.14	02.83	10.20	0043	0365	00.15
0043	2071	0176	0043	0365	00.15
0640	0365	0415	0043	0365	00.15
00.15	02.90	09.80	0043	0365	00.15

MPG 19.87

MPG 19.87

18

VEH.NO. 015 TEST SEQ. 4 YEAR 67 MAKE FORD MODEL STAH OMMETER 060240 NO.CYL. 8 CID 289

CARQ.VENT. 2 TRANS. 3 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM STATION 08.60 -0075 +CO +01 1 1 1 1 0 2 0

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0390	0200	07.50	04.90	3	005.00
AFT.RPM.ADJ	0355	0200	08.80	05.00	3	001.00
AFT.TI ADJ1	0450	0190	04.50	04.90	1	001.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0450	0190	04.50	04.90	1	

ADDL PPRS 000.00 EST 000.00

TEST NO.C0021 DATE 08/13/73 DRY 77 WET 60 PPES 24.94 TEST NO.C0027 DATE 08/14/73 DRY 73 WET 55 PRES 24.80

	CT	CS	HT	1975
HC	13.65	15.11	09.79	13.43
CO	0126.5	0171.4	0115.2	0146.4
CO2	0331.4	0303.4	0276.4	0301.8
NOX	01.03	00.40	00.27	00.67

	IDLE	LO CR	HI CR	2500
HC	19106	05136	05100	
LHC	0848	0589	0613	
CO	09.87	04.35	04.95	
NOX	0914	0687	0604	
HCSUM	0720	0460	0485	0345
COSUM	19.40	04.50	04.90	05.90

MPG 15.51

	CT	CS	HT	1975
HC	11.78	10.42	09.30	10.39
CO	0125.1	0134.7	0106.3	0124.8
CO2	0382.2	0376.5	0316.3	0361.0
NOX	01.03	00.59	01.00	00.80

	IDLE	LO CR	HI CR	2500
HC	09713	05531	04784	
LHC	0737	0640	0525	
CO	06.90	04.29	04.41	
NOX	0035	0759	0596	
HCSUM	0550	0410	0315	0305
COSUM	06.75	04.47	04.40	06.30

MPG 15.10

VEH.NO. 016 TEST SEQ. 1 YEAR 67 MAKE FORD MODEL FALC ODOMETER 059003 NO.CYL. 8 CID 289

CAR3.VFNT. 2 TRNS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 06.10 +0045 +00 1 2 1 0 2 0
FROM STATION 05.10 +0045 +00 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0350	0250	05.10	05.00	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0350	0250	05.10	05.00	1	

ANNU PPRS 000.00 FST 000.00

TEST NO.C0022 DATE 08/13/73 DRY 76 WFT 59 PRES 24.94 YFST NO.C0022 DATE 08/13/73 DRY 76 WFT 59 PRES 24.94

	CT	CS	HT	1975
HC	07.47	07.39	06.23	07.08
CO	0096.9	0134.8	0106.0	0114.9
CO2	0398.8	0362.8	0332.0	0361.8
NOX	02.50	01.10	01.67	01.55

	INLE	LO CR	HI CR	2500
HC	05167	05372	05561	
LHC	0600	0672	0619	
CO	06.52	04.22	07.52	
NOX	0070	0894	0293	
HCSUN	0450	0560	0500	0365
COSUN	06.50	04.20	07.80	06.40

MPG 15.60

MPG 15.60

5

VEH.NO. 017 TEST SFQ. 4 YEAR 66 MAKE CHEVROLET MODEL BISC ODOMETER 051045 NO.CYL. 4 CID 263

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING OWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.30 +0190 -18 -01 1 2 2 0 2 0
FROM STATION 06.30 +0190 -18 -01 1 2 2 0 2 0

	IDLE HC	2500 HC	IOLF CO	2500 CO	CODE	COST
INITIAL	0750	0500	05.00	05.00	1	901.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.20
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0750	0592	05.00	05.20	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0020 DATE 08/13/73 DRY 75 WET 62 PRES 24.94 TEST NO.C0020 DATE 08/13/73 DRY 75 WET 62 PRES 24.94

	CT	CS	HT	1975
HC	16.09	09.43	09.43	09.02
CO	0211.5	0169.5	0148.8	0172.6
CO2	0385.7	0370.5	0339.2	0365.0
NOX	02.18	01.21	01.67	01.54

	IDLE	LO CR	HI CR	2500
HC	06007	05153	04177	
LHC	0746	0610	0425	
CO	06.77	06.09	04.01	
NOX	0082	0647	1723	
HCSUN	0590	0440	0295	0420
COSUN	06.70	05.80	04.10	05.90

MPG 13.31

MPG 13.31

VEH.NO. 019 TEST SEQ. 1 YEAR 65 MAKE RAMBLER MODEL CLAS ODOMETER 062545 NO.CYL. 6 CID 232

CARR.VENT. 1 TRANS. 3 WEIGHT 3000 FK4.CON. 2 EVAP.CON. 2 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 06.07 +0070 -06 +01 1 1 1 0 2 0
FROM STATION 05.56 -0030 +00 +01 1 1 1 0 2 0

	INLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	0440	0340	04.60	07.80	3	004.50
AFT.RPM-ADJ	0440	0220	07.80	05.60	3	001.50
AFT.TI ADJ1	0400	0220	05.60	04.40	1	001.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0400	0220	05.60	04.40	1	

ADDL RORS 000.00 EST 000.00

TEST NO.C0023 DATE 08/13/73 DRY 78 WET 58 PRES 24.93 TEST NO.C0034 DATE 08/14/73 DRY 78 WET 61 PRES 24.77

	CT	CS	HT	1975
HC	08.25	08.09	05.33	07.36
CO	0119.1	0121.3	0097.9	0114.4
CO2	0287.4	0262.4	0263.2	0267.9
NOX	01.74	00.87	01.61	01.26

	INLF	LO CR	HI CP	2500
HC	11888	04273	04994	
LHC	0725	0409	0493	
CO	09.22	04.93	10.04	
NOX	0030	1025	0201	
HCSUM	0555	0330	0385	0319
COSUN	08.70	04.80	09.80	05.60

MPG 18.92

	CT	CS	HT	1975
HC	06.08	05.24	04.46	05.29
CO	0102.0	0090.9	0075.9	0093.9
CO2	0251.6	0253.0	0246.1	0250.8
NOX	01.46	00.94	01.72	01.26

	INLF	LO CR	HI CR	2500
HC	06952	04201	04937	
LHC	0548	0417	0501	
CO	06.90	03.99	08.18	
NOX	0041	1208	0333	
HCSUM	0620	0380	0450	0250
COSUN	05.80	03.60	08.00	02.80

MPG 22.32

VEH.NO. 020 TEST SEQ. 1 YFAR 67 MAKE JLD5MOBILE MODEL DELT 300METER 0A9113 NO.CYL. 4 CID 425

CARB.VENT. 4 TRANS. 1 WFIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 05.60 +0040 +00 +02 1 2 1 0 2 0
 FROM STATION 03.60 +0020 +00 +02 1 2 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
AFT.RPM.ADJ 2500	2500	2500	02.00	01.50	2	005.50
AFT.TI ADJ1 2500	2500	2500	01.60	01.00	2	003.30
AFT.TI ADJ1 0400	0300	0300	04.20	02.00	1	003.30
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL 0400	0300	0300	04.20	02.00	1	

ADNL RPRS 003.30 EST 000.00

TEST NO.C0025 DATE 08/13/73 DRY 79 WET 59 PRES 24.93 TEST NO.C0A33 DATE 08/14/73 DRY 78 WET 59 PRES 24.78

CT	CS	HT	1975
HC	09.93	07.24	07.03 07.77
CO	0167.9	0126.9	0110.1 0130.8
CO2	0546.5	0500.7	0461.7 0499.5
NOX	02.11	01.49	01.95 01.75

CT	CS	HT	1975
HC	0A.20	06.50	05.53 06.5A
CO	0123.2	0122.9	0099.7 0115.5
CO2	0512.4	0507.3	0446.5 0491.5
NOX	02.47	01.52	02.11 01.88

IDLE	LO CP	HI CR	2500
HC	0598A	04602	03976
LHC	0650	0443	0309
CO	06.16	03.96	03.70
NOX	0055	0639	0953
HCSUM	0415	0300	0210 0280
COSUM	05.00	03.90	03.60 05.70

IDLE	LO CR	HI CR	2500
HC	04177	03732	03522
LHC	0442	0327	0257
CO	03.90	02.70	03.59
NOX	0090	096A	1109
HCSUM	0433	0330	0250 0370
COSUM	03.50	02.35	03.45 06.50

MPG 12.21

MPG 12.91

VEH.NO. 021 TEST SEQ. 4 YEAR 67 MAKE PLYMOUTH MODEL BELV ODOMETER 070009 NO.CYL. 4 CID 273
 CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 06.30 +0000 -01 +01 1 1 2 0 2 0
 FROM STATION 06.30 +0080 -01 +01 1 1 2 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0370	0250	01.60	03.00	1	006.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0370	0250	01.60	03.00	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0028 DATE 08/14/73 DRY 71 WET 55 PRES 24.80 TEST NO.C0028 DATE 08/14/73 DRY 71 WET 55 PRES 24.80

	CT	CS	HT	1975
HC	11.37	10.85	07.35	09.98
CO	0201.0	0189.4	0104.4	0168.2
CO2	0361.0	0350.9	0354.8	0354.1
NOX	01.45	01.06	02.92	01.66

	IDLE	LO CR	HI CR	2500
HC	05573	04380	04489	
LHC	0573	0491	0442	
CO	07.20	02.93	05.48	
NOX	0056	1633	0952	
HCSUN	0410	0345	0305	0350
COSUN	06.75	03.00	05.20	04.99

MPG 13.70

MPG 13.70

VEH.NO. 022 TEST SCO. 1 YEAR 71 MAKE CHEVROLET MODEL VEGA ODOMETER 040186 NO.CYL. 4 CID 140
CARB.VENT. 2 TRANS. 4 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 08.52 -0040 +00 1 2 1 0 2 1
FROM STATION 05.20 -0060 +00 1 2 1 0 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CO/F	COST
INITIAL	0230	0090	06.90	04.00	3	005.50
AFT.RPM.ADJ	0230	0090	05.80	03.50	3	007.30
AFT.TI ADJ1	0160	0065	03.10	02.75	1	003.30
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0160	0065	03.10	02.75	1	

AQPL PPRS 000.00 EST 070.00

TEST NO.C00033 DATE 08/14/73 DAY 30 WET 61 PRES 24.73 IFST NO.C00043 DATE 08/15/77 DRY 71 WET 56 PRES 24.92

CT	CS	HT	1975
HC	07.85	08.12	06.03 07.49
CO	0083.0	0099.0	0081.5 0085.1
CO2	0293.6	0320.8	0266.4 0304.6
NOX	01.96	01.32	01.91 01.62

IDLE	LO CP	HI CP	2500
HC	06795	04023	04057
LHC	0579	0255	0314
CO	09.20	03.39	03.95
NOX	0057	0475	1446
HCSUN	0580	0200	0280 0750
COSUN	19.50	03.50	04.00 03.40

MPG 19.24

CT	CS	HT	1975
HC	08.25	04.49	04.51 05.31
CO	0080.4	0065.6	0066.1 0069.3
CO2	0292.4	0320.2	0259.3 0297.5
NOX	01.84	01.48	01.91 01.67

IDLE	LO CP	HI CP	2500
HC	04902	03889	04056
LHC	0380	0220	0309
CO	05.43	03.01	03.86
NOX	0089	0497	1424
HCSUN	0610	0300	0440 0300
COSUN	05.20	03.10	04.00 03.10

MPG 21.05

VEH.NO. 023 TEST SEQ. 1 YEAR 73 MAKE FORD MODEL STAM 000475P 003001 NO.CYL. 4 CID 400

CARR.VENT. 2 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 1 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 02.00 -0145 +0A -02 2 1 1 0 1 1
 FROM STATION 01.02 -0005 +00 -01 2 1 1 3 1 1

	SOLE HC	SOLE HC	SOLE CO	SOLE CO	SOLE CO	SOLE CO	SOLE CO	SOLE CO	SOLE CO
INITIAL	0450	0110	01.70	01.50	003.50	003.50	003.50	003.50	003.50
AFT.RPM.ADJ	0300	0070	00.50	00.50	002.00	002.00	002.00	002.00	002.00
AFT.VT ADJ1	0000	0000	00.00	00.00	000.00	000.00	000.00	000.00	000.00
AFT.VT ADJ2	0000	0000	00.00	00.00	000.00	000.00	000.00	000.00	000.00
FINAL	0300	0070	00.50	00.50	003.50	003.50	003.50	003.50	003.50

ANAL DOCS 000.00 EST 000.00

TEST VC.0001 DATE 08/14/73 DAY 76 WFT 59 DOCS 24.74 TEST NO.00041 DATE 08/15/73 DAY 72 WFT 56 DOCS 24.74

	CT	CS	WT	WT	1975
HC	05.01	03.72	03.64	03.98	03.98
CO	0091.7	0059.5	0069.0	0073.7	0073.7
CO2	0645.2	0635.9	0564.3	0619.0	0619.0
NOX	06.53	03.15	05.85	04.61	04.61

	SOLE	LO CO	HI CO	2500
HC	03450	02904	02530	02500
LHC	0337	0249	0189	0189
CO	03.17	01.47	01.60	01.60
NOX	0114	0467	0430	0430
HCSUM	0320	0230	0170	0170
COSUM	03.00	01.60	01.55	01.55

WPS 11.07

	CT	CS	WT	WT	1975
HC	04.50	03.50	03.30	03.65	03.65
CO	0087.5	0065.0	0064.3	0070.0	0070.0
CO2	0679.3	0685.1	0602.5	0660.9	0660.9
NOX	06.71	03.03	05.50	04.51	04.51

	SOLE	LO CO	HI CO	2500
HC	02854	02547	02377	02377
LHC	0274	0229	0190	0190
CO	01.01	01.32	01.39	01.39
NOX	0255	0225	0357	0357
HCSUM	0400	0320	0340	0340
COSUM	01.00	01.20	01.50	01.50

WPS 11.37

VEH.NO. 024 TEST SEQ. 1 YEAR 64 MAKE CHRYSLER MODFL NEWB ODOMETER 099340 NO.CYL. 4 CID 361
 CARB.VENT. 2 TRANS. 1 WEIGHT 4500 FKH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 86.90 +0220 +00 +33 1 2 1 0 2 0
 FROM STATION 01.08 +0190 +00 +03 1 2 1 0 2 0

	INLF HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0340	0400	08.00	08.90	3	000.00
AFT.RPM.ADJ	0340	0150	08.00	08.50	3	000.00
AFT.TI ADJ1	0140	0150	01.50	09.09	3	000.00
AFT.TI ADJ2	0160	0180	01.20	08.51	3	012.00
FINAL	0120	0120	00.60	03.70	1	

ADNL RPRS 030.57 EST 000.00

TEST NO.C0024 DATE 06/13/73 DRY 78 WET 58 PRES 24.93 TEST NO.C0042 DATE 08/15/73 DRY 78 WET 58 PRES 24.74

	CT	CS	HT	1975
HC	11.19	06.41	06.43	07.62
CO	0271.2	0210.1	0203.7	0221.1
CO2	0443.0	0459.3	0382.8	0434.7
NOX	00.62	00.57	00.59	00.59

	INLF	LO CR	HI CR	2500
HC	06111	05267	04944	
LHC	0765	0552	0465	
CO	07.39	09.52	09.12	
NOX	0066	0130	0192	
HCSUN	0520	0105	0300	0220
COSUN	07.30	09.10	08.80	09.30

MPG 11.05

	CT	CS	HT	1975
HC	09.25	04.57	04.70	05.59
CO	0223.7	0046.5	0123.6	0125.5
CO2	0433.5	0491.5	0403.3	0454.9
NOX	00.92	01.27	01.13	01.16

	IDLE	LO CR	HI CR	2500
HC	03208	04252	04305	
LHC	0343	0442	0410	
CO	01.20	06.53	06.99	
NOX	0163	0348	0544	
HCSUN	0600	0740	0710	0320
COSUN	01.29	16.50	07.10	05.20

MPG 13.10

VEH.NO. 025 TEST SEQ. 4 YEAR 66 MAKE DODGE MODEL VAN OMMETER 054740 NO.CYL. 3 CID 273

CARB.VENT. 2 TRANS. 3 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 07.70 +0030 +13 -03 1 1 1 3 2 0
 FROM STATION 07.70 +0030 +13 -03 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CONF	COST
INITIAL	0500	0240	06.90	07.00	1	004.00
AFT.RPM.ADJ	0900	0000	09.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0500	0240	06.90	07.00	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0032 DATE 08/14/73 DRY 79 WET 60 PRES 24.79 TEST NO.C0032 DATE 08/14/73 DRY 79 WET 60 PRES 24.78

	CT	CS	HT	1975
HC	15.82	28.82	14.76	22.20
CO	0124.3	0206.9	0167.3	0178.7
CO2	0313.9	0254.2	0242.7	0263.5
NOX	02.49	00.56	00.93	01.07

	IDLE	LO CR	HI CR	2500
HC	11411	06062	04845	
LHC	0704	0748	0526	
CO	08.96	08.45	05.65	
NOX	0040	0367	1106	0200
HCSUN	0640	0700	0480	0200
COSUN	08.40	08.20	07.80	03.60

MPG 14.50

MPG 14.50

VEH.NO. 026 TEST SEQ. 1 YEAR 65 MAKE CADILLAC MODEL DEVI ODOMETER 084961 NO.CYL. 8 CID 429

CARB.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 05.95 +0020 +01 1 1 1 0 2 0
 FROM STATION 05.95 +0020 +01 1 1 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
02A0	00A0	00A0	04.00	01.00	1	002.50
AFT.RPM.ADJ 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL 02A0	00A0	00A0	04.00	01.00	1	

ADDL RPRS 000.00 EST 070.00

TEST NO.C0029 DATE 08/14/73 DRV 73 WET 56 PRES 24.80 TEST NO.C0029 DATE 08/14/73 DRV 73 WET 56 PRES 24.80

CT	CS	HT	1975
HC	07.39	05.98	05.22 06.01
CO	0099.8	0083.8	0075.9 0085.0
CO2	0578.1	0539.5	0493.2 0534.8
NOX	04.50	04.60	04.35 04.51

IDLE	LO CR	HI CR	2500
HC	04859	03516	03263
LHC	0518	0329	0251
CO	06.38	00.83	01.60
NOX	0073	2162	1995
HCSUN	0370	0235	0165
COSUN	06.10	01.70	01.05

MPG 12.96

MPG 12.96

VEH.NO. 027 TEST SEQ. 1 YEAP 55 MAKE MERCURY MODEL MONR 970METFD 072548 NO.CYL. 8 CID 390
 CARB.VENT. 2 TRAPS. 1 WRIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.01 -0025 +CO +02 2 2 2 0 1 0
 FROM STATION 01.01 -0025 +CO +02 2 2 2 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CONF	COST
INITIAL	0800	0350	08.20	00.40	1	004.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0800	0350	08.20	00.40	1	

ADNL RORS 000.CO EST 000.00

TEST NO.C0030 DATE 08/14/73 DRY 76 WET 55 PRES 24.73 TEST NO.C0030 DATE 08/14/73 DRY 76 WET 55 PRES 24.70

	CT	CS	HT	HT	1975
HC	10.43	05.54	06.28	06.28	07.28
CO	0179.0	0093.7	0093.5	0093.5	0111.3
CO2	0486.6	0501.9	0440.2	0440.2	0481.6
NOX	01.56	01.54	01.90	01.90	01.64

	IDLE	LO CR	HI CR	2500
HC	05150	04646	04065	
LHC	0747	0527	0356	
CO	01.17	04.51	02.74	
NOX	0144	0849	1479	0390
HCSUN	0950	0510	0334	
COSUN	01.15	04.35	02.65	05.50

MPG 13.11

	CT	CS	HT	HT	1975
HC	10.43	05.54	06.28	06.28	07.28
CO	0179.0	0093.7	0093.5	0093.5	0111.3
CO2	0486.6	0501.9	0440.2	0440.2	0481.6
NOX	01.56	01.54	01.90	01.90	01.64

	IDLE	LO CR	HI CR	2500
HC	05150	04646	04065	
LHC	0747	0527	0356	
CO	01.17	04.51	02.74	
NOX	0144	0849	1479	0390
HCSUN	0950	0510	0334	
COSUN	01.15	04.35	02.65	05.50

MPG 13.11

25

VEH.NO. 028 TEST SEQ. 4 YEAR 64 MAKE OLDSMOBILE MODEL STAM ODOMETER 089029 NO.CYL. 6 CID 330

CARR.VENT. 2 TPANS. 1 W/FIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 2

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 11.20 +0000 +03 -10 0 2 2 0 2 0
FROM STATION 07.10 -0100 -07 -16 0 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	2500	1600	20.00	09.40	4	004.50
AFT.RPM.ADJ 2500	1600		20.00	08.00	4	001.50
AFT.TI ADJ1 0500	0500		02.00	02.90	1	003.50
AFT.TI ADJ2 0000	0000		09.00	00.00	0	000.00
FINAL	0600	0500	04.00	02.90	1	

ADDL PQRS 000.00 EST 000.00

TEST NO.C0035 DATE 08/15/73 DRY 58 WET 55 PRES 24.87 TEST NO.C0044 DATE 08/16/73 DRY 70 WET 54 PRES 24.80

	CT	CS	HT	1975
HC	14.56	17.39	12.17	15.35
CO	0195.4	0206.0	0199.6	0202.0
CO2	0469.1	0395.3	0402.6	0412.6
NOX	02.29	01.05	01.66	01.47

	CT	CS	HT	1975
HC	08.63	07.61	07.01	07.67
CO	0152.6	0159.0	0145.1	0154.4
CO2	0449.6	0409.8	0389.3	0411.7
NOX	01.52	00.72	01.13	01.00

MPG 11.44

MPG 13.13

	CT	CS	HT	1975
HC	06214	04354	05090	
LHC	0717	0449	0490	
CO	07.79	04.12	09.91	
NOX	0044	0619	0162	
HCSUN	1050	0580	0600	0375
COSUN	07.80	04.00	09.80	04.10

VEH.NO. 029 TEST SEQ. 4 YEAR 65 MAKE PONTIAC MODEL TEMP ODOMETER 059515 NO.CYL. 4 CID 326
 CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 07.30 -0010 -12 +02 1 1 1 0 2 0
 FROM STATION 07.30 -0010 -12 +02 1 1 1 0 2 0

INLE 4C	2500 HC	INLE CO	2500 CO	CONF	COST
INITIAL 0250	0115	01.80	01.20	1	005.00
AFT.RPM.ADJ 0000	0000	09.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000	09.00	00.00	0	000.00
FINAL 0250	0115	01.80	01.20	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0036 DATE 08/15/73 DRY 68 WFT 54 PRES 24.87 TEST NO.C0036 DATE 08/15/73 DRY 68 WFT 54 PRES 24.87

CT	CS	HT	1975
HC	15.56	10.61	08.91
CO	0234.1	0133.7	0163.8
CO2	0396.4	0366.8	0328.7
NOX	00.71	00.52	00.72

INLE	LO CP	HI CP	2500
HC	09490	04474	05992
LHC	0945	0463	0632
CO	08.41	03.02	11.41
NOX	0035	0529	0097
HCSUN	0760	0360	0520
COSUN	08.20	03.20	20.00

MPG 12.68

MPG 12.68

26

VEH.NO. 030 TEST SEQ. 1 YEAR 64 MAKE CADILLAC MODEL DEVI ODOMETER 048156 NO.CYL. 4 CID 429
 CARR.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IGLF CO IDLE PPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 05.60 +0015 +00 2 2 1 0 2 0
 FROM STATION 00.11 +0090 +00 2 2 1 0 1 0

	IGLF HC	2500 HC	IGLF CO	2500 CO	CODE	COST
INITIAL	0300	0300	06.10	06.40	3	002.50
AFT.RPM.ADJ	0240	0360	02.40	06.30	3	002.50
AFT.TI ADJ1	0220	0240	01.20	05.30	3	002.50
AFT.TI ADJ2	0220	0300	01.50	04.10	1	002.50
FINAL	0220	0300	01.50	04.10	1	

ADDL DPRS 000.00 EST 000.00

TEST NO.C0037 DATE 08/15/73 DRY 69 WFI 55 PRES 24.87 TEST NO.C0056 DATE 08/16/73 DRY 76 WET 58 PRES 24.67

	CT	CS	HT	1975
HC	09.76	09.79	07.99	09.28
CO	0230.2	0154.5	0194.8	0202.0
CO2	0579.5	0615.2	0500.2	0575.8
NOX	02.01	02.10	01.93	02.03

	IGLF	LO CR	HI CR	2500
HC	04645	04520	04653	
LHC	0436	0409	0421	
CO	05.96	05.08	07.45	
NOX	0072	0639	0484	
HCSUN	0390	0343	0345	7390
COSUN	05.95	06.10	07.70	05.90

MPG 09.65

	CT	CS	HT	1975
HC	08.89	08.92	08.16	09.65
CO	0203.4	0149.6	0183.2	0170.2
CO2	0572.5	0610.6	0493.0	0570.0
NOX	01.93	02.05	01.83	01.96

	IGLF	LO CR	HI CR	2500
HC	03910	04356	04724	
LHC	0414	0425	0457	
CO	00.14	05.20	08.93	
NOX	0059	0596	0316	
HCSUN	0500	0710	0660	0700
COSUN	00.17	06.50	09.00	06.23

MPG 10.30

VEH.NO. 031 TEST SEQ. 1 YEAR 64 MAKE CHEVROLET MODEL IMPA ODOMETER 060672 NO.CYL. 8 CID 327

CARB.VENT. 4 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 06.10 +0030 +00 0 2 2 0 2 0
 FROM STATION 02.60 -0025 +01 +02 0 1 1 0 2 0

INITIAL	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0740	0360	05.60	0A.00	3	002.50	
AFT.RPM.ADJ 0620	0300	02.20	06.60	3	005.35	
AFT.TI ADJ1 0330	0200	05.70	07.20	3	000.00	
AFT.TI ADJ2 0160	0170	01.50	06.80	3	000.00	
FINAL 0700	0900	06.00	09.00	4		

ADOL PRPS 042.72 EST 000.00

TEST NO.C0039 DATE 08/15/73 DAY 71 WFT 55 PRES 24.87 TEST NO.C0073 DATE 08/15/73 DAY 74 WFT 62 PRES 24.76

CT	CS	HT	1975	
HC	08.85	08.91	06.72	08.24
CO	0143.5	0171.3	0125.0	0152.0
CO2	0419.8	0367.6	0361.2	0376.5
NOX	02.00	00.75	01.64	01.26

INLE	LO CR	HT CR	2500
HC	05797	05178	04202
LHC	0557	0588	0410
CO	06.65	05.46	03.05
NOX	0064	0359	1461
HCSUN	0570	0550	0360
COSUN	06.45	05.60	03.40

MPG 13.86

MPG 14.55

62

VEH.NO. 033 TEST SEQ. 1 YEAR 65 MAKE FORD MODEL MUST ODOMETER 065042 NO.CYL. 6 CIO 200
 CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 04.80 +0140 -01 1 2 1 0 2 0
 FROM STATION 01.44 -0100 +00 -01 1 2 1 0 2 0

INITIAL	IFR0	2500 HC	IDLE CO	2500 CO	CODE	COST
AFT.RPM.ADJ 0880	0410	04.20	04.80	2	001.50	
AFT.TI ADJ1 0860	0500	04.20	04.80	2	001.50	
AFT.TI ADJ2 0780	0520	03.80	05.00	2	001.50	
FINAL	0780	02.20	05.20	1	001.50	
		02.20	05.20	1		

ANAL PPRS 000.00 EST 000.00

TEST NO.C00039 DATE 08/15/73 DAY 73 WFT 55 PDES 24.88 TEST NO.C0057 DATE 08/16/73 DAY 74 WFT 58 PRES 24.76

CT	CS	HT	1975	
HC	10.59	05.56	05.72	06.66
CO	0197.5	0092.1	0129.3	0124.5
CO2	0331.8	0341.2	0301.3	0329.2
NOX	01.14	01.96	01.28	01.60

IDLE	LO CR	HI CR	2500
HC	05154	04472	05339
LHC	0608	0494	0516
CO	05.36	03.62	10.78
NOX	0084	1251	0185
HCSUN	0720	0505	0500
COSUN	04.95	03.65	20.00

MPG 16.35

CT	CS	HT	1975	
HC	14.53	06.91	04.78	06.90
CO	0291.3	0097.5	0112.1	0118.2
CO2	0354.4	0354.2	0287.8	0335.8
NOX	11.26	01.98	01.42	01.67

IDLE	LO CR	HI CR	2500
HC	04306	04278	04143
LHC	0542	0471	0408
CO	01.59	03.15	03.93
NOX	0119	1423	1140
HCSUN	0800	0700	0580
COSUN	01.80	03.40	04.00

MPG 16.40

VEH.NO. 035 TEST SEQ. 4 YEAR 65 MAKE DODGE MODEL POLA ODOMETER 064463 NO.CYL. A CID 393

CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 04.30 +0240 +02 -03 1 1 1 0 2 0
FROM STATION 04.30 +0240 +02 -03 1 1 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
0240	0120	03.00	02.00	02.00	1	006.00
AFT.RPM.ADJ 0000	0000	00.00	00.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000	00.00	00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000	00.00	00.00	00.00	0	000.00
FINAL 0240	0120	03.00	02.00	02.00	1	

ADNL PPS 000.00 EST 000.00

TEST NO.C0046 DATE 08/16/73 DRY 73 WET 55 PRES 24.78 TEST NO.C0046 DATE 08/16/73 DRY 73 WET 55 PRES 24.78

CT	CS	HT	1975
HC	10.54	06.88	06.32 07.49
CO	0195.4	0132.7	0133.0 0145.9
CO2	0453.6	0494.0	0432.7 0469.5
NOX	01.85	02.08	02.09 02.03

INLE	LO CR	HT CR	2500
HC	04359	04574	04565
LHC	0475	0531	0464
CO	04.70	04.62	06.37
NOX	0073	0928	0506
HCSUN	0595	0665	0550
COSUN	04.50	04.40	06.10 02.30

MPG 12.35

MPG 12.35

VEH.NO. 036 TEST SEQ. 1 YEAR 65 MAKE BUICK MODEL SKYL ODOMETER 075400 NO.CYL. 4 CID 303

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 95.70 -0010 +07 -05 1 2 2 0 2 0
 FROM STATION 95.07 +0040 +02 -05 1 2 2 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2500	2500	02.60	04.00	4	002.50
AFT.RPM.ADJ	2500	2500	02.20	01.00	4	002.00
AFT.TI ADJ1	2500	2500	01.50	03.80	4	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0500	0280	01.00	04.00	1	

ADDL RORS 011.00 FST 000.00

TEST NO.C00050 DATE 08/16/73 DRY 77 WET 56 PRES 24.77 TEST NO.C00064 DATE 08/17/73 DRY 73 WET 58 PRES 24.77

	CT	CS	HT	WT	1975
HC	31.06	26.41	24.41	26.83	
CO	0174.1	0128.5	0121.0	0136.0	
CO2	0375.1	0352.5	0324.5	0349.6	
NOX	01.81	01.35	01.60	01.52	

	IDLE	LO CO	HI CO	2500
HC	22115	14761	21871	
LHC	1955	1966	1920	
CO	07.51	04.66	07.54	
NOX	0035	0641	0369	2500
HCSUN	2500	2500	2500	
COSUN	06.80	04.40	07.20	05.65

MPG 13.74

	CT	CS	HT	WT	1975
HC	06.91	04.49	05.91	05.39	
CO	0155.3	0119.5	0109.3	0123.8	
CO2	0436.9	0421.7	0370.0	0410.6	
NOX	01.42	00.91	01.16	01.09	

	IDLE	LO CO	HI CO	2500
HC	03715	03528	03512	
LHC	0312	0296	0290	
CO	05.53	04.98	06.08	
NOX	0053	0375	0327	
HCSUN	0450	0440	0400	0250
COSUN	05.40	05.00	06.00	05.70

MPG 14.32

VEH.NO. 037 TEST SEQ. 4 YFAP 64 MAKE FORD MODEL FAIR ODOMETER 052629 NO.CYL. 4 CIN 289

CARB.VENT. 2 TRANS. 3 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLF CO INLF OPM TIMING DWELL PCV A/C SHOE A/C MIS NOX
 FROM OWNER 01.57 -0137 +05 2 2 1 0 1 0
 FROM STATION 36.60 +0000 +06 +05 2 2 1 0 2 0

	INLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	1100	0100	00.30	03.00	2	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	7	000.00
AFT.YI ADJ1	0460	0150	03.80	03.00	1	005.50
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0460	0150	03.80	03.00	1	

ADNL RPES 000.00 EST 000.00

TEST NO.00045 DATE 08/18/73 DAY 72 WET 54 PRES 24.74 TFST NO.00082 DATE 08/20/73 DAY 79 WET 59 PRES 24.97

	CT	CS	WT	1975
HC	09.16	09.67	07.09	09.85
CO	0113.0	0152.7	0099.8	0129.5
CO2	0459.1	0422.5	0393.4	0422.1
NOX	02.66	01.06	02.04	01.67

	INLF	LO CO	HI CO	2500
HC	05717	04199	03964	
LHC	0802	0435	0441	
CO	00.71	03.93	03.29	
NOX	0049	0577	1453	
HCSUN	1620	0495	0525	0340
COSUN	00.70	03.95	03.30	04.40

MPG 13.63

MPG 14.36

VEH.NO. 038 TEST SEQ. 1 YEAR 56 MAKE FORD MODEL GALA ODOMETER 054529 NO.CYL. 8 CID 390
CAPR.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAL.CON. 2 PCV 1

INLE CO INLE PP4 TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 03.00 +0120 +04 +01 1 1 1 0 2 0
FROM STATION 03.00 +0120 +04 +01 1 1 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	COFE	COST
0101	0220	01.60	01.60	01.50	1	004.50
AFT.RPM.ADJ 0000	0000	00.00	00.00	00.00	0	000.00
AFT.YI ADJ1 0000	0000	00.00	00.00	00.00	0	000.00
AFT.YI ADJ2 0000	0000	00.00	00.00	00.00	0	000.00
FINAL	0190	0220	01.60	01.50	1	

ADNL PORS 000.00 EST 000.00

TEST NO.C00049 DATE 06/16/73 DAY 78 WET 57 PRES 24.77 TEST NO.C00049 DATE 06/16/73 DAY 78 WET 57 PRES 24.77

CT	CS	HT	1975	
HC	09.06	08.04	07.22	08.02
CO	0190.4	0172.6	0139.6	0167.3
C02	0671.6	0593.2	0596.6	0610.5
NOX	04.33	02.25	04.45	03.31

INLE	LO CO	HI CO	2500
HC	03745	04115	03575
LHC	0434	0426	0299
CO	03.76	04.75	03.59
NOX	0105	1017	1919
HCSUM	0560	0520	0345
COSUM	03.15	04.40	03.45

WPG 03.91

CT	CS	HT	1975	
HC	09.06	08.04	07.22	08.02
CO	0190.4	0172.6	0139.6	0167.3
C02	0671.6	0593.2	0596.6	0610.5
NOX	04.33	02.25	04.45	03.31

INLE	LO CO	HI CO	2500
HC	03745	04115	03575
LHC	0434	0426	0299
CO	03.76	04.75	03.59
NOX	0105	1017	1919
HCSUM	0560	0520	0345
COSUM	03.15	04.40	03.45

WPG 03.91

VEH.NO. 039 TEST SEQ. 2 YEAR 68 MAKE PONTIAC MODEL VENT ODOMETER 069716 NO.CYL. 8 CIN 429
 CARR.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.60 +0150 +03 +03 1 1 1 0 2 0
 FROM STATION 01.60 -0080 +00 +01 1 1 1 0 2 0

INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
0550	0150	04.00	01.71	2	025.50
AFT.RPM.ADJ 0200	0110	02.40	02.40	1	005.50
AFT.TT ADJ1 0000	0000	00.00	00.00	0	000.00
AFT.TT ADJ2 0000	0000	00.00	00.00	0	000.00
FINAL 3201	0110	02.40	02.40	1	

ADNL PRPS 000.00 FST 000.00

TEST NO.C0062 DATE 08/17/73 DRY 75 WET 55 PRES 24.75 TEST NO.C0043 DATE 08/20/73 DRY 70 WET 62 PRES 24.94

CT	CS	HT	1975	
HC	04.44	05.02	03.87	04.58
CO	0086.0	0127.7	007.3	0105.3
CO2	0484.0	0473.4	0437.6	0465.7
NOX	02.89	01.35	02.93	02.12

INLE	LO CR	HI CR	2500
HC	03464	03156	03147
LHC	0330	0318	0286
CO	03.88	02.07	03.49
NOX	0111	1596	1384
HCSUN	0530	0480	0410
COSUN	03.60	02.00	03.40

MPG 13.80

CT	CS	HT	1975	
HC	05.71	04.71	04.11	04.75
CO	0109.1	0109.3	0076.8	0100.0
CO2	0526.0	0512.4	0454.7	0499.2
NOX	03.33	02.20	03.70	02.85

INLE	LO CR	HI CR	2500
HC	03240	03234	03001
LHC	0322	0356	0289
CO	01.72	02.98	03.18
NOX	0107	1421	1502
HCSUN	0240	0190	0200
COSUN	01.40	03.00	02.80

MPG 13.27

35

VEH.NO. 040 TEST SEQ. 4 YEAR 58 MAKE FORD MODFL CUST ODOMETER 019445 NO.CYL. 3 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKF A/P MIS NOX

FROM OWNER 02.60 +0050 +06 +03 2 1 1 0 2 0
FROM STATION 01.88 +0050 +06 -07 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0400	0180	07.00	01.00	2	001.50
AFT.RPM ADJ	0400	0180	02.00	01.00	2	001.50
AFT.TI ADJ1	0400	0100	01.20	01.10	2	001.50
AFT.TI ADJ2	0400	0200	01.30	00.90	2	001.50
FINAL	0260	0140	00.80	00.70	1	

ANAL PRS 014.34 EST 000.00

TEST NO.C00048 DATE 08/16/73 DAY 77 WET 58 PRES 24.78 TEST NO.C1963 DATE 08/17/73 DAY 77 WET 56 PRES 24.75

	CT	CS	HT	1975
HC	05.69	04.39	03.97	04.55
CO	0065.4	0047.5	0038.4	0048.8
CO2	0511.9	0527.3	0457.4	0504.7
NOX	05.52	04.84	06.22	05.37

	IDLE	LO CR	HI CR	2500
HC	03340	03589	03181	
LHC	0330	0384	0284	
CO	03.09	00.55	00.26	
NOX	0185	1112	3882	0210
HCSUN	0470	0485	0343	
COSUN	03.15	00.60	00.32	01.40

MPG 14.95

	CT	CS	HT	1975
HC	04.94	03.81	03.51	03.99
CO	0048.7	0029.4	0026.9	0032.0
CO2	0480.1	0505.5	0439.7	0481.9
NOX	04.52	03.44	05.14	04.14

	IDLE	LO CR	HI CR	2500
HC	03103	03453	03048	
LHC	0291	0344	0259	
CO	01.98	00.43	00.24	
NOX	0219	2821	3718	0220
HCSUN	0470	0595	0370	
COSUN	02.10	00.50	00.30	01.10

MPG 16.35

VEH.NO. 041 TEST SEQ. 4 YEAR 70 MAKE CHEVROLET MODEL NOVA ODOMETER 030980 NO.CYL. 6 CID 230

CARR.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLF BOH TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 09.20 +0100 +16 -13 2 1 1 2 0
 FROM STATION 01.00 +0050 +16 -13 2 1 1 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
0250	0050	07.00	00.60	4	005.50	
AFT.RPM.A7J 0200	0050	07.50	01.00	4	107.30	
AFT.YI A7J1 0120	0025	01.40	00.50	1	003.30	
AFT.YI A7J2 0000	0000	00.00	00.00	0	001.00	
FINAL 0120	0025	01.40	00.50	1		

ANAL CORR 000.00 FST 000.00

TEST NO.C00047 DATE 08/16/73 DAY 75 WET 55 PRES 24.74 TEST NO.C00159 DATE 08/17/73 DAY 74 WET 59 PRES 24.75

CT	CS	HT	1975
HC 04.93	04.60	03.95	04.49
CO 0072.5	0054.0	0053.3	0062.8
CO2 0435.4	0417.3	0366.0	0406.9
NOX 04.01	02.97	04.30	03.56

INLE	LO CR	HI CR	2500
HC 0544	0397	03962	
LHC 0708	0409	0368	
CO 14.95	01.50	03.95	
NOX 0060	1492	1290	
HCSUN 0360	0480	0430	0130
COSUN 08.70	01.60	03.95	00.70

WPG 17.14

WPG 15.94

VEH.NO. 042 TEST SEQ. 4 YEAR 69 MAKE PLYMOUTH MODEL RELV 000MFTFR 039209 NO.CYL. 4 CID 319

CARB.VENT. 2 TRAYS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING SWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 05.90 +0250 +00 +03 1 1 1 0 2 0
 FROM STATION 02.30 -0130 +00 +03 1 1 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	COBF	COST
0461	0420	05.00	02.10	4	002.50	
AFT.RPM.ADJ 0480	0420	05.20	02.40	4	002.50	
AFT.TI ADJ1 0300	0380	01.30	01.40	1	002.50	
AFT.TI ADJ2 0280	0300	01.20	02.30	1	002.50	
FINAL 0300	0300	01.30	02.00	1		

ADNL PARS 000.00 EST 600.00

TEST NO.C0061 DATE 08/17/73 DRY 74 WET 54 PRES 24.74 TEST NO.C0074 DATE 08/20/73 DRY 74 WET 56 PRES 24.99

CT	CS	HT	1975	CT	CS	HT	1975
HC	06.03	05.72	04.67	05.60	06.29	04.93	04.31
CO	0081.5	0074.6	0055.9	0071.1	0087.8	0042.4	0033.9
CO2	0438.6	0456.8	0405.6	0438.8	0447.7	0477.4	0425.2
NOX	03.41	03.35	03.82	03.50	03.04	03.64	04.25

INLE	LO CR	HI CR	2500	INLE	LO CR	HI CR	2500
HC	04667	04266	03929	HC	03940	04373	04093
LHC	0481	0461	0358	LHC	0379	0459	0376
CO	06.27	00.87	02.48	CO	02.54	00.43	02.23
NOX	0078	2470	1635	NOX	0112	2609	1661
HCSUN	0640	0665	0500	HCSUN	0295	0370	0238
COSUN	05.90	00.95	02.45	COSUN	02.55	00.45	02.30

MPG 15.48

MPG 15.19

VEH.NO. 043 TEST SEQ. 4 YEAR 71 MAKE FORD MODEL WAVE ODOMETER 020583 NO.CYL. 6 CID 170

CARB.VENT. 2 TRA'S. 1 WEIGHT 2750 EXH.CON. 1 EVAP.CON. 1 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 06.10 +0060 +00 +04 1 2 1 0 2 0
 FROM STATION 06.10 +0060 +00 +04 1 2 1 0 2 0

	INLE HC	2500 HC	IDLE CO	2500 CO	CO/F	COST
INITIAL	0320	0160	03.40	01.50	1	005.30
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.30
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.30
FINAL	0320	0160	03.40	01.50	1	

ANNU PERC 100.00 EST 000.00

TEST NO.C00064 DATE 08/17/73 DRV 77 WFT 62 PRES 24.75 TEST NO.C00064 DATE 08/17/73 DRV 77 WFT 62 PRES 24.75

	CT	CS	HT	1975
HC	07.71	05.25	04.91	05.68
CO	0065.5	0063.9	0057.2	0052.4
CO2	0270.9	0281.6	0252.2	0271.2
NOX	02.69	02.18	02.70	02.43

	INLE	LO CR	HI CR	2500
HC	04497	03879	03912	
LHC	0445	0463	0480	
CO	05.99	01.54	02.09	
NOX	0056	1830	1777	
HCSUN	0730	0800	0890	0640
COSUN	06.90	02.10	02.30	02.80

MPG 23.00

	INLE	LO CR	HI CR	2500
HC	04497	03879	03912	
LHC	0445	0463	0480	
CO	05.99	01.54	02.09	
NOX	0056	1830	1777	
HCSUN	0730	0800	0890	0640
COSUN	06.90	02.10	02.30	02.80

MPG 23.00

VEH.NO. 044 TEST SEQ. 1 YEAR 67 MAKE CHEVROLET MODEL C10R ODOMETER 046046 NO.CYL. 9 CID 127
CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.47 +0025 +02 +04 2 1 1 0 2 0
FROM STATION 04.47 +0025 +02 +04 2 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0350	0300	01.90	06.30	1	004.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0350	0300	01.90	06.00	1	

ADNL RPTS 000.00 EST 000.00

TEST NO.00072 DATE 08/17/73 DRY 71 WFT 53 PRES 24.77 VEST NO.00072 DATE 08/17/73 DRY 71 WFT 59 PRES 24.77

	CT	CS	HT	1975
HC	08.59	07.60	06.97	07.63
CO	0149.1	0157.1	0132.5	0148.6
CO2	0424.1	0408.3	0422.5	0415.6
NOX	02.44	01.23	02.69	01.89

	INLE	LO CR	HI CR	2500
HC	05826	04358	04044	
LHC	0744	0508	0423	
CO	05.03	03.75	03.09	
NOX	0056	1138	1636	
HCSUN	1100	0700	0580	0640
COSUN	04.60	03.60	03.00	06.60

MPG 13.23

MPG 13.23

VEH.NO. 045 TEST SEQ. 4 YEAR 72 MAKE DODGE MODFL DART ODOMETER 005414 NO.CVL. 6 CID 225

CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO INLE RPM TIMING DWELL PCV A/F CHOKE A/P MIS NOX
 FROM OWNER 03.60 +0550
 FROM STATION 03.80 -0050

	INLE HC	2500 HC	IDLE CO	2500 CO	COFE	COST
INITIAL	0600	0250	03.50	01.50	2	000.00
AFT.RPM.ADJ	0140	0070	01.30	02.25	2	000.00
AFT.TI ADJ1	0240	0150	03.20	02.30	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0240	0150	03.20	02.30	1	

ADNL PRPS 012.00 FST 000.00

TEST NO.C0066 DATE 08/17/73 DRY 72 WET 54 PRES 24.76 TEST NO.C0096 DATE 08/21/73 DRY 78 WET 60 PRES 24.95

	CT	CS	HT	HT	1975
HC	05.22	03.49	03.34	03.34	03.31
CO	0145.2	0075.3	0089.8	0094.2	
CO2	0355.0	0370.4	0329.0	0355.9	
NOX	02.59	03.13	03.33	03.07	

	INLE	LO CR	HI CP	2500
HC	03454	03341	04196	
LHC	0331	0703	0415	
CO	04.24	04.22	10.00	
NOX	0095	2321	0201	
HCSUN	0540	0460	0600	0320
COSUN	04.10	03.20	10.00	02.40

MPG 17.26

	CT	CS	HT	HT	1975
HC	05.03	03.22	03.32	03.32	03.63
CO	0141.4	0073.8	0090.5	0092.6	
CO2	0363.8	0373.3	0330.8	0359.5	
NOX	02.92	03.20	03.32	03.17	

	INLE	LO CR	HI CR	2500
HC	03450	03172	04163	
LHC	0336	0320	0402	
CO	04.21	03.86	10.23	
NOX	0075	1103	0189	
HCSUN	0270	0250	0320	0170
COSUN	04.10	02.70	09.80	02.10

MPG 17.25

VEH.NO. 046 TEST SEQ. 1 YEAR 65 MAKE PLYMOUTH MODEL VALI ODOMETER 085424 NO.CYL. 6 CID 225
 CARB.VENT. 1 TRAPS. 3 WEIGHT 3000 EXH.COM. 2 EVAP.COM. 2 PCV 1

IGLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/D MIS NOX
 FROM OWNER 03.10 -0140 +10 -01 1 2 2 0 1 7
 FROM STATION 03.10 -0140 +10 -01 1 2 2 0 1 0

	IGLE HC	2500 HC	IGLE CO	2500 CO	CODF	COST
INITIAL	0350	0250	04.00	05.00	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0350	0250	04.00	05.00	1	000.00

ADNL RPRS 004.00 EST 000.00

TEST NO.C00071 DATE 08/17/73 DAY 71 WFT 55 PRES 24.77 TEST NO.C0071 DATE 08/17/73 DAY 71 WFT 56 PRES 24.77

	CT	CS	HT	1975
HC	37.95	09.97	07.73	14.69
CO	0186.6	0105.5	0092.4	0119.3
CO2	0289.2	0321.0	0295.4	0307.2
NOX	01.35	01.29	01.83	01.45

	IGLE	LO CO	HI CO	2500
HC	06158	04495	03881	
LHC	0812	0435	0359	
CO	03.32	05.26	03.77	
NOX	0047	0903	1117	
HCSUN	1300	0580	0420	0800
COSUN	03.50	05.10	03.80	05.30

MPG 15.46

	CT	CS	HT	1975
HC	37.95	09.97	07.73	14.69
CO	0186.6	0105.5	0092.4	0119.3
CO2	0289.2	0321.0	0295.4	0307.2
NOX	01.35	01.29	01.83	01.45

	IGLE	LO CO	HI CO	2500
HC	06158	04495	03881	
LHC	0812	0435	0359	
CO	03.32	05.26	03.77	
NOX	0047	0903	1117	
HCSUN	1300	0580	0420	0800
COSUN	03.50	05.10	03.80	05.30

MPG 15.46

VEH.NO. 048 TEST SEQ. 1 YEAR 67 MAKE MERCURY MODEL STAW ODOMETER 064033 NO.CYL. 4 CID 390

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.70 -0035 -24 +03 1 1 1 0 1 0
FROM STATION 00.70 -0035 -24 +03 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0550	0220	09.40	01.50	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0550	0220	09.40	01.50	1	

ADNL PRPS 000.00 EST 000.00

TEST NO.C00000 DATE 08/20/73 DRY 75 WFT 59 PRES 24.99 TEST NO.C00000 DATE 08/20/73 DRY 75 WFT 59 PRES 24.99

	CT	CS	HT	1975
HC	09.11	09.33	08.42	09.03
CO	0092.4	0046.5	0046.3	0056.1
CO2	0709.3	0735.3	0584.4	0687.8
NOX	09.14	08.42	09.50	09.08

	IDLE	LO CO	HI CO	2500
HC	08481	04201	03742	
LHC	1591	0492	0360	
CO	00.87	01.41	01.70	
NOX	0150	2998	3161	
HCSUN	1450	0375	0270	0195
COSUN	00.75	01.40	01.90	01.30

MPG 11.07

MPG 11.07

Ch

VEH.NO. 049 TEST SEQ. 1 YEAR 67 MAKE CHEVROLET MODEL CAMA ODOMETER 076864 NO.CYL. 6 CID 250

CARR.VENT. 1 TRANS. 4 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER 07.40 +0180
FROM STATION 10.30 +0750

INITIAL	9260	2500 HC	2500 CO	2500 CO	CODE	COST
AFT.RPM.ADJ	0300	2000	04.00	10.00	4	004.50
AFT.TI ADJ1	0300	2000	04.00	10.00	4	001.50
AFT.TI ADJ2	2000	2000	05.50	10.00	4	001.50
FINAL	2003	2000	06.60	10.00	4	003.00

ADDL RPRS 000.00 FST 000.00

TEST NO.C00077 DATE 08/20/73 DRY 74 WET 57 PRES 24.99 TEST NO.C0110 DATE 08/22/73 DRY 74 WET 60 PRES 24.79

CT	CS	HT	1975
HC	18.80	15.59	12.00
CO	0211.8	0232.1	0202.8
CO2	0202.0	0212.5	0184.5
NOX	00.24	00.12	00.18

CT	CS	HT	1975
HC	26.11	27.72	18.46
CO	0241.1	0320.8	0222.3
CO2	0238.7	0262.3	0201.4
NOX	09.35	00.18	00.37

INLE	LO CR	HI CR	2500
HC	06436	08164	06646
LHC	0456	0762	0585
CO	09.15	12.95	12.05
NOX	0040	0082	0104
HCSUN	0430	0730	0640
COSUN	08.40	20.00	20.00

INLE	LO CR	HI CR	2500
HC	09195	13304	04497
LHC	1645	1081	0476
CO	09.62	12.52	00.46
NOX	0018	0060	1510
HCSUN	2500	1100	1040
COSUN	20.00	20.00	01.60

MPG 14.95

MPG 11.92

VEH.NO. 051 IFST SEQ. 1 YEAR 69 MAKE OLDSMOBILE MODEL DELT ODOMETER 064800 NO.CYL. 8 CID 455
 CARB.VENT. 2 TOAPS. 1 WEIGHT 4500 EX4.CON. 1 EVAP.CON. 2 PCV 1

IDLE CC IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 04.90 -0065 -05 +03 1 1 1 0 2 0
 FROM STATION 04.90 -0065 -05 +03 1 1 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0180	0120	05.00	03.00	03.00	1	002.50
AFT.RPM.ADJ 0000	0000	00.00	00.00	00.00	0	000.00
AFT.TI ANJ1 0000	0000	00.00	00.00	00.00	0	000.00
AFT.TI ANJ2 0000	0000	00.00	00.00	00.00	0	000.00
FINAL	0180	0120	05.00	03.00	1	000.00

ADDL RPRS 000.00 EST 000.00

TEST NO.C00087 DATE 08/21/73 DRY 72 WET 59 PDES 24.85 TEST NO.C00087 DATE 08/21/73 DRY 72 WET 58 PRES 24.85

CT	CS	HT	1975
HC	04.69	04.22	03.56
CO	0086.8	0084.1	0069.0
CO2	0546.9	0585.4	0494.7
NOX	04.43	03.40	04.54

IDLE	LO CR	HI CR	2500
HC	03509	02965	02551
LHC	0309	0277	0204
CO	05.42	01.94	01.39
NOX	0050	1419	1866
HCSUM	0230	0215	0140
COSUM	04.90	01.70	01.50

MPG 12.88

CT	CS	HT	1975
HC	04.69	04.22	03.56
CO	0086.8	0084.1	0069.0
CO2	0546.9	0585.4	0494.7
NOX	04.43	03.40	04.54

IDLE	LO CR	HI CR	2500
HC	03509	02965	02551
LHC	0309	0277	0204
CO	05.42	01.94	01.39
NOX	0050	1419	1866
HCSUM	0230	0215	0140
COSUM	04.90	01.70	01.50

MPG 12.88

5/2

VEH.NO. 053 TEST SEQ. 1 YEAR 54 MAKE DODGE MODEL POLA ODOMETER 042474 NO.CYL. 8 CIO 319
 CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX

FROM OWNER 01.30 +0010 +05 01 1 2 1 0 2 0
 FROM STATION 00.19 +0000 +00 02 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CONF	COST
INITIAL	0650	0350	07.00	01.40	4	003.50
AFT.RPM.ADJ	0650	0350	07.00	01.40	4	002.00
AFT.TI ADJ1	0350	0300	00.20	01.20	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0360	0300	00.20	01.20	1	

ADNL RPRC 000.00 EST 000.00

TEST NO.C000AA DATE 08/21/73 DRY 75 WFT 59 PPES 24.85 TEST NO.C0107 DATE 08/22/73 DRY 74 WFT 60 PRES 24.89

	CT	CS	HT	1975
HC	08.60	07.45	06.13	07.33
CO	0109.5	0101.8	0070.2	0094.7
CO2	0510.4	0470.5	0462.7	0476.7
NOX	03.06	02.81	04.49	03.33

	INLE	LO	CO	HT	CR	2500
HC	06900	03697	03655			
LHC	0640	0387	0328			
CO	07.99	00.69	02.33			
NOX	0051	2234	1711			
HCSUN	0580	0300	0250			0160
COSUN	07.75	00.75	02.35			01.55

MPG 13.73

MPG 14.59

VEH.NO. 055 YFST SEQ. 1 YEAR 66 MAKE FORD MODEL MUST 0004ETFR 054749 NO.CYL. 6 CID 200

CARR.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.COM. 2 EVAP.COM. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 05.00 -0040 +00 -07 1 1 1 0 2 0
 05.11 -0025 -05 -07 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0240	0220	05.10	03.40	3	002.50
AFT.RPM.ADJ	0240	0220	04.40	04.10	3	002.50
AFT.TI ADJ1	0220	0120	02.10	02.40	1	002.50
AFT.TI ADJ2	0200	0130	02.40	02.40	1	002.50
FINAL	0200	0200	01.20	02.40	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0009 DATE 08/21/73 DRY 78 WET 59 PRFS 24.85 TEST NO.C0109 DATE 08/22/73 DRY 76 WET 60 PRES 24.79

	CT	CS	HT	1975
HC	09.41	03.53	06.30	05.53
CO	0173.3	0156.5	0161.4	0162.6
CO2	0323.7	0293.0	0260.6	0290.4
NOX	01.18	00.62	00.61	00.73

	IDLE	LO CR	HI CR	2500
HC	05237	05673	04889	
LHC	0582	0596	0536	
CO	05.26	03.40	07.66	
NOX	0067	0147	0314	
HCSUN	0550	0575	0395	0600
COSUN	05.80	09.00	07.60	09.80

MPG 15.81

MPG 15.82

LA

VEH.NO. 056 TEST SEQ. 1 YEAR 64 MAKE CHEVROLET MODFL RELA ODOMETER 046660 NO.CYL. 6 CID 230

CARB.VENT. 1 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IOL CO IOL RPM TIMING SWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 06.30 +0100 -18 +04 1 1 1 0 1 0
 03.45 -0050 -18 -09 1 1 1 0 2 0

	INLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	0640	0160	07.60	01.70	Y	000.00
AFT.RPM.ADJ	0580	0240	00.50	01.80	1	001.50
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0580	0240	00.50	01.80	1	

ANAL PRPS 000.00 FST 000.00

TEST NO.C0102 DATE 08/22/73 DRY 76 WET 54 PRES 24.80 TEST NO.C0121 DATE 08/23/73 DRY 77 WET 60 PRES 24.77

	CT	CS	HT	1975
HC	10.24	08.50	07.67	08.63
CO	0223.0	0205.0	0193.1	0205.4
CO2	0378.6	0358.4	0322.1	0352.5
NOX	02.06	01.81	01.94	01.90

	INLF	LO CR	HI CR	2500
HC	05606	08193	06232	
LHC	0739	0841	0594	
CO	06.77	13.82	12.60	
NOX	0155	0053	0089	
HCSUM	0785	0880	0760	1800
COSUM	06.50	20.00	20.00	02.40

MPG 12.68

MPG 13.71

VEH.NO. 057 TEST SEQ. 2 YEAR 71 MAKE VOLKSWAGON MODEL SEDN ODOMETER 034981 NO.CYL. 4 CID 097
 CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 1

YOLF CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 05.10 +0030 +00 -05 0 1 1 0 2 0
 FROM STATION 02.60 +0050 +00 -02 0 1 1 0 2 0

	YOLF HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	03A5	0055	04.90	03.70	1	005.00
AFT.RPM.ADJ	0300	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0060	0040	02.40	01.80	1	001.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0060	0040	02.40	01.80	1	

ANAL PQRS 000.00 EST 000.00

TEST NO.C0099 DATE 08/22/73 DRY 72 WET 59 PRES 24.80 TEST NO.C0112 DATE 08/23/73 DRY 73 WET 58 PRES 24.82

	CT	CS	HT	1975
HC	05.71	05.83	04.40	05.41
CO	0092.1	0103.3	0075.4	0093.2
CO2	0269.8	0277.7	0243.3	0266.5
NOX	01.73	00.93	01.54	01.27

	INLE	LO CP	HI CP	2500
HC	0446A	03672	0296A	
LHC	031A	0341	0252	
CO	06.55	03.87	02.72	
NOX	0071	06.91	1574	0160
HCSUN	0255	0250	0190	
COSUN	06.20	03.80	02.95	03.50

MPG 23.71

	CT	CS	HT	1975
HC	05.59	07.93	03.51	04.19
CO	0075.5	0070.3	0065.8	0070.1
CO2	0264.0	0292.2	0238.1	0271.3
NOX	01.87	01.05	01.39	01.32

	INLE	LO CP	HI CP	2500
HC	03412	0391A	03152	
LHC	0324	0416	0291	
CO	02.89	03.42	02.56	
NOX	0048	0844	1706	0150
HCSUN	027A	0330	0245	
COSUN	02.80	03.40	02.58	02.33

MPG 27.56

64

VEH.NO. 059 TEST SEQ. 2 YEAR 65 MAKE CHEVROLET MODEL STAN DOCKET# 175733 NO.CYL. 8 CID 327

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 DAY 1

IOLF CO IOLF RPM TIMING INWELL PCV A/C CHOKE A/P MIS NOS

FROM OWNER 10.90 +0190 -20 -01 1 2 1 0 2 1
FROM STATION 03.99 -0010 -04 -001 1 1 1 0 2 0

	IOLF HC	2500 HC	IOLF CO	2500 CO	CODE	TEST
INITIAL	0850	0300	04.00	04.80	4	002.50
AFT.OPM.ADJ	0300	0350	05.30	04.10	4	000.00
AFT.TI ADJ1	0720	0300	01.60	03.80	1	005.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0720	0300	01.60	04.10	1	

ADOL PPRS 005.35 EST 000.00

TEST NO.C0101 DATE 08/22/73 TRY 71 MET 54 PPRS 24.80 TEST NO.C0120 DATE 08/23/74 DAY 78 MET 63 PRES 24.78

	CT	CS	HT	WT	1975
HC	26.49	31.53	17.80	26.67	
CO	0239.7	0378.0	0209.6	0302.1	
CO2	0423.0	0348.5	0363.7	0369.3	
NOX	01.32	00.32	01.33	00.41	

	CT	CS	HT	WT	1975
HC	09.13	07.67	06.32	07.77	
CO	0141.5	0132.2	0096.4	0124.3	
CO2	0427.4	0412.9	0412.9	0416.0	
NOX	02.50	01.69	03.20	02.28	

	IOLF	LO CR	HI CR	2500
HC	09376	04439	03806	
LHC	0750	0529	0408	
CO	11.60	05.67	03.76	
NOX	0025	0554	1246	
HCSUN	0720	0500	0355	0595
COSUN	20.00	05.40	03.77	07.83

MPG 09.61

	IOLF	LO CR	HI CR	2500
HC	05198	04127	04571	
LHC	0722	0554	0606	
CO	04.23	03.31	04.17	
NOX	0056	1236	1143	
HCSUN	0440	0550	0500	0420
COSUN	04.00	03.20	04.00	07.00

MPG 14.01

VEH.NO. 050 TEST SEQ. 1 YEAR 73 MAKE CADILLAC MODEL DEVI ODOMETER 045946 NO.CYL. 4 CID 472
 CARB.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 00.69 +0010 -02 +02 1 2 1 0 2 0
 FROM STATION 00.69 +0010 -02 +02 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0080	0050	00.90	01.40	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0080	0050	00.90	01.40	1	004.50

ADOL RPRS 000.00 EST 000.00

TEST NO.C0132 DATE 08/24/73 DRY 70 WET 60 PRES 24.70 TEST NO.C0132 DATE 08/24/73 DRY 70 WET 60 PRES 24.70

	CT	CS	HT	1975
HC	08.16	04.69	05.16	05.55
CO	0262.8	0132.3	0180.7	0173.1
CO2	0517.9	0712.5	0551.0	0647.9
NOX	01.92	02.18	02.53	02.22

	IDLE	LO CP	HI CP	2500
HC	02031	03225	03385	
LHC	0425	0533	0498	
CO	00.78	02.07	04.56	
NOX	0153	1513	0868	0090
HCSUN	0130	0280	0250	0090
COSUN	00.75	02.00	04.20	02.30

MPG 09.50

	CT	CS	HT	1975
HC	08.16	04.69	05.16	05.55
CO	0262.8	0132.3	0180.7	0173.1
CO2	0517.9	0712.5	0551.0	0647.9
NOX	01.92	02.18	02.53	02.22

MPG 03.50

VEH.NO. 061 TEST SEQ. 1 YEAR 72 MAKE CHEVROLET MODEL VEGA ODOMETER 025879 NO.CYL. 4 CID 140
 CARB.VENT. 2 TRANS. 4 WEIGHT 2500 EXH.COM. 1 EVAP.COM. 1 PCV 1

TITLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.30 -0200 +00 -02 1 1 0 2 0
 FROM STATION 05.30 -0200 +00 -02 1 1 0 2 0

INITIAL	TITLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0180	0095	02.50	02.75	1	005.00	
AFT.RPM.ADJ 0000	0000	00.00	00.00	0	000.00	
AFT.TI ADJ1 0000	0000	00.00	00.00	0	000.00	
AFT.TI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0180	0095	02.50	02.75	1	000.00	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0090 DATE 08/21/73 ORV 78 WET 60 PRES 24.85 TEST NO.C0090 DATE 08/21/73 ORV 78 WET 60 PRES 24.85

CT	CS	HT	1975	CT	CS	HT	1975
HC	10.92	08.28	05.45	08.05	10.92	08.28	05.45
CO	0209.9	0156.6	0132.4	0161.1	0209.9	0156.6	0132.4
CO2	0265.9	0283.1	0207.1	0258.6	0265.9	0283.1	0207.1
NOX	00.53	00.84	00.56	00.70	00.53	00.84	00.56

TITLE	LO CR	HI CR	2500	TITLE	LO CR	HI CR	2500
HC	06825	05536	04800	HC	06825	05536	04800
LHC	0528	0496	0414	LHC	0528	0496	0414
CO	05.83	09.46	09.05	CO	05.83	09.46	09.05
NOX	0038	0207	0221	NOX	0038	0207	0221
HCSUN	0345	0335	0275	HCSUN	0345	0335	0275
COSUN	05.45	09.15	08.85	COSUN	05.45	09.15	08.85

MPG 15.59

MPG 15.59

VEH.NO. 063 TEST SEQ. 1 YEAR 67 MAKE PLYMOUTH MODEL FURY ODOMETER 042005 NO.CYL. 8 CIP 319

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 05.00 +0240 +12 +07 1 1 1 1 1 1
FROM STATION 32.40 -0200 +12 -02 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CO/F	COST
INITIAL	0340	1407	01.90	11.67	2	003.50
AFT.RPM.ADJ	0520	1709	00.20	01.60	2	002.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0400	0300	00.20	01.30	1	

ADNL RPRS 005.50 FST 000.70

TEST NO.C0103 DATE 08/22/73 DRY 75 WET 59 PRES 24.80 TEST NO.C0122 DATE 08/23/73 DRY 76 WET 60 PRES 24.76

	CT	CS	HT	1975
HC	13.17	10.77	06.59	10.11
CO	0227.3	0189.3	0084.1	0169.1
CO2	0354.8	0365.2	0367.2	0363.6
NOX	01.01	01.02	03.39	01.68

	INLE	LO CR	HI CR	2500
HC	05013	05220	04302	
LHC	0795	0659	0443	
CO	05.76	04.87	03.19	
NOX	0070	0857	1396	
HCSUN	0760	0595	0360	1900
COSUN	05.00	04.75	03.25	02.90

MPG 13.50

MPG 13.70

	CT	CS	HT	1975
HC	16.91	10.00	06.19	10.58
CO	0237.2	0169.9	0082.6	0159.8
CO2	0363.8	0352.6	0357.1	0356.2
NOX	01.11	00.79	03.35	01.57

	INLE	LO CR	HI CR	2500
HC	06157	05378	04442	
LHC	1124	0895	0507	
CO	02.36	04.29	02.93	
NOX	0061	0994	1512	
HCSUN	0800	0760	0420	0520
COSUN	02.40	04.00	02.90	02.60

VEH.NO. 064 TFST SEQ. 1 YEAR 73 MAKE RAMBLER MODEL PERE 000METFR 064A75 NO.CYL. 6 CID 232

CARB.VENT. 1 TRA'S. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.65 -0010 +01 1 1 1 0 2 0

FROM STATION 04.65 -0010 +01 1 1 1 0 2 0

	INLE HC	2500 HC	TOLF CO	2500 CO	CONF	COST
INITIAL	0200	0160	03.20	01.50	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0160	03.20	01.50	1	

ANAL PPRS 000.00 FST 000.00

TEST NO.C0111 DATE 08/23/73 DAY 74 WET 58 PRES 24.82 TFST NO.C0111 DATE 08/23/73 DAY 74 WET 58 PRES 24.82

	CT	CS	HT	1975
HC	05.10	04.55	03.71	04.43
CO	0067.5	0076.4	0052.2	0064.1
CO2	0440.1	0395.9	0379.3	0400.5
NOX	06.96	03.93	06.34	05.24

	INLE	LO CR	HI CR	2500
HC	05930	04048	03593	
LHC	0617	0337	0253	
CO	05.02	01.46	01.40	
NOX	0127	2646	3074	
HCSUN	1120	0480	0320	0305
COSUN	04.80	01.60	01.52	02.70

MPG 17.08

MPG 17.08

VEH.NO. 055 TEST SEQ. 1 YEAR 70 MAKE CHRYSLER MODEL NEWP ODOMETER 036717 NO.CYL. 4 CID 383

CARR.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE PPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 09.90 +0160 +07 +02 1 2 1 0 2 0
FROM STATION 02.35 +0050 +00 +03 1 1 1 0 2 0

	IOLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0700	0200	03.40	02.00	4	000.00
AFT.RPM.ADJ	0700	0200	03.40	02.00	4	000.00
AFT.TI ADJ1	0150	0210	03.50	02.20	1	000.00
AFT.TI ADJ2	0000	0000	05.00	00.00	0	000.00
FINAL	0150	0210	03.50	02.20	1	

ADNL RORS 017.20 FST 000.00

TEST NO.C0113 DATE 08/23/73 DRY 74 WET 59 PRES 24.82 TEST NO.C0131 DATE 08/24/73 DRY 76 WET 62 PRES 24.70

	CT	CS	HT	1975
HC	11.81	12.55	06.97	11.40
CO	0142.1	0169.7	0131.0	0153.2
CO2	0584.3	0561.9	0531.3	0558.0
NOX	04.40	03.87	04.60	04.18

	IOLE	LO CR	HI CR	2500
HC	11735	03636	03523	
LHC	0750	0478	0393	
CO	09.32	00.75	01.51	
NOX	0038	2174	1422	
HCSUN	0960	0365	0260	0170
COSUN	09.60	00.85	01.65	01.80

MPG 10.67

	CT	CS	HT	1975
HC	09.03	05.07	04.97	06.19
CO	0147.1	0106.4	0090.5	0110.5
CO2	0615.2	0615.2	0557.0	0599.1
NOX	04.55	03.79	05.21	04.34

	IOLE	LO CR	HI CR	2500
HC	02943	02954	02788	
LHC	0450	0450	0381	
CO	02.48	00.89	01.25	
NOX	0076	2434	2463	
HCSUN	0170	0220	0160	0075
COSUN	02.40	00.90	01.20	01.00

MPG 11.24

55

VEH.NO. 066 TEST SEQ. 1 YEAR 70 MAKE PLYMOUTH MODFL DUST 000451FR 037361 NO.CYL. 4 CID 310

CARB.VENT. 2 TRANS. 3 WFTGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.90 +0110 +02 -02 1 2 1 0 2 0
FROM STATION 03.80 -0125 +01 -02 1 2 1 0 2 0

	TOLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0430	0220	07.20	01.20	4	002.50
AFT.RPM.ADJ	0320	0180	06.20	01.20	3	002.50
AFT.TI ADJ1	0180	0130	01.20	01.10	1	002.50
AFT.TI ADJ2	0180	0180	01.30	01.30	1	002.50
FINAL	0180	0180	01.30	01.30	1	

ADDL RORS 000.00 EST 000.00

TEST NO.C0116 DATE 08/23/73 DRY 77 WET 59 PRES 24.81 TEST NO.C0133 DATE 08/24/73 DRY 78 WET 60 PRES 24.70

	CT	CS	HT	1975	CT	CS	HT	1975
HC	06.67	07.31	05.56	06.69	07.69	04.77	04.92	05.27
CO	0061.6	0081.5	0057.4	0070.7	0067.0	0065.0	0058.7	0063.7
CO2	0409.9	0419.2	0367.4	0402.9	0435.8	0462.0	0392.1	0437.1
NOX	03.22	02.17	03.07	02.64	03.31	02.27	03.27	02.76

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	11181	03506	03593		04247	03177	03763	
LHC	0748	0402	0413		0595	0464	0500	
CO	09.66	01.21	01.94		04.28	01.36	02.29	
NOX	0030	1470	1647		0053	1367	1487	
HCSUN	0765	0315	0345	0190	0300	0230	0270	0130
COSUN	09.40	01.30	02.00	01.70	03.80	01.20	02.40	00.90

MPG 16.65

MPG 16.08

VEH.NO. 067 TEST SEQ. 1 YEAR 71 MAKE CADILLAC MODEL DEVI 000MFTER 041770 NO.CYL. 8 CID 472

CARR.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 1 PCV 1

FROM OWNER 02.70 -0200 +00 +02 1 1 1 1 1 2 0
FROM STATION 02.70 -0200 +00 +02 1 1 1 1 1 2 0

INITIAL	0100	2500 HC	0040	10LF CO	2500 CO	CODE	COST
AFT.RPM.ADJ	0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	0000	00.00	00.00	0	000.00
AFT.TI 47J2	0000	0000	0000	00.00	00.00	0	000.00
FINAL	0100	0040	0040	03.00	01.00	1	

ADDL PORS 009.00 EST 000.00

TEST NO.C0114 DATE 08/23/73 DRY 75 WET 58 PRES 24.82 TEST NO.C0114 DATE 08/23/73 DRY 75 WET 58 PRES 24.82

CT	CS	HT	1975	CT	CS	HT	1975
HC	04.01	02.68	02.54	02.92	04.01	02.68	02.54
CO	0080.7	0068.4	0055.5	0067.4	0080.7	0068.4	0055.5
CO2	0742.1	0754.6	0628.8	0717.1	0742.1	0754.6	0628.8
NOX	03.34	02.07	03.88	02.85	03.38	02.07	03.88

INLE	LO CR	HI CR	2500	INLE	LO CR	HI CR	2500
HC	02091	02325	01785	HC	02091	02325	01785
LHC	0337	0341	0249	LHC	0337	0341	0249
CO	03.37	02.40	01.05	CO	03.37	02.40	01.05
NOX	0052	0749	1535	NOX	0052	0749	1535
HCSUN	0175	0205	0105	HCSUN	0175	0205	0105
COSUN	02.90	02.10	00.93	COSUN	02.91	02.10	00.93

MPG 10.70

MPG 10.70

VEH.NO. 055 TEST SEQ. 1 YEAR 69 MAKE OLDSMOBILE MODEL CUTL ODOMETER 054881 NO.CYL. 8 CID 350

CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 09.05 +0050 +05 +04 1 2 1 0 2 0
FROM STATION 03.68 -0075 +05 +04 1 1 2 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CONF	COST
INITIAL	0650	0300	07.00	03.20	4	005.00
AFT.RPM.ADJ	0600	0300	07.00	07.20	4	002.00
AFT.TI ADJ1	0500	0300	05.00	06.00	4	002.00
AFT.TI ADJ2	0600	0350	02.00	05.00	4	002.00
FINAL	0600	0350	02.00	05.00	4	

ANNUL PORS 000.00 EST 101.00

TEST NO.C0115 DATE 08/23/73 DRY 75 WET 59 PRES 24.82 YFST NO.C0146 DATE 08/27/73 DRY 78 WET 59 PRES 24.65

	CT	CS	HT	1975
HC	08.20	08.00	06.41	07.60
CO	0117.5	0146.5	0085.5	0123.5
CO2	0475.3	0438.9	0424.1	0442.4
NOX	03.20	01.69	03.65	02.55

	INLE	LO CO	HI CO	2500
HC	08290	04449	03220	
LHC	0958	0507	0385	
CO	09.90	07.16	01.13	
NOX	0047	0259	2083	0230
HCSUN	1600	0650	0300	
COSUN	09.80	06.80	01.50	01.80

MPG 13.49

	CT	CS	HT	1975
HC	07.80	06.57	05.30	06.47
CO	0096.0	0092.3	0043.0	0079.4
CO2	0539.2	0484.4	0455.6	0487.9
NOX	03.65	01.94	03.60	02.76

	IDLE	LO CO	HI CO	2500
HC	07391	04110	03307	
LHC	1534	0697	0529	
CO	03.50	01.99	00.84	
NOX	0077	1038	1937	
HCSUN	1400	0410	0210	0340
COSUN	04.00	01.80	00.80	01.40

MPG 14.07

VEH.NO. 069 TEST SEQ. 1 YEAR 67 MAKE FORD MODEL LTD ODOMETER 048251 NO.CYL. 4 CID 390

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.50 +0000 -04 +00 1 2 1 0 2 0

FROM STATION 04.31 +0000 -05 -01 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0700	0150	07.50	02.60	3	005.50
AFT.RPM.ADJ	0580	0180	07.00	03.60	3	005.50
AFT.TI ADJ1	0680	0240	04.40	03.80	1	005.50
AFT.TI ADJ2	0000	0000	07.00	05.00	0	000.00
FINAL	0680	0240	04.40	03.80	1	

ADNL RPRS 007.00 EST 000.00

TEST NO.C0119 DATE 08/23/73 OPY 79 WET 61 PRES 24.79 TEST NO.C0145 DATE 08/27/73 OPY 79 WET 58 PRES 24.67

	CT	CS	HT	1975	CT	CS	HT	1975
HC	08.95	10.16	06.88	08.98	HC	09.60	07.35	06.14
CO	0080.0	0120.1	0072.9	0091.5	CO	0080.2	0092.1	0065.9
CO2	0443.3	0448.2	0399.6	0433.7	CO2	0536.2	0479.7	0453.3
NOX	04.44	03.29	04.17	03.77	NOX	05.22	03.33	04.55

	INLE	LO CP	HI CP	2500	INLE	LO CP	HI CP	2500
HC	11778	04104	03885		HC	05802	03907	03713
LHC	1313	0530	0549		LHC	1106	0688	0598
CO	09.42	01.08	02.01		CO	04.80	01.29	02.15
NOX	0031	2187	2257		NOX	0109	2139	2139
HCSUN	1380	0540	0425	0340	HCSUN	1160	0600	0430
COSUN	19.00	01.10	02.10	01.80	COSUN	04.40	01.40	02.20

MPG 14.44

MPG 14.17

VEH.NO. 071 TEST SEQ. 1 YEAR 72 MAKE VOLKSWAGON MODEL SEDA ODOMETER 041347 NO.CYL. 4 CID 097

CARB.VENT. 1 TRANS. 4 W/FIGHT 2250 EXH.CON. 1 EVAP.CON. 1 PCV 2

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.30 +0000 -03 +14 2 1 1 0 2 1
FROM STATION 03.30 -0175 -05 +10 2 1 1 0 2 1

	SOLE HC	2500 HC	SOLE CO	2500 CO	CODE	COST
INITIAL	0110	0085	04.50	04.00	3	005.00
AFT.RPM.ADJ	0110	0008	04.50	04.00	3	000.00
AFT.TI ADJ1	0070	0055	02.80	02.00	1	001.00
AFT.TI ADJ2	0000	0009	09.00	00.00	0	000.00
FINAL	0070	0055	02.80	02.00	1	

ADDL PERS 000.00 EST 000.00

TEST NO.C0127 DATE 08/24/73 DRY 75 WET 53 PRES 24.72 TEST NO.C0147 DATE 08/27/73 DRY 77 WET 58 PRES 24.64

	CT	CS	HT	1975
HC	07.73	05.52	05.11	06.44
CO	0069.7	0046.0	0067.9	0077.3
CO2	0290.4	0311.2	0273.9	0296.5
NOX	02.60	01.75	02.31	02.08

	CT	CS	HT	1975
HC	06.37	04.59	04.36	05.00
CO	0063.5	0067.6	0075.4	0069.9
CO2	0291.0	0313.6	0253.9	0292.3
NOX	02.33	02.06	02.12	02.13

MPG 20.32

MPG 21.39

	LO	GP	HI	CR	2500
HC	04960	03215	02666	03541	03069
LHC	0482	0410	0347	0476	0443
CO	06.97	01.60	01.24	01.46	01.14
NOX	0071	0942	1999	1259	2535
HCSUN	0230	0165	0125	0250	0190
COSUN	06.70	01.60	01.20	01.50	01.10

VEH.NO. 072 TEST SEQ. 1 YEAR 72 MAKE CHEVROLET MODFL NOVA ODOMETER 112834 NO.CYL. 6 CID 250

CARB.VENT. 1 TRANS. 1 WEIGHT 3000 FXH.COM. 1 EVAP.COM. 1 PCV 1

INDF CO INDF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 06.10 -0020 +04 +01 2 1 1 0 1 0
FROM STATION 01.08 -0150 +02 +02 2 2 1 0 2 1

	INDF HC	2500 HC	INDF CO	2500 CO	COOF	COST
INITIAL	0170	0100	04.20	02.00	4	000.00
AFT.RPM.ADJ	0140	0030	04.20	01.30	3	000.00
AFT.TI ADJ1	0100	0050	01.60	01.40	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0100	0050	01.60	01.40	1	

ADDL RPRS 009.50 FST 000.00

TEST NO.C0126 DATE 06/24/73 DRY 79 WET 61 PRES 24.71 TEST NO.C0148 DATE 06/27/73 DRY 74 WET 56 PRES 24.56

	CT	CS	HT	1975
HC	03.06	02.53	02.48	02.66
CO	0055.8	0037.7	0032.5	0040.1
CO2	0530.8	0521.1	0432.0	0499.4
NOX	02.82	02.14	02.99	02.52

	INDF	LO	CO	HI	CR	2500
HC	04503	01627	03133			
LHC	0704	0255	0335			
CO	06.59	09.21	03.19			
NOX	0078	1274	1304			
HCSUN	0460	0070	0160			0075
COSUN	05.20	09.25	03.20			01.30

MPG 15.63

	CT	CS	HT	1975
HC	04.22	01.95	02.25	02.51
CO	0640.8	0012.7	0019.1	0021.6
CO2	0524.6	0507.9	0408.7	0483.8
NOX	02.94	02.16	02.91	02.53

	INDF	LO	CO	HI	CR	2500
HC	03752	01925	03348			
LHC	0646	0454	0487			
CO	01.25	00.17	02.28			
NOX	0129	1243	1551			
HCSUN	0510	0120	0280			0085
COSUN	01.10	00.20	02.25			00.40

MPG 16.95

VEH.NO. 073 TEST SEQ. 2 YEAR 71 MAKE FORD MODEL T0R1 ODOMETER 022051 NO.CYL. 8 CID 351

CARB.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P W/S NOX
 FROM OWNER 01.80 +0450 +04 1 1 1 0 2 0
 FROM STATION 01.80 +0450 +04 1 1 1 1 0 0

	IDLE HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	0190	0060	00.80	00.45	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0190	0060	00.80	00.45	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0123 DATE 08/24/73 DRY 70 WET 55 PRES 24.73 TEST NO.C0123 DATE 08/24/73 DRY 70 WET 55 PRES 24.73

	CT	CS	HT	1975
HC	05.37	04.51	03.99	04.55
CO	0050.4	0047.9	0034.9	0044.8
CO2	0555.6	0523.0	0478.8	0517.5
NOX	04.07	03.00	04.11	03.53

	IDLE	LO CR	HI CR	2500
HC	02992	03314	03356	
LHC	0490	0510	0425	
CO	02.06	00.38	00.99	
NOX	0119	1865	2077	
HCSUN	0290	0280	0250	0100
COSUN	01.90	00.45	01.05	00.60

MPG 14.79

MPG 14.73

60

VEH.NO. 074 TEST SEQ. 2 YEAR 65 MAKE FORD MODEL FAIR ODOMETER 073336 NO.CYL. 8 CID 289

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER	04.20	+0100	+09	+02	0	2	1	0	2	0
FROM STATION	04.20	+0100	+09	+02	0	2	1	0	2	0
INITIAL	0420	0350	TDLF CO	2500 CO	CONE	COST				
AFT.RPM.ADJ	0000	0000	04.20	02.80	1	003.50				
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00				
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00				
FINAL	0420	0350	04.20	02.80	1	000.00				

ADNL PPRS 000.00 EST 000.00

TEST NO.C0124 DATE 08/24/73 DRY 70 WET 59 PRES 24.73 TEST NO.C0124 DATE 08/24/73 DRY 70 WET 59 PRES 24.73

CT	CS	HT	1975	CT	CS	HT	1975
HC	07.92	07.09	05.85	06.92	07.92	07.09	05.85
CO	0102.7	0091.7	0072.8	0099.7	0102.7	0091.7	0072.8
CO2	0456.4	0451.5	0410.2	0441.1	0456.4	0451.5	0410.2
NOX	05.38	04.66	05.43	05.02	05.38	04.66	05.43

INLE	LO CR	HI CR	2500	INLE	LO CR	HI CR	2500
HC	04465	03937	03475	HC	04465	03937	03475
LHC	0642	0609	0491	LHC	0642	0609	0491
CO	04.50	02.67	02.01	CO	04.50	02.67	02.01
NOX	0177	1567	2826	NOX	0177	1567	2826
HCSUN	0405	0375	0275	HCSUN	0405	0375	0275
COSUN	04.25	02.70	01.95	COSUN	04.25	02.70	01.95

MPG 14.79

MPG 14.79

VEH.NO. 075 TEST SEQ. 1 YEAR 71 MAKE FORD MODEL PINT ODOMETER 012609 NO.CYL. 4 CID 098

CARB.VENT. 1 TRANS. 4 WEIGHT 2250 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 10.70 -0100 +00 +05 1 2 1 0 2 0
FROM STATION 04.70 -0080 +08 +06 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0950	0175	20.00	05.50	4	005.00
AFT.RPM.ADJ	0950	0175	20.00	05.50	4	001.50
AFT.TI ADJ1	0500	0100	04.00	01.20	4	001.50
AFT.TI ADJ2	0620	0105	04.10	01.00	4	002.00
FINAL	0325	0130	04.00	01.20	1	

ADJL RPRS 006.00 FST 000.00

TEST NO.C0134 DATE 08/27/73 DRY 70 WET 54 PRES 24.74 TEST NO.C0160 DATE 08/28/73 DRY 70 WET 50 PRES 24.74

	CT	CS	HT	1975
HC	07.20	08.36	05.77	07.40
CO	0082.8	0079.5	0061.8	0075.3
CO2	0233.9	0248.5	0215.3	0236.2
NOX	01.59	01.41	01.56	01.49

	IDLE	LO CR	HI CR	2500
HC	40599	04952	04242	
LHC	1624	0462	0420	
CO	09.95	03.68	04.56	
NOX	0021	0552	1336	
HCSUN	2500	0335	0315	0315
COSUN	20.00	03.80	04.50	05.50

MPG 23.57

CT CS HT 1975

HC	04.94	03.97	03.27	03.99
CO	0070.0	0052.6	0046.0	0054.4
CO2	0237.7	0267.1	0212.9	0245.9
NOX	01.39	01.35	01.31	01.35

	IDLE	LO CR	HI CR	2500
HC	06632	04092	03324	
LHC	1005	0555	0552	
CO	06.77	02.63	03.70	
NOX	0055	0355	1049	
HCSUN	0700	0250	0310	0230
COSUN	04.90	02.60	03.50	02.30

MPG 25.90

59

VEH.NO. 076 TEST SEQ. 1 YEAR 67 MAKE BUICK MODEL LE5A ODOMETER 021897 NO.CYL. 4 CID 340
 CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 05.60 +0180 +02 -04 1 1 0 2 0
 FROM STATION 05.60 +0180 +02 -04 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0340	0250	05.00	05.30	1	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0340	0250	05.00	05.30	1	

ANAL RPRS 000.00 EST 000.00

TEST NO.C0135 DATE 08/27/73 DRY 70 WET 54 PFS 24.74 TEST NO.C0135 DATE 08/27/73 DRY 70 WET 54 PRES 24.74

	CT	CS	HT	1975
HC	11.36	08.24	07.58	08.74
CO	0212.4	0220.1	0184.3	0208.6
CO2	0401.1	0401.8	0357.0	0389.2
NOX	00.90	00.43	00.39	00.66

	IDLE	LO CR	HI CR	2500
HC	04485	04705	04775	
LHC	0529	0610	0579	
CO	06.35	06.78	09.39	
NOX	0046	0270	0206	
HCSUN	0440	0520	0460	0400
COSUN	05.70	06.40	09.00	06.30

MPG 11.96

MPG 11.96

VEH.NO. 077 TEST SEQ. 3 YEAR 72 MAKE CHEVROLET MODEL IMPA ODOMETER 327848 NO.CY.. 3 CID 400
 CARB.VENT. & TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 02.50 +0060 +04 1 1 1 1 2 0
 FROM STATION 02.50 +0060 +04 1 1 1 1 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0120	0045	02.10	00.25	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0045	02.10	00.25	1	000.00

ADDL PQRS 000.00 EST 000.00

TEST NO.C0136 DATE 08/27/73 DRY 71 WET 54 PRES 24.73 TEST NO.C0136 DATE 08/27/73 DRY 71 WET 54 PRES 24.73

	CT	CS	HT	1975
HC	04.65	02.16	02.81	02.86
CO	0084.1	0052.4	0054.3	0060.1
CO2	0672.0	0720.8	0569.6	0658.7
NOX	03.10	01.97	03.18	02.54

	IDLE	LO CR	HI CR	2500
HC	01829	02521	02041	
LHC	0284	0339	0263	
CO	02.83	00.67	01.28	
NOX	0034	1142	1400	
HCSUN	0090	0145	0100	0035
COSUN	02.70	00.55	01.20	00.29

MPG 11.3

MPG 11.57

VEH.NO. 078 TEST SEQ. 1 YEAR 72 MAKE FORD MODEL STAM ODOMETER 020434 NO.CYL. 8 CID 351

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 04.20 -0210 +24 +05 1 1 1 0 2 0
 FROM STATION 04.20 -0210 +24 +05 1 1 1 0 2 0

	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0170	03.80	01.80	1	005.50
AFT.RPM.ADJ	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	00.00	00.00	0	000.00
FINAL	0170	03.80	01.80	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0137 DATE 08/27/73 DRY 72 WET 55 PRES 24.73 TEST NO.C0137 DATE 08/27/73 DRY 72 WET 55 PRES 24.73

	CT	CS	HT	1975
HC	05.03	05.00	04.47	04.86
CO	0087.2	0095.7	0072.8	0087.6
CO2	0573.7	0660.9	0564.3	0615.9
NOX	05.17	04.36	05.79	04.93

	IDLE	LO CR	HI CR	2500
HC	03069	03391	03151	
LHC	0399	0460	0402	
CO	04.73	01.75	01.91	
NOX	0089	1861	1871	0190
HCSUN	0275	0440	0330	0190
COSUN	04.45	01.65	01.90	01.60

MPG 11.59

MPG 11.59

VEH.NO. 079 TEST SEQ. 1 YEAR 71 MAKE FORD MODEL STAW ODOMETER 335284 NO.CYL. 8 CID 400
 CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IOLP RPM TIMING SWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 07.60 -0060 +00 1 1 1 0 2 0
 FROM STATION 03.06 -0080 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	COHE	COST
INITIAL	0700	0840	04.40	04.40	4	002.50
AFT.RPM.ADJ	0600	0850	06.10	02.30	4	002.50
AFT.TI ADJ1	0500	0800	04.10	04.10	4	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	4	002.50
FINAL	0300	0250	03.20	01.40	2	

ADNL RPRS 010.50 EST 035.00

TEST NO.C0138 DATE 08/27/73 DRY 72 WET 55 PRES 24.73 TEST NO.C0176 DATE 08/29/73 DRY 72 WET 58 PRES 24.76

	CT	CS	HT	1975
HC	09.17	05.71	05.07	06.05
CO	0120.9	0095.3	0058.4	0090.7
CO2	0571.4	0555.0	0518.8	0548.3
NOX	04.29	03.63	05.47	04.28

	IDLE	LO CR	HI CR	2500
HC	05423	03102	02548	
LHC	0654	0422	0318	
CO	08.05	00.63	00.90	
NOX	0034	1797	1831	
HCSUN	0720	0365	0205	1100
COSUN	08.20	00.65	00.90	01.10

MPG 12.55

	IDLE	LO CR	HI CR	2500
HC	03416	02781	02120	
LHC	0660	0611	0501	
CO	03.19	00.32	00.57	
NOX	0052	2211	1855	
HCSUN	0360	0240	0110	0250
COSUN	03.20	00.40	00.58	00.75

MPG 12.75

VEH.NO. 080 TEST SEQ. 1 YEAR 67 MAKE CHEVROLET MODEL MALI ODOMETER 075280 NO.CYL. 3 CID 283

CARB.VENT. 2 TRANS. 3 WEIGHT 3500 FWH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER
FROM STATION

05.60
04.97

-0060
+0025

-18
-06

+00
+02

1 2
1 2

1 0
1 0

2 2
2 0

INITIAL
AFT.RPM.ADJ

0950
0950

0325
0325

03.75
03.75

03.50
03.50

04.00
04.00

00.00
00.00

00.00
00.00

00.00
00.00

00.00
00.00

AFT.TI ADJ1
AFT.TI ADJ2

0600
0600

0290
0290

04.75
04.75

04.75
04.75

04.00
04.00

04.00
04.00

04.00
04.00

04.00
04.00

04.00
04.00

ADOL RPRS 003.00 EST 000.00

TEST NO.C0139 DATE 08/27/73 DRY 75 WET 56 PRES 24.73 TEST NO.C0151 DATE 08/28/73 DRY 70 WET 58 PRES 24.78

CT 12.76 12.01 08.20 11.11
HC 0128.6 0108.3 0090.5 0107.6
CO 0362.1 0367.0 0335.0 0357.1
NOX 02.55 01.52 02.37 01.97

CT 16.03 09.95 08.35 10.95
HC 0132.2 0110.0 0093.9 0110.2
CO 0371.8 0349.4 0315.3 0344.6
NOX 02.33 01.09 01.89 01.57

IDLE LO CR HI CP 2500
HC 16863 05664 04706
LHC 1506 0799 0667
CO 05.56 04.38 03.14
NOX 0028 0985 1216
HCSUN 1750 0770 0615
COSUN 05.60 04.30 03.20 04.00

IDLE LO CR HI CR 2500
HC 12729 05533 04623
LHC 1264 0867 0742
CO 05.93 04.36 03.01
NOX 0022 0664 0989
HCSUN 0800 0480 0370
COSUN 05.00 04.20 02.80 03.00

MPG 15.87

MPG 16.13

VEH.NO. 082 TEST SEQ. 2 YEAR 71 MAKE PLYMOUTH MODFL STAW ODOMETER 050943 NO.CYL. 4 CID 393

CARB.VENT. 2 TRAYS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 04.70 +0090 -02 +04 1 1 1 0 2 0
 FROM STATION 01.90 -0010 -02 +03 1 1 1 0 2 0

INITIAL	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0490	0040	0040	09.00	01.50	4	000.00
AFT.RPM.ADJ 0220	0030	0030	09.00	01.00	3	000.00
AFT.TI ADJ1 0110	0100	0100	01.70	02.00	1	000.00
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL 0110	0100	0100	01.70	02.60	1	

ANAL PRPS 012.00 EST 000.00

TEST NO.C0150 DATE 08/28/73 TRY 69 WFT 55 PRES 24.71 TEST NO.C0191 DATE 08/30/73 TRY 72 WFT 55 PRES 24.67

CT	CS	HT	1975
HC	06.37	04.62	04.47
CO	0131.0	0098.9	0101.3
CO2	0614.4	0633.8	0548.9
NOX	03.01	02.42	03.25

IDLE	LO CR	HI CR	2500
HC	03635	03016	04133
LHC	0483	0416	0482
CO	05.11	00.26	06.53
NOX	0048	1474	0353
WCOSUN	0370	0270	0460
COSUN	04.60	00.30	06.70

MPG 11.29

CT	CS	HT	1975
HC	07.00	04.16	04.57
CO	0137.2	0090.6	0107.7
CO2	0589.8	0635.1	0503.7
NOX	02.52	01.99	02.13

IDLE	LO CR	HI CR	2500
HC	03209	03380	04546
LHC	0545	0639	0738
CO	02.15	00.47	09.45
NOX	0061	1547	0171
WCOSUN	0185	0230	0315
COSUN	02.10	01.90	08.60

MPG 11.69

VEH.NO. 083 TEST SEQ. 1 YEAR 70 MAKE DODGE MODEL DART ODOMETER 016300 NO.CYL. 4 CIP 313

CAPR.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IOLE CO IOLE PCV A/C CHOKE A/P MJS NOX

FROM OWNER 05.30 +0040 -05 1 1 1 0 2 2
 FROM STATION 00.78 -0150 +02 1 1 1 3 2 0

IOLE	CO	2500	HC	IOLE	CO	2500	CO	CO	CO	CO	CO
INITIAL	0220	0070	0070	03.00	07.00	03.20	000.00	000.00	000.00	000.00	000.00
AFT.PPM	0200	0070	0070	07.00	07.00	03.20	000.00	000.00	000.00	000.00	000.00
AFT.VI	0150	0175	0175	02.80	02.80	02.40	000.00	000.00	000.00	000.00	000.00
AFT.VI	0000	0000	0000	00.00	00.00	00.00	000.00	000.00	000.00	000.00	000.00
FINAL	0150	0175	0175	02.80	02.80	02.40	000.00	000.00	000.00	000.00	000.00

NOX 0000 000.00 EST 000.00

TEST NO. 03151 DATE 08/28/73 DRY 71 WFT 54 PRES 24.71 TEST NO. 00175 DATE 08/20/73 WFT 75 PRES 24.75

CT	CS	HT	1975
HC	05.15	04.24	04.25
CO	0192.4	0087.9	0087.7
CO2	0499.1	0513.3	0440.4
NOX	02.04	01.40	02.20

IOLE	LO	CO	HI	CO	2500
HC	00391	03585	03769		
LHC	0550	0517	0501		
CO	07.18	01.43	02.46		
NOX	0048	0508	0045		
HC	0530	0190	0305		0260
CO	06.60	01.10	02.50		01.40

WFT 14.74

CT	CS	HT	1975
HC	05.91	04.15	04.52
CO	0074.1	0046.5	0046.4
CO2	0507.3	0525.1	0428.0
NOX	02.92	02.12	03.11

IOLE	LO	CO	HI	CO	2500
HC	03214	03623	03542		
LHC	0645	0609	0556		
CO	01.11	00.73	02.41		
NOX	0063	0198	0248		
HC	0400	0120	0285		0140
CO	00.90	01.00	02.40		01.00

WFT 15.07

VEH.NO. 004 TEST SEQ. 1 YEAR 70 MAKE PONTIAC MODFL GTO 000METFR 042946 NO.CYL. 3 CID 490

CARR.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE PCV TIMING OWELL PCV A/P CHOKA A/P MTS NOX
 FROM OWNER 02.30 +0240 +03 -01 1 1 0 1 0
 FROM STATION 02.06 +0075 +02 -01 1 1 0 1 0

INLE 4C	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL 0400	0200	03.80	01.50	2	000.00
AFT.RPM.00J 0140	0087	01.10	01.00	1	000.00
AFT.TI 00J 0000	0000	00.00	00.00	0	000.00
AFT.TI 00J2 0000	0000	00.00	00.00	0	000.00
FINAL 0140	0080	01.10	01.00	1	

APPL PERS 004.00 EST 003.00

TEST NO.00149 DATE 08/27/73 DAY 73 WET 55 PRES 24.71 TEST NO.00174 DATE 08/29/73 DAY 73 WET 58 PRES 24.77

CT	CS	HT	1975
HC	06.34	04.27	04.33
CO	0129.9	0051.2	0062.8
CO2	0685.6	0647.1	0607.5
NOX	02.06	02.11	02.45

INLE	LO	CO	HI	CO	2500
HC	03402	03037	04270		
LHC	0507	0474	0645		
CO	02.65	01.59	02.62		
NOX	0067	0155	0604		
HCSUN	0500	0280	0790		0160
COSUN	02.40	01.60	00.70		01.70

WPG 11.75

CT	CS	HT	1975
HC	06.38	04.23	04.31
CO	0121.5	0057.2	0069.3
CO2	0673.1	0639.6	0573.5
NOX	02.41	02.15	02.36

INLE	LO	CO	HI	CO	2500
HC	03527	02476	04014		
LHC	0569	0401	0620		
CO	02.27	00.51	01.86		
NOX	0071	0733	0373		
HCSUN	0320	0150	0550		0100
COSUN	02.40	02.55	02.10		01.75

WPG 11.74

EL

VEH.NO. 085 TEST SEQ. 1 YEAR 68 MAKE BUICK MODFL RIVI 3704METER 060029 NO.CYL. 4 CID 430

CARB.VENT. 4 TRAPS. 1 W/FIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IOLFC CO IOLFC RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.50 +0090 +05 -10 1 1 1 1 1 1 1 2

FROM STATION 03.30 -0075 +06 -08 1 1 1 1 1 1 2 0

	IOLFC HC	2500 HC	IOLFC CO	2500 CO	CONE	COST
INITIAL	0750	0725	09.10	07.20	4	005.50
AFT.RPM.ADJ	0380	0160	09.10	03.00	4	005.50
AFT.TI ADJ1	0250	0160	02.40	02.90	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0250	0160	02.40	02.90	1	

ADNL PORS 009.00 EST 000.00

TEST NO.C0165 DATE 08/29/73 DRY 65 WET 59 PRES 24.76 TEST NO.C0190 DATE 08/30/73 DRY 72 WET 56 PRES 24.58

	CT	CS	HT	1975
HC	10.03	07.68	07.81	09.20
CO	0145.5	0155.4	0099.7	0137.8
CO2	0525.9	0493.9	0471.7	0494.5
NOX	05.19	03.29	06.16	04.48

	IOLFC	LO CP	HI CP	2500
HC	06062	04179	04903	
LHC	0493	0665	0806	
CO	0A.63	03.69	02.22	
NOX	0218	0994	1935	0280
HCSUN	0345	0280	0315	
COSUN	07.10	03.40	02.00	03.60

MFG 12.09

MPS 13.45

VEH.NO. 0017 YEST SEQ. 1 YEAR 67 MAKE OLDSMOBILE MODEL STAW ODOMETER 064223 NO.CYL. 8 CID 330

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 09.20 +0090 -18 -07 1 2 1 0 2 0
 FROM STATION 09.20 +0090 -18 -07 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0230	0160	04.40	03.20	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0230	0160	04.40	03.20	1	

ADNL PRPS 000.00 EST 000.00

TEST NO.C0164 DATE 08/29/73 DRY 72 WET 57 PRES 24.76 TEST NO.C0164 DATE 08/29/73 DRY 72 WET 57 PRES 24.76

	CT	CS	HT	1975
HC	11.98	11.63	07.75	10.66
CO	0193.4	0175.7	0133.9	0167.8
CO2	0496.9	0496.3	0440.2	0480.8
NOX	03.04	01.88	02.85	02.39

	INLE	LO CP	HI CP	2500
HC	11326	04607	04251	
LHC	0926	0688	0622	
CO	10.53	04.43	04.49	
NOX	0020	0599	0976	
HCSUN	0565	0300	0245	0270
COSUN	09.70	04.50	04.35	04.90

MPG 11.45

MPG 11.45

VEH.NO. 098 TEST SEQ. 1 YEAR 67 MAKE RAMBLER MODEL STAM 000MFTFR 072440 NO.CYL. 8 CID 290

CARB.VENT. 2 TRANS. 1 WFLIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 39.50 -0100 +00 1 1 1 0 2 0

FROM STATION 05.60 +0040 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1000	0400	04.20	02.10	4	002.50
AFT.RPM.ADJ 0950		0320	04.00	02.00	4	002.50
AFT.TI ADJ1 0400		0220	01.30	01.30	1	002.50
AFT.TI ADJ2 0400		0220	01.30	01.30	1	002.50
FINAL	0400	0220	01.30	01.30	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0163 DATE 08/29/73 DRY 71 WFT 57 PRES 24.76 TEST NO.C0179 DATE 08/30/73 DRY 71 WFT 56 PRES 24.67

	CT	CS	HT	1975	CT	CS	HT	1975
HC	11.63	10.92	09.02	10.54	HC	10.46	07.45	06.95 07.91
CO	0129.3	0147.5	0138.0	0141.1	CO	0117.7	0113.4	0106.4 0112.3
CO2	0496.2	0452.5	0431.4	0455.8	CO2	0507.7	0480.1	0432.9 0472.8
NOX	03.51	02.69	04.14	03.27	NOX	03.87	02.76	03.30 03.13

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	10931	04466	06315		HC	05403	04406	06311
LHC	0921	0702	0849		LHC	0431	0735	0985
CO	10.52	00.91	10.29		CO	06.56	00.69	10.22
NOX	0023	2046	0149		NOX	0064	2093	0183
HCSUN	0635	0345	0540	0330	HCSUN	0610	0375	0540 0130
COSUN	10.00	01.00	09.80	01.80	COSUN	05.90	00.73	09.60 01.16

MPG 12.53

MPG 13.21

VEH.NO. 090 TEST SEQ. 1 YEAR 79 MAKE FORD MODEL MAKE 0004FTER 022467 NO.CYL. 6 CID 209
 CAPA.VENT. 1 TRANS. 1 WEIGHT 2750 EXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER 01.50 -0090
 FROM STATION 01.50 -0090

INITIAL	00A5	2500 HC	IDLE CO	2500 CO	CODE	COST
AFT.RPM.ADJ	0000	0100	02.70	01.80	1	005.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	00A5	0100	02.70	01.80	1	000.00

ADNL OPS 000.00 EST 000.00

TEST NO.C0166 DATE 08/29/73 DRY 72 WFT 59 PRES 24.77 TEST NO.C0166 DATE 08/29/73 DRY 72 WFT 59 PRES 24.77

CT	CS	HT	1975
HC	04.01	03.52	03.00
CO	0059.9	0041.3	0043.2
CO2	0391.9	0398.0	0352.2
NOX	04.11	03.11	04.32

CT	CS	HT	1975
HC	04.01	03.52	03.00
CO	0059.9	0041.3	0043.2
CO2	0391.9	0398.0	0352.2
NOX	04.11	03.11	04.32

MPG 19.24

MPG 19.24

77

VEH.NO. 091 TEST SEQ. 3 YEAR 73 MAKE PONTIAC MODEL LEMA ODOMETER 006704 NO.CYL. 8 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

TOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.40 +0010 +00 +03 1 2 1 0 2 2
FROM STATION 01.40 +0010 +00 +03 1 2 1 0 2 2

	IOLE HC	2500 HC	IOLE CO	2500 CO	COEF	COST
INITIAL	0075	0040	01.20	01.00	1	005.50
AFT.RPM-ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0075	0040	01.20	01.00	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0162 DATE 08/29/73 DRY 70 WET 56 PRES 24.76 TEST NO.C0162 DATE 08/29/73 DRY 70 WET 56 PRES 24.76

	CT	CS	HT	1975
HC	04.05	03.19	03.07	03.34
CO	0067.3	0039.0	0031.7	0042.9
CO2	0724.6	0701.5	0598.3	0677.7
NOX	02.27	02.42	04.40	02.94

	IOLE	LO CR	HI CR	2500
HC	02217	02475	02425	
LHC	0353	0507	0472	
CO	01.46	00.16	00.38	
NOX	0147	2659	3167	
HCSUN	0145	0150	0130	0080
COSUN	01.55	00.25	00.40	01.90

MPG 11.79

MPG 11.79

VEH.NO. 092 TEST SEQ. 1 YEAR 70 MAKE FORD MODEL MAKE OJOMETER 035000 NO.CYL. 6 CID 200

CARB.VENT. 1 TRANS. 1 WIGHT 2750 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.70 +0090 +00 +05 1 2 1 0 2 0

FROM STATION 00.27 +0050 +03 +05 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0400	2500	04.00	01.50	4	001.50
AFT.RPM.ADJ	0500	2500	07.00	00.30	4	001.50
AFT.TI ANJ1	0500	2000	05.00	00.20	4	001.50
AFT.TI ANJ2	0520	1200	03.40	00.40	4	001.50
FINAL	0270	1600	02.20	00.40	2	

ADNL PRRS 000.00 EST 028.30

TEST NO.C0156 DATE 08/28/73 DRY 77 WET 59 PRES 24.77 TEST NO.C0201 DATE 08/31/73 DRY 80 WET 57 PRES 24.55

	CT	CS	HT	1975
HC	04.63	03.17	02.72	03.35
CO	0046.7	0050.5	0027.5	0043.4
CO2	0442.7	0424.2	0388.1	0418.1
NOX	08.35	07.07	08.40	07.71

	IDLE	LO CR	HI CR	2500
HC	03796	03087	03032	
LHC	0567	0526	0473	
CO	05.16	00.12	03.03	
NOX	0071	3250	1350	
HCSUN	0340	0250	0260	2500
COSUN	04.80	00.15	03.00	01.70

MPG 17.93

	CT	CS	HT	1975
HC	03.20	02.62	02.25	02.64
CO	0039.1	0023.2	0015.0	0022.4
CO2	0437.9	0421.0	0366.1	0409.3
NOX	07.15	06.14	07.71	06.79

	IDLE	LO CR	HI CR	2500
HC	03249	03034	02531	
LHC	0606	0609	0523	
CO	00.71	00.94	01.20	
NOX	0149	2276	3082	
HCSUN	0125	0215	0175	0709
COSUN	00.30	00.60	00.80	01.00

MPG 19.67

64

VEH.NO. 093 TEST SEQ. 1 YEAR 72 MAKE PLYMOUTH MODEL DUST ODOMETER 020817 NO.CYL. 6 CID 198
CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

SOLE CO IDLE PPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
FROM OWNER 05.10 -0060 +00 -03 1 2 1 0 2 0
FROM STATION 00.90 -0120 -03 -03 1 2 1 0 2 0

	SOLE HC	2500 HC	IDLE CO	2500 CO	COFE	COST
INITIAL	0429	0020	06.50	02.50	4	000.30
AFT.RPM.ADJ	0250	0100	05.10	00.80	3	000.00
AFT.TI ADJ1	0150	0100	01.00	00.50	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0100	01.00	00.50	1	

ANAL RPRS 012.00 EST 000.00

TEST NO.C01A3 DATE 08/30/73 DRY 74 WFT 56 PRES 24.67 TEST NO.C0218 DATE 09/04/73 DRY 73 WFT 54 PRES 24.88

	CT	CS	HT	1975	CT	CS	HT	1975
HC	06.53	03.43	02.96	03.96	HC	04.07	02.96	02.76 03.14
CO	0123.2	0063.6	0076.3	0080.8	CO	0081.0	0019.6	0045.2 0039.6
CO2	0341.9	0344.6	0302.2	0332.3	CO2	0367.4	0372.0	0336.5 0361.2
NOX	02.67	03.85	03.45	03.49	NOX	03.89	04.90	04.83 04.67

	SOLE	LO	CO	HI	CO	2500
HC	05575	04257	04945		HC	07051 03677 04374
LHC	0794	0676	0699		LHC	1082 0460 0501
CO	06.03	03.05	08.41		CO	00.14 00.76 07.42
NOX	0102	1811	0541		NOX	0272 3709 0908
HCSUN	0440	0275	0330	0140	HCSUN	0800 0190 0245 0100
COSUN	15.20	02.80	07.90	01.00	COSUN	00.14 00.85 07.50 00.35

MPG 19.58

MPG 20.56

VEH.NO. 094 TEST SEQ. 1 YEAR 69 MAKE BUICK MODEL LE5A ODOMETER 034309 NO.CYL. 8 CID 150
 CARB.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IOLP RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 05.60 -0060 +08 -04 1 1 0 2 0
 FROM STATION 02.25 -0100 +02 +02 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0160	0580	03.80	04.10	4	000.00
AFT.RPM.ADJ	0140	0280	02.10	03.20	1	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0140	0280	02.10	03.20	1	000.00

ADDL RPRS 004.00 EST 000.00

TEST NO.C0178 DATE 08/30/73 DRY 71 WET 56 PRES 24.67 TEST NO.C0200 DATE 08/31/73 DRY 81 WET 60 PRES 24.53

	CT	CS	HT	1975
HC	07.98	05.52	05.26	05.96
CO	0204.1	0136.9	0132.5	0149.8
CO2	0470.7	0449.9	0439.6	0471.9
NOX	03.29	02.65	03.81	03.11

	IDLE	LO CR	HI CP	2500
HC	05846	04594	34597	
LHC	0952	0774	0716	
CO	06.15	02.85	05.89	
NOX	0059	1265	1068	1000
HCSUN	0380	0355	0340	
COSUN	05.70	02.80	06.40	03.90

MPG 12.27

	CT	CS	HT	1975
HC	08.69	04.60	04.25	05.36
CO	0215.3	0119.6	0113.3	0137.9
CO2	0449.7	0487.8	0411.3	0458.6
NOX	02.60	02.22	03.12	02.55

	IDLE	LO CR	HI CR	2500
HC	03020	03306	03002	
LHC	0479	0565	0498	
CO	02.40	03.00	02.29	
NOX	0080	1387	2288	
HCSUN	0250	0320	0230	0307
COSUN	02.20	12.90	01.90	03.50

MPG 12.87

VEH.NO. 095 TEST SEQ. 1 YEAR 68 MAKE RAMBLER MODEL STAM ODOMETER 052932 NO.CYL. 8 CID 290

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 FXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.30 -0050 +11 -03 1 1 1 0 2 0

FROM STATION 02.16 -0025 +11 -02 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	COEF	COST
INITIAL	0200	0250	09.00	06.80	3	002.50
AFT.RPM.ADJ	0210	0230	08.10	05.80	3	000.00
AFT.TI ADJ1	0220	0420	07.10	01.40	1	004.00
AFT.TI ADJ2	0090	0000	00.00	00.00	0	000.00
FINAL	0220	0420	03.10	01.40	1	

ADOL PPRS 000.00 EST 000.00

TEST NO.C0180 DATE 08/30/73 DRY 74 WET 56 PRES 24.67 TEST NO.C0202 DATE 08/31/73 DRY 81 WET 57 PRES 24.55

	CT	CS	HT	1975
HC	10.30	10.68	09.16	10.18
CO	0139.7	0127.7	0113.1	0126.0
CO2	0393.5	0377.7	0349.8	0373.3
NOX	12.31	02.45	03.06	02.59

	INLE	LO CR	HI CR	2500
HC	12579	04186	05279	
LHC	1083	0728	0785	
CO	11.85	01.66	01.37	
NOX	0021	1979	0301	
MCSUN	0540	0410	0500	0400
COSUN	08.70	01.60	08.30	02.70

MPG 14.76

MPG 15.54

VEH.NJ. 096 TEST SEQ. 1 YEAR 65 MAKE PONTIAC MODEL CAT ODOMETER 076369 NO.CYL. 4 CID 389
 CARR.VENT. 4 TRANS. 1 WEIGHT 4000 FXH.CON. 2 EVAP.CON. 2 PCV 1

TOLF CO INLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.10 -0010 +00 +06 1 2 1 0 1 0
 FROM STATION 06.00 +0300 +00 -05 1 2 1 0 1 0

	TOLF HC	2500 HC	TOLF CO	2500 CO	CONF	COST
INITIAL	1310	2500	00.80	06.40	4	003.50
AFT.RPM.ADJ	1720	2500	05.00	05.40	4	002.00
AFT.TI ADJ1	1400	2500	04.50	06.20	4	002.50
AFT.TI ADJ2	0600	0380	04.40	06.80	4	002.00
FINAL	0600	0380	04.40	06.90	3	

ADNL PRS 031.55 EST 030.00

TEST NO.C0101 DATE 08/30/73 DRY 75 WET 56 PRES 24.67 TEST NO.C0219 DATE 09/04/73 DRY 70 WET 54 PRES 24.88

	CT	CS	HT	HT	1975
HC	36.25	33.74	31.40	33.62	
CO	0224.9	0168.6	0199.2	0188.6	
CO2	0449.2	0420.7	0374.2	0413.7	
NOX	01.26	00.96	01.11	01.06	

	CT	CS	HT	HT	1975
HC	17.29	12.78	11.37	13.33	
CO	0307.2	0219.8	0243.4	0244.7	
CO2	0404.5	0417.5	0363.0	0399.7	
NOX	00.62	00.55	00.56	00.60	

	TOLF	LO CR	HI CR	2500
HC	15430	27069	33148	
LHC	2500	2500	2500	
CO	03.73	06.73	09.18	
NOX	0032	0180	0110	
HCSUN	2500	2500	2500	
COSUN	03.30	06.60	09.60	05.80

	TOLF	LO CR	HI CR	2500
HC	11942	04965	05310	
LHC	0857	0621	0636	
CO	06.33	07.49	11.09	
NOX	0024	0237	0163	
HCSUN	0720	0350	0340	0580
COSUN	06.59	07.80	20.00	08.00

MPG 10.01

MPG 10.78

VEN.NO. 097 TEST SEQ. 1 YFAP 64 MAKE PLYMOUTH MODEL VALI ODOMETER 026268 NO.CYL. 6 CID 170

CARB.VENT. 1 TRANS. 3 WRIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 09.40 +0000 +09 -02 1 2 1 0 2 0

FROM STATION 09.40 +0000 +09 -02 1 2 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0260	0240	0240	04.60	04.50	1	005.50
AFT.RPM.ADJ 0000	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL	0260	0240	04.60	04.80	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0182 DATE 08/30/73 DRY 76 WET 56 PRES 24.67 TEST NO.C0182 DATE 08/30/73 DRY 76 WET 56 PRES 24.67

CT	CS	HT	1975
HC	10.46	09.55	06.74 09.45
CO	0147.2	0136.9	0123.7 0135.4
CO2	0301.1	0321.9	0276.0 0304.8
NOX	01.88	01.93	01.84 01.84

IDLE	LO CR	HI CR	2500
HC	28157	05518	05596
LHC	1097	0934	0832
CO	09.33	05.23	06.31
NOX	0021	1282	0406
HCSUN	1080	0400	0450
COSUN	10.00	04.90	06.40

MPG 15.37

MPG 16.37

VEH.NO. 098 TEST SEQ. F YEAR 72 MAKE FORD MODFL MAKE ODOMETER 024575 NO.CYL. 4 CID 302
 CARB.VENT. 2 TRA S. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 04.15 +0060 +00 -09 1 1 1 0 2 0
 FROM STATION 03.68 +0140 +00 -14 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0420	0220	03.20	02.00	2	002.50
AFT.RPM.ADJ	0410	0220	04.00	03.00	4	002.50
AFT.TI ADJ1	0360	0220	02.30	02.30	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	002.50
FINAL	0380	0220	02.30	02.30	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0192 DATE 08/31/73 DRY 74 WET 57 PRES 24.49 TEST NO.C0205 DATE 09/04/73 DRY 70 WET 56 PRES 24.81

	CT	CS	HT	1975
HC	06.02	04.55	05.00	04.98
CO	0088.2	0082.6	0061.2	0077.8
CO2	0491.0	0525.8	0429.8	0491.9
NOX	32.64	01.32	02.55	01.93

	IDLE	LO CR	HI CR	2500
HC	03943	03738	04320	
LHC	0629	0642	0730	
CO	04.84	01.58	02.35	
NOX	0078	0836	1979	
HCSUN	0340	0265	0340	0090
COSUN	04.30	01.55	02.30	01.90

MPG 14.14

	CT	CS	HT	1975
HC	05.78	04.33	04.49	04.68
CO	0072.8	0068.5	0050.9	0064.5
CO2	0515.2	0536.9	0433.2	0503.6
NOX	03.15	01.67	03.04	02.36

	IDLE	LO CR	HI CR	2500
HC	04152	03919	04331	
LHC	0485	0383	0518	
CO	04.19	00.90	01.99	
NOX	0081	0867	1302	
HCSUN	0330	0235	0330	0055
COSUN	03.90	01.00	02.00	01.50

MPG 14.37

VEH.NO. 099 TEST SEQ. 5 YEAR 71 MAKE CHEVROLET MODEL BLAZ ODOMETER 019987 NO. CYL. 8 CID 350

CARR.VENT. 4 TRATS. 4 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 04.60 +0020 +00 +04 1 1 0 2 0
 FROM STATION 04.00 -0010 +00 +04 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0140	0025	04.60	00.60	4	005.50
AFT.RPM.ADJ	0165	0015	03.90	00.20	1	003.30
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0165	0015	03.90	00.20	1	

ADNL RPRS 000.00 EST 000.00

TEST NO. CA194 DATE 08/31/73 DRY 74 WET 57 PRES 24.49 TEST NO. C0203 DATE 09/04/73 DRY 70 WET 55 PRES 24.77

	CT	CS	HT	1975
HC	05.17	04.52	04.47	04.64
CO	0057.5	0052.2	0054.4	0053.0
CO2	0587.0	0612.6	0511.6	0579.2
NOX	03.05	01.90	02.87	02.41

	IDLE	LO CR	HI CR	2500
HC	04078	01804	02532	
LHC	0640	0520	0542	
CO	05.21	00.32	01.08	
NOX	0052	0682	1406	
HCSUN	0195	0055	0115	0040
COSUN	04.70	01.35	01.05	00.43

MPG 13.13

MPG 12.96

VEH.NO. 100 TEST SEQ. 5 YEAR 69 MAKE FORD MODEL MUST ODOMETER 047190 NO.CYL. 4 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.40 -0060 -08 +03 1 1 1 0 2 0
FROM STATION 03.06 +0040 -08 +04 1 1 1 0 2 0

	TOLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	0725	0225	05.70	02.20	4	005.00
AFT.RPM.ADJ	0375	0160	05.60	02.00	4	001.00
AFT.TI ADJ1	0300	0180	03.30	02.30	1	001.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0180	03.30	02.30	1	

ADPL PORS 000.00 FST 000.00

TEST NO.C0196 DATE 08/31/73 DRV 70 WET 57 PRES 24.52 TEST NO.C0206 DATE 09/04/73 DRV 70 WET 56 PRES 24.85

	CT	CS	HT	1975
HC	06.56	06.01	05.22	06.33
CO	0119.1	0085.2	0053.1	0083.4
CO2	0470.0	0469.9	0427.6	0458.2
NOX	03.38	03.27	04.68	03.69

	IDLE	LO CR	HI CR	2500
HC	05410	04380	03531	
LHC	0856	0911	0694	
CO	07.16	00.70	00.75	
NOX	0053	2146	2421	
HCSUN	0460	0400	0260	0190
COSUN	06.60	00.70	00.70	01.60

MPG 14.62

	CT	CS	HT	1975
HC	09.06	05.71	04.52	05.90
CO	0102.2	0059.9	0050.2	0070.7
CO2	0464.0	0461.5	0401.5	0445.4
NOX	03.92	03.28	04.74	03.82

	IDLE	LO CR	HI CR	2500
HC	05997	04575	03910	
LHC	0887	0638	0483	
CO	03.50	00.63	00.59	
NOX	0092	2309	2424	
HCSUN	0940	0450	0270	0200
COSUN	03.30	00.70	00.65	01.50

MPG 15.49

VEH.NO. 101 TEST SEQ. 3 YEAR 59 MAKE CHEVROLET MODEL STAW ODOMETER 068576 NO.CYL. 8 CID 327
 CARB.VENT. 2 TRANS. 1 WFIGHT 4500 FXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.11 -0110 -08 +01 1 2 1 0 1 0
 FROM STATION 00.17 -0050 +09 +01 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0700	0420	03.17	02.00	4	001.50
AFT.RPM.ADJ	0600	0430	01.90	01.90	2	001.50
AFT.TI ADJ1	0600	0360	02.20	01.20	4	001.50
AFT.TI ADJ2	0560	0360	01.40	00.70	2	001.50
FINAL	0310	0160	01.20	00.90	1	

ADDL RPRS 166.00 EST 000.00

TEST NO.C0177 DATE 08/30/73 DRY 71 WFT 56 PRES 24.67 TEST NO.C0217 DATE 09/04/73 DRY 74 WFT 54 PRES 24.83

	CT	CS	HT	1975
HC	43.26	40.97	34.07	39.33
CO	0241.0	0205.2	0176.4	0204.7
CO2	0517.9	0453.0	0443.6	0469.1
NOX	02.89	01.87	03.34	02.47

	IDLE	LO CR	HI CR	2500
HC	22170	21660	27127	
LHC	2500	2500	2500	
CO	05.62	02.81	05.71	
NOX	0046	1097	0442	
HC SUN	2500	2500	2500	2500
CO SUN	05.20	02.70	05.50	03.10

MPG 09.73

	CT	CS	HT	1975
HC	10.32	05.04	05.76	06.34
CO	0117.1	0021.9	0051.8	0050.1
CO2	0603.3	0644.9	0515.5	0600.3
NOX	06.11	06.05	06.25	06.12

	IDLE	LO CR	HI CR	2500
HC	03690	04029	03977	
LHC	0490	0506	0441	
CO	03.24	00.49	01.13	
NOX	0286	0226	0300	
HC SUN	0295	0300	0225	0140
CO SUN	03.26	00.50	01.10	00.60

MPG 12.74

VEH.NO. 102 TEST SEQ. 1 YEAR 54 MAKE MERCURY MODEL PARK ODOMETER 055245 NO.CYL. 4 CID 390

CARB.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.00 +0040 +00 -03 1 1 1 0 2 0
FROM STATION 07.00 +0040 +00 -03 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0400	0500	06.50	01.50	1	064.50
AFT.PRM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0400	0500	06.50	01.50	1	

ADDL PRGS 000.00 EST 000.00

TEST NO.C0210 DATE 09/04/73 DRY 76 WET 58 PRES 24.86 TEST NO.C0210 DATE 09/04/73 DRY 76 WET 58 PRES 24.86

	CT	CS	HT	1975	CT	CS	HT	1975
HC	09.71	04.34	05.84	07.93	HC	09.71	04.34	05.94
CO	0109.4	0122.2	0071.6	0105.3	CO	0109.4	0122.2	0071.6
CO2	0519.0	0475.8	0430.1	0472.2	CO2	0519.0	0475.8	0430.1
NOX	06.99	05.92	06.71	06.37	NOX	06.99	05.92	06.71

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	06524	04717	04302		HC	06524	04717	04302
LHC	0699	0658	0583		LHC	0699	0658	0583
CO	00.66	01.41	01.81		CO	00.66	01.41	01.81
NOX	0061	2604	2647	0230	NOX	0061	2604	2647
HCSUN	0540	0380	0290		HCSUN	0540	0380	0290
COSUN	07.40	01.40	01.85	02.40	COSUN	07.40	01.40	01.85

MPG 13.44

MPG 13.44

VEH.NO. 103 TEST SEQ. 2 YEAR 73 MAKE FORD MODEL MAVE ODOMETER 009029 NO.CYL. 8 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 FVH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX

FROM OWNER 02.20 +0060 +00 +00 1 1 1 0 2 1

FROM STATION 02.20 +0060 +00 +00 1 1 1 0 2 1

	INLE 4C	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0230	0060	03.00	02.20	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0230	0060	03.00	02.20	1	

ADJL RPRS 000.00 FST 000.00

TEST NO.C0209 DATE 09/04/73 DRY 78 WET 55 PRES 24.86 TEST NO.C0208 DATE 09/04/73 DRY 78 WET 55 PRES 24.86

	CT	CS	HT	1975
HC	05.59	04.29	03.55	04.39
CO	0104.0	0093.2	0061.2	0081.5
CO2	0571.7	0567.7	0498.8	0549.5
NOX	01.45	01.26	01.50	01.37

	INLE	LO	CO	HI	CR	2500
HC	05465	04920	04494			
LHC	0634	0659	0676			
CO	02.39	01.44	01.20			
NOX	0085	0670	0921			
HCSUN	0300	0235	0210			0105
COSUN	02.60	01.50	01.15			02.20

MPG 12.60

MPG 12.44

VEH.NO. 104 TEST SEQ. 4 YEAR 68 MAKE PLYMOUTH MODEL BFLV ODOMETER 058630 NO.CYL. 4 CID 273
 CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P M/S NOX

FROM OWNER 09.90 +0001 +02 1 1 1 0 2 0
 FROM STATION 03.55 +0025 +09 +04 1 1 1 0 2 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	0460	0200	20.00	05.50	4	000.00
AFT.RPM.ADJ	0460	0200	20.00	05.50	4	000.00
AFT.TI ADJ1	0200	0110	03.80	02.90	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0110	03.80	02.90	1	

ADNL PORS 004.50 EST 000.00

TEST NO.C0204 DATE 09/04/73 DRY 71 WET 55 PRES 24.77 TEST NO.C0220 DATE 09/05/73 DRY 70 WET 52 PRES 24.94

	CT	CS	WT	HT	1975
HC	10.59	08.91	06.55	08.55	
CO	0203.0	0186.7	0145.9	0178.8	
CO2	0412.3	0420.3	0369.6	0404.5	
NOX	01.16	01.35	01.86	01.45	

	CT	CS	WT	HT	1975
HC	08.13	07.90	04.58	04.95	
CO	0175.7	0102.8	0102.8	0118.0	
CO2	0444.7	0472.2	0383.4	0441.8	
NOX	01.20	01.97	01.99	01.82	

	IOLE	LO CR	HI CR	2500
HC	12025	03941	04727	
LHC	0596	0469	0553	
CO	10.42	02.82	08.01	
NOX	0924	0991	0251	
HCSUN	0620	0315	0360	0215
COSUN	20.00	02.90	08.10	04.60

	IOLE	LO CR	HI CR	2500
HC	04048	03826	04783	
LHC	0499	0480	0597	
CO	03.91	01.84	07.69	
NOX	0099	1788	0403	
HCSUN	0325	0263	0330	0190
COSUN	03.80	02.00	07.90	03.80

MPG 12.50

MPG 13.95

VEH.NO. 106 TEST SEQ. 2 YEAR 64 MAKE FORD MODEL GALA ODOMETER 030087 NO.CYL. 8 CIP 289

CARB.VENT. 2 TRANS. 3 WEIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 2

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.30 +0040 +00 +02 0 1 1 0 2 0
FROM STATION 08.30 +0040 +00 +02 0 1 1 0 2 0

	2500 HC	2500 HC	IDLF CO	2500 CO	CODE	COST
INITIAL	0250	0160	05.20	04.50	1	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0250	0160	05.20	04.50	1	

ADDL PRS 000.00 EST 000.00

TEST NO.C0207 DATE 09/04/73 DRY 69 WET 52 PRES 24.86 TEST NO.C0207 DATE 09/04/73 DRY 69 WET 52 PRES 24.86

	CT	CS	HT	1975
HC	14.68	13.30	10.25	12.74
CO	0157.1	0171.6	0113.2	0152.4
CO2	0414.4	0400.8	0367.9	0394.5
NOX	01.91	01.34	02.00	01.64

	IDLE	LO CR	HI CR	2500
HC	12290	04005	07435	
LHC	0680	0409	0590	
CO	08.88	03.22	06.13	
NOX	0036	0797	0531	
HCSUN	0605	0255	0560	0420
COSUN	08.80	03.10	06.00	04.90

MPG 13.21

MPG 13.21

VEH.NO. 107 TEST SEQ. 1 YEAR 65 MAKE CHEVROLET MODEL CARV ODOMETER 076074 NO.CYL. 6 CID 164

CARB.VENT. 2 TRANS. 4 WEIGHT 2750 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.70 -0075 +02 -03 0 1 1 0 2 0
 FROM STATION 04.30 +0500 +07 -03 0 1 1 0 2 0

	INLE HC	2500 HC	IDLE CO	2500 CO	COKE	COST
INITIAL	1200	0600	04.40	04.10	4	002.50
AFT.RPM.ADJ 1000	0800	0800	05.10	06.10	4	002.50
AFT.TI ADJ1 0800	0800	0800	04.30	06.10	4	002.50
AFT.TI ADJ2 0800	0800	0800	04.20	04.20	4	002.50
FINAL	0800	0780	04.20	04.20	1	

ADNL PPRS 000.00 FST 000.00

TEST NO.C0209 DATE 09/04/73 DRY 72 WET 53 PRES 24.87 TEST NO.C0229 DATE 09/05/73 DRY 75 WET 56 PRES 24.87

	CT	CS	HT	1975
HC	10.62	04.93	05.85	09.38
CO	0093.8	0079.8	0033.1	0069.7
CO2	0297.9	0332.9	0155.1	0276.2
NOX	01.58	01.34	01.77	01.51

	IDLE	LO CR	HI CR	2500
HC	13045	05210	04840	
LHC	2088	0855	0739	
CO	02.45	03.77	04.05	
NOX	0046	0822	1229	
HCSUN	2500	0480	0400	0400
COSUN	02.00	03.60	03.80	04.00

MPG 21.60

	CT	CS	HT	1975
HC	10.31	06.44	05.40	06.96
CO	0107.7	0102.3	0084.8	0098.5
CO2	0292.3	0339.3	0280.4	0313.2
NOX	01.21	01.11	01.38	01.21

	IDLE	LO CR	HI CR	2500
HC	05571	04802	04636	
LHC	0500	0529	0533	
CO	04.74	04.99	05.15	
NOX	0054	0376	0304	
HCSUN	0360	0355	0375	0345
COSUN	04.55	04.95	04.90	06.10

MPG 18.1A

VEH.NO. 10A TEST SEQ. 1 YEAR 64 MAKE FORD MODEL FALC ODOMETER 087334 NO.CYL. 6 CID 200

CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.80 +04.00 -05 +00 2 1 1 0 1 0
 FROM STATION 03.80 +04.00 -05 +00 2 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0240	0260	02.40	04.00	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0240	0260	02.40	04.00	1	

ADDL PQRS 000.00 EST 000.00

TEST NO.C0212 DATE 09/04/73 DRY 78 WET 55 PRES 24.90 TEST NO.C0212 DATE 09/04/73 DRY 78 WET 55 PRFS 24.90

	CT	CS	HT	1975
HC	08.57	08.17	08.16	08.25
CO	0103.1	0145.6	0115.4	0128.3
CO2	0310.7	0301.8	0274.6	0296.1
NOX	00.99	00.42	00.67	00.61

	IDLE	LO CR	HI CR	2500
HC	05562	05856	05129	
LHC	0610	0930	0531	
CO	04.04	07.43	04.88	
NOX	0046	0174	0556	0490
HCSUN	0520	0460	0460	0490
COSUN	04.10	07.60	05.40	06.20

MPG 17.00

MPG 17.00

VEH.NO. 109 TEST SEQ. 1 YEAR 66 MAKE RAMBLER VDOFL AMFR ODOMETER 064169 NO.CYL. 6 CID 232

CARB.VENT. 1 TRANS. 3 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IOLF CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 07.20 +0040 -05 -01 2 1 1 0 2 0
FROM STATION 07.20 +0040 -05 -01 2 1 1 3 2 0

	IOLF HC	2500 HC	IOLF CO	2500 CO	CODE	COST
INITIAL	0600	0400	05.20	04.90	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0600	0400	05.20	04.90	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0211 DATE 09/04/73 DRY 77 WET 55 PPES 24.85 TEST NO.C0211 DATE 09/04/73 DRY 77 WET 55 PRES 24.86

	CT	CS	HT	1975
HC	10.17	07.78	06.98	08.06
CO	0104.7	0113.9	0097.3	0107.4
CO2	0307.0	0279.2	0250.8	0277.1
NOX	03.12	01.51	02.10	02.01

	IOLF	LO	CR	HI	CR	2500
HC	17023	04650	04177			
LHC	1029	0706	0563			
CO	08.49	02.57	02.62			
NOX	0026	1905	2058			
HCSUN	0720	0340	0265			0730
COSUN	08.00	02.45	02.00	02.45	02.00	09.10

MPG 19.90

MPG 19.90

56

VEH.NO. 110 TEST SEQ. 1 YEAR 69 MAKE CHEVROLET MODEL CHEV ODOMETER 045577 NO.CYL. 4 CID 307

CARB.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 02.70 +0100 -01 +00 1 2 1 0 2 2
 FROM STATION 00.90 -0010 +02 +00 1 1 1 0 2 0

INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
0300	0220	02.40	04.80	3	002.50
AFT.RPM.ADJ 0280	0250	03.20	04.80	3	002.50
AFT.TI ADJ1 0180	0200	03.40	04.60	3	002.50
AFT.TI ADJ2 0300	0230	01.50	03.00	1	002.50
FINAL 0300	0230	01.50	03.00	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0221 DATE 09/05/73 DRY 71 WET 52 PRES 24.94 TEST NO.C0242 DATE 09/06/73 DRY 77 WET 55 PRES 24.70

CT	CS	HT	1975
HC	39.11	05.42	05.43
CO	0151.5	0085.5	0090.8
CO2	0431.5	0452.9	0378.6
NOX	02.12	02.06	02.13

CT	CS	HT	1975
HC	08.35	05.11	05.50
CO	0143.2	0064.5	0089.3
CO2	0439.9	0454.9	0398.7
NOX	02.19	02.14	02.39

INLE	LO CR	HI CR	2500
HC	04161	04612	04387
LHC	0519	0512	0526
CO	03.07	03.92	04.18
NOX	0090	0095	0110
HCSUN	0310	0350	0290
COSUN	03.00	04.00	04.10

INLE	LO CR	HI CR	2500
HC	03505	04566	04261
LHC	0410	0560	0456
CO	01.05	03.97	03.96
NOX	0109	0080	0143
HCSUN	0340	0415	0330
COSUN	01.95	03.85	03.90

MPG 14.70

MPG 15.02

VEH.NO. 111 TEST SEQ. 2 YEAR 72 MAKE FORD MODEL T001 ODOMETER 017170 NO.CYL. 4 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.00 +0120 -02 -10 1 2 1 0 2 0

FROM STATION 01.00 +0120 -02 -10 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CONF	COST
INITIAL	0085	0090	00.40	00.75	1	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0085	0090	00.40	00.75	1	

ANNU PORS 000.00 EST 000.00

TEST NO.C0232 DATE 09/06/73 DRY 70 WET 54 PRES 24.87 TEST NO.C0232 DATE 09/06/73 DRY 70 WET 54 PRES 24.87

	CT	CS	HT	1975
HC	07.12	04.15	04.96	05.00
CO	0128.3	0055.6	0064.4	0073.3
CO2	0558.6	0662.9	0510.2	0598.7
NOX	03.30	02.62	03.79	03.09

	INLE	LO CO	HI CO	2500
HC	02866	03707	03675	
LHC	0294	0414	0398	
CO	01.13	01.15	02.05	
NOX	0313	2258	2469	
HCSUN	0205	0300	0280	0090
COSUN	01.10	01.25	02.10	01.25

MPG 12.21

	CT	CS	HT	1975
HC	07.12	04.16	04.36	05.00
CO	0128.3	0055.6	0064.4	0073.3
CO2	0558.6	0662.9	0510.2	0598.7
NOX	03.30	02.62	03.79	03.09

	INLE	LO CO	HI CO	2500
HC	02866	03707	03675	
LHC	0294	0414	0398	
CO	01.13	01.15	02.05	
NOX	0313	2258	2469	
HCSUN	0205	0300	0280	0090
COSUN	01.10	01.25	02.10	01.25

MPG 12.21

VEH.NO. 112 TEST SEQ. 2 YEAR 70 MAKE FORD MODEL MUST ODOMETER 051330 NO.CYL. 8 CID 351

CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CO% 1 EVAP.CON. 2 PCV 1

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 09.90 +0000 -10 -04 1 1 1 0 2 0
FROM STATION 09.90 +0000 -10 -04 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0050	0010	09.00	05.00	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0050	0010	09.00	05.00	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0233 DATE 09/06/73 DRY 70 WET 56 PRES 24.87 TEST NO.C0233 DATE 09/06/73 DRY 70 WET 56 PRES 24.87

	CT	CS	HT	1975
HC	07.21	07.19	05.05	06.60
CO	0066.2	0093.0	0045.4	0174.2
CO2	0543.6	0447.5	0410.5	0457.3
NOX	06.68	03.48	05.95	04.84

	IDLE	LO CR	HI CR	2500
HC	11204	02951	02853	
LHC	0710	0338	0311	
CO	10.21	00.50	00.87	
NOX	0029	2666	3835	
HCSUN	0600	0230	0205	0650
COSUN	20.00	00.60	00.90	00.90

MPG 14.98

MPG 14.98

VEH.NO. 113 TEST SEQ. 2 YEAR 69 MAKE CHEVROLET MODEL STAN ODOMETER 075334 NO.CYL. 8 CID 350

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 10.50 +0190 +00 -01 1 2 1 1 2 0
FROM STATION 05.30 +0030 +00 -01 1 1 1 1 2 0

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0400	0125	29.00	01.80	3	000.00
AFT.RPM.ADJ	0400	0125	20.00	01.80	3	000.00
AFT.TI ADJ1	0200	0125	04.80	01.60	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0125	04.80	01.60	1	

ANNUL POPS 012.00 EST 000.00

TEST NO.C0234 DATE 09/06/73 DRY 70 WET 54 PRES 24.89 TEST NO.C0256 DATE 09/07/73 DRY 76 WET 55 PRES 24.59

	CT	CS	HT	1975
HC	07.90	07.25	06.17	07.39
CO	0114.6	0121.3	0069.6	0105.3
CO2	0516.6	0484.8	0446.9	0481.0
NOX	04.90	03.37	05.93	04.40

	CT	CS	HT	1975
HC	07.87	05.78	05.13	06.04
CO	0118.3	0090.7	0055.9	0085.8
CO2	0529.9	0502.4	0460.6	0496.3
NOX	04.46	03.24	05.15	04.02

	IDLE	LO CR	HI CR	2500
HC	11627	03857	03033	
LHC	0716	0447	0291	
CO	11.09	01.64	00.31	
NOX	0021	1935	3931	
HCSUN	0590	0315	0180	0725
COSUN	20.00	01.80	00.34	02.70

MPG 13.30

	IDLE	LO CR	HI CR	2500
HC	04272	03742	03123	
LHC	0499	0443	0307	
CO	05.59	01.85	00.85	
NOX	0068	1704	3091	
HCSUN	0370	0320	0190	0200
COSUN	05.30	01.85	00.85	02.90

MPG 13.66

VEH.NO. 115 TEST SEQ. 2 YEAR 67 MAKE CHEVROLET MODEL IMPA ODOMETER 064860 NO.CYL. 4 CID 283

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IOLE PPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.45 +0020 +00 +06 1 2 1 0 2 0
 FROM STATION 03.45 +0020 +00 +06 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0380	0550	02.60	05.97	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0390	0550	02.60	05.97	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0236 DATE 09/06/73 DRY 76 WET 57 PRES 24.89 TEST NO.C0236 DATE 09/06/73 DRY 76 WET 57 PRES 24.89

	CT	CS	HT	1975
HC	13.29	13.49	11.24	12.82
CO	0176.1	0178.3	0154.2	0171.2
CO2	0452.9	0438.1	0416.8	0435.2
NOX	02.32	01.21	02.37	01.77

	IDLE	LO CR	HI CR	2500
HC	09665	06758	09687	
LHC	1488	1095	1161	
CO	03.75	03.50	09.60	
NOX	0224	1268	0245	
HCSUN	1090	0790	0800	0180
COSUN	03.60	03.70	09.20	05.00

MPG 11.96

MPG 11.96

VEH.NO. 116 TEST SEQ. 1 YEAR 73 MAKE CHEVROLET MODEL VFCA ODOMETER 009706 NO.CYL. 4 CID 140

CARB.VENT. 2 TRANS. 3 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.80 -0100 +04 -31 1 2 1 0 2 1
FROM STATION 02.60 -0110 +02 +00 2 2 1 0 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0220	0180	03.20	02.40	4	002.50
AFT.RPM.ADJ	0300	0200	02.20	03.10	0	002.50
AFT.TI ADJ1	0200	0220	01.00	02.10	0	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	002.50
FINAL	0200	0220	01.10	02.10	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0246 DATE 09/07/73 DRY 72 WET 53 PRES 24.76 TEST NO.C0278 DATE 09/10/73 DRY 73 WET 64 PRES 24.86

	CT	CS	HT	1975
HC	05.98	05.20	03.90	05.00
CO	0100.2	0085.3	0066.9	0083.3
CO2	0270.5	0271.6	0221.2	0257.4
NOX	01.56	00.88	01.41	01.17

	IDLE	LO CR	HI CR	2500
HC	20309	03128	03218	
LHC	1036	0319	0358	
CO	08.96	02.80	04.95	
NOX	0020	0555	0786	
HCSUN	0710	0165	0190	0110
COSUN	08.90	02.70	04.50	03.90

MPG 22.04

CT CS HT 1975

HC	09.11	05.85	05.08	06.32
CO	0105.5	0087.7	0073.7	0087.5
CO2	0256.1	0266.5	0242.7	0257.7
NOX	01.31	00.87	01.80	01.22

IDLE LO CR HI CR 2500

HC	04505	03238	03495	
LHC	0556	0400	0454	
CO	02.95	02.31	05.65	
NOX	0049	0436	0506	
HCSUN	0340	0150	0205	0120
COSUN	02.75	02.30	05.00	03.50

MPG 21.45

VEH.NO. 117 YFST SEQ. 6 YEAR 70 MAKE OLDSMOBILE MODEL CUTL ODOMETER 053727 NO.CYL. 8 CID 350

CARR.VENT. 2 TRANS. 1 W/FIGHT 4000 F/H.CON. 1 EVAP.CON. 2 PCV 1

I/OLE CO I/OLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 05.20 +0000 -04 +14 2 2 1 0 2 0
 FROM STATION 00.21 +0025 +00 -01 2 1 1 0 2 0

	I/OLE HC	2500 HC	I/OLE CO	2500 CO	CODE	COST
INITIAL	0260	0095	06.40	03.60	4	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0150	0005	00.60	03.40	1	002.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0095	00.60	03.40	1	

ADNL RPRS 001.00 EST 000.00

TEST NO.C0247 DATE 09/07/73 DRY 71 WET 55 PRES 24.74 YFST NO.C0277 DATE 09/10/73 DRY 80 WET 66 PRES 24.88

	CT	CS	HT	1975	CT	CS	HT	1975
HC	07.44	05.23	04.55	05.51	HC	08.14	05.09	08.18
CO	0145.2	0123.1	0103.5	0122.3	CO	0139.2	0063.7	0094.7
C02	0541.2	0518.3	0459.3	0506.5	C02	0577.8	0595.1	0507.5
NOX	02.73	01.57	02.37	02.04	NOX	02.33	01.74	02.53

	I/OLE	LO CR	HI CO	2500	I/OLE	LO CR	HI CO	2500
HC	03876	03898	03623		HC	03094	03891	03681
LHC	0459	0457	0385		LHC	0555	0725	0727
CO	05.56	03.22	03.91		CO	00.24	02.89	03.33
NOX	0071	0046	0168		NOX	0092	0650	1120
HCSUN	0270	0260	0205	0115	HCSUN	0175	0265	0215
COSUN	05.00	03.10	03.70	04.10	COSUN	00.25	03.10	03.30

MPG 12.44

MPG 12.19

VEH.NO. 11A TEST SEQ. 1 YEAR 67 MAKE PONTIAC MODEL DATA ODOMETER 071128 NO.CYL. 8 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.39 +0000 -04 +03 1 1 1 0 1 0
FROM STATION 00.39 +0000 -04 +03 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0500	0200	00.20	02.40	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0500	0200	00.20	02.40	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0248 DATE 09/07/73 DRY 72 WET 56 PRES 24.74 TEST NO.C0248 DATE 09/07/73 DRY 72 WET 56 PRES 24.74

	CT	CS	HT	1975
HC	05.75	04.59	04.47	04.90
CO	0100.7	0058.4	0079.5	0073.1
CO2	0546.6	0542.1	0450.7	0517.7
NOX	03.32	02.92	03.17	03.02

	IDLE	LO CR	HI CR	2500
HC	0382A	03517	03113	
LHC	0411	0377	0309	
CO	00.50	02.52	02.94	
NOX	0163	1371	1727	
HCSUN	0240	0220	0170	0135
COSUN	00.50	02.90	03.00	03.90

MPG 13.75

MPG 13.75

VEH.NO. 119 TEST SEQ. 1 YEAR 71 MAKE PONTIAC MODEL LEMO ODOMETER 031776 NO.CYL. 6 CID 350
 CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.45 -0010 +00 +00 1 2 1 0 1 0
 FROM STATION 02.45 -0010 +00 +00 1 2 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0290	0055	01.60	01.40	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0290	0055	01.60	01.40	1	

ADOL PRPS 000.00 FST 000.00

TEST NO. C0249 DATE 09/07/73 DRY 76 WET 59 PRES 24.72 TEST NO. C0249 DATE 09/07/73 DRY 76 WET 59 PRES 24.72

	CT	CS	WT	1975
HC	06.49	04.35	03.60	04.59
CO	0117.9	0047.7	0039.1	0060.4
CO2	0568.5	0570.7	0492.1	0548.4
NOX	02.97	03.03	04.10	03.32

	IDLE	LO CR	HI CR	2500
HC	04107	03395	02837	
LHC	0553	0355	0258	
CO	02.75	01.23	00.95	
NOX	0175	1593	2286	
HCSUN	0335	0190	0130	0060
COSUN	02.50	01.10	00.30	01.90

MPG 13.54

MPG 13.54

VEH.NO. 120 TEST SEQ. 1 YEAR 67 MAKE DODGE MODEL CORO ODOMETER 044942 NO.CYL. 8 CID 318

CAR9.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.20 +0280 +00 -01 1 1 1 1 2 0
FROM STATION 03.40 +0020 +00 +00 1 1 1 1 2 0

	2500 HC	2500 CO	2500 CO	COEF	COST
INITIAL	0400	0450	01.00	2	000.00
AFT.RPM.ADJ	0400	0470	01.00	2	000.00
AFT.TI ADJ1	0400	0200	03.00	1	000.00
AFT.TI ADJ2	0000	0000	00.00	0	000.00
FINAL	0400	0200	03.00	1	

ADJL PRS 012.00 EST 000.00

TEST NO.C0245 DATE 09/07/73 DRY 71 WET 53 PRES 24.76 TEST NO.C0279 DATE 09/10/73 DRY 70 WET 60 PRES 24.43

	CT	CS	HT	1975
HC	08.56	06.21	05.15	06.41
CO	0131.1	0101.9	0087.0	0103.0
CO2	0431.5	0443.2	0399.8	0428.7
NOX	02.67	02.15	02.82	02.45

	CT	CS	HT	1975
HC	14.00	10.54	08.17	10.61
CO	0180.9	0154.2	0116.0	0149.2
CO2	0442.4	0405.1	0382.7	0406.7
NOX	02.07	01.43	02.25	01.79

MPG 14.55

MPG 13.20

VEH.NO. 121 TEST SEQ. 1 YEAR 67 MAKE VOLKSWAGON MODEL SEDA ODOMETER 048542 NO.CYL. 4 CID 091
 CARR.VENT. 1 TRANS. 4 WRIGHT 2000 EXH.CON. 2 EVAP.CON. 2 PCV 2

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 08.70 -0150 +00 -09 0 1 1 0 2 0
 FROM STATION 04.80 +0050 +00 -10 0 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	1300	0200	07.90	05.50	4	005.00
AFT.RPM.ADJ	2000	0200	07.20	05.70	4	001.00
AFT.YI ADJ1	0400	0195	04.20	04.10	1	001.00
AFT.YI ADJ2	0700	0000	00.00	00.00	0	000.00
FINAL	0400	0195	04.20	04.10	1	

ADNL PRRS 000.00 FST 000.00

TEST NO.C0266 DATE 09/10/73 DRY 70 WET 60 PRES 24.84 TEST NO.C0294 DATE 09/11/73 DRY 75 WET 60 PRES 24.65

	CT	CS	HT	1975
HC	07.74	09.93	05.92	08.37
CO	0103.9	0115.4	0082.7	0099.0
CO2	0240.6	0240.1	0213.0	0232.9
NOX	02.40	01.74	02.13	01.99

	CT	CS	HT	1975
HC	06.17	04.41	04.90	05.91
CO	0094.2	0098.7	0075.6	0016.2
CO2	0241.9	0245.4	0220.8	0237.8
NOX	02.45	01.46	02.20	02.08

	INLE	LO CR	HI CR	2500
HC	07650	04501	03949	
LHC	0698	0512	0461	
CO	05.61	05.16	04.09	
NOX	0054	1280	1955	
HCSUN	0400	0280	0220	0305
COSUN	04.30	04.80	03.70	04.20

MPG 22.72

MPG 21.47

VEH.NO. 122 TEST SEQ. 1 YEAR 67 MAKE PONTIAC MODEL FIRE ODOMETER 042146 NO.CYL. 8 CID 326

CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO INLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 05.90 -0110 +00 -02 1 1 0 2 0
 FROM STATION 05.40 +0120 +00 +03 1 1 0 2 0

	INLF HC	2500 HC	INLF CO	2500 CO	COKE	COST
INITIAL	1209	0309	04.40	04.20	4	002.50
AFT.RPM.ADJ 1100		0300	05.00	02.20	2	000.00
AFT.TI ADJ1 0850		0350	05.20	03.10	2	000.00
AFT.TI ADJ2 0800		0430	05.40	04.80	1	000.00
FINAL	0409	0430	05.40	04.90	1	

ADNL PPRS 025.49 EST 000.00

TEST NO.C0267 DATE 09/10/73 DRY 70 WET 61 PRES 24.84 TEST NO.C0291 DATE 09/11/73 DRY 74 WET 62 PRES 24.72

	CT	CS	HT	1975
HC	09.91	11.44	09.48	10.80
CO	0084.4	0134.9	0091.9	0115.2
CO2	0426.7	0165.1	0336.8	0370.1
NOX	04.12	01.45	03.36	02.74

	INLF	LO CP	HI CP	2500
HC	19722	04720	0418X	
LHC	1445	0535	0566	
CO	07.32	02.55	02.31	
NOX	0926	1324	3119	0420
HCSUN	0240	0355	0305	
COSUN	06.45	02.70	02.40	05.70

MPG 15.22

	CT	CS	HT	1975
HC	14.09	12.81	08.76	11.95
CO	0115.4	0150.8	0099.0	0129.0
CO2	0396.2	0359.4	0352.9	0364.8
NOX	03.14	01.35	03.52	02.33

	INLF	LO CP	HI CP	2500
HC	14165	04409	04122	
LHC	1241	0537	0506	
CO	06.53	02.49	02.18	
NOX	0034	1756	2896	0330
HCSUN	0740	0290	0255	
COSUN	05.40	02.30	02.00	04.40

MPG 14.72

VEH. NO. 123 TEST SEQ. 2 YEAR 64 MAKE CHEVROLET MODEL IMP ODOMETER 085172 NO. CYL. 4 CID 283

CARB. VENT. 2 TRANS. 1 WEIGHT 4000 FXH. CON. 2 EVAP. CON. 2 PCV 1

INLE CO IOLC RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.40 +0100 -01 +00 1 1 1 0 2 0
FROM STATION 07.40 +0100 -01 +00 1 1 1 0 2 0

	INLE HC	2500 HC	IOLC CO	2500 CO	CONE	COST
INITIAL	0420	0420	01.80	05.00	1	002.50
AFT. RPM. ADJ	0000	0000	00.00	00.00	0	000.00
AFT. YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT. YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0420	0420	01.80	05.00	1	

ADOL RPRS 000.00 EST 000.00

TEST NO. C0250 DATE 09/07/73 DRY 74 WET 60 PRES 24.72 TEST NO. C0250 DATE 09/07/73 DRY 76 WET 60 PRES 24.72

	CT	CS	HT	1975
HC	11.45	04.91	08.07	09.21
CO	0187.6	0154.0	0152.8	0150.7
CO2	0403.3	0388.6	0346.1	0379.9
NOX	01.53	01.04	01.44	01.27

	INLE	LO CR	HI CR	2500
HC	09637	05442	04994	
LHC	0922	0710	0586	
CO	08.36	06.48	05.89	
NOX	0044	0459	0924	
HCSUN	0615	0450	0360	0550
COSUN	07.80	06.00	05.40	05.90

MPG 13.67

MPG 13.47

VEH.NO. 124 TEST SEQ. 1 YEAR 73 MAKE VOLKSWAGON MODEL BUS ODOMETER 003006 NO.CYL. 4 CID 102

CARR.VENT. 2 TRANS. 4 WEIGHT 3000 FVH.CON. 1 EVAP.CON. 1 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.10 -0260 +14 -05 0 1 1 0 1 0
FROM STATION 02.10 -0230 +15 +04 0 1 1 0 2 0

INITIAL	SOLE HC	2500 HC	SOLE CO	2500 CO	CODE	COST
0380	0200	03.00	01.20	2	002.50	
AFT.RPM.ANJ 0360	0180	03.00	01.20	1	002.50	
AFT.TI ADJ1 0200	0120	01.20	01.20	1	002.50	
AFT.TI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0201	0120	01.20	01.20	1		

ADDL PORS 000.00 EST 000.00

TEST NO.C0280 DATE 09/11/73 DRY 70 WET 61 PRES 24.79 TEST NO.C0308 DATE 09/12/73 DRY 79 WET 60 PRES 24.65

CT	CS	HT	1975
HC	04.83	02.46	03.04
CO	0093.0	0044.9	0053.7
CO2	0404.6	0472.2	0367.4
NOX	03.89	02.98	03.84

CT	CS	HT	1975
HC	04.47	02.81	04.17
CO	0061.3	0049.7	0067.4
CO2	0393.2	0438.0	0339.3
NOX	03.90	02.27	02.75

MPG 15.92

MPG 17.74

VEH.NO. 125 TEST SEQ. 6 YEAR 71 MAKE PONTIAC MODEL CATV ODOMETER 029602 NO.CYL. 4 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 01.30 +0040 +04 +00 1 1 1 0 2 0

FROM STATION 01.30 +0040 +04 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0120	0050	01.40	01.10	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0050	01.40	01.10	1	

ADNL RPRS 004.00 EST 000.00

TEST NO.C0281 DATE 09/11/73 DRY 71 WFT 62 PRES 24.79 TEST NO.C0281 DATE 09/11/73 DRY 71 WFT 62 PRES 24.79

	CT	CS	HT	1975
HC	06.03	04.78	04.77	05.04
CO	0101.0	0051.5	0046.0	0050.3
CO2	0714.3	0689.1	0597.7	0669.0
NOX	05.82	04.34	07.34	05.48

	IDLE	LO CR	HI CR	2500
HC	02936	02771	02440	
LHC	0313	0305	0259	
CO	01.51	00.67	00.81	
NOX	0152	2093	2749	
HCSUN	0190	0170	0125	0280
COSUN	01.50	00.70	00.85	01.60

MPG 11.42

MPG 11.42

VEH.NO. 126 TEST SEQ. 1 YEAR 66 MAKE CHEVROLET MODEL IMPA OMMETER 033735 NO.CYL. A CID 327

CAP9.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.20 +0045 -02 +03 1 1 1 0 2 0

FROM STATION 03.50 +0000 -02 +01 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0740	0300	09.25	04.60	4	005.50
AFT.RPM.ADJ	0680	0320	08.40	04.50	4	003.30
AFT.TI ADJ1	0750	0350	07.00	03.80	1	003.30
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0750	0350	07.00	03.80	1	

INDL OPS 000.00 EST 000.00

TEST NO.C0222 DATE 09/11/73 DRY 69 WET 5% PRES 24.79 TEST NO.C0306 DATE 09/12/73 DRY 79 WET 60 PRES 24.55

	CT	CS	HT	1975
HC	10.39	09.29	07.56	09.04
CO	0145.9	0158.0	0121.7	0145.4
CO2	0483.3	0420.8	0384.3	0423.8
NOX	03.87	02.09	02.99	02.71

	IDLE	LO CO	HI CO	2500
HC	07578	04619	03854	
LHC	0871	0613	0485	
CO	09.00	03.67	02.48	
NOX	0044	1268	2268	0325
HCSUN	0680	0420	0280	
COSUN	08.80	03.50	02.50	05.00

MPG 13.09

	CT	CS	HT	1975
HC	09.78	07.36	06.26	07.56
CO	0142.9	0118.9	0105.7	0120.3
CO2	0444.3	0414.3	0379.8	0411.0
NOX	03.03	01.98	02.87	02.44

	IDLE	LO CO	HI CO	2500
HC	06228	04804	04048	
LHC	0919	0750	0525	
CO	04.03	04.27	02.79	
NOX	0063	1106	1977	
HCSUN	0520	0340	0245	0320
COSUN	03.30	03.70	02.60	06.20

MPG 14.28

VEH.NO. 127 TEST SEQ. 1 YEAR 65 MAKE DODGE MODEL C0R0 ODOMETER 048219 NO.CYL. 3 CID 318

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.30 -0100 +05 1 2 1 0 2 0

FROM STATION 00.20 +0120 +05 1 2 1 0 2 0

INITIAL	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
0350	0250	05.00	08.50	3	000.00	
AFT.RPM.ADJ 0340	0250	04.90	08.25	0	000.00	
AFT.YI ADJ1 0350	0250	02.50	05.75	1	000.00	
AFT.YI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0350	0250	02.50	05.75	1		

ADDL RPRS 012.00 EST 000.00

TEST NO.C02A3 DATE 09/11/73 DRY 72 WET 62 PPES 24.79 TEST NO.C0309 DATE 09/12/73 DRY 77 WET 60 PRES 24.65

CT	CS	HT	1975
HC	14.31	06.77	05.00
CO	0210.5	0081.5	0059.0
CO2	0385.4	0437.4	0398.0
NOX	01.82	05.12	05.70

IOLE	LO CR	HT CO	2500
HC	05777	04765	04219
LHC	0720	0634	0507
CO	04.79	00.80	02.39
NOX	0126	3173	2137
HCSUN	0615	0350	0390
COSUN	04.40	00.70	02.30

MPG 14.81

CT	CS	HT	1975
HC	12.44	04.15	04.01
CO	0174.3	0037.2	0035.6
CO2	0363.0	0430.5	0392.5
NOX	01.13	02.59	03.02

IOLE	LO CR	HT CO	2500
HC	03677	03659	03517
LHC	0727	0682	0644
CO	00.25	01.87	02.40
NOX	0215	1387	1570
HCSUN	0265	0250	0200
COSUN	03.25	02.00	02.20

MPG 16.90

0115

01.65

VEH.NO. 128 TEST SEQ. 1 YEAR 66 MAKE MERCURY MODEL MONT ODOMETER 108053 NO.CYL. 8 CID 390
 CARR.VENT. 2 TRANS. 1 WEIGHT 4000 FWH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 06.50 +0000 +02 -11 1 2 1 0 2 0
 FROM STATION 06.50 -0040 +01 -11 1 2 1 0 2 0

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0370	2500	04.40	07.00	4	004.50
AFT.RPM.ADJ	0370	2500	04.40	07.00	4	001.50
AFT.TI ADJ1	0300	1600	05.00	06.00	2	000.00
AFT.TI ADJ2	0300	1600	05.00	06.00	2	003.00
FINAL	0300	1600	05.00	06.00	2	

ADDL PERS 009.00 EST 000.00

TEST NO.C02M4 DATE 09/11/73 DRY 71 WFT 61 PRES 24.77 TEST NO.C0307 DATE 09/12/73 DRY 78 WFT 61 PRES 24.65

	CT	CS	HT	1975
HC	16.07	21.08	14.24	18.14
CO	0255.9	0296.5	0236.8	0271.5
CO2	0373.4	0334.2	0302.3	0333.6
NOX	00.63	00.27	00.53	00.42

	INLE	LO CR	HI CR	2500
HC	09112	07077	16235	
LHC	1313	1079	0915	
CO	98.32	99.33	98.30	
NOX	0035	0141	0350	
HCSUN	0720	0660	0520	2500
COSUN	96.70	94.60	97.80	97.70

MPG 10.90

	CT	CS	HT	1975
HC	21.92	23.92	17.95	21.92
CO	0323.7	0393.5	0291.5	0345.5
CO2	0406.9	0374.5	0339.5	0371.6
NOX	00.40	00.22	00.37	00.30

	INLE	LO CR	HI CR	2500
HC	07852	05460	05163	
LHC	0941	0767	0761	
CO	09.15	19.11	09.42	
NOX	0033	0089	0151	
HCSUN	0345	0315	0300	2500
COSUN	95.20	98.90	98.30	98.00

MPG 09.06

811

VEH.Nº. 129 TEST SEQ. 1 YEAR 65 MAKE CHEVROLET MODEL BISC ODOMETER 073598 NO.CYL. 8 CID 283

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.70 +0050 -14 +00 0 2 1 0 2 0
FROM STATION 05.60 +0000 +00 +02 2 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1100	0400	04.40	04.50	4	003.50
AFT.RPM.ADJ 1000		0420	08.00	04.20	4	002.00
AFT.TI ADJ1 1040		0400	08.20	05.40	4	002.50
AFT.TI ADJ2 0760		0460	04.80	03.50	1	002.50
FINAL	0760	0460	04.80	03.60	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0295 DATE 09/12/73 DRY 71 WET 60 PRES 24.69 TEST NO.C0324 DATE 09/13/73 DRY 78 WET 56 PRES 24.63

	CT	CS	HT	1975
HC	10.32	06.96	07.11	08.73
CO	0160.7	0164.3	0136.5	0155.8
CO2	0394.3	0366.4	0341.0	0365.2
NOX	02.50	01.31	01.96	01.74

	IDLE	LO CR	HI CR	2500
HC	13746	05330	04515	
LHC	0617	0654	0546	
CO	09.41	05.69	04.47	
NOX	0026	0516	1207	
HCSUN	0100	0455	0315	0550
COSUN	09.20	05.20	04.20	04.40

MPG 13.97

MPG 14.82

VEH.NO. 130 TEST SEQ. 1 YEAR 55 MAKE FORD MODEL MUST ODOMETER 092515 NO.CYL. 6 CID 200

CARB.VENT. 1 TRANS. 3 WEIGHT 2750 FXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 03.50 +0020 -02 -07 1 1 1 0 1 0
FROM STATION 03.50 +0020 -02 -07 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0600	0250	04.20	04.80	1	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ANJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ANJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0600	0250	04.20	04.80	1	

ANAL PQRS 000.00 FST 000.00

TEST NO.C0297 DATE 09/12/73 DRY 71 WET 60 PPES 24.68 TEST NO.C0297 DATE 09/12/73 DRY 71 WET 60 PRES 24.68

	CT	CS	HT	1975
HC	09.70	06.66	05.60	08.03
CO	0667.9	0077.9	0048.4	0067.6
CO2	0309.2	0295.0	0272.2	0291.6
NOX	03.67	02.03	03.44	02.77

	IDLF	LO CR	HI CR	2500
HC	05910	04998	04775	
LHC	0544	0562	0561	
CO	03.97	04.71	05.42	
NOX	0061	0529	0922	
HCSUN	0450	0355	0340	0240
COSUN	03.80	04.50	05.00	03.50

MPG 21.04

MPG 21.04

511

VEH.NO. 132 TEST SEQ. 1 YEAR 65 MAKE VOLKSWAGON MODEL SED4 ODOMETER 089782 NO.CYL. 4 CID 073

CARR.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 2 EVAP.CON. 2 PCV 2

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.47 -0085 -01 -01 0 1 1 0 1 0
FROM STATION 05.40 +0575 -01 -02 0 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	1000	0250	01.00	05.40	2	005.50
AFT.RPM.ADJ 1200	0300	0300	00.50	06.00	4	005.50
AFT.TI ADJ1 0.00	0260	0260	03.00	05.00	1	005.50
AFT.TI ADJ2 0.000	0000	0000	00.00	00.00	0	000.00
FINAL	0.50	0260	03.00	05.00	1	

ADCL RPRS 000.00 EST 000.00

TEST NO.C0296 DATE 09/12/73 DRY 65 WFT 60 PRES 24.68 TEST NO.C0325 DATE 09/13/73 DRY 78 WFT 56 PRES 24.63

	CT	CS	HT	1975	CT	CS	HT	1975
HC	05.56	06.02	04.38	05.47	HC	04.95	04.83	04.41
CO	0075.7	0091.5	0060.7	0079.6	CO	0077.0	0103.6	0066.0
CO2	0243.0	0226.7	0210.4	0225.6	CO2	0232.5	0209.2	0197.0
NOX	03.23	01.24	02.78	02.08	NOX	02.41	00.92	01.08

	INLE	LO CR	HI CR	2500	INLE	LO CR	HI CR	2500
HC	12924	04315	03128		HC	07918	04068	03038
LWC	2042	0518	0440		LWC	1143	0707	0566
CO	91.76	04.61	01.91		CO	06.00	05.15	02.37
NOX	0072	1198	3889		NOX	0052	0986	2958
HCSUN	1350	0240	0160	0360	HCSUN	0465	0265	0190
COSUN	01.50	04.20	01.80	09.10	COSUN	05.60	04.70	02.35

MPG 24.20

MPG 24.30

VEH.NO. 133 TEST SEQ. 3 YEAR 70 MAKE FORD MODEL TORI ODOMETER 045998 NO.CYL. 4 CID 351
 CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 00.60 -0100 +06 -04 2 1 1 0 1 0
 FROM STATION 03.00 +0040 +06 +00 2 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	COEF	COST
INITIAL	1200	1310	04.10	04.30	4	002.50
AFT.RPM.ADJ	1250	0850	03.10	02.10	2	002.50
AFT.TI ADJ1	1300	0859	03.40	02.10	1	002.50
AFT.TI ADJ2	0400	0200	02.10	02.00	2	002.50
FINAL	0240	0200	02.40	02.00	1	

ADNL RPRS 036.08 EST 000.00

TEST NO.C0310 DATE 09/13/73 DRY 69 WFT 59 PPRS 24.66 TEST NO.C0347 DATE 09/17/73 DRY 72 WFT 56 PRES 24.92

	CT	CS	HT	1975
HC	07.12	07.23	07.01	07.15
CO	0074.3	0024.4	0027.3	0035.1
CO2	0509.3	0492.7	0451.1	0484.4
NOX	06.51	05.22	08.14	06.30

	INLE	LO CO	HI CO	2500
HC	1068F	06944	02939	
LHC	0974	1360	0579	
CO	00.79	00.14	00.74	
NOX	0166	2700	4239	2500
HCSUN	1150	0750	0170	0100
COSUN	00.80	00.20	00.70	00.60

MPG 15.84

MPG 12.51

211

VEH.NO. 134 TEST SEQ. 1 YEAR 69 MAKE DODGE MODEL CCR0 ODOMETER 038665 NO. CYL. 6 CID 225

CARR.VENT. 1 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IOLC CO IOLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 03.90 -0030 +05 -04 1 1 1 0 2 0
 03.10 -0100 +05 -09 1 1 1 0 2 0

	IOLC HC	2500 HC	IOLC CO	2500 CO	COTE	COST
INITIAL	0175	0075	04.60	08.50	3	000.00
AFT.RPM.ADJ	0150	0080	05.00	08.75	3	000.00
AFT.TI ADJ1	0250	0150	04.00	02.00	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0250	0150	04.00	02.00	1	

ADNL RPQS 012.00 EST 000.00

TEST NO.C0311 DATE 09/13/73 DRY 70 WET 59 PRES 24.69 TEST NO.C0336 DATE 09/14/73 DRY 76 WET 55 PRES 24.63

	CT	CS	HT	1975
HC	09.03	03.75	03.67	04.83
CO	0190.5	0073.9	0087.6	0102.1
CO2	0366.1	0374.3	0344.4	0364.3
NOX	02.19	03.90	03.93	03.55

	IOLF	LO	CO	HI	CP	2500
HC	04005	03255		04082		
LHC	0667	0564		0618		
CO	04.25	02.51		06.11		
NOX	0082	0141		04.34		
HCSUN	0275	0225		0230		0180
CCSUN	03.90	02.50		08.00		02.40

MPG 14.49

	CT	CS	HT	1975
HC	07.53	03.45	03.40	04.30
CO	0178.7	0055.2	0076.3	0092.5
CO2	0344.3	0377.7	0346.6	0362.1
NOX	01.87	03.73	03.84	03.37

	IOLF	LO	CO	HI	CR	2500
HC	03622	03031		04006		
LHC	0560	0534		0512		
CO	03.42	02.07		08.20		
NOX	0099	0240		0385		
HCSUN	0320	0255		0320		0195
CCSUN	03.10	02.10		08.90		02.00

MPG 17.10

VEH.NO. 135 TEST SEQ. 1 YEAR 69 MAKE VOLKSWAGON MODFL SEGA ODOMETER 068227 NO.CYL. 4 CID 091

CAR3.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.42 +0100 +15 -05 0 1 1 0 1 0

FROM STATION 03.60 +0600 +00 -07 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0975	0825	01.00	01.40	2	005.00
AFT.RPM.ADJ	0500	0830	01.40	02.00	2	001.00
AFT.TI ADJ1	0675	1009	01.80	02.50	2	001.00
AFT.TI ADJ2	0220	0100	01.40	02.30	1	002.50
FINAL	0220	0100	01.40	02.30	1	

ADNL RORS 000.00 EST 000.00

TEST NO.C0313 DATE 09/13/73 DRY 71 WET 56 PRFS 24.72 TEST NO.C0337 DATE 09/14/73 DRY 76 WET 54 PRES 24.62

	CT	CS	HT	1975
HC	06.17	05.47	04.10	05.65
CO	0117.5	0085.5	0084.1	0091.8
CO2	0268.4	0280.0	0219.9	0260.9
NOX	02.77	02.17	01.79	02.19

	IDLE	LO CP	HT CR	2500
HC	0947A	04117	03301	
LHC	1964	0592	0557	
CO	00.48	05.07	05.79	
NOX	0077	1142	1260	
HCSUN	1280	0270	0190	1000
COSUN	20.50	04.60	05.10	03.79

MPG 21.06

	CT	CS	HT	1975
HC	05.08	04.53	03.75	04.43
CO	0093.9	0080.2	0074.6	0081.5
CO2	0256.2	0266.8	0220.4	0251.7
NOX	01.58	00.95	01.06	01.11

	IDLE	LO CP	HT CR	2500
HC	03888	03280	03033	
LHC	0426	0449	0443	
CO	03.57	04.09	04.81	
NOX	0058	0655	1171	
HCSUN	0215	0200	0205	0240
COSUN	04.00	04.20	04.80	04.20

MPG 22.62

611

VEH.NO. 136 TEST SEQ. 1 YEAR 65 MAKE OLDSMOBILE MODEL CUTL ODOMETER 045665 NO.CYL. 8 CID 330

CARB.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.30 +0000 +00 +00 0 1 1 0 1 0
FROM STATION 04.30 +0000 +00 +00 0 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0400	0480	03.80	05.80	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0400	0480	03.80	05.80	1	

ADNL RPRS 004.00 EST 000.00

TEST NO.C0314 DATE 09/13/73 DRY 71 WFT 56 PRES 24.73 TFST NO.C0314 DATE 09/13/73 DRY 71 WFT 56 PRES 24.73

	CT	CS	HT	1975	CT	CS	HT	1975
HC	08.56	06.54	06.32	06.92	HC	08.56	06.58	06.32 06.92
CO	0150.6	0142.5	0132.0	0141.3	CO	0150.6	0142.5	0132.0 0141.3
CO2	0456.8	0433.7	0390.9	0426.7	CO2	0455.8	0433.7	0390.9 0426.7
NOX	01.61	00.78	01.24	01.08	NOX	01.61	00.78	01.24 01.08

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	06865	04931	04554		HC	06865	04931	04554
LHC	0859	0754	0679		LHC	0859	0754	0679
CO	04.53	05.35	05.15		CO	04.53	05.35	05.15
NOX	0057	0424	0764		NOX	0057	0424	0764
HCSUN	0500	0410	0310	0265	HCSUN	0500	0410	0310 0265
COSUN	04.50	05.20	04.90	06.50	COSUN	04.50	05.20	04.90 06.50

MPG 17.28

MPG 13.24

VEH.NO. 137 TEST SEQ. 1 YEAR 64 MAKE CHEVROLET MODEL STAW ODOMETER 071086 NO.CYL. 4 CID 327
 CARR.VENT. 4 TRANS. 1 WEIGHT 4500 FX4.CON. 2 EVAP.CON. 2 PCV 1

TOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 01.87 +0200 +10 +04 2 2 1 0 1 0
 FROM STATION 01.87 +0200 +10 +04 2 2 1 0 1 0

	TOLE HC	2500 HC	TOLE CO	2500 CO	CODE	COST
INITIAL	0640	0150	04.80	01.60	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0640	0150	04.80	01.60	1	

ADNL PPRS 000.00 EST 000.00

TEST NO.C0315 DATE 09/13/73 DPY 70 WET 54 PRES 24.73 TEST NO.C0315 DATE 09/13/73 DRY 70 WET 54 PRES 24.73

	CT	CS	HT	1975
HC	06.71	04.31	04.38	04.83
CO	0120.2	0067.1	0083.1	0082.7
CO2	0503.0	0524.7	0433.7	0494.9
NOX	04.48	04.45	03.85	04.29

	TOLE	LO CR	HI CR	2500
HC	05807	03256	03215	
LHC	0833	0521	0500	
CO	02.21	01.91	03.23	
NOX	0117	2123	1997	
HCSUN	0450	0205	0195	0125
COSUN	02.00	01.90	00.90	01.70

MPG 13.92

MPG 13.92

VEH.NO. 139 TEST SEQ. 5 YEAR 70 MAKE FORD MODEL TORI ODOMETER 031895 NO.CYL. 6 CID 250
CARR.VENT. 1 TRANS. 3 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

TOLE CO IOLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 01.90 -0210 -12 +00 1 2 1 0 1 0
FROM STATION 01.90 -0150 -12 -09 1 2 1 0 1 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	0400	0120	03.00	02.40	2	002.50
AFT.RPM.ADJ	0150	0150	02.10	01.40	1	003.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0120	02.10	01.40	1	

ANAL OPS 004.47 EST 000.00

TEST NO.C0326 DATE 09/14/73 DRY 71 WFT 59 PRES 24.80 IFST NO.C0338 DATE 09/17/73 DRY 69 WFT 56 PRES 24.82

	CT	CS	HT	1975
HC	07.43	03.65	04.34	04.63
CO	0389.6	0059.5	0374.7	0069.8
CO2	0389.9	0426.9	0347.0	0397.0
NOX	02.72	02.35	02.46	02.46

	IOLE	LO CP	HI CP	2500
HC	02543	03413	02983	
LHC	0225	0569	0510	
CO	02.07	02.45	02.63	
NOX	0073	1382	1637	
HCSUN	0070	0105	0120	0130
COSUN	02.20	02.40	02.45	03.40

MOS 17.09

	CT	CS	HT	1975
HC	05.03	03.28	03.44	03.69
CO	0077.9	0056.2	0064.9	0063.2
CO2	0421.0	0455.0	0376.0	0426.5
NOX	03.15	02.54	02.31	02.60

	IOLE	LO CP	HI CP	2500
HC	02097	02982	02521	
LHC	0145	0287	0347	
CO	02.10	02.42	02.03	
NOX	0101	1423	1550	
HCSUN	0100	0225	0190	0160
COSUN	02.20	02.50	02.30	04.10

MOS 16.57

VEH.NO. 140 TEST SEQ. 4 YEAR 66 MAKE OLDSMOBILE MODEL DYNA ODOMETER 048553 NO.CYL. 8 CID 425

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 00.75 -0060 +02 +01 1 2 1 0 2 0
 FROM STATION 00.50 +0000 +00 +00 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2500	1500	00.40	03.40	4	000.00
AFT.RPM.ADJ	2500	1600	00.50	03.60	4	000.00
AFT.TI ADJ1	2500	1550	00.50	03.60	4	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	2500	1550	00.50	03.60	4	000.00

ADOL RPRS 012.10 EST 200.00

TEST NO.C0327 DATE 09/14/73 DRY 70 WET 59 PRES 24.80 TEST NO.C0339 DATE 09/17/73 DRY 69 WET 57 PRES 24.82

	CT	CS	HT	1975
HC	09.11	04.73	05.15	05.76
CO	0209.5	0099.4	0113.3	0126.1
CO2	0654.3	0670.9	0557.0	0635.8
NOX	01.88	01.44	01.88	01.66

	IDLE	LO CR	HT CR	2500
HC	02965	03115	03511	
LHC	0450	0464	0496	
CO	00.86	01.96	04.25	
NOX	0116	0634	0767	
HCSUN	0130	0140	0170	0105
COSUN	00.70	00.80	04.30	03.10

MPG 10.45

	CT	CS	HT	1975
HC	47.07	57.64	43.57	51.53
CO	0220.8	0181.9	0165.3	0146.5
CO2	0595.7	0582.2	0478.5	0554.2
NOX	01.90	01.11	01.22	01.31

	IDLE	LO CR	HT CR	2500
HC	29685	37615	36367	
LHC	2500	2500	2500	
CO	00.65	06.58	06.23	
NOX	0128	0097	0163	
HCSUN	2500	2500	2500	2500
COSUN	00.50	07.00	06.90	03.23

MPG 08.80

123

VEH.NO. 141 TEST SEQ. 1 YEAR 72 MAKE TOYOTA MODEL STAM ODOMETER 009840 NO.CYL. 4 CID 120

CARR.VENT. 2 TRANS. 1 WEIGHT 2750 EXH.CON. 1 EVAP.CON. 1 PCV 1

INLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 03.20 -0010 +00 -01 1 1 1 0 2 0
FROM STATION 03.20 -0010 +00 -01 1 1 1 0 2 0

	INLE HC	2500 HC	IDLF CO	2500 CO	CODE	COST
INITIAL	0320	0110	03.00	02.00	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0320	0110	03.00	02.00	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0328 DATE 09/14/73 DRY 70 WET 59 PRES 24.80 TEST NO.C0328 DATE 09/14/73 DRY 70 WET 59 PRES 24.80

	CT	CS	HT	1975
HC	03.65	02.38	02.05	02.55
CO	0062.5	0043.8	0035.3	0045.4
CO2	0392.8	0369.8	0353.6	0370.1
NOX	05.25	02.37	05.48	03.84

	IDLF	LO CR	HI CR	2500
HC	03915	02569	02523	
LHC	0615	0412	0414	
CO	04.07	01.03	00.45	
NOX	0070	0472	3513	
HCSUN	0220	0120	0110	0095
COSUN	03.30	01.20	00.50	02.20

MPG 19.82

MPG 19.82

VEH.NO. 142 TEST SEQ. 3 YEAR 72 MAKE CHEVROLET MODEL NOVA ODOMETER 025592 NO.CYL. 6 CID 150

CARB.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKF A/P MIS NOX
 FROM OWNER 01.30 +0000 +10 -04 2 2 1 0 2 0
 FROM STATION 01.30 +0000 +10 -04 2 2 1 0 2 0

	TOLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	00A0	0090	00.20	00.50	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	00A0	0090	00.20	00.50	1	

ADDL RPRS 004.00 EST 000.00

TEST NO.C0346 DATE 09/17/73 DRY 72 WFT 56 PRES 24.92 TEST NO.C0346 DATE 09/17/73 DRY 72 WFT 56 PRES 24.92

	CT	CS	HT	1975
HC	06.73	03.80	03.20	04.25
CO	0124.9	0036.4	0037.7	0055.3
CO2	0578.1	0594.4	0497.7	0564.2
NOX	04.21	02.98	04.60	03.63

	IDLE	LO CP	HI CR	2500
HC	02953	03028	02367	
LHC	0530	0603	0490	
CO	01.20	01.24	00.23	
NOX	0361	1788	2956	
HCSUN	0220	0220	0130	0135
COSUN	01.50	01.30	00.25	01.60

MPG 13.40

MPG 13.40

VEH.NO. 143 TEST SEQ. 4 YEAR 66 MAKE FORD MODEL MUST ODOMETER 038659 NO.CYL. 8 CIO 289

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 FWH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 03.40 -0135 -05 1 1 1 0 2 0
FROM STATION 03.40 -0135 -06 1 1 1 0 2 0

	INITIAL	2500 HC	IDLE CO	2500 CO	CODE	COST
AFT.RPM.ADJ	0280	0170	02.90	01.20	1	095.00
AFT.TI ADJ1	0000	0000	09.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0280	0170	02.90	01.20	1	000.00

ADDL RPR< 000.00 EST 000.00

TEST NO.C0340 DATE 09/17/73 DRY 70 WET 58 PRES 24.83 TEST NO.C0340 DATE 09/17/73 DRY 70 WET 58 PRES 24.83

	CT	CS	HT	1975
HC	11.01	09.47	05.57	09.22
CO	0110.0	0089.3	0053.6	0083.7
CO2	0459.4	0416.4	0400.9	0421.1
NOX	03.16	03.00	03.97	03.39

	IDLE	LO CR	HI CR	2500
HC	05604	05329	04664	
LHC	0954	0953	0777	
CO	03.53	01.00	01.44	
NOX	0060	2211	1954	0270
HCSUN	0580	0560	0400	0270
COSUN	03.70	01.10	01.50	06.90

MPG 15.39

MPG 15.39

VEH.NO. 144 TEST SEQ. 5 YEAR 72 MAKE FORD MODEL GALA ODOMETER 012721 NO.CYL. 8 CID 400

CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM STATION 03.40 +0040 -08 +03 1 1 1 0 2 0
03.40 +0050 -08 +03 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0150	0050	04.40	00.40	4	093.50
AFT.RPM.ADJ	0150	0050	04.40	00.40	4	002.00
AFT.TI ADJ1	0180	0050	03.20	00.50	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0180	0050	03.20	00.50	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0342 DATE 09/17/73 DRY 70 WET 56 PRES 24.82 TEST NO.C0353 DATE 09/18/73 DRY 72 WET 60 PRES 24.80

	CT	CS	HT	1975
HC	05.43	04.37	04.00	04.49
CO	0088.0	0081.9	0051.0	0074.6
CO2	0639.6	0636.8	0537.2	0609.8
NOX	04.73	03.85	05.25	04.42

	CT	CS	HT	1975
HC	03.39	03.01	03.28	03.16
CO	0060.0	0072.6	0053.8	0064.8
CO2	0771.7	0741.7	0614.5	0712.7
NOX	03.55	02.24	02.82	02.68

	IDLE	LO CR	HI CR	2500
HC	03407	03076	02579	
LHC	0493	0527	0485	
CO	05.37	00.81	00.87	
NOX	0085	2015	2564	
HCSUN	0235	0220	0175	0110
COSUN	05.40	00.80	01.00	04.40

	IDLE	LO CR	HI CR	2500
HC	02899	01101	01215	
LHC	0300	0221	0231	
CO	03.46	00.94	00.63	
NOX	0117	0633	1472	
HCSUN	0255	0085	0079	0044
COSUN	03.50	01.10	00.65	01.40

MPG 12.02

MPG 10.80

621

VEH.NO. 145 TEST SEQ. 6 YEAR 73 MAKE FORD MODEL MAVE ODOMETER 005516 NO.CYL. 8 CID 302

CARB.VFNT. 2 TRANS. 1 WFIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.00 +0010 +00 1 1 1 0 2 1
FROM STATION 01.00 +0010 +00 1 1 1 0 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0150	0100	00.15	00.90	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0100	00.15	00.90	1	

ADNL PQRS 000.00 EST 000.00

TEST NO.C0343 DATE 09/17/73 DAY 70 WFT 55 PPES 24.85 TEST NO.C0343 DATE 09/17/73 DAY 70 WFT 56 PRES 24.85

	CT	CS	HT	1975
HC	04.82	03.56	03.95	03.93
CO	0064.2	0055.4	0042.3	0051.4
CO2	0519.8	0552.6	0470.9	0523.1
NOX	02.03	01.82	02.40	02.03

IDLE LO CR HI CP 2500

	HC	LHC	CO	NOX	HCSUN	COSUN
HC	02945	03077	03185			
LHC	0545	0531	0548			
CO	01.10	01.10	01.42			
NOX	0123	1140	1430			
HCSUN	0240	0230	0245	0115		
COSUN	01.30	01.20	01.50	01.70		

MPG 14.36

MPG 14.35

VEH.NO. 146 TEST SEQ. 5 YEAR 69 MAKE OLDSMOBILE MODEL DELT ODOMETER 061594 NO.CYL. 8 CID 455

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 09.15 -0010 -06 +04 1 2 1 0 2 0
FROM STATION 02.20 +0350 +06 +04 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0310	0230	09.40	04.50	3	004.50
AFT.RPM.ADJ	0150	0000	02.00	03.20	1	001.50
AFT.TI ADJ1	0000	0000	09.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0000	02.00	03.20	1	

ADDL PORS 000.00 EST 000.00

TEST NO.C0341 DATE 09/17/73 DPY 70 WET 56 PRES 24.03 TEST NO.C0354 DATE 09/18/73 DPY 74 WET 59 PRES 24.80

	CT	CS	HT	1975	CT	CS	HT	1975
HC	11.56	06.76	05.30	07.36	HC	05.17	04.64	03.34
CO	0205.4	0172.4	0125.0	0166.6	CO	0107.7	0095.5	0076.1
CO2	0500.7	0580.6	0513.3	0566.1	CO2	0650.4	0713.9	0503.0
NOX	02.73	02.13	02.77	02.43	NOX	03.90	02.80	03.57

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	05378	03719	03130		HC	02734	03009	02534
LHC	0560	0573	0483		LHC	0343	0438	0372
CO	09.57	03.01	02.54		CO	02.36	02.45	01.90
NOX	0044	0992	1657		NOX	0259	0812	1496
HCSUN	0290	0270	0175	0130	HCSUN	0230	0255	0190
COSUN	09.60	03.80	02.70	04.43	COSUN	02.50	02.60	02.10

MPG 10.46

MPG 10.91

121

621

VEH.NO. 147 TEST SEQ. 2 YEAR 70 MAKE CHEVROLET MODEL IMPA ODOMETER 080466 NO.CYL. 3 CID 350
 CARB.VENT. 2 TRA'S. 1 W/FIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.07 +0050 +00 +02 1 2 1 0 1 0
 FROM STATION 05.60 +0000 +00 +01 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1500	0200	04.00	01.20	2	000.00
AFT.RPM.ADJ 0900	0150	0150	04.50	01.20	4	000.00
AFT.TI ADJ1 0340	0150	0150	03.90	01.00	4	000.00
AFT.TI ADJ2 0200	0060	0060	02.20	01.50	1	000.00
FINAL	0200	0060	02.20	01.50	1	

ADDL PPRS 018.CO EST 000.00

TEST NO.C0345 DATE 09/17/73 DRY 70 WET 56 PRES 24.87 TEST NO.C0379 DATE 09/19/73 DRY 83 WET 55 PRES 24.68

	CT	CS	HT	1975
HC	11.61	07.98	06.01	09.14
CO	0189.0	0104.9	0082.6	0116.0
CO2	0548.0	0573.9	0455.8	0535.7
NOX	01.97	02.26	02.34	02.22

	INLE	LO	CP	HI	CR	2500
HC	06254	03340	03584			
LHC	0963	0532	0549			
CO	06.82	01.36	03.52			
NOX	0153	1300	1287			
HCSUN	0800	0230	0250			0115
COSUN	06.30	01.60	03.50			01.40

MPG 11.98

MPG 11.93

VEH.NO. 148 TEST SEQ. 4 YEAR 72 MAKE PLYMOUTH MODEL SATE ODOMETER 014660 NO.CYL. 4 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 06.40 +0090 +00 1 2 1 0 2 0
 02.45 -0020 +00 1 2 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0140	0040	0040	05.50	02.50	1	000.00
AFT.RPM.ADJ 0170	0040	0040	05.10	02.20	3	000.00
AFT.TI ADJ1 0160	0040	0040	01.50	02.00	1	000.00
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL 0160	0040	0040	01.50	02.00	1	000.00

ADNL PQRS 012.00 EST 000.00

TEST NO.C0357 DATE 09/18/73 DRY 71 WFT 53 PRES 24.79 TEST NO.C0367 DATE 09/19/73 DRY 73 WFT 55 PRES 24.65

CT	CS	HT	1975	
HC	08.62	05.60	04.52	05.93
CO	0184.3	0142.5	0103.3	0140.4
CO2	0530.2	0538.0	0472.5	0519.2
NOX	01.91	01.29	02.17	01.66

CT	CS	HT	1975	
HC	07.16	03.96	03.97	04.61
CO	0140.3	0079.5	0077.3	0091.4
CO2	0486.6	0534.9	0439.9	0499.5
NOX	01.71	01.38	01.82	01.57

MPG 13.56

MPG 11.76

VEH.NO. 149 TEST SEQ. 2 YEAR 66 MAKE FORD MODEL GALA ODOMETER 078274 NO.CYL. 8 CID 352

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 FXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 06.60 +0060 +10 -04 1 1 1 0 2 0
 FROM STATION 01.60 -0070 +00 -03 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0620	0180	06.70	01.40	3	005.50
AFT.RPM.ADJ	0600	0180	06.80	02.30	3	005.50
AFT.TI ADJ1	0480	0160	02.80	02.30	4	005.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0480	0160	07.80	02.10	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0344 DATE 09/17/73 DRY 70 WET 56 PRES 24.86 TEST NO.C0362 DATE 09/18/73 DRY 77 WET 53 PRES 24.78

	CT	CS	HT	1975
HC	10.66	08.78	06.57	08.56
CO	0129.6	0136.5	0095.2	0123.6
CO2	0518.1	0478.2	0440.1	0476.0
NOX	04.39	03.59	03.72	03.80

	IDLE	LO CR	HI CR	2500
HC	0505	03610	03740	
LHC	0751	0510	0630	
CO	06.85	02.15	02.31	
NOX	0092	1727	2330	
HCSUN	0505	0410	0300	0210
COSUN	07.20	02.60	02.55	03.00

MPG 12.76

MPG 13.97

VEH.NO. 150 TEST SEQ. 5 YEAR 71 MAKE DODGE MODEL DART ODOMETER 026700 NO.CYL. 8 CID 319

CARR.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.50 +0030 +05 +00 1 1 1 0 2 0
FROM STATION 02.20 +0020 +05 +00 1 1 1 0 2 0

	INITIAL	2500 HC	IDLE CO	2500 CO	CODE	COST
AFT.RPM.ADJ	0310	0200	07.00	01.10	1	002.50
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0150	0150	02.00	01.00	1	003.00
FINAL	0000	0000	00.00	00.00	0	000.00
	0100	0150	07.00	01.00	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0358 DATE 09/18/73 DRY 72 WET 54 PPES 24.80 TEST NO.C0368 DATE 09/19/73 DRY 71 WET 56 PRES 24.65

	CT	CS	HT	1975
HC	06.02	06.68	04.51	05.94
CO	0086.1	0112.9	0061.8	0093.1
CO2	0449.5	0430.4	0401.4	0426.4
NOX	03.46	02.29	03.81	02.95

	IDLE	LO CR	HI CR	2500
HC	06092	03801	03655	
LHC	0567	0529	0464	
CO	08.54	01.19	02.58	
NOX	0049	1969	1731	
HCSUN	0520	0420	0350	0250
COSUN	07.70	01.20	02.70	02.40

MPG 15.06

MPG 15.38

VEH.NO. 151 TEST SEQ. 1 YEAR 71 MAKE I MODEL 145S ODOMETER 045943 NO.CYL. 4 CID 121

CARB.VENT. 2 TRANS. 4 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.30 +0000 +04 +05 1 2 1 0 2 0
 FROM STATION 01.30 +0000 +04 +05 1 2 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0205	0150	0150	01.90	01.80	1	005.00
AFT.RPM.ADJ 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL	0205	0150	01.90	01.80	1	

ADNL PRS 000.00 EST 000.00

TEST NO.C0359 DATE 09/18/73 DRY 76 WET 54 PRES 24.80 YFST NO.C0359 DATE 09/18/73 DRY 76 WET 54 PRES 24.80

CT	CS	HT	1975
HC	04.05	03.00	03.25 03.29
CO	0042.9	0026.3	0030.5 0030.9
CO2	0356.9	0361.8	0331.2 0352.3
NOX	05.67	04.10	05.51 04.82

IDLE	LO CR	HI CR	2500
HC	02346	02513	02614
LHC	0333	0411	0418
CO	01.65	01.06	01.54
NOX	0137	2836	4197
HCSUN	0165	0255	0250
COSUN	01.50	01.00	01.60

MPG 21.66

MPG 21.66

VEH.NO. 152 TEST SEQ. 5 YEAR 71 MAKE FORD MODEL GALA ODOMETER 029562 NO.CYL. 4 CID 151

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 04.00 +0000 +C2 +00 1 2 1 0 2 0
 FROM STATION 04.70 +0000 +C2 +00 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2500	2000	02.40	00.70	2	004.50
AFT.RPM.ADJ	2500	2500	03.40	00.70	4	001.50
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	2000	2000	02.00	00.90	2	003.00
FINAL	1300	0600	01.20	00.30	2	

ADNL RPRS 025.51 EST 000.00

TEST NO.C0369 DATE 09/19/73 DRY 71 WET 56 PRES 24.66 YFST NO.CA393 DATE 09/20/73 DRY 71 WET 56 PRES 24.71

	CT	CS	HT	1975
HC	30.94	30.40	26.44	29.42
CO	0095.0	0081.4	0063.2	0079.2
CO2	0492.3	0548.7	0455.4	0511.0
NOX	03.41	04.23	04.92	04.25

	IDLE	LO CR	HI CR	2500
HC	10433	10771	10767	
LHC	2500	2500	2500	
CO	04.74	00.92	02.50	
NOX	0094	2112	1768	
HCSUN	2500	2500	2500	2500
COSUN	04.50	00.90	02.60	01.35

MPG 12.22

MPG 13.66

VEH.NO. 153 TEST SEQ. 4 YEAR 65 MAKE CHEVROLET MODEL BELA ODOMETER 130460 NO.CYL. 8 CID 283

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 92.40 +0000 +02 +01 0 2 1 0 2 0
FROM STATION 92.40 +0000 +02 +01 0 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODF	COST
INITIAL	0600	0400	01.80	03.80	1	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0600	0400	01.80	03.80	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0370 DATE 09/19/73 DRY 72 WET 55 PRES 24.67 TEST NO.C0370 DATE 09/19/73 DRY 72 WET 56 PRES 24.67

	CT	CS	HT	1975	CT	CS	HT	1975
HC	11.44	08.51	07.77	08.92	HC	11.44	08.51	07.77
CO	0151.3	0160.5	0141.5	0153.3	CO	0151.3	0160.5	0141.5
CO2	0419.9	0394.9	0349.8	0387.4	CO2	0419.8	0394.9	0349.8
NOX	01.81	00.62	01.18	01.02	NOX	01.81	00.62	01.18

	IDLE	LO	CR	HI	CP	2500
HC	05367	05454	05891			
LHC	0776	0776	0783			
CO	02.65	04.72	07.52			
NOX	0088	0628	0406			
HCSUN	0700	0640	0620			0550
COSUN	02.75	04.70	08.00			05.00

MPG 13.57

MPG 13.57

VEH.NO. 154 TEST SEQ. 1 YEAR 68 MAKE VOLKSWAGON MODEL SED4 ODOMETER 050486 NO.CYL. 4 CIO 091

CARR.VENT. 1 TRANS. 1 WRIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX

FROM OWNER 08.90 -0260 +12 +00 0 1 1 0 2 0
FROM STATION 10.20 +0050 +09 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1200	1200	10.00	10.00	4	002.50
AFT.RPM.ADJ	1200	1200	10.00	10.00	4	002.50
AFT.TI ADJ1	1200	1200	10.00	10.00	4	002.50
AFT.TI ADJ2	1200	1200	10.00	10.00	4	002.50
FINAL	1250	1200	10.00	10.00	4	

ADOL RPRS 003.50 FST 040.00

TEST NO.C0371 DATE 09/19/73 DRY 70 WET 52 PRES 24.63 TEST NO.C0394 DATE 09/20/73 DRY 78 WET 56 PRES 24.58

	CT	CS	HT	1975
HC	11.67	15.72	10.70	15.53
CO	0113.7	0164.8	0106.2	0137.8
CO2	0250.0	0202.7	0207.3	0213.9
NOX	02.11	00.70	01.42	01.19

	IDLE	LO CR	HI CR	2500
HC	32148	06234	04715	
LHC	2500	0362	0617	
CO	10.72	07.41	05.47	
NOX	0016	0377	1307	
HCSUN	2500	0710	0440	0890
COSUN	20.00	04.10	05.60	20.00

MPG 18.57

MPG 17.54

VEH.NO. 155 TEST SEQ. 5 YEAR 68 MAKE CHEVROLET MODEL BELA 000METFR 066417 NO.CYL. 8 CID 307
 CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 07.40 -0135 +0A -01 1 1 1 0 2 0
 FROM STATION 02.55 -0100 -01 -02 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	1300	0360	05.50	01.20	4	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0750	0250	03.00	00.60	2	001.50
AFT.TI ADJ2	0300	0150	00.70	01.10	1	001.50
FINAL	0300	0150	00.70	01.10	1	

ADNL RPRS 000.CO FST 000.00

TEST NO.C03M4 DATE 09/20/73 DRY 72 WET 53 PRES 24.71 TEST NO.C0396 DATE 09/21/73 DRY 71 WET 52 PRES 24.54

	CT	CS	HT	1975
HC	08.93	05.34	06.58	08.49
CO	0375.9	0062.3	0050.1	0061.8
CO2	0503.3	0475.3	0460.7	0477.1
NOX	07.23	05.69	07.91	06.73

	INLE	LO CP	HI CP	2500
HC	09200	04098	03649	
LHC	1264	0518	0417	
CO	08.27	00.63	00.60	
NOX	0026	3049	4117	
HCSUN	0320	0400	0275	0379
COSUN	07.60	00.70	00.65	04.50

MPG 14.82

MPG 14.24

CT CS HT 1975

	CT	CS	HT	1975
HC	08.13	06.03	05.43	06.30
CO	0107.5	0055.5	0066.4	0069.4
CO2	0528.5	0502.5	0455.3	0494.9
NOX	03.86	02.91	03.88	03.38

	INLE	LO CP	HI CP	2500
HC	05302	03815	03229	
LHC	0589	0409	0326	
CO	03.01	01.22	01.00	
NOX	0063	1711	2505	
HCSUN	0519	0320	0215	0200
COSUN	02.90	01.20	01.05	01.70

VEH.NO. 156 TEST SEQ. 4 YEAR 71 MAKE VOLKSWAGON MODEL SED4 ODOMETER 024425 NO.CYL. 4 CID 097

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 03.99 -0055 +00 +01 0 1 1 0 2 0
FROM STATION 03.99 -0055 +00 +01 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0220	0120	01.30	00.70	1	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0220	0120	01.30	00.70	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0385 DATE 09/20/73 DRY 71 WET 56 PRES 24.70 TEST NO.C0385 DATE 09/20/73 DRY 71 WET 56 PRES 24.70

	CT	CS	HT	1975
HC	04.73	03.61	03.62	03.95
CO	0060.4	0073.9	0053.9	0065.5
CO2	0288.7	0291.8	0252.5	0280.2
NOX	03.02	01.49	02.48	02.09

	IDLE	LO CR	HI CR	2500
HC	04240	03281	02959	
LHC	0441	0391	0342	
CO	04.66	03.78	02.39	
NOX	0072	0091	0298	
HCSUN	0335	0270	0210	0160
COSUN	04.10	03.90	02.50	01.90

MPG 22.54

MPG 22.54

VEH.NO. 157 TEST SEQ. 1 YEAR 73 MAKE VOLKSWAGON MODEL SEDA ODOMETER 007972 NO.CYL. 4 CID 097

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 1 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS MIX

FROM OWNER 05.60 -0260 -02 +00 0 1 1 0 2 0
FROM STATION 05.60 -0260 -02 +00 0 1 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0210	0140	0140	03.20	02.40	1	005.50
AFT.RPM.ANJ 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ANJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ANJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL	0210	0140	03.20	02.40	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0386 DATE 09/20/73 DRY 72 WET 57 PRES 24.70 TEST NO.C0386 DATE 09/20/73 DRY 72 WET 57 PRES 24.70

CT	CS	HT	1975	CT	CS	HT	1975
HC	05.83	05.53	04.38	05.83	05.53	04.38	05.27
CO	0079.4	0062.8	0057.5	0079.4	0062.8	0057.5	0064.8
CO2	0274.6	0283.2	0240.5	0274.6	0283.2	0240.5	0269.5
NOX	02.97	01.93	02.41	02.97	01.93	02.41	02.28

IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	05266	03101	02953	HC	05266	03101	02953
LHC	0443	0283	0290	LHC	0443	0283	0290
CO	06.16	01.54	01.56	CO	06.16	01.54	01.56
NOX	0063	1273	2765	NOX	0063	1273	2765
HCSUN	0350	0200	0190	HCSUN	0350	0200	0190
COSUN	06.00	01.65	01.60	COSUN	06.00	01.65	01.60

MPG 22.56

MPG 22.95

VEH.NO. 158 TFST SEQ. 1 YEAR 70 MAKE OLDSMOBILE MODEL SIAM ODOMETER 033747 NO.CYL. 8 CID 455

CARB.VENT. 4 TRANS. 1 WRIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.50 -0005 -02 +01 2 2 1 0 2 0
 FROM STATION 01.50 -0005 -02 +01 2 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	01A0	0100	01.20	00.90	1	000.00
AFT.QPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	01A0	0100	01.20	00.90	1	

ANAL RPRS 004.00 FST 000.00

TEST NO.C0387 DATE 09/20/73 DRY 71 WET 54 PRES 24.70 TEST NO.C0387 DATE 09/20/73 DRY 71 WET 54 PRES 24.70

	CT	CS	HT	1975
HC	06.69	04.89	04.41	05.13
CO	0091.2	0067.5	0056.3	0069.3
CO2	0734.8	0698.9	0630.9	0687.5
NOX	05.05	03.44	04.97	04.20

	IDLF	LO CR	HI CR	2500
HC	03004	03307	02903	
LHC	0277	0383	0311	
CO	01.60	01.60	01.03	
NOX	0080	1410	2172	
HCSUN	0180	0240	0162	0080
COSUN	01.90	01.80	01.10	01.50

MPG 10.96

MPG 10.96

161

VEH.NO. 159 TEST SEQ. 1 YEAR 68 MAKE CHEVROLET MODEL BELA ODOMETER 009065 NO.CYL. 6 CID 250

CARB.VENT. 1 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.40 -0060 +00 +02 1 2 1 1 1 1
 FROM STATION 01.40 -0060 +00 +02 1 2 1 1 1 0

INITIAL	IDLE HC	2500 HC	INLF CO	2500 CO	CODE	COST
0230	0250		02.40	00.50	1	005.50
AFT.RPM.ANJ 0000	0000		00.00	00.00	0	000.00
AFT.TI ANJ1 0000	0000		00.00	00.00	0	000.00
AFT.TI ANJ2 0000	0000		00.00	00.00	0	000.00
FINAL	0230	0250	02.40	00.50	1	

ADNL PPRS 000.00 EST 000.00

TEST NO.C0395 DATE 09/20/73 DRY 77 WET 56 PPS 24.54 TEST NO.C0395 DATE 09/20/73 DRY 77 WET 56 PRES 24.58

CT	CS	HT	1975
HC	10.06	05.54	05.81 06.56
CO	0132.1	0090.0	0096.0 0100.5
CO2	0383.0	0410.5	0356.3 0389.7
NOX	02.27	01.63	02.29 01.94

IDLE	LO CR	HI CR	2500
HC	01745	02247	04243
LHC	0272	0333	0526
CO	01.78	01.61	07.09
NOX	0054	2100	0552
HCSUN	0060	0095	0270 0460
COSUN	01.40	01.30	06.20 00.42

MPG 15.67

MPG 15.67

VEH.NO. 160 TEST SEQ. 1 YEAR 69 MAKE CADILLAC MODEL FLEE ODOMETER 036519 NO.CYL. 8 CID 472

CARB.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 00.10 -0130 +00 +01 1 1 1 0 2 0
FROM STATION 00.10 -0130 +00 +01 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0200	0160	00.60	00.50	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0160	00.60	00.50	1	

ANAL RPRS 000.00 EST 000.00

TEST NO.C0416 DATE 09/24/73 DRY 70 WET 57 PRES 24.52 TEST NO.C0416 DATE 09/24/73 DRY 70 WET 57 PRES 24.52

	CT	CS	HT	1975
HC	07.10	11.48	07.53	09.47
CO	0068.7	0034.8	0072.5	0052.3
CO2	0586.9	0622.6	0586.8	0605.2
NOX	04.37	05.12	05.77	05.14

	IDLE	LO CR	HI CR	2500
HC	20696	05681	04208	
LHC	0000	0715	0495	
CO	00.40	01.28	00.45	
NOX	0280	2089	2868	
HCSUN	2500	0390	0270	0170
COSUN	00.10	01.10	00.45	00.35

MPG 12.42

MPG 12.42

Enl

VEH.NO. 161 TEST SEQ. 3 YEAR 69 MAKE MERCURY MODEL COUG ODOMETER 047191 NO.CYL. 8 CID 351

CARR.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 00.30 -0050 -06 +00 1 2 1 0 2 0
 FROM STATION 00.30 -0050 -06 +00 1 2 1 0 2 0

INITIAL	SOLE HC	2500 HC	SOLE CO	2500 CO	CODE	COST
0120	0050	00.80	00.40	1	002.50	
AFT.RPM.ADJ 0000	0000	00.00	00.00	0	000.00	
AFT.YI ADJ1 0000	0000	00.00	00.00	0	000.00	
AFT.YI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0120	0050	00.80	00.40	1		

ADOL RORS 000.00 EST 000.00

TEST NO.C0397 DATE 09/21/73 DPV 70 WET 55 PRES 24.56 TEST NO.C0397 DATE 09/21/73 DRY 70 WET 55 PRES 24.56

CT	CS	HT	1975
HC	06.16	03.96	03.97 04.43
CO	0053.8	0020.1	0019.7 0027.0
CO2	0547.2	0548.8	0479.8 0529.3
NOX	05.54	04.16	05.94 05.05

SOLE	LO CR	HI CR	2500
HC	02747	03523	03740
LHC	0324	0420	0435
CO	00.37	00.23	00.81
NOX	0233	2387	3327
HCSUN	0190	0240	0260 0100
COSUN	00.45	01.25	00.85 00.45

MPG 15.20

MPG 15.20

VEH.NO. 162 TEST SEQ. 1 YEAR 64 MAKE CHEVROLET MODEL STAM ODOMETER 074643 NO.CYL. 8 CID 283
 CARR.VENT. 4 TRANS. 1 WRIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 07.40 +0110 +00 0 2 1 0 2 0
 FROM STATION 01.40 -0025 +06 -01 0 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0780	0480	29.00	08.00	4	003.50
AFT-RPM.ADJ	0800	0580	09.40	08.80	4	002.00
AFT.YI ADJ1	0460	0380	03.00	06.00	1	002.50
AFT.YI ADJ2	0000	0000	00.00	00.00	0	030.00
FINAL	0450	0380	03.00	06.00	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0399 DATE 09/21/73 DRY 77 WET 55 PRES 24.62 TEST NO.C0412 DATE 09/22/73 DRY 74 WET 56 PRES 24.78

	CT	CS	HT	1975
HC	16.12	15.01	10.84	14.09
CO	0184.0	0223.7	0176.7	0202.4
CO2	0417.4	0389.4	0335.6	0380.3
NOX	01.41	00.79	00.91	00.95

	IDLE	LO CR	HI CR	2500
HC	12982	05711	05471	
LHC	1042	0645	0579	
CO	09.70	05.51	07.04	
NOX	0038	0435	0381	
HCSUN	0710	0460	0390	0510
COSUN	07.90	04.80	07.10	08.00

MPG 11.99

MPG 14.23

541

VEH.NO. 163 TEST SEQ. 1 YEAR 72 MAKE DATSUN MODFL STAW 0004FTER 024888 NO.CYL. 4 CID 097

CARB.VENT. 1 TRANS. 4 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 1 PCV 2

FROM OWNER IOL CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 03.00 -0200 -03 +11 0 1 1 0 2 0
 03.00 -0100 +00 +00 0 1 1 0 2 0

	IOL HC	2500 HC	IOLF CO	2500 CO	CODE	COST
INITIAL	0360	0150	02.60	01.30	2	005.50
AFT.RPM.ADJ 0000		0000	00.00	00.00	0	000.00
AFT.TI ADJ1 0300		0140	01.70	01.20	1	012.50
AFT.TI ADJ2 0000		0000	09.00	00.00	0	000.00
FINAL	0300	0140	01.70	01.20	1	

ADDL RPRS 000.00 FST 000.00

TEST NO.C0431 DATE 09/25/73 DPY 70 WET 53 PRES 24.48 TEST NO.C0454 DATE 09/27/73 DPY 76 WET 54 PRES 25.06

	CT	CS	HT	1975
HC	06.21	05.05	04.22	05.06
CO	0056.5	0043.6	0040.2	0045.4
CO2	0311.3	0312.8	0264.3	0299.0
NOX	03.12	02.91	03.22	03.04

	IOL	LO	CR	HI	CR	2500
HC	04577	03402		02951		
LHC	0502	0451		0410		
CO	03.48	01.75		00.91		
NOX	0052	1585		2657		
HCSUN	0355	0260		0175		0310
COSUN	03.10	01.50		00.85		02.70

MPG 23.06

MPG 22.54

VEH.NO. 165 TEST SEQ. 1 YEAR 64 MAKE PONTIAC MODEL CAT4 ODOMETER 054195 NO.CYL. 8 CIN 349

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.10 +0070 +00 1 2 1 0 1 1
FROM STATION 01.30 +0095 +02 -03 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1250	1300	04.10	20.00	4	002.50
AFT.RPM.ADJ	1275	1300	04.20	07.30	4	002.50
AFT.TI ADJ1	0800	1300	03.20	07.30	4	002.50
AFT.TI ADJ2	0400	0720	04.00	03.20	1	002.50
FINAL	0400	0320	04.00	03.20	1	

ADOL RPRS 043.95 FST 000.00

TEST NO.C0394 DATE 09/21/73 DRY 72 WET 54 PRES 24.59 TEST NO.C0417 DATE 09/24/73 DRY 70 WET 57 PRES 24.55

	CT	CS	HT	1975
HC	20.21	09.03	05.60	10.42
CO	0110.7	0077.0	0077.7	0084.3
CO2	0499.3	0509.4	0427.4	0404.3
NOX	04.02	03.77	03.04	03.86

	IDLE	LO CO	HI CO	2500
HC	05651	03490	03506	
LHC	0733	0454	0412	
CO	03.29	01.58	04.43	
NOX	0069	2198	1458	0169
HCSUN	0450	0230	0225	
COSUN	02.30	01.60	04.40	03.43

MPG 13.71

MPG 12.97

chl

VEH.NO. 166 TEST SEQ. 4 YEAR 70 MAKE VOLKSWAGON MODEL SED4 ODOMETER 012474 NO.CYL. 4 CIO 097

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.20 -0060 +15 +00 0 1 1 0 2 0
FROM STATION 07.40 -0100 +05 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0909	0095	09.00	00.60	4	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0220	0090	01.00	00.60	1	001.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0220	0090	01.00	00.60	1	

ADDL PRS 000.00 EST 000.00

TEST NO.C0413 DATE 09/24/73 DRY 72 WET 54 PRES 24.49 TEST NO.C0438 DATE 09/25/73 DRY 69 WET 52 PRES 24.48

	CT	CS	HT	1975
HC	05.35	06.21	05.28	05.77
CO	0076.4	0063.6	0069.0	0067.8
CO2	0301.3	0339.3	0255.4	0308.1
NOX	02.64	01.87	02.24	02.14

	IDLE	LO CR	HI CR	2500
HC	0898	02754	02993	
LHC	0745	0265	0307	
CO	04.45	01.61	03.06	
NOX	0051	1172	2276	
HCSUN	0200	0205	0210	0180
COSUN	04.50	01.75	03.10	01.60

MPG 20.58

	CT	CS	HT	1975
HC	08.18	07.71	06.48	07.47
CO	0102.2	0076.9	0082.1	0083.6
CO2	0286.7	0290.9	0247.3	0277.9
NOX	02.25	01.59	01.84	01.80

	IDLE	LO CR	HI CR	2500
HC	16800	03707	03629	
LHC	2014	0461	0471	
CO	09.50	02.00	03.96	
NOX	0035	1142	1954	
HCSUN	2500	0310	0280	0360
COSUN	08.60	02.07	04.00	03.03

MPG 20.57

VEH.NO. 168 TEST SEQ. 1 YEAR 66 MAKE VOLKSWAGON MODEL SEDA ODOMETER 048575 NO.CYL. 4 CID 078

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 2 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 09.30 +0465 +10 +00 0 1 1 0 2 0

FROM STATION 04.30 +0325 +02 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0590	0260	05.00	06.00	1	005.50
AFT.RPM.ADJ 1200		0280	06.60	06.00	4	005.50
AFT.TI ADJ1 0280		0220	03.00	04.20	1	005.50
AFT.TI ADJ2 0000		0000	00.00	00.00	0	000.00
FINAL	0280	0220	03.00	04.20	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0415 DATE 09/24/73 DRY 70 WET 57 PRES 24.51 TEST NO.C0437 DATE 09/25/73 DRY 70 WET 52 PRES 24.48

	CT	CS	HT	1975
HC	08.37	12.27	08.16	10.31
CO	0102.9	0130.5	0099.9	0116.2
CO2	0246.6	0251.5	0233.3	0245.4
NOX	03.33	01.59	02.61	02.23

	CT	CS	HT	1975
HC	07.22	09.25	05.42	07.25
CO	0088.3	0094.1	0078.4	0089.5
CO2	0248.1	0236.0	0205.8	0230.2
NOX	02.83	01.46	02.10	01.92

	IDLE	LO CR	HI CR	2500
HC	13235	04488	03231	
LHC	1039	0501	0400	
CO	10.37	05.37	04.15	
NOX	0026	1365	2286	
HCSUN	0960	0380	0290	0420
COSUN	09.20	05.20	04.00	07.60

MPG 19.34

	IDLE	LO CR	HI CR	2500
HC	05467	14428	03533	
LHC	0504	0508	0445	
CO	04.92	06.54	03.96	
NOX	0056	0635	2526	
HCSUN	0365	0335	0260	0340
COSUN	04.90	06.20	03.80	05.50

MPG 22.71

6741

VEH.NO. 169 TEST SEQ. 4 YEAR 65 MAKE PLYMOUTH MODEL FURY 000MFTFR 113497 NO.CYL. 5 CID 318

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 07.60 +0045 +08 -02 1 2 1 0 2 0
 06.10 +0100 +08 -02 1 2 1 0 2 0

	2500 HC	2500 CO	CODE	COST
INITIAL	0550	03.50	4	000.00
AFT.RPM.ADJ	0700	06.50	3	000.00
AFT.TI ADJ1	0650	01.00	1	000.00
AFT.TI ADJ2	0000	00.00	0	000.00
FINAL	0650	01.00	1	

ADDL RPRS 312.00 EST 000.00

TEST NO.C0414 DATE 09/24/73 DRY 72 WET 54 PRES 24.49 TEST NO.C0430 DATE 09/25/73 DRY 70 WET 51 PRES 24.49

	CT	CS	1975	
			HT	HI CR
HC	23.66	15.34	11.03	15.88
CO	0289.3	0236.1	0227.2	0244.8
CO2	0407.1	0354.1	0340.1	0361.3
NOX	01.06	00.71	00.64	00.82

IDLE LO CR HI CR 2500			
HC	10085	05906	04867
LHC	0940	0672	0530
CO	08.86	09.76	07.74
NOX	0022	0161	0364
HCSUN	0060	0475	0420
COSUN	08.20	09.10	08.00

MPG 11.19

	CT	CS	1975	
			HT	HI CR
HC	17.12	11.10	08.51	11.67
CO	0259.3	0204.5	0207.6	0216.6
CO2	0375.3	0365.2	0328.9	0357.3
NOX	01.01	00.87	00.82	00.88

IDLE LO CR HI CR 2500			
HC	05097	05802	05046
LHC	0786	0773	0666
CO	06.91	09.22	07.76
NOX	0058	0208	0389
HCSUN	0485	0460	0355
COSUN	06.20	09.60	07.50

MPG 12.13

VEH.NO. 170 TEST SEQ. 1 YEAR 66 MAKE FORD MODEL MUST ODOMETER 001053 NO.CYL. 9 CID 249
 CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

I/OLE CO I/OLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.50 +0000 +01 +00 1 1 1 0 2 0
 FROM STATION 02.70 +0000 +00 +00 1 1 1 0 2 0

	I/OLE HC	2500 HC	I/OLE CO	2500 CO	CODE	COST
INITIAL	0460	0500	09.10	02.30	4	002.50
AFT.RPM.ADJ	0480	0420	08.20	02.30	4	002.50
AFT.TI ADJ1	0320	0360	02.20	02.20	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	002.50
FINAL	0320	0380	02.10	02.10	1	

ADNL PPRS 700.00 EST 000.00

TEST NO.C0432 DATE 09/25/73 DRY 70 WET 53 PRES 24.49 TEST NO.C0452 DATE 09/26/73 TRY 69 WET 52 PRES 24.88

	CT	CS	HT	1975	CT	CS	HT	1975
HC	12.59	11.54	08.13	10.81	HC	09.95	06.82	05.21 07.03
CO	0152.1	0151.3	0087.0	0133.6	CO	0135.2	0101.7	0060.6 0097.3
CO2	0403.2	0399.7	0379.2	0394.7	CO2	0390.5	0424.5	0374.3 0403.5
NOX	01.87	01.60	02.78	01.98	NOX	01.93	02.00	03.01 02.27

	I/OLE	LO CR	HI CO	2500	I/OLE	LO CR	HI CO	2500
HC	0A952	04350	03940		HC	04062	04308	03977
LHC	0724	0542	0475		LHC	0529	0618	0556
CO	09.69	02.00	02.24		CO	03.12	01.45	01.63
NOX	0027	1008	1789		NOX	0083	1316	2561
HCSUN	0540	0390	0300	0700	HCSUN	0325	0365	0285 0500
COSUN	39.10	02.10	02.20	04.20	COSUN	03.00	01.55	01.80 02.20

MPG 13.54

MPG 15.29

VEH.NO. 171 TEST SEQ. 4 YEAR 65 MAKE FORD MODEL STAW 0004FIER 071092 NO.CYL. 3 CID 289
CAPR.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 04.80 +0020 -03 +03 1 1 1 0 2 0
FROM STATION 00.50 +0100 -03 +04 1 1 1 0 2 0

	SOLE HC	2500 HC	IDLE CO	2500 CO	COEF	COST
INITIAL	0480	0400	07.40	05.00	3	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0420	0420	01.90	04.00	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0420	0420	01.90	04.00	1	

ADJL RPRS 000.00 FST 000.00

TEST NO.C0427 DATE 09/25/73 DRY 72 WET 56 PRES 24.48 TEST NO.C0440 DATE 09/26/73 DRY 72 WET 59 PRES 24.73

	CT	CS	HT	1975
HC	17.03	13.44	10.72	13.64
CO	0190.7	0155.5	0132.8	0156.7
CO2	0486.1	0477.8	0450.2	0471.9
NOX	02.11	01.99	02.54	02.17

	CT	CS	HT	1975
HC	17.93	15.58	09.53	14.42
CO	0222.3	0194.4	0117.5	0174.9
CO2	0573.8	0611.3	0466.1	0563.1
NOX	03.02	02.68	02.36	02.83

MPG 11.70

MPG 10.01

	IDLE	LO CR	HI CR	2500
HC	05511	05381	04722	
LHC	0766	0706	0578	
CO	00.58	02.82	02.97	
NOX	0103	1277	1353	
HCSUN	0740	0650	0480	0560
COSUN	00.61	02.70	02.90	04.70

VEH.NO. 172 TEST SEQ. 4 YEAR 64 MAKE CHEVROLET MODEL IMPA ODOMETER# 110629 NO.CYL. 8 CID 233
 CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.20 +0290 +12 -06 0 2 1 0 2 0
 FROM STATION 06.10 +0030 +02 +00 0 2 1 0 2 0

	INLF HC	2500 HC	IDLF CO	2500 CO	COEF	COST
INITIAL	0720	0840	04.60	10.00	4	000.00
AFT.RPM.ADJ 0F40	0840	0840	01.80	10.00	4	000.00
AFT.YI ADJ1 0640	0700	0700	06.00	10.00	3	000.00
AFT.YI ADJ2 0880	0880	0880	06.80	10.00	4	000.00
FINAL	0880	0880	06.90	10.00	4	

ADNL PPRS 015.40 EST 090.00

TEST NO.C0428 DATE 09/25/73 DRY 72 WET 51 PRES 24.58 TEST NO.C0441 DATE 09/26/73 DRY 72 WET 56 PRES 24.74

	CT	CS	HT	1975
HC	17.08	14.01	11.81	16.04
CO	0201.6	0210.2	0174.2	0198.4
CO2	0354.4	0334.9	0309.4	0331.9
NOX	01.37	00.66	01.11	00.93

	INLF	LO CR	HI CR	2500
HC	06584	0724	05890	
LHC	0847	0907	0717	
CO	03.91	07.34	06.08	
NOX	0127	0414	0833	
HCSUN	0670	0680	0540	1000
COSUN	03.30	07.40	06.00	09.00

MPG 12.55

	CT	CS	HT	1975
HC	17.05	18.65	12.07	16.43
CO	0212.4	0243.7	0184.8	0220.9
CO2	0335.5	0304.5	0291.6	0307.4
NOX	00.77	00.35	00.65	00.52

	INLF	LO CR	HI CR	2500
HC	11071	06520	05600	
LHC	1038	0771	0562	
CO	08.39	08.10	06.39	
NOX	0041	0196	0503	
HCSUN	0920	0785	0550	0920
COSUN	06.10	08.20	06.30	09.60

MPG 12.61

VEH.NO. 173 TEST SEQ. 3 YEAR 72 MAKE OLDSMOBILE MODEL CUTL ODOMETER 026639 NO.CYL. 8 CID 150

CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.30 +0150 -05 -06 1 2 1 0 2 0
FROM STATION 04.30 +0150 -05 -06 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CONF	COST
INITIAL	0130	0060	03.20	02.30	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0130	0060	03.20	02.30	1	

ADDL RORS 000.00 EST 000.00

TEST NO.C0429 DATE 09/25/73 DRY 70 WET 51 PRES 24.48 TEST NO.C0429 DATE 09/25/73 DRY 70 WET 51 PRES 24.48

	CT	CS	HT	1975
HC	06.94	05.54	04.54	05.56
CO	0117.1	0133.2	0087.4	0117.1
CO2	0580.4	0538.5	0485.1	0532.5
NOX	03.46	01.36	02.97	02.25

	INLE	LO CR	HI CR	2500
HC	03787	04080	03301	
LHC	0536	0591	0468	
CO	04.52	03.55	01.19	
NOX	0072	0695	2326	
HCSUN	0220	0310	0190	0130
COSUN	04.50	03.50	01.20	03.80

MPG 12.14

MPG 12.14

VEH.NO. 174 TEST SEQ. 1 YEAR 69 MAKE FORD MODEL FAIR ODOMETER 055127 NO.CYL. 8 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 04.00 +0000 +02 1 1 1 0 2 0
FROM STATION 00.14 -0050 +07 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0470	0270	04.40	00.50	4	004.50
AFT.RPM.ADJ	0430	0240	02.10	00.40	2	001.50
AFT.TI ADJ1	1500	0A20	01.00	00.50	2	003.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0270	0250	00.20	00.40	1	

ADDL PRS 000.00 EST 000.00

TEST NO.C0442 DATE 09/26/73 DRY 69 WFT 53 PRES 24.77 TEST NO.C0454 DATE 09/27/73 DRY 70 WFT 54 PRES 24.99

	CT	CS	HT	1975	CT	CS	HT	1975
HC	09.76	07.65	06.25	07.70	HC	09.74	05.34	06.70
CO	0122.3	00A0.7	0066.5	0085.5	CO	0173.3	0064.6	0084.5
CO2	0507.6	0572.5	0501.2	0539.1	CO2	0526.4	0551.5	0545.5
NOX	04.52	07.29	07.83	06.86	NOX	01.96	03.83	04.40

	IDLE	LO CR	HI CR	2500		IDLE	LO CR	HI CR	2500
HC	05095	04491	04842		HC	01761	04057	04490	
LHC	0675	0642	0639		LHC	0425	0584	0630	
CO	04.45	00.42	04.02		CO	09.17	00.42	07.27	
NOX	0095	4463	1397		NOX	0101	2598	0292	
HCSUN	0520	0420	0435	0235	HCSUN	0125	0330	0275	
COSUN	04.20	00.45	04.20	07.80	COSUN	09.20	09.30	07.10	

WPG 12.76

WPG 12.62

VEH.NO. 175 TEST SEQ. 2 YEAR 72 MAKE CHEVROLET MODEL NOVA ODOMETER 021117 NO.CYL. 8 CID 350
 CARR.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX

FROM OWNER 02.80 -0010 +00 +01 1 2 1 1 2 0
 FROM STATION 02.80 -0010 +00 +01 1 2 1 1 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CO/E	COST
INITIAL	0130	0060	02.80	01.90	1	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0130	0060	02.80	01.90	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0443 DATE 09/26/73 DRY 70 WET 53 PRES 24.77 YFST NO.C0443 DATE 09/26/73 DRY 70 WET 53 PRES 24.77

	CT	CS	HT	1975
HC	06.90	04.96	04.63	05.28
CO	0094.9	0065.7	0053.8	0070.2
CO2	0555.9	0546.3	0477.1	0529.1
NOX	03.72	02.40	03.87	03.08

	IDLE	LO CR	HI CP	2500
HC	04411	04106	03577	
LHC	0556	0541	0483	
CO	02.94	02.01	00.98	
NOX	0101	1699	2638	
HCSUN	0395	0350	0270	0185
COSUN	03.00	02.60	01.15	02.60

MPG 13.58

MPG 13.58

VEH.NO. 176 TEST SEQ. 1 YEAR 73 MAKE CADILLAC MODEL DEVI ODOMETER 007405 NO.CYL. 4 CID 472

CARB.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.50 +0000 +00 +09 1 2 1 1 2 1
FROM STATION 01.50 +0000 +00 +09 1 2 1 1 2 1

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0060	0040	01.20	00.25	1	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0060	0040	01.20	00.25	1	

ADNL RPRS. 000.00 EST 000.00

TEST NO.C0444 DATE 09/26/73 DRY 69 WFT 53 PRES 24.77 TEST NO.C0444 DATE 09/26/73 DRY 69 WFT 53 PRES 24.77

	CT	CS	HT	1975
HC	05.73	02.53	02.29	03.13
CO	0112.0	0069.7	0077.5	0080.7
CO2	0837.3	0887.5	0755.6	0840.4
NOX	01.62	01.70	01.77	01.70

	LO	CP	HI	CP	2500
HC	01371	02174	01517		
LHC	0312	0419	0368		
CO	01.69	01.97	01.08		
NOX	0074	1227	1162		
HCSUN	0110	0150	0110		0070
COSUN	01.60	01.70	00.90		00.40

MPG 09.12

MPG 09.12

VEH.NO. 177 TEST SEQ. 1 YEAR 72 MAKE CHRYSLER MODEL NFMP ODOMETER 029493 NO.CYL. 8 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 09.10 +0180 -02 +10 1 1 0 2 0
 FROM STATION 01.10 +0120 -10 +00 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1350	0500	20.00	20.00	4	000.00
AFT.RPM.ADJ	1300	0550	20.00	20.00	4	000.00
AFT.TI ADJ1	1300	0550	20.00	20.00	4	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	012.00
FINAL	0150	0060	02.60	02.00	1	

ADNL RPRS 033.65 EST 000.00

TEST NO.C0445 DATE 09/26/73 DRY 70 WFT 56 PRES 24.77 TEST NO.C0480 DATE 09/28/73 DRY 70 WFT 54 PRES 24.83

	CT	CS	HT	1975
HC	27.89	48.60	21.07	36.63
CO	0265.8	0394.3	0230.8	0322.1
CO2	0453.2	0423.6	0415.9	0427.7
NOX	01.20	00.51	01.50	00.95

	IDLE	LO CR	HI CR	2500
HC	1207.8	0525.8	0408.8	
LHC	1037	0722	0560	
CO	11.37	07.72	05.63	
NOX	0020	0270	0771	2500
HCSUN	0730	0415	0270	
COSUN	09.50	07.80	05.60	20.00

MPG 08.49

MPG 12.98

	CT	CS	HT	1975
HC	07.66	04.21	04.54	05.02
CO	0129.2	0055.1	0068.6	0074.3
CO2	0567.2	0586.4	0501.9	0558.9
NOX	03.14	02.36	03.55	02.85

	IDLE	LO CR	HI CR	2500
HC	03036	03081	03239	
LHC	0313	0353	0344	
CO	01.20	00.38	02.30	
NOX	0073	0061	0206	
HCSUN	0120	0180	0115	0065
COSUN	01.25	00.40	02.40	00.90

VEH.NO. 178 TEST SEQ. 4 YEAR 64 MAKE FORD MODEL GALA ODOMETER 059024 NO.CYL. 8 CID 390

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 07.00 -0100 -02 +00 0 1 1 0 2 0
 FROM STATION 07.00 -0100 -02 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0450	0150	06.00	02.00	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0450	0150	06.00	02.00	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0453 DATE 09/26/73 DRY 70 WET 53 PRES 24.91 TEST NO.C0453 DATE 09/26/73 DRY 70 WET 53 PRES 24.91

	CT	CS	HT	1975
HC	17.19	13.95	09.71	13.45
CO	0131.5	0135.5	0091.2	0122.4
CO2	0572.7	0519.5	0489.1	0522.2
NOX	03.00	02.51	02.76	02.60

	IDLE	LO CP	HI CR	2500
HC	084.86	05536	35159	
LHC	1465	07A7	0674	
CO	08.03	02.81	01.96	
NOX	0078	0941	1922	0263
HCSUN	1100	0490	0380	03.10
COSUN	07.20	02.80	02.10	03.10

MPG 11.76

	CT	CS	HT	1975
HC	17.19	13.95	09.71	13.45
CO	0131.5	0135.5	0091.2	0122.4
CO2	0572.7	0519.5	0489.1	0522.2
NOX	03.00	02.51	02.75	02.60

	IDLE	LO CP	HI CR	2500
HC	084.86	05536	05159	
LHC	1465	0787	0674	
CO	08.03	02.81	01.96	
NOX	0078	0941	1922	0260
HCSUN	1100	0490	0390	03.10
COSUN	07.20	02.80	02.10	03.10

MPG 11.76

h51

VEH.NO. 179 TEST SEQ. 2 YEAR 73 MAKE CHEVROLET MODEL NOVA ODOMETER 017115 NO.CYL. 4 CID 307

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.16 -0200 +00 +01 1 1 1 0 2 1
FROM STATION 01.16 -0200 +00 +01 1 1 1 0 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0070	0030	00.60	00.30	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0070	0030	00.60	00.30	1	000.00

ADNL RPRS 002.50 EST 000.00

TEST NO.C0708 DATE 10/22/73 DRY 70 WET 51 PRES 24.73 TEST NO.C0708 DATE 10/22/73 DRY 70 WET 51 PRES 24.73

	CT	CS	HT	1975	CT	CS	HT	1975
HC	04.08	02.50	02.49	02.83	HC	04.09	02.50	02.49
CO	0084.8	0056.7	0067.7	0065.6	CO	0084.8	0056.7	0067.7
CO2	0599.2	0562.6	0471.6	0545.0	CO2	0599.2	0562.6	0471.6
NOX	01.91	01.32	01.44	01.48	NOX	01.91	01.32	01.44

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	00898	01919	01319		HC	00899	01919	01319
LHC	0197	0303	0266		LHC	0197	0303	0266
CO	01.62	02.21	02.67		CO	01.62	02.21	02.67
NOX	0049	0546	0556		NOX	0049	0546	0556
HCSUN	0020	0040	0030	0020	HCSUN	0020	0040	0030
COSUN	00.37	00.50	00.65	00.15	COSUN	00.37	00.50	00.65

MPG 13.56

MPG 13.56

VEH.NO. 140 TEST SEQ. 2 YEAR 68 MAKE FORD MODEL GALA ODOMETER 076747 NO.CYL. 4 CID 302
CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 05.70 -0020 +04 +00 1 1 1 0 2 0
FROM STATION 05.50 -0050 +04 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2500	2000	05.40	00.60	4	004.50
AFT.RPM.ADJ	2500	2500	03.60	00.50	4	001.50
AFT.TI ADJ1	2500	2500	02.40	00.50	2	001.50
AFT.TI ADJ2	2500	2500	01.10	00.30	0	003.00
FINAL	0230	1600	01.50	00.50	2	

ADDL RPRS 026.07 EST 030.00

TEST NO.C0456 DATE 09/27/73 DRY 74 WET 53 PRES 25.06 TEST NO.C0475 DATE 09/28/73 DRY 70 WET 56 PRFS 24.84

	CT	CS	HT	1975
HC	06.89	05.66	05.60	06.32
CO	0090.5	0066.7	0057.2	0069.1
CO2	0585.9	0535.0	0489.1	0532.6
NOX	07.19	06.09	07.55	06.73

	IDLE	LO CR	HI CR	2500
HC	06014	03294	03960	
LHC	0791	0591	0416	
CO	07.17	00.42	05.67	
NOX	0064	3619	0861	2500
HCSUN	0550	0235	0265	
COSUN	07.20	00.55	05.40	01.10

WGT 13.47

	CT	CS	HT	1975
HC	07.19	04.16	04.45	04.87
CO	0094.8	0052.7	0053.4	0061.7
CO2	0603.5	0555.4	0496.6	0549.2
NOX	05.56	04.53	05.51	05.04

	IDLE	LO CR	HI CR	2500
HC	04473	02831	02875	
LHC	0543	0396	0397	
CO	05.82	00.32	01.57	
NOX	0056	2463	2403	0270
HCSUN	0320	0160	0150	
COSUN	06.00	00.40	01.60	00.80

WGT 13.46

VEH.NO. 181 TEST SEQ. 2 YEAR 68 MAKE CHEVROLET MODEL NOVA ODOMETER 042449 NO.CYL. 8 CID 307

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER

06.80 -0060

+08 -05

1 1 1 1

0 2 0

FROM STATION

01.80 +0000

+08 -05

1 1 1 1

0 2 0

	INITIAL	2500 HC	IDLE CO	2500 CO	CODE	COST
AFT.RPM.ADJ	0500	0270	05.00	03.20	4	000.00
AFT.TI ADJ1	0680	0300	06.00	02.80	4	000.00
AFT.TI ADJ2	0450	0250	06.00	02.50	4	000.00
FINAL	0300	0200	01.60	01.50	1	000.00

ADDL PPRS 010.50 EST 000.00

TEST NO. 00457 DATE 09/27/73 DRY 70 WET 54 PRES 25.06 TEST NO. CA475 DATE 09/28/73 DRY 71 WET 56 PRES 24.85

	CT	CS	WT	1975
HC	08.27	07.34	05.60	07.05
CO	0108.6	0096.2	0072.7	0092.3
CO2	0431.6	0403.1	0366.9	0399.0
NOX	03.45	02.69	03.40	03.07

	IDLE	LO CR	HI CR	2500
HC	0691.8	04425	04354	
LHC	1109	0755	0704	
CO	07.35	02.29	02.99	
NOX	0065	1765	1959	
HCSUN	0740	0390	0330	0340
COSUN	07.00	02.50	03.00	02.50

MPG 15.73

	CT	CS	WT	1975
HC	06.19	04.72	05.52	05.25
CO	0100.0	0046.6	0072.7	0066.0
CO2	0432.2	0444.1	0368.2	0420.6
NOX	02.61	02.37	03.59	02.76

	IDLE	LO CR	HI CR	2500
HC	04765	04786	04313	
LHC	0000	0639	0582	
CO	03.06	02.14	02.55	
NOX	0899	0215	1414	
HCSUN	0420	0350	0270	0210
COSUN	02.20	02.70	03.50	02.40

MPG 16.51

VEH.NO. 142 TEST SEQ. 3 YEAR 68 MAKE CHEVROLET MODEL CAME ODOMETER 083926 NO.CYL. 8 CID 327

CARB.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.90 -0160 +04 +00 1 2 1 0 2 0
FROM STATION 04.60 -0300 +60 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0.50	0320	05.00	02.50	4	000.00
AFT.RPM.ADJ	0700	0260	03.00	01.50	4	000.00
AFT.TI ADJ1	0700	0260	02.20	01.50	4	000.00
AFT.TI ADJ2	0800	0200	08.00	00.00	0	000.00
FINAL	0700	0260	02.20	01.50	1	

ADNL RPRS 004.00 EST 000.00

TEST NO.C0458 DATE 09/27/73 DRY 70 WET 53 PRES 25.06 TEST NO.C0491 DATE 10/01/73 DRY 79 WET 58 PRES 24.72

	CT	CS	HT	1975
HC	12.55	07.86	06.95	08.59
CO	0157.3	0074.0	0079.1	0092.9
CO2	0476.7	0447.5	0414.7	0444.5
NOX	03.71	03.20	03.90	03.50

	IDLE	LO CR	HI CR	2500
HC	07035	04574	04234	
LHC	0985	0689	0625	
CO	06.16	01.77	02.45	
NOX	0082	1992	2252	
HCSUN	0730	0390	0310	0280
COSUN	06.00	01.90	02.50	02.00

MPG 14.42

	CT	CS	HT	1975
HC	13.33	07.62	06.10	09.39
CO	0149.3	0083.2	0078.2	0095.8
CO2	0438.7	0418.9	0380.3	0412.4
NOX	03.42	02.77	03.70	03.16

	IDLE	LO CR	HI CR	2500
HC	06179	04809	04321	
LHC	0832	0665	0575	
CO	04.77	02.97	02.94	
NOX	0102	1230	2050	
HCSUN	0790	0460	0340	0360
COSUN	04.60	03.00	03.10	03.10

MPG 15.11

VEH.NO. 193 TEST SEQ. 2 YEAR 71 MAKE CHEVROLET MODEL STAW ODOMETER 021163 NO.CYL. 8 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

TOL CO IOLF RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 02.00 -0010 +00 +00 1 1 1 0 2 0

FROM STATION 02.00 -0010 +00 +00 1 1 1 0 2 0

	TOL	HC	2500	HC	IDLE	CO	2500	CO	CODE	COST
INITIAL	0070		0020		02.00		00.50		1	002.50
AFT.RPM.ADJ	0000		0000		00.00		00.00		0	000.00
AFT.YI ADJ1	0000		0000		00.00		00.00		0	000.00
AFT.YI ADJ2	0000		0000		00.00		00.00		0	000.00
FINAL	0070		0020		02.00		00.50		1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0459 DATE 09/27/73 DRY 70 WET 53 PRES 25.05 TEST NO.C0459 DATE 09/27/73 DRY 70 WET 53 PRES 25.05

	CT	CS	HT	1975
HC	10.79	04.33	04.41	05.70
CO	0230.9	0072.7	0092.8	0111.4
CO2	0626.5	0701.1	0579.4	0651.7
NOX	02.55	02.95	03.39	02.99

	TOLF	LO	CR	HT	CR	2500
HC	03634	02701	03238			
LHC	0544	0445	0469			
CO	02.15	00.82	02.71			
NOX	0149	1529	1569			
HCSUN	0235	0120	0145			0050
COSUN	02.10	00.75	02.70			00.55

MPG 10.54

MPG 10.54

VEH.NO. 184 TEST SEQ. 3 YEAR 71 MAKE CHEVROLET MODEL IMPA ODOMETER 035988 NO.CYL. 6 CID 350

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 FVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.80 +0100 +04 -02 1 2 1 0 2 0

FROM STATION 01.40 +0000 +00 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0300	0060	07.60	00.40	4	005.50
AFT.RPM.ADJ	0300	0060	07.60	00.40	4	003.30
AFT.YI ADJ1	0180	0035	02.20	00.20	1	003.30
AFT.YI ADJ2	0000	0000	09.00	00.00	0	000.00
FINAL	0180	0035	02.20	00.20	1	

ADDL RPRS 000.00 FST 000.00

TEST NO.C0467 DATE 09/27/73 DRY 70 WET 52 PPES 24.94 TEST NO.C0492 DATE 10/01/73 DRY 76 WET 53 PRES 24.71

	CT	CS	HT	1975
HC	06.27	04.90	04.39	05.04
CO	0121.1	0059.8	0064.8	0074.0
CO2	0609.7	0600.2	0510.6	0575.4
NOX	03.68	03.49	04.18	03.72

	IDLE	LO CR	HT CR	2500
HC	04901	03793	02945	
LHC	0759	0636	0555	
CO	05.35	01.07	00.44	
NOX	0094	1548	3183	
HCSUN	0390	0230	0140	0110
COSUN	05.20	01.20	00.50	01.70

MPG 12.59

	CT	CS	HT	1975
HC	04.78	03.21	03.50	03.62
CO	0079.0	0015.3	0045.9	0038.9
CO2	0611.5	0639.0	0505.2	0596.1
NOX	03.69	03.24	03.60	03.43

	IDLE	LO CR	HT CR	2500
HC	03811	02289	02748	
LHC	0539	0419	0404	
CO	01.48	00.20	00.50	
NOX	0147	1046	2810	
HCSUN	0325	0120	0150	0085
COSUN	01.60	00.24	00.50	01.20

MPG 13.38

591

VEH.NO. 195 TEST SEQ. 1 YEAR 71 MAKE TOYOTA MODFL CORO ODOMETER 029881 NO.CYL. 4 CID 071

CAR9.VENT. 2 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 04.10 +0210 +00 -11 0 1 1 0 2 0
 FROM STATION 01.16 +0010 +00 0 1 1 1 0 2 0

	INLE 4C	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0390	0120	04.60	01.20	4	005.50
AFT.RPM.ADJ	0520	0130	04.40	01.20	4	000.00
AFT.TI ADJ1	0300	0130	00.80	01.30	1	012.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0130	00.80	01.30	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0469 DATE 09/28/73 DRY 76 WET 57 PRES 24.88 TEST NO.C0494 DATE 10/01/73 DRY 75 WET 56 PRES 24.70

	CT	CS	HT	1975
HC	05.69	06.12	04.04	05.45
CO	0046.8	0054.2	0037.5	0050.1
CO2	0319.8	0347.4	0279.3	0322.7
NOX	03.94	01.63	03.10	02.52

	CT	CS	HT	1975
HC	04.47	03.50	03.38	03.67
CO	0038.3	0074.8	0032.6	0034.9
CO2	0250.0	0319.9	0247.0	0291.3
NOX	02.98	01.26	02.24	01.89

MPG 21.28

MPG 24.33

	LO CR	HI CR	2500
HC	05422	04281	04556
LHC	0766	0646	0761
CO	04.58	02.21	01.62
NOX	0073	0851	3950
HCSUN	0365	0230	0270
COSUN	04.30	02.00	01.40

	LO CR	HI CR	2500
HC	04151	04171	04441
LHC	0478	0485	0591
CO	01.26	02.80	01.85
NOX	0076	0414	2942
HCSUN	0340	0265	0350
COSUN	01.30	02.92	02.00

MPG 24.33

VEH.NO. 186 TEST SEQ. 1 YEAR 70 MAKE VOLKSWAGON MODEL SED4 ODOMETER 048300 NO.CYL. 4 CID 097

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.10 -0100 +04 -07 0 1 1 0 2 0

FROM STATION 04.95 +0000 +04 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1020	0350	01.00	00.40	4	005.00
AFT.RPM.ADJ	1150	0300	04.50	00.60	4	001.00
AFT.TI ADJ1	1150	0300	04.50	00.60	4	001.00
AFT.TI ADJ2	0290	0080	02.20	00.70	1	002.00
FINAL	0290	0080	02.20	00.70	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0470 DATE 09/28/73 DRY 70 WET 55 PRES 24.85 TEST NO.C0495 DATE 10/01/73 DRY 74 WET 56 PRES 24.70

	CT	CS	HT	1975
HC	05.62	05.49	03.68	05.02
CO	0081.7	0040.4	0040.4	0049.1
CO2	0292.6	0328.8	0276.7	0306.8
NOX	03.97	03.74	04.40	03.97

	IDLE	LO CR	HI CR	2500
HC	14291	03744	03159	
LHC	2500	0526	0509	
CO	06.00	00.89	01.74	
NOX	0035	2479	4267	
HCSUN	2500	0220	0200	0350
COSUN	05.00	00.90	01.70	00.55

MPG 22.28

MPG 22.46

VEH.NO. 187 TEST SEQ. 3 YEAR 73 MAKE FORD MODFL LTD ODOMETER 004725 NO.CYL. 8 CID 351

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.60 -0155 +10 +00 1 1 1 0 2 1
FROM STATION 00.60 -0155 +10 +00 1 1 1 0 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODP	COST
INITIAL	0150	0075	00.20	01.30	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0075	00.20	01.30	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0482 DATE 10/01/73 DRY 70 WET 54 PRES 24.74 TEST NO.C0482 DATE 10/01/73 DRY 70 WET 54 PRES 24.74

	CT	CS	HT	1975
HC	06.29	04.48	03.99	04.72
CO	0134.7	0078.8	0079.1	0090.6
CO2	0659.0	0661.6	0537.5	0626.6
NOX	02.09	01.92	02.00	01.98

	IDLE	LO CR	HI CR	2500
HC	02763	03507	03176	
LHC	0354	0508	0451	
CO	00.62	02.18	02.16	
NOX	0184	1826	1154	
HCSUN	0140	0220	0165	0110
COSUN	00.70	02.20	02.10	03.10

MFG 11.36

	CT	CS	HT	1975
HC	06.29	04.48	03.99	04.72
CO	0134.7	0078.8	0079.1	0090.6
CO2	0659.0	0661.6	0537.5	0626.6
NOX	02.09	01.92	02.00	01.98

	IDLE	LO CR	HI CR	2500
HC	02763	03607	03176	
LHC	0354	0508	0451	
CO	00.62	02.18	02.16	
NOX	0184	1826	1154	
HCSUN	0140	0220	0165	0110
COSUN	00.70	02.20	02.10	03.10

MFG 11.36

VEH.NO. 188 TEST SEQ. 6 YEAR 71 MAKE MERCURY MODEL COUG ODOMETER 017215 NO.CYL. 8 CID 351
 CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.50 +0025 +00 1 1 1 0 2 0
 FROM STATION 02.50 +0025 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0210	0105	01.50	00.30	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0210	0105	01.50	00.30	1	000.00

ADCL RPRS 004.00 EST 000.00

TEST NO.C0483 DATE 10/01/73 DRY 70 WET 54 PRES 24.74 TEST NO.C0483 DATE 10/01/73 DRY 70 WET 54 PRES 24.74

	CT	CS	HT	1975
HC	08.74	04.74	04.91	05.63
CO	0084.1	0054.4	0048.6	0059.0
CO2	0591.4	0611.4	0537.3	0586.6
NOX	05.33	04.84	06.06	05.28

	IDLE	LO CR	HI CR	2500
HC	03826	03461	03091	
LHC	0449	0426	0372	
CO	02.60	00.36	00.83	
NOX	0177	2923	3008	
MCSUN	0250	0100	0130	0080
COSUN	02.60	00.30	00.75	00.50

MPC 12.74

MPC 12.74

VEH.NO. 189 TEST SEQ. 1 YEAR 71 MAKE DODGE MODEL DART 000METER 011155 NO.CYL. 6 CID 225

CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 10.28 -0255 +03 -02 2 1 0 2 0
FROM STATION 01.32 -0100 +03 -06 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CONE	COST
INITIAL	1440	0400	20.00	05.00	4	000.00
AFT.RPM.ADJ	1050	0400	20.00	05.00	4	000.00
AFT.YI ADJ1	0300	0290	01.50	03.00	1	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0290	01.50	03.20	1	

ADDL RPRS 012.00 EST 000.00

TEST NO.C0484 DATE 10/01/73 DRY 70 WFT 54 PRES 24.74 TEST NO.C0512 DATE 10/02/73 DRY 72 WFT 54 PRES 24.61

	CT	CS	HT	1975
HC	18.31	21.14	14.21	18.62
CO	0209.2	0232.9	0194.6	0217.3
CO2	0326.9	0280.0	0273.2	0267.9
NOX	01.14	00.59	00.89	00.79

	IDLE	LO CR	HI CR	2500
HC	31256	07209	05859	
LHC	2500	0391	0714	
CO	12.81	09.18	07.36	
NOX	0010	0239	0483	
HCSUM	2500	0630	0440	0610
COSUN	20.00	08.60	06.50	09.00

MPG 12.94

MPG 14.39

VEH.NO. 190 TEST SEQ. 1 YEAR 73 MAKE PLYMOUTH MODEL DUST ODOMETER 008056 NO.CYL. 6 CID 225

CARB.VENT. 1 TRANS. 1 WRIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.60 +0030 +01 +00 1 2 1 1 2 1
FROM STATION 00.60 +0030 +01 +00 1 2 1 1 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0090	0060	00.70	00.30	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0090	0060	00.70	00.30	1	

ADDL RPRS 004.00 EST 000.00

TEST NO.C0498 DATE 10/02/73 DRY 69 WET 54 PRES 24.67 TEST NO.C0498 DATE 10/02/73 DRY 69 WET 54 PRES 24.67

	CT	CS	HT	1975
HC	05.02	02.90	03.89	03.62
CO	0096.3	0033.7	0049.6	0051.2
CO2	0420.3	0458.6	0402.0	0434.9
NOX	02.52	03.21	03.17	03.05

	IDLE	LO CR	HI CR	2500
HC	02747	02723	03908	
LHC	0340	0412	0543	
CO	00.72	00.19	06.19	
NOX	0299	2095	0601	
HCSUN	0170	0165	0280	0095
COSUN	00.60	00.18	06.20	00.25

MPG 15.91

MPG 16.91

VEH.NO. 191 TEST SEQ. 1 YEAR 67 MAKE CHEVROLET MODEL CHE2 ODOMETER 022266 NO.CYL. 6 CID 194
 CARB.VENT. 1 TRANS. 3 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO ICLF RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 06.70 +0050 -02 +00 1 1 1 0 2 0
 FROM STATION 07.20 +0140 +00 +00 1 1 1 0 2 0

	INLE HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	1500	0520	20.00	03.00	4	004.50
AFT.RPM.ADJ	0520	0420	07.40	03.80	3	001.00
AFT.TI ADJ1	0560	0360	06.80	03.20	1	001.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0560	0360	06.80	03.20	1	

ANAL PORS 000.00 EST 000.00

TEST NO.C0499 DATE 10/02/73 DRY 69 WET 54 PRES 24.67 TEST NO.C0527 DATE 10/03/73 DRY 69 WET 56 PRES 24.81

	CT	CS	HT	1975
HC	19.08	14.67	11.98	14.82
CO	0128.2	0162.5	0102.8	0139.8
CO2	0318.4	0282.3	0289.3	0291.8
NOX	01.04	00.81	02.02	01.36

	INLF	LO CR	HI CR	2500
HC	06564	04482	05427	
LHC	0648	0607	0694	
CO	07.54	03.96	08.93	
NOX	0041	0703	0203	
HCSUM	0500	0420	0475	0720
COSUN	16.90	04.00	08.10	06.60

MPG 15.00

MPG 15.13

VEH.N7. 192 TEST SFQ. 1 YEAR 66 MAKE CHEVROLET WDDFL CHEV ODOMETER 046973 NO.CYL. 6 CID 230

CARB.VENT. 1 TRANS. 1 WRIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.00 +0085 +02 +00 1 2 1 0 0 0
FROM STATION 01.60 +0045 +00 +00 1 2 1 0 2 0

	2500 HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0450	0240	07.00	03.40	3	002.50
AFT.RPM ADJ	0440	0240	08.00	03.20	3	002.00
AFT.TI ADJ1	0340	0250	04.60	03.20	1	003.00
AFT.TI ADJ2	0000	0000	08.00	00.00	0	000.00
FINAL	0340	0250	04.60	03.20	1	

ADDL RPRS 009.00 FST 000.00

TEST NO.C0497 DATE 10/02/73 DRY 65 WFT 54 PRES 24.67 TEST NO.C0520 DATE 10/03/73 DRY 69 WFT 57 PRES 24.85

	CT	CS	HT	1975	CT	CS	HT	1975
HC	09.60	07.77	06.53	07.91	HC	11.93	09.08	06.95
CO	0131.4	0115.0	0093.6	0113.0	CO	0151.0	0117.1	0102.2
CO2	0366.7	0335.9	0315.6	0336.7	CO2	0359.2	0331.4	0328.3
NOX	02.47	01.68	02.84	02.17	NOX	02.24	01.73	02.86

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	06A03	04049	04612		HC	05177	04102	05573
LHC	0962	0496	0546		LHC	1049	0796	0883
CO	06.18	00.89	05.54		CO	02.89	00.46	08.61
NOX	0051	2486	0A74		NOX	0052	2459	0314
HCSUN	0480	0320	0365	0270	HCSUN	0180	0235	0330
COSUN	14.00	00.80	05.30	01.60	COSUN	01.70	00.55	09.00

MPG 16.53

MPG 16.09

VEH.NO. 193 1ST SEQ. 2 YEAR 69 MAKE FORD MODEL FAIR ODOMETER 054596 NO.CYL. 4 CID 302

CARB.VENT. 2 TRANS. 3 WEIGHT 3500 EXH.CON. 1 EVAP.COM. 2 PCV 1

FROM OWNER	IDLE CO	IDLE RPM	YIMING	DWELL	PCV	A/C	CHOKE	A/P	HIS	NOX
FROM STATION	03.10	+0900	+04	+00	1	1	1	0	2	0
	01.60	-0110	-07	+01	1	1	1	0	1	0

INITIAL	TOLF HC	2500 HC	INLE CO	2500 CO	CODE	COST
AFT.RPM	0420	0300	04.10	05.20	4	002.50
AFT.RPM.ADJ	0300	0220	05.10	02.10	3	002.50
AFT.YI ADJ1	0200	0200	01.40	01.40	1	002.50
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0203	0200	01.40	01.40	1	

ADNL PPR	EST
010.00	000.00

TEST NO. C04A1 DATE 10/01/73 QRY 71 WET 54 PRES 24.74 TFST NO. C0507 DATE 10/02/73 QRY 78 WET 53 PRES 24.61

	CT	CS	HT	1975
HC	09.64	07.12	06.11	07.37
CO	0075.2	0049.3	0043.5	0075.3
CO2	0444.6	0480.9	0412.5	0454.3
NOx	04.41	03.28	04.71	03.91

	IOLE	LO CR	HI CR	2500
HC	03400	04378	04199	
LHC	0346	0602	0538	
CO	03.38	00.82	00.90	
NOX	0078	2386	3346	
HCSUM	0150	0300	0240	0130
COSUM	03.19	00.80	00.70	01.69

MPG 14.95

	CT	CS	HT	1975
HC	08.51	05.14	06.05	06.10
CO	0074.4	0059.9	0059.1	0061.4
CO2	0400.4	0444.8	0346.5	0408.3
NOx	03.17	02.38	03.07	02.74

	INLE	LO CR	HI CR	2500
HC	02145	04114	03978	
LHC	031A	0596	0513	
CO	00.18	00.97	00.45	
NOX	0078	2170	3570	
HCSUN	0160	0355	0350	0190
COSUN	00.25	01.10	00.49	01.25

MPG 17.00

VEH.NO. 194 TEST SEQ. 3 YEAR 58 MAKE CHEVROLET MODEL IMPA ODOMETER 054000 NO.CYL. 6 CID 327

CARB.VENT. 4 TRANS. 1 W/FIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.50 -0020 +07 +03 1 1 1 0 2 0
FROM STATION 03.30 +0020 +01 +00 1 1 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0640	0760	06.40	20.00	4		005.50
AFT.RPM.ADJ 0420	0700	06.00	20.00	4		003.30
AFT.TI ADJ1 0230	0600	01.00	09.90	4		003.30
AFT.TI ADJ2 0220	0580	01.00	10.00	4		003.30
FINAL 0150	0170	01.80	03.90	1		

ADNL PQRS 035.97 EST 000.00

TEST NO.C0496 DATE 10/02/73 DRY 75 WET 55 PRES 24.67 TEST NO.C0566 DATE 10/09/73 DRY 72 WET 48 PRES 24.45

CT	CS	HT	1975
HC	19.68	13.21	11.56
CO	0314.1	0312.3	0262.0
CO2	0393.2	0397.8	0336.2
NOX	00.57	00.32	00.44

IDLE	LO CR	HI CR	2500
HC	06912	06311	06050
LHC	0681	0619	0789
CO	07.95	10.68	10.90
NOX	0053	0129	0156
HCSUN	0560	0530	0585
COSUN	07.60	09.60	20.00

MPG 09.97

CT	CS	HT	1975
HC	11.83	06.22	06.03
CO	0176.6	0119.9	0105.7
CO2	0430.4	0464.3	0399.4
NOX	02.13	01.40	02.28

IDLE	LO CR	HI CR	2500
HC	04839	04556	03862
LHC	0742	0709	0691
CO	03.70	04.41	02.36
NOX	0100	0841	2156
HCSUN	0310	0355	0250
COSUN	03.50	03.90	02.20

MPG 13.43

VEH.NO. 195 TEST SEQ. 3 YEAR 73 MAKE CHEVROLET MODEL CHEV ODOMETER 006886 NO.CYL. 8 CID 350

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.90 +0140 +04 +00 1 1 1 2 1
FROM STATION 00.07 +0200 +04 +00 1 1 1 2 1

	INLF HC	2500 HC	INLF CO	2500 CO	CORE	COST
INITIAL	0420	0409	04.10	04.20	4	002.50
AFT.RPM.ADJ	0420	0430	04.20	04.30	4	002.50
AFT.TI ADJ1	0200	0200	01.10	01.10	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0200	01.10	01.10	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0514 DATE 10/03/73 DRY 71 WET 55 PRES 24.71 TEST NO.C0540 DATE 10/04/73 DRY 72 WET 52 PRES 24.88

	CT	CS	HT	1975
HC	05.76	03.54	03.59	04.02
CO	0105.1	0053.5	0055.2	0064.8
CO2	0593.7	0619.9	0525.7	0588.3
NOX	01.74	01.59	02.00	01.74

	CT	CS	HT	1975
HC	05.60	03.09	03.36	03.69
CO	0070.4	0014.3	0031.1	0030.7
CO2	0637.6	0623.9	0516.8	0597.9
NOX	02.35	01.73	02.02	01.94

MPG 12.67

MPG 13.54

	CT	CS	HT	1975
HC	03783	02164	03034	
LHC	0522	0395	0454	
CO	04.02	00.20	03.93	
NOX	0062	0061	0062	
HCSUN	0215	0100	0145	0050
COSUN	03.00	00.18	03.20	00.23

VEH.NO. 195 TEST SEQ. 7 YEAR 71 MAKE CHEVROLET MODEL CAPR ODOMETER 036250 NO.CYL. 8 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.45 +0290 +04 +00 1 1 1 0 2 0
FROM STATION 00.45 +0290 +04 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0120	0070	00.80	01.70	1	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0070	00.80	01.70	1	

ADDL PORS 000.00 EST 000.00

TEST NO.C0513 DATE 10/03/73 DRY 75 WET 55 PRES 24.71 TEST NO.C0513 DATE 10/03/73 DRY 75 WET 55 PRES 24.71

	CT	CS	HT	1975
HC	06.35	04.48	04.48	04.86
CO	0083.0	0035.2	0051.0	0049.6
CO2	0689.6	0700.6	0624.1	0677.1
NOX	06.29	05.03	06.57	05.72

	IDLE	LO CR	HI CR	2500
HC	02890	02873	03035	
LHC	0350	0359	0373	
CO	00.41	00.52	01.60	
NOX	0416	2584	2323	
MCSUN	0210	0160	0160	0075
COSUN	00.45	00.50	01.70	01.60

MPG 11.56

MPG 11.56

LLI

VEH.NO. 197 TEST SEQ. 1 YEAR 72 MAKE FORD MODFL PINT ODOMETER 011175 NO.CYL. 4 CID 122

CARB.VENT. 2 TRANS. 1 WEIGHT 2250 EXH.CON. 1 EVAP.CON. 1 PCV 1

INLE CO IDLE RPH TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 06.10 +0310 +00 -04 1 1 0 2 0
 FROM STATION 06.10 +0310 +00 -04 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0160	0170	01.60	01.00	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0160	0170	01.60	01.00	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0530 DATE 10/04/73 DRY 69 WET 54 PRES 24.94 TEST NO.C0530 DATE 10/04/73 DRY 69 WET 54 PRES 24.94

	CT	CS	HT	1975
HC	05.76	04.73	05.93	05.28
CO	0104.2	0071.5	0078.3	0080.2
CO2	0322.6	0321.2	0304.5	0316.8
NOX	03.08	02.85	03.33	03.03

	INLE	LO CR	HI CR	2500
HC	04686	04517	05152	
LHC	0769	0769	0831	
CO	06.81	01.74	07.85	
NOX	0086	2068	0717	
HCSUM	0260	0250	0300	0250
COSUM	06.10	01.50	07.10	05.00

MPG 19.38

	CT	CS	HT	1975
HC	05.76	04.73	05.93	05.28
CO	0104.2	0071.5	0078.3	0080.2
CO2	0322.6	0321.2	0304.5	0316.8
NOX	03.08	02.85	03.33	03.03

	INLE	LO CR	HI CR	2500
HC	04686	04517	05152	
LHC	0769	0769	0831	
CO	06.81	01.74	07.85	
NOX	0086	2068	0717	
HCSUM	0260	0250	0300	0250
COSUM	06.10	01.50	07.10	05.00

MPG 19.38

VEH.NO. 138 TEST SEQ. 2 YEAR 66 MAKE CHEVROLET MODEL IMPA ODOMETER 083297 NO.CYL. 8 CID 283

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 09.50 -0020 +10 +03 1 1 1 0 2 0
 FROM STATION 07.20 +0050 +10 +00 1 1 1 0 1 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	2500	2500	08.00	04.80	4	000.00
AFT.RPM.ADJ	2500	2500	08.00	04.80	2	000.00
AFT.TI ADJ1	2500	2500	05.80	02.90	2	000.00
AFT.TI ADJ2	1600	0900	05.90	04.60	2	000.00
FINAL	1600	0900	05.90	04.60	2	

ADDL RPRS 017.85 EST 150.00

TEST NO.C0517 DATE 10/03/73 DRY 6% WET 54 PRES 24.71 TEST NO.C0541 DATE 10/04/73 DRY 72 WET 52 PRES 24.87

	CT	CS	HT	1975
HC	44.16	45.79	33.74	42.11
CO	0181.7	0207.8	0172.4	0102.5
CO2	0505.8	0380.2	0394.8	0410.5
NOX	04.03	01.17	02.57	02.16

	CT	CS	HT	1975
HC	14.44	11.40	09.94	11.61
CO	0167.9	0163.9	0158.3	0163.1
CO2	0460.4	0412.0	0400.7	0419.0
NOX	03.51	01.77	02.71	02.40

MPG 10.52

MPG 12.51

VEH.NO. 199 TEST SEQ. 1 YEAR 67 MAKE VOLKSWAGON MODEL SEDA ODOMETER 068155 NO.CYL. 4 CID 091

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 2 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.30 +0260 +12 +00 0 1 1 0 1 0
FROM STATION 03.56 +0230 +02 +00 0 1 2 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1550	0550	04.20	03.20	4	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	1175	0550	05.40	02.50	2	001.00
AFT.TI ADJ2	0550	0180	04.20	02.50	1	000.00
FINAL	0550	0180	04.20	02.50	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0518 DATE 10/03/73 DRY 7C WET 55 PRES 24.77 TEST NO.C0542 DATE 10/04/73 DRY 72 WET 52 PRES 24.89

	CT	CS	HT	1975
HC	06.96	08.90	05.45	07.54
CO	0079.0	0089.3	0069.9	0081.5
CO2	0253.2	0246.2	0228.3	0242.7
NOX	04.38	02.55	03.61	03.23

	IDLE	LO CR	HI CR	2500
HC	15224	04881	03979	
LHC	1341	0552	0479	
CO	08.62	03.95	03.84	
NOX	0026	1762	3382	
HCSUN	1050	0235	0180	0750
COSUN	05.40	04.10	04.00	04.70

	CT	CS	HT	1975
HC	05.79	04.79	04.25	04.85
CO	0075.3	0078.8	0065.5	0074.4
CO2	0252.5	0251.1	0216.8	0241.9
NOX	01.79	00.93	01.30	01.21

	IDLE	LO CR	HI CR	2500
HC	05765	03071	02446	
LHC	0945	0781	0758	
CO	04.58	04.19	03.42	
NOX	0056	0633	1962	
HCSUN	0250	0190	0140	0175
COSUN	03.90	04.00	03.20	03.90

MPG 22.58

MPG 23.81

VEH.NO. 200 TEST SEQ. 1 YEAR 72 MAKE CHEVROLET MODEL NOVA ODOMETER 015710 NO.CYL. 8 CID 307

CAPR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 05.75 +00AC +02 +03 2 1 1 0 1 0
FROM STATION 01.37 +0050 -01 +00 2 1 1 C 1 0

	IDLE HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	0720	0240	04.60	01.00	4	005.50
AFT.RPM.ADJ 0700		0240	04.40	01.00	4	003.30
AFT.YI ADJ1 0200		0140	00.80	00.50	4	003.30
AFT.YI ADJ2 0300		0120	00.70	01.30	1	003.30
FINAL	0300	0120	00.70	01.30	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0531 DATE 10/04/73 DRY 70 WET 54 PRES 24.94 TEST NO.C0555 DATE 10/05/73 DRY 70 WET 53 PRES 24.58

	CT	CS	HT	HT	1975
HC	09.90	07.78	06.94	05.35	06.20 06.33
CO	0160.4	0117.7	0109.4	0061.9	0095.3 0090.9
CO2	0498.3	0516.5	0447.1	0580.8	0475.6 0538.0
NOX	01.64	01.61	01.76	01.64	01.53 01.50

	IDLE	LO CR	HI CR	2500
HC	06233	04756	05561	
LHC	1231	0991	1001	
CO	06.45	01.47	04.12	
NOX	0082	1133	0839	
MCSUN	0570	0270	0420	0160
COSUN	05.60	01.30	03.60	01.30

MPG 12.47

MPG 12.71

VEH.NO. 201 TEST SEQ. 1 YEAR 73 MAKE FORD MODEL PINT ODOMETER 010729 NO.CYL. 4 CID 122
 CARB.VENT. 1 TRANS. 1 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 10.40 -0140 +06 -02 0 2 1 0 2 0
 FROM STATION 03.20 -0050 +00 +00 0 1 1 0 2 0

INITIAL	IDLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
0350	0270	09.80	20.00	4	002.50	
AFT.RPM.ADJ 0270	0290	08.80	20.00	3	002.00	
AFT.TI ADJ1 0090	0240	00.20	09.00	3	003.00	
AFT.TI ADJ2 0170	0250	02.80	08.60	3	000.00	
FINAL 0100	0210	00.20	08.00	3		

ADDL RPRS 021.90 EST 040.00

TEST NO.C0532 DATE 10/04/73 DRY 70 WFT 54 PPES 24.94 TEST NO.C0556 DATE 10/05/73 DRY 72 WFT 52 PRES 24.65

CT	CS	HT	1975
HC	11.10	12.22	06.79
CO	0176.7	0105.7	0122.0
CO2	0299.3	0249.5	0255.2
NOX	01.14	00.65	01.31

IDLE	LO CR	HI CR	2500
HC	12725	04926	04312
LHC	1363	0933	0805
CO	11.57	07.10	06.95
NOX	0013	0363	0420
HCSUN	0630	0320	0235
COSUN	20.00	05.20	06.20

MPG 16.03

CT	CS	HT	1975
HC	09.96	05.55	04.12
CO	0176.8	0149.3	0114.9
CO2	0307.2	0288.5	0277.5
NOX	01.12	00.67	01.21

IDLE	LO CR	HI CR	2500
HC	04135	05253	04081
LHC	0653	0A34	0690
CO	03.51	09.43	05.83
NOX	0065	0133	0735
HCSUN	0230	0390	0250
COSUN	03.20	09.10	01.50

MPG 16.58

VEH.NO. 202 TEST SEQ. 1 YEAR 73 MAKE DATSUN MODEL 1200 ODOMETER 000519 NO.CYL. 4 CID 071

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 FXH.CON. 1 EVAP.CON. 1 PCV ?

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.13 -0050 +15 -09 0 1 1 0 2 2

FROM STATION 00.13 -0050 +05 -09 0 1 1 0 2 2

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0200	0100	00.20	01.60	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0100	00.20	01.60	1	

ADDL RPQS 003.00 EST 000.00

TEST NO.C0533 DATE 10/04/73 DRY 71 WET 54 PRES 24.94 TEST NO.C0533 DATE 10/04/73 DRY 71 WET 54 PRES 24.94

	CT	CS	HT	1975
HC	03.46	02.56	04.15	03.19
CO	0059.3	0029.7	0031.2	0035.6
CO2	0274.2	0315.8	0247.9	0288.2
NOX	01.79	01.44	02.00	01.67

	IDLE	LO	CP	HI	CP	2500
HC	03955	02580				03404
LHC	0750	0533				0628
CO	00.17	00.59				03.25
NOX	0079	1229				1410
HCSUN	0220	0100				0170
COSUN	00.13	00.50				03.30

MPG 25.14

MPG 25.14

VEH.NO. 203 TEST SEQ. 1 YEAR 73 MAKE CHRYSLER MODEL NEWP ODOMETER 059407 NO.CYL. 3 CID 400

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 06.40 -0160
 FROM STATION 03.10 -0260

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0500	0100	04.50	05.00	4	000.00
AFT.RPM.ADJ	0300	0100	04.70	05.00	3	000.00
AFT.TI ADJ1	0225	0100	04.20	05.00	3	000.00
AFT.TI ADJ2	0250	0130	04.00	04.60	3	012.00
FINAL	0190	0270	01.50	02.80	1	

ADNL RPRS 021.45 EST 000.00

TEST NO.C0529 DATE 10/04/73 DRY 75 WET 55 PRES 24.94 TEST NO.C0545 DATE 10/05/73 DRY 71 WET 55 PRES 24.84

	CT	CS	HT	1975
HC	17.07	12.05	09.53	12.40
CO	0231.4	0204.9	0154.8	0196.6
CO2	0562.3	0617.2	0534.0	0582.6
NOX	01.36	01.03	01.58	01.26

	CT	CS	HT	1975
HC	12.87	05.66	06.53	07.44
CO	0192.7	0091.5	0129.0	0123.1
CO2	0628.4	0745.4	0575.6	0674.9
NOX	01.79	01.64	01.57	01.68

MPG 09.57

MPG 09.99

	LO CR	HI CR	2500
HC	05011	03393	03953
LHC	0713	0603	0631
CO	03.27	00.66	04.53
NOX	0052	1002	0690
HCSUN	3280	0170	0180
COSUN	03.20	00.65	04.20

	LO CR	HI CR	2500
HC	05011	03393	03953
LHC	0713	0603	0631
CO	03.27	00.66	04.53
NOX	0052	1002	0690
HCSUN	3280	0170	0180
COSUN	03.20	00.65	04.20

VEH.NO. 204 TEST SEQ. 3 YEAR 73 MAKE FORD MODEL GALA ODOMETER 020723 NO.CYL. 4 CID 390

CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.59 -0200 +01 +03 1 1 1 1 2 0

FROM STATION 00.59 -0200 +01 +03 1 1 1 1 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0190	0150	00.90	02.90	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0190	0150	00.90	02.90	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0543 DATE 10/05/73 DRY 71 WET 56 PRES 24.83 TEST NO.C0543 DATE 10/05/73 DRY 71 WET 56 PRES 24.83

	CT	CS	HT	1975
HC	08.75	04.28	04.54	05.32
CO	0153.9	0065.0	0070.5	0085.1
CO2	0623.6	0657.6	0569.2	0625.9
NOX	04.83	03.86	05.42	04.50

	IDLE	LO CR	HI CR	2500
HC	02394	03482	03250	
LHC	0908	0751	0699	
CO	01.01	02.49	02.89	
NOX	0339	2377	2544	
HCSUN	0155	0230	0170	0095
COSUN	00.70	02.30	02.60	03.10

MPG 11.47

MPG 11.47

581

VEH.NO. 205 TEST SEQ. 3 YEAR 69 MAKE CHEVROLET MODEL STAW ODOMETER 093879 NO.CYL. 3 CID 350

CARB.VENT. 4 TRANS. 1 WEIGHT 4500 FXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER 07.90 +0000
FROM STATION 00.65 +0000

	SOLE HC	2500 HC	SOLE CO	2500 CO	CODE	COST
INITIAL	0700	0300	05.80	02.60	4	000.00
AFT.RPM.ANJ	0300	0180	01.00	01.20	1	000.00
AFT.TI ANJ1	0300	0180	01.00	01.20	1	000.00
AFT.TI ANJ2	0000	0000	00.00	00.00	9	000.00
FINAL	0300	0180	01.00	01.20	1	

ADDL PORS 010.87 EST 000.00

TEST NO.C0544 DATE 10/05/73 DRY 71 WET 56 PRES 24.84 TEST NO.C056A DATE 10/08/73 DRY 74 WET 48 PRES 24.43

	CT	CS	HT	1975
HC	06.79	05.52	04.76	05.78
CO	0101.0	0095.4	0050.1	0078.9
C02	0591.5	0584.9	0524.0	0569.4
NOX	04.67	03.04	04.95	03.91

	CT	CS	HT	1975
HC	07.16	04.73	05.37	05.47
CO	0122.9	0051.3	0077.1	0073.5
C02	0574.3	0582.2	0534.9	0567.4
NOX	03.66	02.70	03.93	03.24

MPG 12.52

MPG 12.72

	LO CR	HI CR	2500
HC	03769	04025	03251
LHC	0729	0761	0679
CO	00.81	02.12	00.52
NOX	0192	1340	3167
HCSUN	0285	0265	0185
COSUN	00.70	01.80	00.50

	LO CR	HI CR	2500
HC	03769	04025	03251
LHC	0729	0761	0679
CO	00.81	02.12	00.52
NOX	0192	1340	3167
HCSUN	0285	0265	0185
COSUN	00.70	01.80	00.50

VEH.NO. 206 TEST SEQ. 1 YEAR 65 MAKE CADILLAC MODEL FLEE ODOMETER 053146 NO.CYL. 8 CID 423
 CARB.VENT. 4 TRANS. 1 WEIGHT 5500 EXH.CON. 2 EVAP.CON. 2 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 05.30 -0420 +00 +00 1 1 1 0 2 0
 FROM STATION 05.30 -0420 +00 +00 1 1 1 0 2 0

INITIAL	INLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
0620	0300	05.60	04.40	1	003.50	
AFT.RPM.ADJ 0000	0000	00.00	00.00	0	000.00	
AFT.YI 00J1 0000	0000	00.00	00.00	0	000.00	
AFT.YI 00J2 0000	0000	00.00	00.00	0	000.00	
FINAL 0620	0300	05.60	04.40	1		

ADNL RPRS 000.00 EST 000.00

TEST NO.C0548 DATE 10/05/73 NPV 71 WFT 55 PRES 24.84 YEST NO.C0548 DATE 10/05/73 NPV 71 WFT 55 PRES 24.84

CT	CS	HT	HY	1975
HC	15.66	14.97	09.79	13.67
CO	0211.0	0172.2	0139.8	0171.3
CO2	0646.8	0555.8	0511.6	0562.6
NOX	04.28	02.70	03.62	03.29

INLF	LO CR	HI CR	2500
HC	11533	04733	04078
LHC	1289	0823	0724
CO	07.03	04.48	04.92
NOX	0035	1086	1122
HC SUN	0170	0340	0260
CO SUN	06.50	04.30	04.70

MPG 10.1A

MPG 10.1A

187

VEH.NO. 207 TEST SEQ. 1 YEAR 72 MAKE VOLKSWAGON MODEL SQBK ODOMETER 011511 NO.CYL. 4 CID 097

CARR.VENT. 0 TRANS. 4 W/FIGHT 2500 EXH.CON. 1 EVAP.CON. 1 PCV 2

FROM G/WFR 02.90 +0160 +05 -01 0 1 0 0 0 2 0
 FROM STATION 02.90 +0160 +05 -01 0 1 0 0 0 2 0

	INLE HC	2500 HC	IOLF CO	2500 CO	CODE	COST
INITIAL	00A0	0055	01.00	01.10	1	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	00A0	0055	01.00	01.10	1	

ADNL OPQS 000.00 FST 000.00

TEST NO.C0557 DATE 10/08/73 DRY 69 WFT 49 PRES 24.46 TEST NO.C0557 DATE 10/08/73 DRY 69 WFT 49 PRES 24.46

	CT	CS	HT	1975
HC	06.50	05.27	03.70	05.09
CO	0042.3	0040.1	0021.6	0035.4
CO2	0346.2	0377.2	0319.4	0354.7
NOX	05.20	03.25	04.63	04.04

	INLE	LO CR	HI CR	2500
HC	02964	00999	01319	
LHC	0445	0433	0465	
CO	03.03	00.20	00.14	
NOX	0099	1083	3501	
HCSUN	0115	0070	0080	0110
COSUN	02.90	00.08	00.08	02.40

MPG 27.49

MPG 20.49

VEH.NO. 20A TEST SEQ. 1 YEAR 71 MAKE DATSUN MODEL 513 ODOMETER 027615 NO.CYL. 4 CID 097
CAPA.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/F CHOKE A/P MIS NOX
FROM OWNER 03.50 -0200 -04 -07 0 2 1 1 2 0
FROM STATION 02.45 +0000 -05 -03 0 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0160	0150	05.90	01.80	4	105.50
AFT.RPM.ADJ	0130	0110	01.80	02.10	4	105.50
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0130	0110	01.80	02.10	1	

ANAL PQRS 000.00 CST 000.00

TEST NO.C0558 DATE 10/08/73 OPY 69 WET 49 PPS 24.45 TEST NO.C0546 DATE 10/09/73 OPY 70 WET 52 PRES 24.39

	CT	CS	HT	1975	CT	CS	HT	1975
HC	04.28	04.65	03.94	04.37	HC	08.41	03.26	03.36
CO	0036.2	0047.7	0036.8	0042.2	CO	0064.3	0042.0	0042.0
CO2	0343.2	0338.4	0282.3	0323.8	CO2	0331.5	0337.2	0285.6
NOX	04.43	02.50	04.01	03.61	NOX	04.06	02.20	03.35
								02.91
INLE LO CR	HI CR	2500			INLE LO CR	HI CR	2500	
HC	08242	03907	03354		HC	04352	03821	03302
LHC	0822	0787	0672		LHC	0393	0551	0494
CO	04.78	02.36	01.00		CO	03.31	02.76	01.04
NOX	0024	2507	3800		NOX	0039	2221	4108
HCSUN	0270	0190	0165	0230	HCSUN	0130	0150	0150
COSUN	03.50	01.65	00.80	00.65	COSUN	02.50	01.80	00.80

MPG 22.04

MPG 21.73

581

VEH.NO. 209 TEST SEQ. 1 YEAR 66 MAKE BUICK MODEL ELFC ODOMETER 056428 NO.CYL. 4 CID 401

CARB.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER 05.20 -0040
FROM STATION 05.50 +0050

TOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
05.20 -0040 -02 +00 1 2 1 0 2 0
05.50 +0050 +02 +00 1 2 1 0 2 0

ADNL PPRS 002.50 EST 000.00

TEST NO.C0559 DATE 10/08/73 DRY 74 WET 52 PPRES 24.45 TEST NO.C0585 DATE 10/09/73 DRY 71 WET 53 PRES 24.39

CT CS HT 1975
HC 14.95 12.98 09.81 12.51
CO 0175.5 0149.4 0131.0 0149.8
CO2 0527.6 0478.2 0462.2 0494.1
NOX 03.81 02.25 03.32 02.88

IDLE LO CR HI CR 2500
HC 08196 04977 04650
LHC 0902 0803 0737
CO 05.62 03.25 03.88
NOX 0044 1491 1545
HCSUN 0580 0365 0295 0275
COSUN 05.10 03.10 03.10 03.60

MPG 11.74

CT CS HT 1975
HC 16.71 13.50 10.30 13.29
CO 0178.8 0147.4 0127.3 0148.6
CO2 0572.2 0486.0 0428.3 0488.0
NOX 04.32 02.62 03.35 03.18

IDLE LO CR HI CR 2500
HC 08582 05244 04809
LHC 1138 0814 0724
CO 05.98 03.23 03.46
NOX 0037 1667 2010
HCSUN 0610 0370 0310 0335
COSUN 05.10 03.00 03.20 03.90

MPG 11.67

VEH.NO. 210 TEST SFQ. 2 YEAR 73 MAKE VOLKSWAGON MODEL SEDG ODOMETER 015A68 NO.CYL. 4 CID 097

CARR.VENT. 1 TRANS. 4 WEIGHT 2000 FXH.CON. 1 EVAP.CON. 1 PCV 2

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 06.70 -0100 +05 0 1 1 0 2 0
 FROM STATION 02.55 -0100 +00 0 1 1 0 2 0

	INLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	0300	0210	05.00	03.20	1	005.50
AFT.RPM.ADJ 0000		0000	00.00	00.00	0	000.00
AFT.TI ADJ1 0100		0140	03.20	02.20	1	005.50
AFT.TI ADJ2 0000		0000	00.00	00.00	0	000.00
FINAL	0180	0140	03.20	02.20	1	

ANNU PERS 000.00 EST 000.00

TEST NO.C0571 DATE 10/08/73 DAY 72 WET 43 PRES 24.42 IFST NO.C0592 DATE 10/10/73 DAY 72 WET 53 PRES 24.64

	CT	CS	HT	1975	CT	CS	HT	1975
HC	07.82	06.22	05.39	06.33	HC	06.85	05.48	05.31
CO	0100.4	0095.4	0076.8	0091.3	CO	0091.1	0091.0	0071.2
CO2	0296.7	0293.5	0265.7	0286.5	CO2	0333.7	0335.7	0296.5
NOX	03.12	01.79	03.00	02.40	NOX	04.07	02.53	03.31

	INLF	LO CP	HI CP	2500	INLF	LO CP	HI CP	2500
HC	05549	03772	02861		HC	03604	03652	02797
LHC	0798	0743	0716		LHC	0293	0379	0326
CO	07.19	03.25	00.75		CO	02.83	02.98	00.62
NOX	0066	1371	3834		NOX	0081	1621	3921
HCSUN	0270	0230	0160	0290	HCSUN	0140	0165	0115
COSUN	07.00	03.20	00.70	05.10	COSUN	02.55	02.50	00.55

MPG 19.80

MPG 19.00

161

VEH.NO. 211 TEST SEQ. 3 YEAR 70 MAKE PLYMOUTH MODEL FURY ODOMETER 063652 NO.CYL. 8 CID 310

CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.80 +0060 +10 -10 1 2 1 0 1 0
FROM STATION 03.50 +0000 +03 -09 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2000	2500	03.00	00.50	2	000.00
AFT.RPM.ADJ	0200	2500	02.60	01.50	2	000.00
AFT.TI ADJ1	0200	2500	02.50	01.50	2	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0100	02.50	02.00	1	

ADDL RORS 051.0M FST 000.00

TEST NO.C0573 DATE 10/05/73 DRY 74 WET 53 PRES 24.39 TEST NO.C0601 DATE 10/10/73 DRY 71 WET 52 PRES 24.66

	CT	CS	HT	1975
HC	33.83	26.65	29.43	28.93
CO	0152.1	0110.6	0117.0	0121.0
CO2	0516.2	0490.3	0444.2	0483.0
NOX	04.03	03.33	03.55	03.54

	IDLE	LO CR	HI CR	2500
HC	13683	05991	13655	
LHC	2500	1146	2500	
CO	03.58	03.23	07.52	
NOX	0185	1458	0460	
HCSUN	2500	0600	1900	2500
COSUN	02.80	02.90	06.10	01.50

MPG 11.65

	CT	CS	HT	1975
HC	07.91	05.20	05.58	05.87
CO	0143.7	0100.9	0097.7	0109.0
CO2	0572.4	0544.8	0430.4	0518.8
NOX	02.94	02.64	02.17	02.57

	IDLE	LO CR	HI CR	2500
HC	03556	03592	03417	
LHC	0365	0461	0430	
CO	03.92	02.89	03.68	
NOX	0068	1315	1219	
HCSUN	0140	0170	0130	0120
COSUN	03.10	02.20	03.00	02.20

MPG 12.57

VEH.NO. 212 TEST SEQ. 2 YEAR 67 MAKE FORD MODEL MUST ODOMETER 051835 NO.CYL. 8 CID 289
 CARR.VENT. 2 TRANS. 3 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IOLC CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 09.85 -0250 -02 1 1 1 0 2 0
 FROM STATION 05.60 -0100 -02 1 1 1 0 2 0

	IOLC HC	2500 HC	IOLC CO	2500 CO	CODE	COST
INITIAL	0.80	0250	06.50	06.00	1	001.50
AFT.RPM.ADJ	0400	0150	07.00	00.40	3	001.50
AFT.TI ADJ1	0250	0150	03.90	01.80	1	001.50
AFT.TI ADJ2	0000	0000	09.00	00.00	0	000.00
FINAL	0250	0150	03.90	01.80	1	

ADNL RPRS 000.00 FST 000.00

TEST NO.C0572 DATE 10/09/73 DRY 72 WFT 48 PRES 24.42 VEST NO.C0593 DATE 10/10/73 DRY 73 WFT 52 PRES 24.68

	CT	CS	HT	1975
HC	16.37	15.63	12.00	15.29
CO	0173.1	0181.1	0130.7	0165.4
CO2	0302.0	0292.7	0296.0	0295.6
NOX	00.85	00.52	01.25	00.79

	IOLC	LO CO	HI CO	2500
HC	16321	04353	04427	
LHC	1368	0901	0873	
CO	10.35	04.37	04.05	
NOX	0017	0917	1250	
HCSUN	0740	0335	0320	0450
COSUN	20.00	04.00	03.80	05.00

MPG 14.75

	CT	CS	HT	1975
HC	10.87	11.12	07.52	10.17
CO	0141.4	0142.1	0107.8	0132.4
CO2	0339.2	0344.9	0319.8	0316.8
NOX	01.35	00.85	01.55	01.18

	IOLC	LO CO	HI CO	2500
HC	05771	04890	04721	
LHC	0484	0636	0513	
CO	05.98	03.95	04.23	
NOX	0054	0639	1125	
HCSUN	0285	0710	0270	0295
COSUN	05.50	03.50	03.60	04.70

MPG 15.66

VEH.NO. 213 TEST SEQ. 1 YEAR 66 MAKE CHEVROLET MODEL STAM ODOMETER 061637 NO.CYL. 8 CID 283
CAPB.VENT. 2 TRANS. 3 WEIGHT 4000 FXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.70 +0000 +02 +00 1 1 1 0 2 0
FROM STATION 05.70 +0000 +02 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CONE	COST
INITIAL	0600	0260	05.75	04.25	1	005.50
AFT.RPM.ADJ	2000	0000	00.00	00.20	Z	022.22
AFT.TI ADJ1	ZZZZ	ZZZZ	ZZ.22	ZZ.72	Z	277.20
AFT.TI ADJ2	0000	0000	09.00	00.00	0	000.00
FINAL	0600	0260	05.75	04.25	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0574 DATE 10/09/73 DRY 71 WET 53 PRES 24.39 TEST NO.C0574 DATE 10/09/73 DRY 71 WET 53 PRES 24.39

	CT	CS	HT	1975
HC	13.45	15.88	11.37	14.15
CO	0145.9	0174.5	0138.8	0158.7
CO2	0463.6	0550.2	2450.7	0503.5
NOX	02.32	02.15	01.51	01.18

	IDLF	LO CR	HI CR	2500
HC	10189	05621	05548	
LHC	1391	1005	0989	
CO	05.26	03.58	07.32	
NOX	2037	0941	0432	
HCSUN	0570	0350	0335	0375
COSUN	05.30	04.00	06.60	05.90

MPG 11.15

MPG 11.15

VEH.NO. 214 TEST SEQ. 2 YEAR 66 MAKE PONTIAC MODFL DATA ODOMETER 046086 NO.CYL. 4 CID 389
 CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/D MIS NOX
 FROM OWNER 03.30 -0060 -03 +00 2 1 1 0 2 0
 FROM STATION 03.30 -0060 -03 +00 2 1 1 0 2 0

	IDL F HC	2500 HC	IDL F CO	2500 CO	COEF	COST
INITIAL	0590	0150	02.60	02.40	1	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0590	0150	02.60	02.40	1	

ADNL PRPS 000.00 EST 000.00

TEST NO.00575 DATE 10/09/73 DRY 71 WET 53 PRES 24.40 TEST NO.00575 DATE 10/09/73 DRY 71 WET 53 PRFS 24.40

	CT	CS	HT	1975	CT	CS	HT	1975
HC	10.70	07.20	06.21	07.66	HC	10.70	07.20	06.21
CO	0167.1	0103.3	0086.7	0112.0	CO	0167.1	0103.3	0086.7
CO2	0490.3	0477.5	0444.4	0471.0	CO2	0490.3	0477.5	0444.4
NOX	02.83	01.69	03.43	02.41	NOX	02.83	01.69	03.43

	IDL F	LO CR	HI CO	2500	IDL F	LO CR	HI CO	2500
HC	05554	04099	03040		HC	05654	04099	03340
LHC	0495	0776	0735		LHC	0895	0776	0735
CO	03.64	01.42	02.44		CO	03.64	01.42	02.44
NOX	0058	1739	2018		NOX	0058	1739	2018
HCSUN	0400	0245	0210	0200	HCSUN	0400	0245	0210
COSUN	03.20	01.30	02.10	02.00	COSUN	03.20	01.30	02.10

MPG 13.27

MPG 13.27

561

VEH.NO. 217 TEST SEQ. 3 YEAR 72 MAKE CADILLAC MODEL COUP ODOMETER 017251 NO.CYL. 4 CID 472
 CARR.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 1 PCV 1

FROM OWNER 02.95 +0020 +02 1 2 1 0 2 0
 FROM STATION 02.95 +0020 +02 1 2 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
01A0	0050	0050	03.20	00.50	1	004.50
AFT.RPM.ADJ 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL 01B0	0050	0050	03.20	00.50	1	

ADDL RPRS 000.00 FST 000.00

TEST NO.C0508 DATE 10/10/73 DRY 72 WFT 53 PRES 24.63 TEST NO.C0508 DATE 10/10/73 DRY 72 WFT 53 PRES 24.64

CT	CS	HT	1975
HC	04.54	02.24	03.55
CO	0141.7	0099.7	0103.6
CO2	0882.9	0854.5	0707.6
NOX	02.96	01.82	02.79

INLE	LO CP	HI CP	2500
HC	02088	01747	01485
LHC	0260	0284	0291
CO	03.71	02.86	01.88
NOX	0064	0404	1402
HCSUN	0235	0180	0145
COSUN	02.95	02.20	01.60

MPG 04.97

CT	CS	HT	1975
HC	04.54	02.24	03.55
CO	0141.7	0099.7	0103.6
CO2	0882.9	0854.5	0707.6
NOX	02.96	01.82	02.79

INLE	LO CR	HI CR	2500
HC	02098	01747	01485
LHC	0260	0284	0291
CO	03.71	02.86	01.88
NOX	0064	0404	1402
HCSUN	0235	0180	0145
COSUN	02.95	02.20	01.60

MPG 04.97

VEH.NO. 21A TEST SEQ. 1 YEAR 73 MAKE CHEVROLET MODEL NOVA ODOMETER 016372 NO.CYL. 4 CID 397

CAR9.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING OWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.10 -0040 +01 -04 1 1 1 0 2 1

FROM STATION 04.10 -0040 +01 -04 1 1 1 0 2 1

	INLF HC	2500 HC	INLF CO	2500 CO	CODE	COST
INITIAL	0110	0060	01.10	00.50	1	004.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0110	0060	01.10	00.50	1	

ANAL PRS 000.00 EST 000.00

TEST NO.C0549 DATE 10/10/73 TRY 76 WET 54 PRES 24.68 TEST NO.C0589 DATE 10/10/73 TRY 76 WET 54 PRES 24.68

	CT	CS	HT	1975
HC	09.51	04.95	05.55	06.10
CO	0132.8	0087.6	0097.4	0099.8
CO2	0491.6	0550.9	0462.5	0514.0
NOX	01.51	01.41	01.74	01.52

	INLF	LO CP	HI CP	2500
HC	03522	04111	03453	
LHC	0388	0532	0446	
CO	05.00	03.23	03.98	
NOX	0047	0755	0700	
HCSUN	0175	0210	0160	0095
COSUN	04.10	02.50	03.30	00.50

MPG 12.91

MPG 12.91

641

VEH.NO. 219 TEST SEQ. 1 YEAR 68 MAKE CHRYSLER MODEL STAM ODOMETER 071302 NO.CYL. 8 CID 383

CARB.VENT. 4 TRANS. 1 W/FIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IOLC CO IOLC RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.40 +0050 +00 1 2 1 0 2 0
FROM STATION 00.80 -0050 +00 1 2 1 0 2 0

	IOLC HC	2500 HC	IOLC CO	2500 CO	CODE	COST
INITIAL	0110	0100	02.00	05.30	1	000.00
AFT.RPM.ADJ	0100	0100	04.50	05.00	3	000.00
AFT.TI ADJ1	0120	0200	00.50	03.50	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0200	00.50	03.50	1	

ADNL PPRS 012.00 EST 000.00

TEST NO.C0604 DATE 10/11/73 DRY 71 WET 53 PRES 24.51 TEST NO.C0629 DATE 10/12/73 DRY 71 WET 49 PRES 24.53

	CT	CS	HT	1975
HC	12.56	09.67	08.82	09.52
CO	0241.3	0171.5	0157.8	0182.4
CO2	0560.5	0556.0	0517.3	0546.2
NOX	02.07	02.93	03.71	03.13

	IOLC	LO CR	HI CR	2500
HC	0455.3	0465.8	0422.6	
LHC	044.3	0590	052.8	
CO	06.61	05.30	04.75	
NOX	0065	1038	1383	
HCSUN	0190	0255	0190	0175
COSUN	05.30	05.00	04.10	05.20

MPG 10.32

	CT	CS	HT	1975
HC	10.36	06.58	06.51	07.35
CO	0214.9	0103.3	0109.9	0128.2
CO2	0608.7	0605.5	0531.9	0585.7
NOX	03.03	03.85	04.68	03.92

	IOLC	LO CR	HI CR	2500
HC	06245	04714	03975	
LHC	0866	0546	0451	
CO	00.88	04.52	03.99	
NOX	0098	1424	1767	
HCSUN	0200	0110	0080	0200
COSUN	00.90	04.30	03.90	04.60

MPG 10.93

VEH.NO. 220 TEST SEQ. 3 YEAR 58 MAKE BUICK MODEL LESA ODOMETER 074568 NO.CYL. 4 CID 350

CARR.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX

FROM OWNER 07.50 +0210 +00 1 1 1 0 2 0
FROM STATION 00.19 +0000 +00 -06 1 1 1 0 2 0

	SOLE HC	2500 HC	SOLE CO	2500 CO	CODE	COST
INITIAL	0280	0370	07.60	05.20	4	005.50
AFT.RPM.ADJ	0290	0360	06.40	05.00	4	003.30
AFT.TI ADJ1	0150	0250	00.50	03.20	1	003.30
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0250	00.50	03.20	1	

ADML PPRS 000.00 EST 000.00

TEST NO.C0605 DATE 10/11/73 ORY 71 WET 53 PRES 24.51 TEST NO.C0630 DATE 10/12/73 ORY 71 WET 49 PRES 24.53

	CT	CS	HT	1975	CT	CS	HT	1975
HC	14.94	07.87	07.33	09.20	HC	12.54	05.37	05.35
CO	0237.5	0201.1	0170.3	0200.2	CO	0211.2	0110.3	0129.8
CO2	0455.7	0476.0	0400.8	0451.1	CO2	0461.7	0516.7	0403.2
NOX	01.69	00.44	01.79	01.28	NOX	02.02	01.28	01.86

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	0470.6	04392	0521.8		HC	02171	04198	03905
LHC	0525	0644	0743		LHC	0245	0563	0522
CO	07.92	04.74	10.13		CO	00.23	03.72	03.08
NOX	0069	0700	0223		NOX	0140	1013	1967
HCSUN	0270	0290	0320	0265	HCSUN	0140	0330	0265
COSUN	07.40	04.40	08.60	05.80	COSUN	00.20	03.60	03.10

MPG 11.21

MPG 12.54

541

VEH.NO. 221 TEST SEQ. 1 YEAR 64 MAKE PONTIAC MODEL GRAN ODOMETER 074401 NO.CYL. 8 CID 389

CARR.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX

FROM OWNER 05.80 +0140 -02 -06 1 2 1 0 2 0
FROM STATION 01.10 +0230 -01 -06 1 2 1 0 2 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	0460	0520	04.30	05.30	4	002.50
AFT.RPM.ADJ	0480	0520	05.30	05.40	4	002.50
AFT.YI ADJ1	0380	0360	03.40	04.00	1	002.50
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0380	0360	03.40	04.00	1	

ADDL RPRS 010.00 EST 000.00

TEST NO.C0606 DATE 10/11/77 DRY 70 WET 52 PRES 24.51 TEST NO.C0631 DATE 10/12/73 DRY 70 WET 49 PRES 24.56

	CT	CS	HT	1975
HC	20.54	18.67	15.52	18.19
CO	0294.9	0297.5	0283.1	0295.5
CO2	0356.0	0335.9	0281.3	0324.9
NOX	00.56	00.30	00.31	00.36

	CT	CS	HT	1975
HC	15.27	10.71	10.95	11.73
CO	0293.1	0237.3	0286.0	0262.5
CO2	0409.6	0454.0	0364.7	0419.9
NOX	00.75	00.89	00.71	00.91

	IOLE	LO CR	HI CR	2500
HC	11558	0A941	07A07	
LHC	1161	0993	08A5	
CO	09.61	13.19	12.52	
NOX	0021	0094	0158	
HCSUM	0420	0800	0610	0750
COSUM	05.80	29.00	20.00	09.90

	IOLE	LO CR	HI CR	2500
HC	04484	07319	06A19	
LHC	0575	0883	0A15	
CO	01.65	12.13	12.26	
NOX	0515	0117	0137	
HCSUM	0350	0610	0550	0620
COSUM	01.10	09.90	20.00	10.00

MPG 10.52

MPG 10.25

VEH.NO. 222 TEST SEQ. 1 YEAR 64 MAKE RAMBLER MODEL AMFR ODOMETER 068526 NO.CYL. 6 CID 196
 CARR.VENT. 1 TRANS. 3 WEIGHT 3000 FXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.28 +0150 +00 -07 0 2 1 0 2 0
 FROM STATION 00.28 +0150 +00 -07 0 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0120	0140	00.20	01.70	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0140	00.20	01.70	1	

ANGL BPRS 000.00 FST 000.00

TEST NO.C0607 DATE 10/11/73 DAY 70 WET 53 PRES 24.51 TEST NO.C0607 DATE 10/11/73 DAY 70 WET 53 PRES 24.51

	CT	CS	HT	1975	CT	CS	HT	1975
HC	08.55	05.42	06.31	06.32	HC	08.55	05.42	06.31
CO	0095.0	0062.5	0086.6	0076.0	CO	0095.0	0062.5	0076.0
CO2	0387.6	0416.9	0339.0	0389.1	CO2	0387.6	0416.9	0339.0
NOX	03.29	03.27	02.37	03.02	NOX	03.29	03.27	02.37

	INLE	LO CR	HI CR	2500	INLE	LO CR	HI CR	2500
HC	03523	04150	05510		HC	03523	04150	05510
LHC	0476	0605	0764		LHC	0476	0605	0764
CO	00.33	03.38	09.24		CO	00.33	03.38	09.24
NOX	0186	1207	0285		NOX	0186	1207	0285
HCSUN	0275	0350	0450	0380	HCSUN	0275	0350	0450
COSUN	00.30	03.40	09.20	04.60	COSUN	00.30	03.40	09.20

MPG 16.85

MPG 16.85

102

VEH.NO. 223 TEST SEQ. 1 YEAR 64 MAKE BUICK MODEL WILD ODOMETER 051918 NO.CYL. 8 CID 401
 CARR.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.90 -00.00 +00 1 1 1 0 2 0
 FROM STATION 03.00 +00.20 +00 1 1 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
0900	0260	03.40	03.80	2	002.50	
AFT.RPM.ADJ 0600	0200	04.20	02.60	1	002.00	
AFT.TI ADJ1 0000	0000	00.00	00.00	0	000.00	
AFT.TI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0400	0200	04.20	02.60	1		

ANAL PQRS 003.00 EST 000.00

TEST NO.C0608A DATE 10/11/73 OPY 75 WET 55 PPES 24.51 TEST NO.C0632 DATE 10/12/73 DRY 71 WET 50 PRES 24.52

CT	CS	HT	1975
HC	10.69	12.12	08.24 10.74
CO	0093.4	0124.8	0079.9 0105.7
CO2	0459.0	0425.2	0422.9 0431.6
NOX	05.72	02.96	04.74 04.03

INLE	LO CR	HI CR	2500
HC	11514	04849	04106
LHC	1550	0637	0519
CO	05.69	02.44	01.42
NOX	0036	1933	3009
HCSUN	0370	0410	0325
COSUN	01.85	02.25	01.50

MPG 14.10

CT	CS	HT	1975
HC	10.87	11.22	08.01 10.25
CO	0092.6	0113.6	0078.2 0099.4
CO2	0487.6	0468.1	0462.1 0470.5
NOX	05.40	03.38	05.12 04.29

INLE	LO CR	HI CR	2500
HC	03665	05051	04216
LHC	1140	0699	0371
CO	06.38	02.88	01.71
NOX	0041	1679	2756
HCSUN	0390	0400	0310
COSUN	02.40	02.40	01.40

MPG 13.51

VEH.NO. 224 TEST SEQ. 2 YEAR 64 MAKE CHEVROLET MODEL MALI ODOMETER 043307 NO.CYL. 6 CID 250
 CARB.VENT. 2 FRA'S. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.90 -0200 -02 -09 1 2 1 0 2 0
 FROM STATION 05.60 -0100 -02 -02 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0210	0150	04.80	02.00	3	004.50
AFT.RPM.ADJ	0210	0140	03.80	01.00	1	001.50
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0210	0140	03.80	01.00	1	

ADNL POPS 000.00 EST 000.00

TEST NO.C0617 DATE 10/12/73 DRY 75 WET 55 PRES 24.48 IFST NO.C0655 DATE 10/16/73 DRY 70 WET 54 PRES 24.87

	CT	CS	HT	1975
HC	20.33	05.19	05.50	08.45
CO	0212.6	0114.7	0089.2	0128.1
CO2	0459.2	0464.8	0407.8	0447.8
NOX	02.46	01.53	02.86	02.15

	INLE	LO CR	HI CR	2500
HC	0443.8	0395.9	0428.1	
LHC	0474	0413	0471	
CO	06.41	04.03	04.90	
NOX	0076	0652	0802	
HCSUN	0290	0210	0209	0269
COSUN	05.00	03.00	04.30	02.40

MPG 13.19

	CT	CS	HT	1975
HC	20.42	04.29	04.74	07.79
CO	0203.1	0086.3	0073.5	0107.5
CO2	0445.2	0450.1	0414.0	0439.0
NOX	02.26	01.51	03.00	02.08

	INLE	LO CR	HI CR	2500
HC	0439.3	0327.6	0406.9	
LHC	0475	0351	0439	
CO	06.25	01.90	05.07	
NOX	0065	0063	0070	
HCSUN	0540	0360	0380	0560
COSUN	05.80	07.80	05.00	03.80

MPG 14.08

VEH.NO. 225 TEST SEQ. 3 YFAR 68 MAKE CHEVROLET MODFL STAW ODOMETER 048577 NO.CYL. 4 CID 396

CAP9.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER	IDLE	CO	IOLP	RPM	TIMING	OWELL	PCV	A/C	CHOKE	A/P	MIS	NOX
FROM STATION	03.30	-0010	+04	+00	1	1	0	2	0			
FROM STATION	01.30	-0050	+18	+00	1	1	0	2	0			

	TYPE 4C	250R 4C	INLF 4C	250R 4C	CODE	COST
INITIAL	0500	0260	04.30	05.80	4	000.00
AFT.RPM.ADJ	0260	0170	04.60	04.60	4	000.00
AFT.TI ADJ1	0270	0180	01.00	04.60	4	000.00
AFT.TI ADJ2	0130	0150	01.00	04.20	1	000.00
FINAL	0130	0150	01.00	04.20	1	000.00

ANNUAL REPORT 060.15 EST 000.00

TEST NO.C0665 DATE 10/17/73 DRY 69 WET 50 PRES 24.91 TEST NO.C0669 DATE 10/18/73 DRY 71 WET 52 PRES 24.83

	CT	CS	HT	1975		CT	CS	HT	1975
HC	08.95	05.53	04.92	06.08	HC	09.11	05.31	05.82	06.76
CO	012.1	0143.9	0139.3	0156.9	CO	0219.5	0161.6	0163.5	0174.0
CO2	0532.6	0550.1	0441.5	0516.3	CO2	0523.3	0561.3	0437.5	0519.0
NOX	01.42	00.68	01.20	01.08	NOX	01.35	00.90	00.96	01.01

	TDLE	LO CR	HI CR	2500
HC	03519	04280	04000	
LHC	0344	0546	0509	
CO	03.61	07.07	06.37	
NOX	0072	0229	0466	
HCSUN	0345	0610	0480	0480
COSUN	03.60	07.20	06.40	04.50

MPG 11.39

MPG 10.95

VEH.NO. 226 TEST SEQ. 6 YEAR 73 MAKE DODGE MODEL DART ODOMETER 003813 NO.CYL. 8 CID 313
 CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

INLE CO INLE PPM TIMING OWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.77 -0030 +00 1 1 1 1 2 1
 FROM STATION 05.10 +0000 +00 1 1 1 1 2 1

	INLE HC	2500 HC	INLE CO	2500 CO	COKE	COST
INITIAL	0440	0460	04.10	04.40	4	002.50
AFT.RPM.ADJ	0430	0460	04.20	04.40	4	002.50
AFT.YI ADJ1	0200	0200	02.10	02.10	1	002.50
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0200	02.10	02.10	1	

ADNL PPRS 002.50 EST 000.00

TEST NO.C0633 DATE 10/15/73 DRY 70 WET 49 PPRS 24.88 TEST NO.C0657 DATE 10/16/73 DRY 75 WET 56 PPRS 24.86

	CT	CS	HT	1975
HC	04.56	02.43	03.94	03.81
CO	0051.0	0043.6	0051.4	0047.3
CO2	0525.2	0520.6	0464.7	0506.0
NOX	04.84	02.35	04.32	03.42

	INLE	LO	CO	HI	CP	2500
HC	02910	03465	03467			
LHC	0341	0488	0472			
CO	01.88	02.09	02.34			
NOX	0136	2393	2696			0250
HCSUN	0370	0460	0430			01.80
CCSUN	02.00	02.20	02.50			

MPG 15.03

	CT	CS	HT	1975
HC	05.19	03.90	03.53	04.10
CO	0084.1	0079.9	0062.4	0075.4
CO2	0488.5	0490.2	0448.9	0478.4
NOX	03.62	01.76	04.19	02.82

	INLE	LO	CO	HI	CP	2500
HC	04146	03800	03522			
LHC	0515	0587	0532			
CO	05.92	03.32	03.35			
NOX	0080	1598	1354			0280
HCSUN	0500	0400	0400			02.80
CCSUN	05.00	03.00	03.30			02.80

MPG 14.61

502

VEH.NO. 227 TEST SEQ. 6 YEAR 73 MAKE RAMBLER MODEL STAW ODOMETER 003437 NO.CYL. 9 CID 304

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 00.63 -0020 +00 1 1 1 0 1 1
 FROM STATION 00.63 -0020 +00 1 1 1 0 1 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0080	0050	00.20	00.30	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0080	0050	00.20	00.30	1	000.00

ADNL RPRS 004.00 EST 000.00

TEST NO.C0634 DATE 10/15/73 DRY 69 WET 50 PRES 24.88 TEST NO.C0634 DATE 10/15/73 DRY 69 WET 50 PRES 24.88

	CT	CS	HT	HT	1975
HC	06.36	03.29	03.52	03.52	04.00
CO	0124.1	0043.3	0036.3	0036.3	0058.3
CO2	0582.2	0575.6	0473.5	0473.5	0549.6
NOX	02.32	01.65	02.24	02.24	01.95

	IDLE	LO CR	HI CR	2500
HC	02377	02887	02618	
LHC	0903	0384	0395	
CO	00.81	00.49	00.59	
NOX	0190	0867	1719	
HCSUN	0265	0345	0265	0075
COSUN	00.65	00.40	00.51	00.26

MPG 13.64

	CT	CS	HT	HT	1975
HC	06.36	03.29	03.52	03.52	04.00
CO	0124.1	0043.3	0036.3	0036.3	0058.3
CO2	0582.2	0575.6	0473.5	0473.5	0549.6
NOX	02.32	01.65	02.24	02.24	01.95

	IDLE	LO CR	HI CR	2500
HC	02377	02887	02618	
LHC	0903	0384	0395	
CO	00.81	00.49	00.59	
NOX	0190	0867	1719	
HCSUN	0265	0345	0265	0075
COSUN	00.65	00.40	00.51	00.26

MPG 13.64

VEH.NO. 228 TEST SEQ. 1 YEAR 71 MAKE OPEL MODEL 1900 ODOMETER 011626 NO.CYL. 4 CID 116

CARB.VENT. 1 TRANS. 1 WEIGHT 2250 FWH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.60 +0500 -02 -08 0 1 1 0 2 0
FROM STATION 04.60 +0500 -02 -08 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0100	0160	02.70	01.05	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0100	0160	02.70	01.05	1	

ADNL PPRS 003.00 FST 000.00

TEST NO.C0635 DATE 10/15/73 DRY 69 WFT 50 PRES 24.89 TEST NO.C0635 DATE 10/15/73 DRY 69 WFT 50 PRES 24.89

	CT	CS	HT	1975
HC	03.51	02.74	02.53	02.84
CO	0043.5	0039.8	0028.5	0037.4
CO2	0392.5	0326.4	0284.1	0328.5
NOX	04.75	02.57	03.98	03.42

	IDLE	LO CR	HI CR	2500
HC	03611	03546	03396	
LHC	0426	0510	0467	
CO	04.86	01.21	00.29	
NOX	0113	2335	5039	
HCSUN	0470	0480	0360	0280
COSUN	05.00	01.40	01.40	01.90

MPG 22.47

MPG 22.47

VEH.NO. 229 TEST SEQ. 1 YEAR 72 MAKE VOLKSWAGON MODEL SED4 ODOMETER 018774 NO.CYL. 4 CID 097

CARR.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 1 PCV 2

IDLE CO IDLE RPM TIMING OMELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.99 +0030 +02 +00 0 1 1 0 2 1
FROM STATION 03.60 -0200 +00 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0250	0190	07.90	04.20	4	005.00
AFT.RPM.ADJ	0700	0300	09.00	06.00	4	001.00
AFT.TI ADJ1	0180	0110	01.60	03.20	1	003.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0180	0110	01.60	03.20	1	

ADNL RPRS 000.00 FST 000.00

TEST NO.C0637 DATE 10/15/73 DRY 69 WET 50 PRES 24.89 TEST NO.C0658 DATE 10/16/73 DRY 74 WET 56 PRES 24.86

	CT	CS	HT	1975
HC	05.75	05.65	04.95	05.58
CO	0082.2	0110.7	0076.4	0095.7
CO2	0328.8	0301.0	0272.8	0299.0
NOX	03.49	01.65	02.63	02.31

	IDLE	LO CR	HI CR	2500
HC	06424	03254	02320	
LHC	0590	0417	0434	
CO	09.05	03.15	01.18	
NOX	0060	1331	3670	
HCSUN	0520	0320	0220	0450
COSUN	08.80	03.30	01.20	06.50

MPG 19.07

MPG 17.89

VEH.NO. 230 TEST SEQ. 1 YEAR 66 MAKE PLYMOUTH MODEL BELF ODOMETER 099961 NO.CYL. 6 CID 225

CARB.VENT. 1 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IGLE CO IGLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.70 +0250 +00 -10 0 2 0 0 2 0
FROM STATION 01.45 -0010 +00 +00 1 1 1 0 2 0

	IGLE HC	2500 HC	IGLE CO	2500 CO	CODE	COST
INITIAL	0150	0300	07.00	07.00	3	000.00
AFT.RPM.ADJ	0400	0300	02.00	07.00	3	000.00
AFT.TI ADJ1	0450	0375	02.50	05.50	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0450	0375	02.50	05.50	1	

ADDL PQRS 012.00 EST 000.00

TEST NO.C0636 DATE 10/15/73 DRV 69 WET 49 PRES 24.88 TFST NO.C0654 DATE 10/16/73 DRV 69 WET 54 PRES 24.92

	CT	CS	HT	1975
HC	12.46	07.92	05.68	08.25
CO	0135.5	0153.8	0102.6	0135.8
CO2	0359.1	0316.7	0290.4	0318.3
NOX	02.56	00.92	01.68	01.42

	IGLE	LO CR	HI CR	2500
HC	05800	04850	03723	
LHC	0510	0512	0472	
CO	05.16	07.24	04.76	
NOX	0081	0542	1438	
HCSUN	0660	0480	0420	0620
COSUN	04.90	07.60	04.70	39.80

MPG 15.97

	CT	CS	HT	1975
HC	12.63	07.36	06.71	09.28
CO	0135.4	0124.9	0107.4	0122.2
CO2	0356.9	0316.5	0293.8	0318.7
NOX	02.67	01.29	01.89	01.74

	IGLE	LO CR	HI CR	2500
HC	04515	04158	03596	
LHC	0449	0503	0436	
CO	01.53	06.31	04.55	
NOX	0054	0533	1258	
HCSUN	0580	0460	0420	0800
COSUN	01.40	06.70	04.90	10.00

MPG 16.59

607

VEH.NO. 231 TEST SEQ. 3 YEAR 73 MAKE PLYMOUTH MODEL DUST 0004FTEP 007751 NO.CYL. 4 CID 314

CAR9.VENT. 2 TRAPS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 05.70 -0140 +02 +00 1 1 1 0 2 1
FROM STATION 02.89 -0140 +05 +00 1 1 1 0 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0409	0150	05.10	02.50	4	000.00
AFT.RPM.ADJ	0400	0150	05.00	02.50	4	000.00
AFT.TI ADJ1	0200	0150	02.00	02.00	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0150	02.00	02.00	1	

ADDL RPRS 012.CO EST 000.00

TEST NO.C0660 DATE 10/17/73 DRY 65 WET 50 PRES 24.85 TEST NO.C0665 DATE 10/18/73 DRY 93 WET 56 PRES 24.83

	CT	CS	HT	1975
HC	04.62	04.13	03.65	04.10
CO	0075.3	0078.1	0051.0	0070.0
C02	0470.6	0434.1	0378.4	0426.3
NOX	02.86	01.67	03.05	02.30

	IDLE	LO CR	HI CO	2500
HC	04873	03481	03453	
LHC	0502	0464	0452	
CO	06.31	01.64	03.13	
NOX	0061	2489	1490	
HCSUN	0690	0560	0510	0290
COSUN	06.30	01.40	03.40	02.40

MPG 15.22

MPG 14.73

VEH.NO. 232 TEST SEQ. 6 YEAR 73 MAKE FORD MODEL WAVE OMMETER 003468 NO.CYL. 6 CID 200

CARB.VENT. 1 TRANS. 3 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.65 +0015 +00 1 1 1 0 2 1
FROM STATION 02.65 +0015 +00 1 1 1 0 2 1

	TOLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0100	0100	01.00	01.90	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0107	0100	01.00	01.00	1	

ADNL RPRS 000.00 FST 000.00

TEST NO.C0647 DATE 10/16/73 OPY 71 WET 50 PRES 24.92 TEST NO.C0647 DATE 10/16/73 OPY 71 WET 50 PRES 24.92

	CT	CS	HT	1975
HC	07.36	03.67	03.68	04.45
CO	0079.7	0074.7	0054.9	0070.3
CO2	0314.6	0330.5	0289.0	0315.7
NOX	01.11	00.50	01.09	00.79

	TOLE	LO CR	HI CR	2500
HC	0343A	04074	04019	
LHC	0381	0584	0580	
CO	03.05	02.05	02.99	
NOX	005A	1206	0884	
HCSUN	0360	0590	0555	0360
COSUN	03.01	02.20	02.90	02.20

MPG 20.24

	CT	CS	HT	1975
HC	07.36	03.67	03.58	04.45
CO	0079.7	0074.7	0054.9	0070.3
CO2	0314.6	0330.5	0289.0	0315.7
NOX	01.11	00.50	01.09	00.79

	TOLE	LO CR	HI CR	2500
HC	0343A	04074	04019	
LHC	0381	0584	0580	
CO	03.05	02.05	02.99	
NOX	005A	1206	0884	
HCSUN	0360	0590	0555	0360
COSUN	03.00	02.20	02.90	02.20

MPG 20.24

VEH.NO. 233 TEST SEQ. 3 YEAR 72 MAKE BUICK MODEL LE5A ODOMETER 020861 NO.CYL. 8 CID 350
 CARB.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.20 +0080 -08 -01 1 2 1 1 2 0
 FROM STATION 03.20 +0080 -08 -01 1 2 1 1 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0265	0065	0065	03.10	02.00	1	005.00
AFT.RPM.ADJ 0000	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL 0265	0065	0065	03.10	02.00	1	

ADDL PRRS 000.00 FST 000.00

TEST NO.C0649 DATE 10/16/73 DRY 70 WFT 53 PRES 24.92 YFST NO.C0649 DATE 10/16/73 DRY 70 WFT 53 PRES 24.92

CT	CS	HT	1975
HC	06.53	05.60	05.01 05.63
CO	0091.3	0106.4	0072.1 0093.9
CO2	0646.5	0595.4	0524.0 0586.3
NOX	05.51	02.91	04.50 03.90

IDLE	LO CR	HI CR	2500
HC	03952	03876	03357
LWC	0401	0437	0356
CO	03.53	02.65	01.49
NOX	0097	1565	2648
HCSUN	0560	0510	0330 0270
COSUN	03.80	02.70	01.50 03.80

MPG 11.85

MPG 11.85

VEH.NO. 234 TEST SEQ. 7 YEAR 68 MAKE MERCURY MODEL COUG ODOMETER 074758 NO.CYL. 4 SID 302

CARR.VENT. 4 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 06.00 +0050 +11 +03 1 2 1 0 2 0
FROM STATION 04.90 +0045 +00 +03 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CDDF	COST
INITIAL	2500	0260	05.40	01.40	4	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0750	0090	07.50	01.00	2	

ADNL RPRS 051.61 EST 200.00

TEST NO.C0661 DATE 10/17/73 DRY 69 NET 50 PRES 24.86 TEST NO.C0684 DATE 10/18/73 DRY 93 NET 56 PRES 24.86

	CT	CS	HT	1975
HC	05.16	07.18	05.25	06.33
CO	0966.5	0059.3	0033.5	0055.3
CO2	0421.1	0408.0	0357.7	0396.8
NOX	04.63	02.96	04.94	03.86

	IDLE	LO CR	HI CR	2500
HC	09075	04130	33590	
LHC	1739	0514	0439	
CO	06.62	00.78	00.86	
NOX	0050	3041	4267	
HCSUN	2500	0500	0490	0370
COSUN	06.60	00.90	00.90	01.10

MPG 17.68

MPG 15.19

VEH. NO. 235 TEST SEQ. 1 YEAR 65 MAKE BUICK MODEL WILD GROMETFP 07A046 NO. CYL. 3 CIN 425

CARB. VENT. 4 TRANS. 1 WEIGHT 4500 EXH. CON. 2 EVAP. CON. 2 PCV 1

IDLE CO INLE RPM TIMING DWELL PRV A/C CHOKE A/P MIS MIX

FROM OWNER 11.10 -0060 +10 +00 1 2 1 3 2 3

FROM STATION 11.00 -0060 +22 +00 1 2 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	CO/F	COST
1400	0500	20.00	08.00	4	4	004.50
AFT. RPM. ADJ 1300	0500	20.00	07.80	4	4	001.50
AFT. TI ADJ1 2500	0700	05.00	07.60	4	4	001.50
AFT. TI ADJ2 1200	1800	07.00	07.00	4	4	004.50
FINAL 2500	2500	20.00	06.40	4	4	

ADDL PRQS 041.42 EST 045.00

TEST NO. C0662 DATE 10/17/73 DRY 69 WFT 50 PRES 24.95 TEST NO. C0687 DATE 10/18/73 DRY 71 WFT 52 PRES 24.82

CT	CS	HT	WT	1975
HC	19.21	30.27	17.59	24.44
CO	0201.5	0263.7	0213.5	0238.5
CO2	0459.1	0398.6	0374.1	0404.5
NOX	02.93	00.96	01.41	01.50

INLE	LO CP	HI CP	2500
HC	16320	06929	15577
LHC	1400	0993	0794
CO	11.88	08.16	06.97
NOX	0011	0327	0790
HCSUN	2500	1440	1060
COSUN	20.00	09.00	07.40

MPG 10.40

MPG 03.60

VEH.NO. 236 TEST SEQ. 1 YEAR 65 MAKE CHEVROLET MODEL IMPA ODOMETER 061259 NO.CYL. 4 CID 327

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

SOLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.20 -0010 +02 +01 1 2 1 0 2 0
FROM STATION 00.16 +0000 +00 +00 1 1 1 0 2 0

	SOLE HC	2500 HC	SOLE CO	2500 CO	CODE	COST
INITIAL	0640	0660	06.20	06.10	4	002.50
AFT.RPM.ADJ	0640	0660	06.20	06.10	4	002.50
AFT.TI ADJ1	0400	0400	02.10	02.20	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0400	0400	02.10	02.20	1	

ADNL RPRS 002.50 EST 000.00

TEST NO.C0663 DATE 10/17/73 DRY 71 WFT 51 PRES 24.86 TEST NO.C0690 DATE 10/18/73 DRY 72 WFT 52 PRES 24.83

	CT	CS	HT	1975
HC	13.24	10.20	09.29	10.62
CO	0240.1	0220.0	0162.5	0208.3
CO2	0423.6	0413.9	0392.5	0410.0
NOX	00.89	00.67	01.44	00.93

	SOLE	LO CR	HI CR	2500
HC	07311	05017	06232	
LHC	0858	0641	0833	
CO	09.24	04.64	09.23	
NOX	0046	0764	0225	
HCSUN	0385	0800	0950	0920
COSUN	08.40	04.60	09.30	06.90

MPG 11.56

	CT	CS	HT	1975
HC	09.39	06.20	06.25	06.88
CO	0202.7	0131.5	0132.5	0146.7
CO2	0452.9	0453.8	0413.2	0444.2
NOX	01.21	00.92	01.53	01.15

	SOLE	LO CR	HI CR	2500
HC	03420	04113	03911	
LHC	0481	0564	0544	
CO	00.20	05.05	05.42	
NOX	0126	0636	0706	
HCSUN	0285	0320	0260	0400
COSUN	00.13	04.43	04.60	02.20

MPG 12.79

VEH.NO. 237 TEST SEQ. 3 YEAR 68 MAKE CADILLAC MODEL FLEE ODOMETER 065733 NO.CYL. 3 CID 472

CARB.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.35 +0090 +00 +00 1 2 1 0 2 0
FROM STATION 00.35 +0090 +00 +00 1 2 1 0 2 0

INITIAL	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
AFT.RPM.ADJ 0000	0090	0050	02.30	00.70	1	004.00
AFT.TI ADJ1 0000	0000	0000	00.00	00.00	0	060.00
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL	0090	0050	02.30	00.70	1	000.00

ADDL RPRS 000.00 EST 000.00

TEST NO.C0677 DATE 10/10/73 DRY 73 WET 53 PPES 24.89 TEST NO.C0677 DATE 10/10/73 DRY 73 WET 53 PRES 24.89

CT	CS	HT	1975
HC	05.35	04.57	03.77 04.51
CO	0142.9	0115.3	0106.2 0118.6
CO2	0661.3	0664.2	0502.9 0618.8
NOX	01.72	01.17	01.40 01.35

IOLE	LO CR	HI CR	2500
HC	01039	03267	04824
LHC	0272	0540	0700
CO	00.48	02.86	10.03
NOX	0101	0682	0141
HCSUN	0040	0190	0280
COSUN	00.35	02.00	00.53

MPG 10.87

MPG 10.87

VEH.NO. 238 TEST SEQ. 3 YEAR 69 MAKE DODGE MODEL CORO ODOMETER 051016 NO.CYL. 8 CID 318

CARB.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.40 -0050 +02 +00 1 1 1 0 2 0
FROM STATION 05.70 +0100 +02 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0450	0320	02.80	01.50	2	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0450	0180	01.50	01.40	2	001.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0350	0200	02.00	01.50	2	

ADOL RPRS 017.32 EST 000.00

TEST NO.C0674 DATE 10/18/73 DRY 70 WET 52 PRES 24.89 TEST NO.C0706 DATE 10/19/73 DRY 70 WET 50 PRES 24.85

	CT	CS	HT	1975
HC	10.51	09.44	08.49	09.63
CO	0125.0	0114.8	0102.9	0115.7
CO2	0453.0	0464.4	0454.7	0459.3
NOX	03.92	02.90	03.63	03.32

	CT	CS	HT	1975
HC	10.74	09.83	06.31	09.05
CO	0152.1	0124.5	0069.6	0115.0
CO2	0460.4	0486.3	0372.3	0449.2
NOX	03.04	03.17	03.54	03.27

	IDLE	LO CR	HI CR	2500
HC	0782A	05499	04954	
LHC	1478	0782	0670	
CO	05.77	03.52	04.22	
NOX	0069	1417	1198	0400
HCSUN	1260	0540	0385	
COSUN	34.80	03.00	03.40	04.30

	IDLE	LO CR	HI CR	2500
HC	06611	05320	04825	
LHC	116A	0831	0683	
CO	06.49	02.83	03.92	
NOX	0075	1813	1424	0370
HCSUN	0820	0520	0375	
COSUN	05.50	02.30	03.40	03.60

MPG 13.26

MPG 13.52

L/R

VEH.NO. 239 TEST SEQ. 1 YEAR 68 MAKE VOLKSWAGON MODEL SEDA ODOMETER 084309 NO.CYL. 4 CID 091

CARB.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.94 +0010 +00 0 1 1 0 1 0
FROM STATION 00.70 +0000 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0200	0210	04.00	04.40	3	035.50
AFT.RPM.ADJ	0180	0160	01.10	03.60	1	000.00
AFT.TI ADJ1	0000	0000	09.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0180	0160	01.10	03.60	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0664 DATE 10/17/73 DPY 74 WET 53 PRES 24.90 TEST NO.C0707 DATE 10/19/73 DPY 70 WET 50 PRES 24.85

	CT	CS	HT	1975
HC	04.63	03.79	06.30	04.66
CO	0093.2	0106.4	0099.5	0101.7
CO2	0247.4	0254.3	0197.4	0237.1
NOX	01.28	00.78	00.73	00.87

	CT	CS	HT	1975
HC	04.77	04.09	03.52	04.16
CO	0078.9	0054.4	0062.5	0061.8
CO2	0267.8	0295.5	0240.3	0274.4
NOX	02.20	01.97	01.82	01.98

	IDLE	LO CR	HI CR	2500
HC	05081	03799	02722	
LHC	0401	0434	0360	
CO	07.78	08.92	04.93	
NOX	0055	0247	1387	
HCSUN	0400	0410	0290	0720
COSUN	07.70	09.00	04.70	20.00

	IDLE	LO CR	HI CR	2500
HC	03411	02926	02835	
LHC	0430	0402	0411	
CO	00.78	03.09	04.59	
NOX	0073	1283	1521	
HCSUN	0250	0170	0185	0260
COSUN	00.70	02.90	04.00	02.90

MPG 21.64

MPG 23.16

VEH.NO. 240 TEST SEQ. 1 YEAR 65 MAKE CHEVROLET MODEL CHEV ODOMETER 071640 NO.CYL. 6 CID 230

CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 03.80 +0700 +00 -03 1 2 1 0 2 0
 FROM STATION 03.80 +0000 +00 -03 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0280	0140	02.20	02.00	1	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0280	0140	02.20	02.00	1	

ADNL RPRS 000.00 FST 000.00

TEST NO.C0688 DATE 10/18/73 DRY 71 WET 52 PRES 24.83 TEST NO.C0588 DATE 10/18/73 DRY 71 WET 52 PRES 24.83

	CT	CS	HT	1975
HC	19.74	05.60	05.33	08.48
CO	0224.3	0087.6	0102.6	0120.4
CO2	0365.5	0370.0	0319.4	0355.0
NOX	02.19	02.50	02.82	02.56

	IDLE	LO CR	HI CR	2500
HC	05232	04385	05829	
LHC	0677	0583	0737	
CO	03.92	03.59	11.16	
NOX	0091	1983	0199	
HCSUN	0490	0320	0440	0170
COSUN	03.50	03.30	20.00	01.70

MPG 15.40

	CT	CS	HT	1975
HC	19.74	05.60	05.33	08.48
CO	0224.3	0087.6	0102.5	0120.4
CO2	0365.5	0370.0	0319.4	0355.0
NOX	02.18	02.58	02.82	02.56

	IDLE	LO CR	HI CR	2500
HC	05232	04385	05829	
LHC	0677	0583	0737	
CO	03.92	03.59	11.16	
NOX	0091	1983	0199	
HCSUN	0490	0320	0440	0170
COSUN	03.50	03.30	20.00	01.70

MPG 15.60

412

VEH.NO. 241 TEST SEQ. 1 YEAR 65 MAKE CHEVROLET MODEL IMPA ODOMETER 101402 NO.CYL. 4 CID 396
CAPS.VENT. 4 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 11.10 +025 -0.1 1 2 1 0 1 0
FROM STATION 10.30 +025 -0.1 1 2 1 0 2 0

	TOLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2500	2500	20.00	06.00	4	005.00
FT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
FT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
FT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	2500	2500	29.00	36.00	4	

ADNL PRRS 000.00 FST 000.00

TEST NO.C0691 DATE 10/19/73 DRY 69 WET 52 PRES 24.86 TEST NO.C0714 DATE 10/22/73 DRY 76 WET 52 PRES 24.87

	CT	CS	HT	1975	CT	CS	HT	1975
HC	24.68	21.12	14.35	19.99	HC	47.02	46.83	35.23
CO	0254.1	0393.6	0231.5	0319.4	CO	0244.1	0274.6	0211.2
CO2	0503.9	0542.0	0459.4	0511.1	CO2	0523.0	0523.6	0417.5
NOX	01.00	00.70	00.95	00.83	NOX	01.31	01.59	01.00

	TOLE	LO CR	HI CR	2500
HC	11905	05113	05432	
LHC	1259	0536	0758	
CO	12.80	06.72	04.71	
NOX	0027	0215	0631	
HCSUN	0650	0260	0450	0250
COSUN	38.60	04.80	33.10	05.90

MPG 08.20

	TOLE	LO CR	HI CR	2500
HC	15150	10909	09879	
LHC	2086	1999	1931	
CO	12.53	05.33	05.11	
NOX	0029	0376	0507	
HCSUN	2500	2500	2500	2500
COSUN	09.20	34.20	04.00	04.90

MPG 08.58

VEH.NO. 242 YFST SEQ. 5 YEAR 70 MAKE FORD MODEL MUST ODOMETER 016785 NO.CYL. 6 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 FXH.CON. 1 EVAP.CON. 2 PCV 1

TOLE CO IDLE RPM TIMING OMELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER

FROM STATION

00.30 -0055
00.22 -0055

+00 -06 2 1 1 0
+00 +01 2 2 1 0

INITIAL	TOLE HC	2500 HC	IDLE CO	2500 CO	CONC	COST
0840	0250	09.20	00.90	2	003.50	
AFT.RPM.ADJ 0400	0190	00.20	00.50	0	002.00	
AFT.YI ADJ1 0270	0170	00.40	00.70	1	002.50	
AFT.YI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0270	0170	00.40	00.70	1		

ADNL RPRS 000.00 EST 000.00

TEST NO.C0692 DATE 10/19/73 DPY 70 WET 50 PRES 24.85 TEST NO.C0712 DATE 10/22/73 DPY 70 WET 51 PRES 24.92

CT	CS	HT	1975
HC	07.09	05.31	05.48
CO	0080.4	0044.7	0039.8
CO2	0472.0	0446.9	0419.4
NOX	04.23	02.76	04.18

IDLE	LO CR	HI CR	2500
HC	06276	04234	04001
LHC	1051	0511	0546
CO	00.38	01.37	01.59
NOX	0100	2658	3132
HCSUN	0640	0310	0240
COSUN	00.23	01.00	01.20

MPG 15.64

MPG 15.90

180000

VEH.NO. 243 TEST SEQ. 3 YEAR 69 MAKE PONTIAC MODEL CATY ODOMETER 057823 NO.CYL. 8 CID 400
CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPH TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 03.90 -0110 -10 +07 1 2 1 0 2 0
FROM STATION 00.73 -0090 +05 -07 1 2 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0460	0480	04.10	04.20	4	002.50
AFT.RPM.ADJ	0480	0460	04.30	04.10	4	002.50
AFT.TI ADJ1	0380	0360	03.10	03.00	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0380	0360	03.10	03.00	1	

ANAL PPRS 010.00 EST 000.00

TEST NO.C0695 DATE 10/19/73 DRY 70 WET 50 PRES 24.85 TEST NO.C0719 DATE 10/22/73 DRY 81 WET 53 PRES 24.83

	CT	CS	HT	1975
HC	06.70	03.42	03.53	23.93
CO	0144.9	0283.3	0283.3	0096.2
CO2	0633.1	2632.1	0557.1	2611.5
NOX	02.23	01.07	01.50	01.21

	CT	CS	HT	1975
HC	06.77	04.88	04.74	05.24
CO	0106.0	0036.5	0035.5	0059.7
CO2	0557.4	0505.0	0458.1	0502.9
NOX	04.56	03.68	05.40	04.34

	IDLE	LO CR	HI CP	2500
HC	0425	03150	02408	
LHC	0380	0409	0339	
CO	04.45	02.07	00.69	
NOX	0101	0707	1652	
HCSUN	0175	0120	0060	0100
CCSUN	01.10	01.10	00.30	01.30

	IDLE	LO CR	HI CR	2500
HC	04472	01949	03448	
LHC	0603	0551	0495	
CO	00.86	01.00	00.42	
NOX	0165	2706	4225	
HCSUN	0380	0320	0200	0330
CCSUN	00.40	01.00	00.35	00.65

MPG 11.44

MPG 14.86

VEH.NO. 245 TEST SEQ. 3 YEAR 69 MAKE FORD MODEL FAIR ODOMETER 077348 NO.CYL. 8 CID 289

CARB.VENT. 2 TRANS. 3 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.56 -0115 +06 +00 1 2 1 1 1 1 0
 FROM STATION 07.68 -0005 +02 +00 1 2 1 1 1 1 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0780	0680	03.40	00.20	2	004.50
AFT.RPM.ADJ	0500	0620	02.40	00.20	2	001.50
AFT.TI ADJ1	0380	0300	04.20	02.00	4	001.50
AFT.TI ADJ2	0280	0100	03.60	00.30	1	003.00
FINAL	0280	0100	03.60	00.30	1	

ADDL PRPS 000.00 EST 000.00

TEST NO.C0696 DATE 10/19/73 DRY 74 WET 52 PRES 24.86 TEST NO.C0718 DATE 10/22/73 DRY 81 WET 53 PRES 24.83

	CT	CS	HT	1975
HC	09.52	07.34	06.36	07.53
CO	0119.5	0088.7	0076.1	0091.7
CO2	0377.8	0449.2	0361.4	0409.9
NOX	01.49	01.45	01.96	01.60

	CT	CS	HT	1975
HC	12.54	13.71	09.17	12.21
CO	0151.4	0125.5	0097.5	0123.2
CO2	0468.3	0459.6	0406.2	0446.6
NOX	01.79	01.63	02.55	01.92

MPG 15.42

MPG 17.12

VEH.NO. 246 TEST SEQ. 3 YEAR 64 MAKE JLOSMBRILE MODEL DELT ODDMETER 114750 NO.CYL. 3 CID 455

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 FVH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 05.80 +0015 +02 -03 1 1 1 0 2 0
 FROM STATION 06.80 +0015 +02 -03 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLF CO	2500 CO	CODE	COST
INITIAL	0230	0100	03.00	01.90	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0230	0100	03.00	01.90	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0693 DATE 10/19/73 DRY 70 WET 52 PRES 24.86 TEST NO.C0693 DATE 10/19/73 DRY 70 WET 52 PRES 24.86

	CT	CS	HT	1975
HC	06.62	05.65	04.52	05.54
CO	0072.0	0082.7	0060.0	0074.1
CO2	0662.5	0564.0	0514.4	0570.9
NOX	04.75	02.46	03.47	03.22

	IDLE	LO CR	HI CR	2500
HC	05943	03210	03099	
LHC	0720	0405	0389	
CO	08.40	02.79	01.86	
NOX	0055	1228	2688	
HCSUN	0420	0160	0130	0240
COSUN	06.20	02.10	01.50	03.10

MPG 12.64

	CT	CS	HT	1975
HC	06.62	05.65	04.52	05.54
CO	0072.0	0082.7	0060.0	0074.1
CO2	0662.5	0564.0	0514.4	0570.9
NOX	04.75	02.46	03.47	03.22

	IDLE	LO CR	HI CR	2500
HC	05943	03210	03099	
LHC	0720	0405	0389	
CO	08.40	02.79	01.86	
NOX	0055	1228	2588	
HCSUN	0420	0160	0130	0240
COSUN	06.20	02.10	01.50	03.10

MPG 12.64

VEH.NO. 247 TEST SEQ. 3 YEAR 68 MAKE FORD MODEL GALA 000MFTER 046034 NO.CYL. 4 CTD 390
CARB.VENT. 2 TRANS. 1 WEIGHT 4000 FXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 05.50 +0010 +09 +00 1 2 1 0 2 0
FROM STATION 05.50 +0010 +09 +00 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0210	0000	03.00	00.40	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0210	0000	03.00	00.40	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C069% DATE 10/19/73 DRY 70 WET 50 PRES 24.86 TEST NO.C0694 DATE 10/19/73 DRY 70 WET 50 PRES 24.86

	CT	CS	HT	HT	1975
HC	07.12	06.51	05.74	06.43	
CO	0065.6	0100.6	0054.4	0080.4	
CO2	0602.5	0520.8	0503.7	0533.2	
NOX	07.15	05.13	07.11	06.10	

	IDLE	LO CR	HI CR	2500
HC	04569	03535	03180	
LHC	0502	0552	0472	
CO	06.31	01.25	00.25	
NOX	0065	3298	4275	
HCSUN	0220	0180	0115	0126
COSUN	06.00	00.20	00.16	00.60

MPG 13.10

	CT	CS	HT	HT	1975
HC	07.12	06.51	05.74	06.43	
CO	0065.6	0100.6	0054.4	0080.4	
CO2	0602.5	0520.8	0503.7	0533.2	
NOX	07.15	05.13	07.11	06.10	

	IDLE	LO CR	HI CR	2500
HC	04569	03535	03180	
LHC	0502	0552	0472	
CO	06.31	00.25	00.25	
NOX	0065	3298	4275	
HCSUN	0220	0180	0115	0126
COSUN	06.00	00.20	00.16	00.60

MPG 13.10

VEH.NO. 248 TEST SEQ. 5 YFAR 69 MAKE PONTIAC MODEL LFMA ODOMETER 027997 NO.CYL. 8 CID 350
 CARB.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IOLF CO IOLF RPM TYPING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 00.38 -0130 -04 +04 1 1 1 0 2 0
 FROM STATION 00.38 -0130 -04 +04 1 1 1 0 2 0

INITIAL	IOLF HC	2500 HC	IOLF CO	2500 CO	CODE	COST
0175	0090	00.20	00.55	1	005.00	
AFT.RPM.ADJ 0000	0000	00.00	00.00	0	000.00	
AFT.TI ADJ1 0000	0000	00.00	00.00	0	000.00	
AFT.TI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0175	0000	00.20	00.55	1		

ADOL RPRS 000.00 EST 000.00

TEST NO.C0709 DATE 10/22/73 DRY 70 WFT 50 PRES 24.77 TEST NO.C0709 DATE 10/22/73 DRY 70 WFT 50 PRES 24.77

CT	CS	HT	1975
HC	08.34	04.75	05.08 05.59
CO	0131.8	0035.0	0059.7 0062.1
CO2	0567.4	0582.2	0494.0 0554.6
NOX	04.51	04.83	05.11 04.84

IOLF	LO CR	HI CR	2500
HC	01739	03765	04529
LHC	0251	0523	0608
CO	00.42	01.65	07.25
NOX	0091	2669	0506
HCSUN	0050	0110	0120
COSUN	00.13	00.50	07.10 00.23

MPG 13.30

CT	CS	HT	1975
HC	08.34	04.75	05.08 05.59
CO	0131.8	0035.0	0059.7 0062.1
CO2	0567.4	0582.2	0494.0 0554.6
NOX	04.51	04.83	05.11 04.84

IOLF	LO CR	HI CR	2500
HC	01739	03765	04529
LHC	0251	0523	0608
CO	00.42	01.65	07.25
NOX	0091	2669	0506
HCSUN	0050	0110	0120
COSUN	00.13	00.50	07.10 00.23

MPG 13.33

VEH.NO. 249 TEST SEQ. 4 YEAR 71 MAKE PLYMOUTH MODEL FURY ODOMETER# 030259 NO.CYL. 6 CID 383
 CARR.VENT. 4 TRANS. 1 W/FIGHT 4000 FXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.40 -0110 +04 +00 1 1 1 0 2 0
 FROM STATION 05.40 -0110 +04 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0300	0300	02.00	02.50	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0300	02.00	02.50	1	

ADNL PPRS 005.00 EST 000.00

TEST NO.C0710 DATE 10/22/73 DRY 70 WET 50 PRES 24.77 TEST NO.C0710 DATE 10/22/73 DRY 70 WET 50 PRES 24.77

	CT	CS	HT	1975
HC	11.95	06.75	05.61	07.52
CO	0199.3	0157.5	0126.0	0157.5
CO2	0548.2	0559.3	0480.8	0535.2
NOX	02.18	01.13	02.10	01.62

	IDLE	LO CR	HI CR	2500
HC	05950	04087	03765	
LHC	0535	0459	0425	
CO	05.93	04.29	04.63	
NOX	0044	0657	1167	
HCSUN	0365	0275	0210	0195
COSUN	04.60	03.40	03.70	03.90

MPG 11.05

MPG 11.05

65

VEH.NO. 250 TEST SEQ. 3 YEAR 70 MAKE CHEVROLET MODEL GME 000CHFTER 047370 NO.CYL. 4 CID 350

CARB.VENT. 2 TRANS. 4 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 06.40 -0200 +00 +05 1 1 1 0 2 0
FROM STATION 05.40 -0170 -04 +04 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0460	0420	07.20	06.20	4	002.50
AFT.RPM.ADJ	0460	0420	07.20	06.20	4	002.50
AFT.TI ADJ1	0300	0300	03.40	03.30	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0300	03.40	03.30	1	

ANDL RPRS 002.50 EST 000.00

TEST NO.C0727 DATE 10/23/73 DRY 72 WET 51 PRES 24.68 TFST NO.C0745 DATE 10/24/73 DRY 71 WET 50 PRES 24.64

	CT	CS	HT	1975
HC	11.13	06.35	05.52	07.13
CO	0101.9	0047.5	0060.7	0043.1
CO2	0476.3	0553.1	0426.6	0502.5
NOX	03.49	02.06	03.46	02.75

	IDLE	LO CO	HI CO	2500
HC	04402	02790	02911	
LHC	0387	0371	0414	
CO	06.56	01.07	02.45	
NOX	0051	2066	2200	0090
HCSUN	0755	0190	0220	
COSUN	05.40	00.90	02.20	01.20

MPG 13.59

MPG 12.92

VEH.NO. 251 TEST SEQ. 3 YEAR 73 MAKE CHEVROLET MODEL IMPA ODOMETER 006702 NO.CYL. 4 CID 350

CARR.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P M/S NOX

FROM OWNER 01.40 +0020 +02 +02 1 2 1 0 2 0
FROM STATION 01.40 +0020 +02 +02 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	COOE	COST
INITIAL	0060	0040	01.30	00.35	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0060	0040	01.30	00.35	1	

ADDL PPRS 000.00 EST 000.00

TEST NO.C0724 DATE 10/23/73 DRY 70 WFT 50 PPRS 24.70 TEST NO.C0724 DATE 10/23/73 DRY 70 WFT 50 PPRS 24.70

	CT	CS	HT	1975
HC	03.84	02.92	03.04	03.15
CO	0088.5	0064.7	0069.8	0071.1
CO2	0606.0	0644.4	0492.2	0594.1
NOX	01.63	01.33	01.48	01.47

	IDLE	LO CR	HI CR	2500
HC	01061	02337	02203	
LHC	0220	0407	0380	
CO	01.79	01.63	01.57	
NOX	0053	0649	1356	
HCSUN	0050	0155	0125	0040
COSUN	01.40	01.30	01.25	01.40

MPG 12.44

	CT	CS	HT	1975
HC	03.84	02.92	03.04	03.15
CO	0088.5	0064.7	0069.8	0071.1
CO2	0606.0	0644.4	0492.2	0594.1
NOX	01.63	01.33	01.48	01.47

	IDLE	LO CR	HI CR	2500
HC	01061	02337	02203	
LHC	0220	0407	0380	
CO	01.79	01.63	01.57	
NOX	0053	0649	1356	
HCSUN	0050	0155	0125	0040
COSUN	01.40	01.30	01.25	00.40

MPG 12.44

23

522

VEH.NO. 252 TEST SEQ. 3 YEAR 73 MAKE OLDSMOBILE MODEL OMEG ODOMETER 009599 NO.CYL. 4 CID 350
 CARB.VENT. 4 TRANS. 3 WEIGHT 3500 FWM.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO INLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.42 +0110 -02 -02 2 1 1 0 2 2
 FROM STATION 00.42 +0110 -02 -02 2 1 1 0 2 2

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0200	0100	00.40	01.00	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0100	00.40	01.00	1	

ADDL PPRS 004.00 EST 000.00

TEST NO.C0726 DATE 10/23/73 DAY 70 WET 43 PRES 24.68 TEST NO.C0726 DATE 10/23/73 DRY 70 WET 48 PRES 24.68

	CT	CS	HT	1975
HC	04.66	03.74	04.24	04.07
CO	0082.8	0079.7	0070.8	0077.9
CO2	0577.3	0621.0	0464.5	0568.4
NOX	01.49	00.91	01.10	01.08

	IDLE	LO CR	HI CR	2500
HC	01464	02092	02062	
LHC	0218	0275	0280	
CO	00.41	01.34	00.65	
NOX	0069	0485	1665	
HCSUN	0075	0140	0120	0095
COSUN	00.48	01.30	00.58	01.50

MPG 12.46

MPG 12.66

VEH.NO. 254 TEST SEQ. 3 YEAR 70 MAKE FORD MODEL MUST ODOMETER 036423 NO.CYL. 8 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 04.30 -0050 +04 +07 1 2 1 0 2 0
 FROM STATION 04.30 -0050 +04 +07 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLF CO	2500 CO	CODE	COST
INITIAL	0200	0190	04.60	00.90	1	003.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0190	04.60	00.90	1	

ADJL RPRS 000.00 EST 000.00

TEST NO.C0730 DATE 10/23/73 DRY 90 WET 51 PRES 24.64 TEST NO.C0730 DATE 10/23/73 DRY 80 WET 51 PRES 24.64

	CT	CS	HT	1975
HC	07.21	04.08	07.75	06.17
CO	0098.4	0090.7	0077.2	0089.5
CO2	0479.9	0494.9	0411.5	0468.6
NOX	03.00	01.44	02.69	02.11

	IDLE	LO CR	HI CR	2500
HC	04870	04829	04716	
LHC	0581	0700	0687	
CO	03.69	03.55	03.05	
NOX	0112	0768	1803	
HCSUN	0300	0380	0360	0340
COSUN	03.40	03.20	02.60	03.43

MPG 14.20

	CT	CS	HT	1975
HC	07.21	04.08	07.75	06.17
CO	0098.4	0090.7	0077.2	0089.5
CO2	0479.9	0494.9	0411.5	0468.6
NOX	03.00	01.44	02.69	02.11

	IDLE	LO CR	HI CR	2500
HC	04870	04829	04716	
LHC	0581	0700	0687	
CO	03.69	03.55	03.05	
NOX	0112	0768	1803	
HCSUN	0300	0380	0360	0340
COSUN	03.40	03.20	02.60	03.40

MPG 14.20

VEH.NO. 255 TEST SEQ. 5 YEAR 72 MAKE CHEVROLET MODEL NOVA ODOMETER 032067 NO.CYL. 8 CID 307

CARR.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.50 -0040 +00 1 1 1 0 2 0
FROM STATION 01.50 +0180 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CONE	COST
INITIAL	0440	0250	04.60	01.00	4	001.50
AFT.RPM.ADJ	0320	0200	00.40	00.80	0	001.50
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0320	0200	00.40	00.80	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0723 DATE 10/23/73 DRY 70 WFT 50 PRES 24.70 TEST NO.C0752 DATE 10/24/73 DRY 76 WFT 54 PRES 24.50

	CT	CS	HT	1975
HC	04.79	03.70	03.27	03.81
CO	0056.0	0036.5	0033.3	0033.7
CO2	0421.1	0399.9	0359.2	0393.0
NOX	03.83	02.07	03.56	02.85

	IDLE	LO CR	HI CR	2500
HC	05604	03445	03162	
LHC	0752	0513	0451	
CO	06.87	00.53	01.82	
NOX	0048	2926	2137	
HCSUN	0575	0250	0240	0190
COSUN	05.60	00.43	01.60	01.40

MPG 19.05

MPG 16.60

	CT	CS	HT	1975
HC	04.27	03.19	02.54	03.26
CO	0067.2	0023.5	0037.4	0036.5
CO2	0468.7	0520.8	0372.9	0468.9
NOX	03.43	02.86	03.14	03.05

	IDLE	LO CR	HI CR	2500
HC	03479	03440	03340	
LHC	0529	0479	0460	
CO	00.86	00.66	01.99	
NOX	0231	2246	2176	
HCSUN	0320	0260	0280	0160
COSUN	01.20	00.40	01.60	00.60

VEH.NO. 256 TEST SEQ. 1 YEAR 66 MAKE OLDSMOBILE MODEL CUTL ODOMETER 053077 NO.CYL. 8 CID 330

CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

TOLE CO IDLE PPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 02.56 -0200 +00 1 1 1 0 1 0
 FROM STATION 01.50 +0125 +00 1 1 1 0 1 0

	TOLE HC	2500 HC	TOLE CO	2500 CO	CODE	COST
INITIAL	1500	2500	03.00	03.60	2	004.50
AFT.RPM.ADJ	2500	2500	02.80	04.00	2	001.50
AFT.TI ADJ1	1060	2500	00.30	04.20	2	001.50
AFT.TI ADJ2	2500	2500	00.20	03.00	2	004.50
FINAL	1507	1600	01.90	04.00	2	

ADNL RORS 033.70 EST 050.00

TEST NO.C0729 DATE 10/23/73 DRY 78 WET 51 PPES 24.65 TEST NO.C0767 DATE 10/25/73 DRY 69 WET 50 PRES 24.40

	CT	CS	HT	1975
HC	28.86	19.15	15.89	20.28
CO	0149.0	0128.7	0072.7	0117.4
CO2	0354.2	0376.7	0310.9	0353.7
NOX	01.73	01.14	02.09	01.52

	TOLE	LO CR	HI CR	2500
HC	09916	09479	09098	
LHC	2008	2128	2020	
CO	04.25	03.28	02.39	
NOX	0069	0810	1569	
HCSUN	1120	2500	2009	1950
COSUN	02.20	02.40	01.90	03.73

MPG 14.79

MPG 14.70

VEH.NO. 257 TEST SEQ. 1 YEAR 65 MAKE CHRYSLER MODEL STAM ODOMETER 083241 NO.CYL. 8 CID 413

CARB.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.50 +0100 +00 -15 1 2 1 0 2 0
FROM STATION 02.50 +0100 +00 -15 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0370	0260	05.20	04.40	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0370	0260	05.20	04.40	1	

ADNL PRS 000.00 EST 000.00

TEST NO.00738 DATE 10/24/73 DRY 65 WET 50 PRES 24.55 TEST NO.00738 DATE 10/24/73 DRY 69 WET 50 PRES 24.55

	CT	CS	HT	HT	1975
HC	12.18	07.57	11.14	09.53	
CO	0154.5	0127.2	0129.8	0133.6	
CO2	0461.2	0457.0	0411.2	0445.1	
NOX	03.40	02.37	02.54	02.63	

	IDLE	LO CR	HI CR	2500
HC	04532	04242	04267	
LHC	0507	0502	0530	
CO	02.68	03.31	04.28	
NOX	0049	1711	1797	
HCSUN	0300	0350	0275	0275
COSUN	02.60	02.70	03.40	03.20

MPG 13.00

	CT	CS	HT	HT	1975
HC	12.18	07.57	11.16	09.53	
CO	0154.5	0127.2	0129.8	0133.6	
CO2	0461.2	0457.0	0411.2	0445.1	
NOX	03.40	02.37	02.54	02.63	

	IDLE	LO CR	HI CR	2500
HC	04532	04242	04267	
LHC	0507	0502	0530	
CO	02.68	03.31	04.28	
NOX	0049	1711	1797	
HCSUN	0300	0350	0275	0275
COSUN	02.60	02.70	03.40	03.20

MPG 13.00

VEH.NO. 258 TEST SEQ. 1 YEAR 65 MAKE FORD MODEL THUN ODOMETER 083016 NO.CYL. 8 CID 390

CARR.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IOLP RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.12 +0000 +00 +06 1 1 1 0 2 0
FROM STATION 05.70 +0000 +00 +05 1 1 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0350	0170	07.10	07.10	3		002.50
AFT.RPM.ADJ 0000	0000	00.00	00.00	0		000.00
AFT.YI ADJ1 0240	0100	01.50	01.50	1		002.00
AFT.YI ADJ2 0000	0000	00.00	00.00	0		000.00
FINAL 0240	0100	01.90	01.50	1		

ADNL RPRS 000.00 EST 000.00

TEST NO.C0739 DATE 10/24/73 DRY 74 WET 50 PRES 24.56 TFST NO.C0762 DATE 10/25/73 DRY 72 WET 54 PRES 24.61

CT	CS	HT	1975	CT	CS	HT	1975		
HC	09.94	07.53	05.73	07.54	HC	08.97	07.29	11.79	08.89
CO	0142.3	0169.1	0145.4	0156.9	CO	0141.1	0174.7	0174.7	0167.5
CO2	0599.1	0526.4	0467.9	0525.4	CO2	0567.6	0568.2	0473.8	0541.9
NOX	03.68	01.80	01.88	02.21	NOX	03.59	01.91	01.51	02.15

IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	04494	03816	03504	HC	03927	03839	03536
LHC	0436	0488	0438	LHC	0461	0491	0449
CO	05.16	04.15	03.99	CO	05.70	05.48	05.47
NOX	0074	0973	1327	NOX	0045	0596	0759
HCSUN	0280	0310	0240	HCSUN	0380	0360	0270
COSUN	04.10	03.40	03.20	COSUN	04.80	01.20	04.50

MPG 11.19

MPG 10.69

528

VEH.NO. 259 TEST SEQ. 1 YEAR 66 MAKE VOLKSWAGON MODEL FAST ODOMETER 115141 NO.CYL. 4 CID 097
CARR.VENT. 2 TRANS. 4 WEIGHT 2250 EXH.CON. 2 EVAP.CON. 2 PCV 2

IDLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.40 +0050 +05 +00 0 1 1 0 2 0
FROM STATION 05.40 +0050 +05 +00 0 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0250	0220	03.10	00.55	1	095.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0250	0220	03.10	00.55	1	

ADDL PPRS 000.00 FST 000.00

TEST NO.C0740 DATE 10/24/73 DRY 79 WET 50 PRES 24.62 TEST NO.C0740 DATE 10/24/73 DRY 79 WET 50 PRES 24.62

	CT	CS	HT	HT	1975
HC	07.74	04.14	03.60	04.74	
CO	0140.9	0064.3	0066.5	0080.9	
CO2	0287.9	0234.6	0194.8	0234.7	
NOX	01.06	01.33	01.40	01.29	

	IDLE	LO CO	HI CO	2500
HC	05466	03313	02955	
LHC	0581	0424	0377	
CO	06.26	03.49	03.14	
NOX	0049	1456	2251	
HCSUN	0335	0230	0180	0240
COSUN	04.80	03.10	02.90	03.20

MPG 23.64 MPG 23.64

VEH.NO. 260 TEST SEQ. 1 YEAR 71 MAKE CHRYSLER MODEL IMPE ODOMETER 023677 NO.CYL. 8 CID 440

CARB.VENT. 4 TRANS. 1 WEIGHT 5000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.20 -0060 +08 +04 1 1 1 0 1 0
FROM STATION 05.20 -0060 +08 +04 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0120	0120	07.00	07.00	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0120	07.00	07.00	1	

ADNL RPRS 000.CO EST 000.00

TEST NO.C0741 DATE 10/24/73 DRY 74 WET 49 PRES 24.62 TEST NO.C0741 DATE 10/24/73 DRY 74 WET 49 PRES 24.62

	CT	CS	HT	1975
HC	08.45	04.99	05.34	05.91
CO	0199.8	0117.6	0131.5	0138.7
CO2	0707.0	0763.0	0511.5	0681.5
NOX	01.82	01.61	02.24	01.83

	IDLE	LO CR	HI CR	2500
HC	03386	03117	03360	
LHC	0303	0309	0320	
CO	05.73	02.62	04.60	
NOX	0077	0701	0666	
HCSUN	0175	0130	0130	0140
COSUN	04.50	02.20	03.70	03.00

MPG 09.71

	CT	CS	HT	1975
HC	08.45	04.99	05.34	05.91
CO	0199.8	0117.6	0131.5	0138.7
CO2	0707.0	0763.0	0511.5	0681.5
NOX	01.82	01.61	02.24	01.83

	IDLE	LO CR	HI CR	2500
HC	03386	03117	03360	
LHC	0303	0309	0320	
CO	05.73	02.62	04.60	
NOX	0077	0701	0666	
HCSUN	0175	0130	0130	0140
COSUN	04.50	02.20	03.70	03.00

MPG 09.71

VEH.NO. 261 TEST SEQ. 3 YEAR 69 MAKE FORD MODEL MUST ODOMETER 068680 NO.CYL. 6 CID 200

CARB.VENT. 1 TPANS. 3 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.75 +0170 -04 +03 2 2 1 0 1 1 0
FROM STATION 02.75 +0170 -06 +03 2 2 1 0 1 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0140	0160	03.00	03.40	1	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0140	0160	33.00	03.40	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0753 DATE 10/25/73 DRY 69 WET 43 PDES 24.64 TEST NO.C0753 DATE 10/25/73 DRY 69 WET 49 PRES 24.64

	CT	CS	HT	1975
HC	05.51	04.54	04.25	04.66
CO	0076.7	0098.0	0069.2	0095.5
CO2	0401.3	0427.0	0340.3	0397.5
NOX	01.75	00.97	01.37	01.25

	IDLE	LO CR	HI CR	2500
HC	03490	02306	04141	
LHC	0294	0248	0500	
CO	02.94	00.92	06.45	
NOX	0104	0994	0433	
HCSUN	0190	0130	0320	0175
COSUN	03.10	00.90	05.30	03.50

MPG 16.29

MPG 15.29

VEH.NO. 262 TEST SEQ. 3 YEAR 73 MAKE CHEVROLET MODEL STAM ODOMETER 017416 NO.CYL. 8 CID 454

CARR.VENT. 4 TRANS. 1 WEIGHT 4500 FXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TYPING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 01.70 -0160 +00 +01 1 1 0 1 1
 FROM STATION 01.70 -0160 +00 +01 1 1 0 1 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0250	0040	01.60	00.15	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0250	0040	01.60	00.15	1	

ADNL RPRS 000.00 FST 000.00

TEST NO.C0754 DATE 10/25/73 DPY 69 MET 48 PRES 24.64 TEST NO.C0754 DATE 10/25/73 DPY 69 MET 48 PRES 24.64

	CT	CS	HT	1975	CT	CS	HT	1975
HC	02.98	02.40	02.40	02.55	HC	02.98	02.40	02.55
CO	0041.6	0037.7	0031.5	0036.8	CO	0041.6	0037.7	0036.8
C02	0771.3	0786.3	0624.1	0738.2	C02	0771.3	0786.3	0624.1
NOX	02.99	01.38	03.96	02.43	NOX	02.99	01.38	03.96

	IDLE	LO CR	HI CP	2500	IDLE	LO CR	HI CP	2500
HC	01613	01550	00945		HC	01613	01550	00945
LHC	0251	0264	0211		LHC	0251	0264	0211
CO	02.14	00.19	00.32		CO	02.14	00.19	00.32
NOX	0041	1408	2328		NOX	0041	1408	2328
HCSUN	0100	0085	0050	0075	HCSUN	0100	0085	0050
COSUN	01.70	00.20	00.35	00.13	COSUN	01.70	00.20	00.35

MPG 11.08

MPG 11.08

VEH.NO. 263 TEST SEQ. 1 YEAR 68 MAKE DODGE MODEL DART ODOMETER 065448 NO.CYL. 8 CID 273

CARB.VENT. 2 TRANS. 3 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

TOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM OWNER 04.19 +00.80 +02 +00 1 1 1 0 2 0
 FROM STATION 04.19 +00.80 +02 +00 1 1 1 0 2 0

INITIAL	TOLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0160	0100	02.90	00.35	1	000.00	
AFT.RPM.ADJ 0000	0000	00.00	00.00	0	000.00	
AFT.TI ADJ1 0000	0000	00.00	00.00	0	000.00	
AFT.TI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0160	0100	02.90	00.35	1		

ADOL RPRS 006.00 EST 000.00

TEST NO.C0755 DATE 10/25/73 DRY 70 WET 47 PRES 24.65 TEST NO.C0755 DATE 10/25/73 DRY 70 WET 47 PRES 24.65

CT	CS	HT	1975	CT	CS	HT	1975
HC	04.96	04.25	03.32	04.96	04.25	03.32	04.14
CO	0043.0	0061.4	0035.1	0043.0	0061.4	0035.1	0050.3
CO2	0421.1	0437.6	0367.0	0421.1	0437.6	0367.0	0414.6
NOX	04.92	02.80	04.41	04.92	02.80	04.41	03.69

TOLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	03073	02351	02420	03073	02351	02420	
LHC	0315	0347	0405	0315	0347	0405	
CO	04.52	00.36	00.63	04.52	00.36	00.63	
NOX	0080	3305	3793	0090	3305	3793	
HCSUN	0170	0175	0210	0170	0175	0210	0140
COSUN	03.60	00.30	00.50	03.60	00.30	00.50	01.10

MPG 17.58

MPG 17.58

VEH.NO. 264 TEST SEQ. 1 YEAR 72 MAKE OPEL MODEL 1980 ODOMETER 022672 NO.CYL. 4 CID 115

CARB.VENT. 2 TRANS. 4 WEIGHT 2250 EXH.CON. 1 EVAP.CON. 1 PCV 2

SOLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.29 -0200 +05 +04 0 1 1 0 1 0
FROM STATION 06.80 +0000 +03 +04 0 1 1 0 2 0

	SOLE HC	2500 HC	SOLE CO	2500 CO	CODE	COST
INITIAL	0385	0160	00.17	01.30	2	005.50
AFT.RPM.ADJ 0000		0000	00.00	00.00	0	000.00
AFT.TI ADJ1 0135		0150	02.70	01.80	1	005.50
AFT.TI ADJ2 0000		0000	00.00	00.00	0	000.00
FINAL	0135	0150	02.70	01.30	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0772 DATE 10/26/73 DRY 72 WFT 50 PRES 24.77 TEST NO.C0795 DATE 10/29/73 DRY 77 WFT 52 PRES 24.53

	CT	CS	HT	1975
HC	07.11	06.05	04.65	05.8A
CO	0107.2	0105.4	0063.4	0094.2
CO2	0273.2	0262.0	0239.7	026A.2
NOX	02.15	00.84	01.85	01.40

	SOLE	LO CR	HI CP	2500
HC	0334.0	03A23	03495	
LHC	038A	0470	0447	
CO	01.42	03.02	01.4A	
NOX	0050	1219	3005	0190
HCSUN	0090	0185	0155	
COSUN	01.40	02.60	01.40	03.60

	CT	CS	HT	1975
HC	06.39	04.24	04.55	04.78
CO	0093.0	0074.5	006A.0	007A.5
CO2	0295.1	0290.0	0253.0	0280.A
NOX	02.79	01.32	01.87	01.78

	SOLE	LO CR	HI CR	2500
HC	04638	0411A	03603	
LHC	0356	0512	0412	
CO	07.30	03.79	01.52	
NOX	0046	0714	283A	0210
HCSUN	0230	0375	0275	
COSUN	06.30	03.20	01.40	03.00

MPG 20.49

MPG 21.40

142

VEH.NO. 265 TEST SEQ. 5 YEAR 69 MAKE CHEVROLET MODEL CAPR ODOMETER 030213 NO.CYL. 8 CID 327

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING OMELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 07.60 -0060 +01 +00 1 1 1 1 0 1 0
FROM STATION 03.50 +0000 +00 +00 1 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0340	0350	07.40	00.90	4	002.50
AFT.RPM.ADJ	0240	0200	05.80	00.80	3	000.00
AFT.TI ADJ1	0170	0040	02.80	00.40	1	005.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0170	0040	07.40	00.40	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0770 DATE 10/26/73 DRY 72 WET 50 PRES 24.76 TEST NO.C0785 DATE 10/29/73 DRY 71 WET 50 PRES 24.61

	CT	CS	HT	1975
HC	09.73	05.10	04.19	05.86
CO	0167.3	0078.1	0041.6	0086.6
CO2	0544.8	0515.4	0463.1	0507.0
NOX	04.69	04.28	06.61	05.01

	IDLE	LO CR	HI CR	2500
HC	07236	03398	02761	
LWC	0625	0452	0361	
CO	08.11	01.27	00.24	
NOX	0039	2208	4137	
HCSUN	0420	0270	0160	0380
COSUN	07.00	01.10	00.25	01.60

MPG 13.46

MPG 13.46

VEH.NO. 266 TFST SEQ. 1 YEAR 67 MAKE FORD MODEL MUST ODOMETER 064477 NO.CYL. 6 CID 200

CARB.VENT. 1 TRANS. 3 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.90 +0125 -02 1 1 1 0 1 0
FROM STATION 00.40 -0055 +04 -01 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0320	0280	05.80	08.70	3	004.50
AFT.RPM.ADJ	0320	0280	05.90	08.70	3	001.50
AFT.TI ADJ1	0300	0300	01.00	07.60	1	001.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0380	01.80	07.80	1	

ANAL PPRS 000.00 EST 000.00

TEST NO.C0769 DATE 10/26/73 DRY 72 WET 50 PRES 24.76 TEST NO.C0786 DATE 10/29/73 DRY 70 WET 50 PRES 24.59

	CT	CS	HT	1975
HC	06.83	05.37	04.52	05.45
CO	0094.5	0106.1	0085.2	0097.9
CO2	0299.6	0268.5	0264.4	0283.9
NOX	01.67	00.89	01.42	01.20

	IDLE	LO CR	HI CP	2500
HC	03878	03798	04156	
LHC	0325	0435	0535	
CO	04.29	03.86	06.58	
NOX	0070	1091	0576	
HCSUN	0220	0270	0340	0240
COSUN	03.80	03.30	05.40	06.00

MPG 19.58

	CT	CS	HT	1975
HC	10.33	09.55	05.78	08.57
CO	0143.4	0139.0	0131.1	0117.2
CO2	0258.8	0272.4	0231.5	0258.2
NOX	00.86	00.62	00.57	00.66

	IDLE	LO CR	HI CR	2500
HC	08039	04375	04098	
LHC	1726	0581	0550	
CO	00.62	07.35	06.29	
NOX	0206	0363	0642	
HCSUN	1300	0400	0360	0420
COSUN	00.60	06.00	05.10	07.40

MPG 17.77

242

VEH.NO. 257 TEST SEQ. 4 YEAR 57 MAKE FORD MODEL FALC ODOMETER 103550 NO.CYL. 6 CID 200
 CARB.VENT. 1 TRANS. 3 WEIGHT 2750 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 00.70 +0000 +09 -01 1 2 0 0 2 0
 FROM STATION 04.70 -0100 +09 +00 1 2 0 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0430	0420	04.20	04.10	4	002.50
AFT.RPM.ADJ	0430	0420	04.20	04.20	4	002.50
AFT.TI ADJ1	0300	0280	03.10	03.10	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0290	03.10	03.10	1	

ADDL RPRS 002.50 EST 000.00

TEST NO.C0784 DATE 10/26/73 DRY 69 WET 52 PRES 24.80 TEST NO.C0795 DATE 10/30/73 DRY 69 WET 50 PRES 24.72

	CT	CS	HT	WT	1975
HC	03.85	02.77	02.40	03.45	03.29 03.79
CO	0034.2	0029.5	0021.6	0045.1	0036.0 0044.8
CO2	0375.7	0354.3	0309.1	0321.6	0280.2 0319.1
NOX	07.33	03.36	05.39	02.98	04.62 03.99

	IDLE	LO CR	HI CR	2500
HC	02233	03124	03074	
LHC	0240	0464	0445	
CO	00.86	00.31	00.71	
NOX	0084	3972	3576	
HCSUN	0260	0340	0309	0150
COSUN	00.80	00.10	00.60	00.30

MPG 22.29

MPG 22.18

VEH.NO. 268 TEST SEQ. 1 YEAR 73 MAKE DODGE MODEL DART ODOMETER 025094 NO.CYL. 6 CID 225
CAPB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING OWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 04.60 +0000 +02 +00 1 2 1 0 1 1
FROM STATION 04.60 +0000 +02 +00 1 2 1 0 1 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0200	0120	05.00	01.90	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0120	05.00	01.90	1	000.00

ADNL PQRS 012.00 EST 000.00

TEST NO.C0774 DATE 10/26/73 DRY 72 WET 50 PRES 24.77 TEST NO.C0774 DATE 10/26/73 DRY 72 WET 50 PRES 24.77

	CT	CS	HT	1975
HC	04.78	03.74	03.17	03.80
CO	0086.4	0051.9	0052.7	0059.4
CO2	0426.6	0409.3	0346.8	0395.6
NOX	03.43	03.16	03.26	03.24

	IDLE	LO CR	HI CR	2500
HC	04223	03070	04214	
LHC	0352	0368	0488	
CO	04.95	01.06	07.98	
NOX	0086	2968	0529	
HCSUN	0250	0235	0295	0135
COSUN	04.40	01.00	06.80	00.85

MPG 17.78

	CT	CS	HT	1975
HC	04.78	03.74	03.17	03.80
CO	0086.4	0051.9	0052.7	0059.4
CO2	0426.6	0409.3	0346.8	0395.6
NOX	03.43	03.16	03.26	03.24

	IDLE	LO CR	HI CR	2500
HC	04223	03070	04214	
LHC	0352	0368	0488	
CO	04.95	01.06	07.98	
NOX	0086	2968	0529	
HCSUN	0250	0235	0295	0135
COSUN	04.40	01.00	06.80	00.95

MPG 17.7A

542

VEH.NO. 269 TEST SEQ. 1 YFAR 68 MAKE TOYOTA MODEL CORO 000MFTFR 061312 NO.CYL. 4 CID 116

CARB.VENT. 2 TRANS. 4 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO IDLE RPM YIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.50 -0210 +00 +00 0 2 1 0 2 0
FROM STATION 01.50 -0210 +00 +00 0 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0100	0050	01.10	00.90	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0100	0050	01.10	00.90	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0773 DATE 10/26/73 DRY 72 WET 50 PRES 24.77 TEST NO.C0773 DATE 10/26/73 DRY 72 WET 50 PRES 24.77

	CT	CS	HT	1975
HC	03.82	03.05	02.88	03.17
CO	0064.6	0064.1	0073.0	0066.7
CO2	0348.7	0367.7	0274.8	0339.0
NOX	02.22	01.00	01.17	01.30

	IDLE	LO	CO	HI	CR	2500
HC	02825	01780	02515			
LHC	0412	0317	0372			
CO	03.10	02.30	03.44			
NOX	0034	0550	1821			
HCSUN	0090	0060	0090			0030
COSUN	01.20	01.20	02.20			00.57

MPG 19.67

MPG 19.67

VEH.NO. 270 TEST SEQ. 1 YFAR 71 MAKE CHEVROLET MODEL NOVA ODOMETER 095217 NO.CYL. 6 CID 250

CARB.VENT. 1 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 02.26 +0140 -02 +00 2 1 1 0 1 0
 FROM STATION 02.26 +0140 -02 +00 2 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	COEF	COST
INITIAL	0120	0030	01.50	00.20	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0030	01.50	00.20	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0775 DATE 10/26/73 DRY 72 WET 50 PRES 24.77 TEST NO.C0775 DATE 10/26/73 DRY 72 WET 50 PRES 24.77

	CT	CS	HT	HY	1975
HC	05.05	02.60	03.13	03.13	03.26
CO	0085.1	0030.4	0032.2	0032.2	0042.3
CO2	0501.1	0486.2	0392.0	0392.0	0463.2
NOX	04.07	02.73	04.59	04.59	03.56

	IDLE	LO CP	HI CP	2500
HC	02461	02502	03005	
LHC	0255	0344	0363	
CO	02.47	00.20	01.66	
NOX	0088	2088	2496	
HCSUN	0140	0180	0180	0065
COSUN	02.40	00.20	01.50	00.29

MPG 15.49

MPG 15.49

VEH.NO. 271 TEST SEQ. 4 YEAR 67 MAKE PONTIAC MODEL FIRE ODOMETER 059028 NO.CYL. 8 CID 326

CARR.VENT. 4 TRANS. 1 WEIGHT 1500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.23 -0115 +00 +00 1 1 1 1 0 2 0
FROM STATION 06.23 -0115 +00 +00 1 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0720	0400	03.90	02.00	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0720	0400	03.90	02.00	1	

ANAL OPS 004.00 EST 000.00

TEST NO.C07A7 DATE 10/29/73 DRY 70 WET 50 PRES 24.59 TEST NO.C07B7 DATE 10/29/73 DRY 70 WET 50 PRES 24.59

	CT	CS	HT	MT	1975
HC	12.18	09.58	10.32	10.32	10.33
CO	0175.2	0157.4	0143.2	0143.2	0157.2
CO2	0445.9	0405.1	0329.7	0329.7	0392.7
NOX	02.20	01.34	01.69	01.62	

	IDLE	LO CR	HI CR	2500
HC	07305	04055	04353	
LHC	0910	0566	0578	
CO	06.91	02.17	05.88	
NOX	0049	1713	0855	
HCSUN	0800	0370	0370	0480
COSUN	05.10	01.90	04.60	02.80

MPG 13.25

	CT	CS	HT	MT	1975
HC	12.18	09.58	10.32	10.32	10.33
CO	0175.2	0157.4	0143.2	0143.2	0157.2
CO2	0445.9	0405.1	0329.7	0329.7	0392.7
NOX	02.20	01.34	01.59	01.62	

	IDLE	LO CR	HI CR	2500
HC	07305	04055	04353	
LHC	0910	0566	0578	
CO	06.91	02.17	05.88	
NOX	0049	1713	0855	
HCSUN	0800	0370	0370	0480
COSUN	05.10	01.90	04.60	02.80

MPG 13.25

VEH.NO. 272 TEST SEQ. 4 YEAR 66 MAKE PLYMOUTH MODFL FURY 0004FYER 092494 NO.CYL. 8 CID 31A

CARR.VENT. 2 TPA'S. 1 WEIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER
FROM STATION

07.60 +0100
05.80 +0000

-05
+01

1 2 2 0 0 2 0

1 2 2 0 0 2 0

INLE HC 2500 HC 2500 CO CODE COST
INITIAL 0400 0300 04.20 3 000.00
AFT.RPM.ADJ 0900 0350 03.00 2 000.00
AFT.TI ADJ1 0500 0300 04.50 1 007.00
AFT.TI ADJ2 0000 0000 00.00 0 000.00
FINAL 0500 0300 04.50 1

ANAL RPRS 012.00 FST 000.00

TEST NO.00788 DATE 10/29/73 DAY 70 WET 50 PRES 24.57 TEST NO.00797 DATE 10/30/73 DAY 71 WET 55 PRES 24.70

CT CS HT 1975
HC 12.93 07.54 06.81 08.52
CO 0209.3 0139.2 0139.9 0153.8
CO2 0419.1 0443.0 0393.8 0424.1
NOX 02.77 02.87 02.93 02.87

CT CS HT 1975
HC 11.28 09.63 07.05 08.75
CO 0172.6 0135.7 0128.6 0142.0
CO2 0487.9 0439.5 0406.1 0440.4
NOX 03.93 02.91 03.53 03.30

INLE LO CP HI CP 2500
HC 06679 04193 04513
LHC 0785 0536 0606
CO 08.03 03.55 03.52
NOX 0960 2152 2285 0165
HCSUN 0710 0330 0380
COSUN 06.50 03.00 02.90 05.70

INLE LO CP HI CP 2500
HC 07182 04111 03475
LHC 0835 0524 0403
CO 07.48 04.45 03.10
NOX 0058 1402 2052
HCSUN 0730 0360 0235 0550
COSUN 06.00 03.50 02.60 04.60

MPG 12.86

MPG 12.99

VEH.NO. 273 TEST SEQ. 3 YEAR 70 MAKE CHEVROLET MODEL CAPR ODOMETER 047305 NO.CYL. 8 CID 400
 CABR.VENT. 2 TRANS. 1 WEIGHT 4000 FX%.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MTS NOX
 FROM OWNER 07.00 -0090 -04 +00 1 2 1 0 2 0
 FROM STATION 03.30 -0080 +06 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	COEF	COST
INITIAL	0220	0140	05.00	04.00	3	003.50
AFT.RPM.ADJ	0200	0160	04.60	03.50	3	002.00
AFT.TI ADJ1	0140	0070	03.40	01.40	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0140	0070	03.40	01.40	1	

ADPL PERS 000.00 EST 000.00

TEST NC.00789 DATE 10/29/73 DRY 78 WET 51 PPES 24.57 TEST NO.C0806 DATE 10/30/73 DRY 70 WET 50 PRES 24.56

	CT	CS	HT	1975
HC	10.33	05.27	05.11	06.28
CO	0203.1	0109.1	0092.9	0125.3
CO2	0600.5	0503.4	0449.6	0559.8
NOX	02.12	02.02	02.09	02.06

	IDLE	LO CR	HI CR	2500
HC	05203	02914	03375	
LHC	0475	0370	0404	
CO	07.60	01.63	03.54	
NOX	0063	0198	0385	
HCSUN	0250	0160	0190	0110
COSUN	05.60	01.20	02.90	02.90

WPG 11.47

	CT	CS	HT	1975
HC	11.44	04.17	05.32	06.18
CO	0213.4	0079.0	0079.7	0107.1
CO2	0647.4	0549.0	0500.8	0607.0
NOX	02.35	02.40	02.72	02.48

	IDLE	LO CR	HI CR	2500
HC	03472	02646	03130	
LHC	0411	0332	0377	
CO	03.66	01.31	02.90	
NOX	0123	0224	0571	
HCSUN	0260	0160	0175	0090
COSUN	03.20	01.00	02.40	02.10

WPG 11.21

VEH.NO. 274 TEST SEQ. 3 YEAR 70 MAKE BUICK MODEL SKYL 000MFTER 034266 NO.CYL. 6 CID 350

CARB.VENT. 4 TRANS. 1 W/FIGHT 4000 EXH.CONN. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.51 -0100 +03 -05 1 1 1 1 2 0
FROM STATION 00.51 -0100 +03 -05 1 1 1 1 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0120	0000	00.10	01.30	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0000	00.10	01.30	1	

ANAL PRPS 000.00 EST 000.00

TEST NO.C0790 DATE 10/29/73 DAY 78 WET 51 PRES 24.57 TFST NO.C0790 DATE 10/29/73 DRY 78 WET 51 PRES 24.57

	CT	CS	HT	1975
HC	11.64	03.90	03.95	05.53
CO	0231.7	0054.9	0075.3	0099.6
CO2	0491.6	0528.2	0416.9	0489.7
NOX	02.32	03.41	03.18	03.12

	INLE	LO CP	HI CP	2500
HC	02700	02993	04026	
LHC	0345	0389	0493	
CO	00.54	01.08	08.73	
NOX	0076	2587	0314	
HCSUN	0200	0215	0280	0160
COSUN	00.45	01.10	06.80	02.50

MPG 13.42

	CT	CS	HT	1975
HC	11.64	03.90	03.35	05.53
CO	0231.7	0054.9	0075.3	0099.6
CO2	0491.6	0528.2	0416.9	0489.7
NOX	02.32	03.41	03.18	03.12

	INLE	LO CP	HI CP	2500
HC	02700	02993	04026	
LHC	0345	0389	0493	
CO	00.54	01.08	08.73	
NOX	0076	2587	0314	
HCSUN	0200	0215	0280	0160
COSUN	00.45	01.10	06.80	02.50

MPG 13.42

VEH.NO. 276 TEST SEQ. 4 YEAR 65 MAKE PONTIAC MODEL LEWA ODOMETER 073426 NO.CYL. 4 CID 326

CARB.VENT. 4 TRANS. 1 WRIGHT 3500 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.40 -0070 -03 +00 1 1 1 0 2 0
FROM STATION 12.01 -0060 -01 +00 1 1 1 0 2 0

	2500 HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0800	0225	04.50	02.60	4	000.00
AFT.RPM.ANJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ANJ1	0620	0210	04.20	01.30	1	000.00
AFT.TI ANJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0620	0210	04.20	01.30	1	

ADNL 0025 105.00 EST 000.00

TEST NO.C0798 DATE 10/30/73 DAY 75 WET 53 PPES 24.73 TEST NO.C0810 DATE 10/31/73 DAY 70 WET 49 PRES 24.52

	CT	CS	HT	HT	1975
HC	11.94	04.33	06.47	07.55	05.43 04.92 05.79
CO	0149.2	0126.3	0105.2	0102.1	0067.2 0374.2 0076.5
CO2	0491.7	0455.7	0405.4	0536.8	0458.2 0419.1 0468.9
NOX	03.72	02.65	03.24	05.03	02.79 03.50 03.45

	IDLE	LO CP	HI CP	2500
HC	04090	03838	05241	05575 04476 04772
LHC	0891	0491	0637	0747 0500 0654
CO	17.93	00.62	10.14	02.17 00.27 08.70
NOX	0034	2668	0228	0051 2495 0295
HCSUN	0800	0360	0430	0590 0280 0400 0225
COSUN	06.40	00.52	07.80	01.70 00.30 07.00 00.90

MPG 13.19

MPG 14.67

VEH.NO. 277 TEST SEQ. 1 YEAR 66 MAKE FORD MODEL STAM ODOMETER 084012 NO.CYL. 8 CID 289

CARR.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CO. 1.2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 07.40 +0060 -02 +00 1 2 1 0 2 0
 FROM STATION 02.00 +0000 -02 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0400	0700	04.60	08.60	3	002.50
AFT.RPM.ADJ	0520	0540	07.20	06.00	3	002.00
AFT.TI ADJ1	0350	0500	04.50	05.80	1	005.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0350	0500	00.50	05.80	1	

ANAL 0095 004.20 EST 000.00

TEST NO.C0854 DATE 11/05/73 DRY 69 WET 50 PRES 24.55 TEST NO.C0884 DATE 11/06/73 DRY 76 WET 54 PRES 24.54

	CT	CS	HT	HT	1975
HC	14.33	15.94	09.96	13.94	
CO	0151.0	0220.6	0124.2	0180.4	
CO2	0368.8	0344.4	0313.6	0341.0	
NOX	01.84	00.89	01.82	01.35	

	CT	CS	HT	HT	1975
HC	13.27	11.98	09.63	11.60	
CO	0151.5	0154.6	0112.9	0147.5	
CO2	0401.0	0357.7	0347.9	0369.2	
NOX	01.95	01.14	02.06	01.57	

	IDLE	LO CR	HI CR	2500
HC	05223	05219	04592	
LHC	0449	0706	0555	
CO	07.75	04.39	03.72	
NOX	0056	1150	1353	
HCSUN	0235	0400	0290	0560
COSUN	04.50	02.50	02.20	05.30

	IDLE	LO CR	HI CR	2500
HC	03974	05405	04972	
LHC	0544	0764	0540	
CO	02.15	03.79	05.86	
NOX	0064	1149	0591	
HCSUN	0135	0185	0135	0250
COSUN	02.70	03.50	05.20	09.80

MPG 13.32

MPG 13.97

9.

VEH.NO. 278 TEST SEQ. 1 YEAR 65 MAKE FORD MODEL MUST ODOMETER 059885 NO.CYL. 8 CID 289

CARQ.VENT. 4 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.30 +0120 +00 1 2 1 0 2 0
FROM STATION 05.30 +0120 +00 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0230	0270	03.10	02.60	1	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0230	0270	03.10	02.60	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0801 DATE 10/30/73 DRY 72 WET 50 PRES 24.70 TEST NO.C0801 DATE 10/30/73 DRY 72 WET 50 PRES 24.70

	CT	CS	HT	1975
HC	09.05	05.73	04.93	06.20
CO	0096.5	0100.6	0055.5	0067.2
CO2	0429.2	0414.5	0396.1	0414.5
NOX	03.16	02.32	03.96	02.95

	IDLE	LO CR	HI CR	2500
HC	04394	04167	03539	
LHC	0485	0653	0551	
CO	05.64	03.35	02.30	
NOX	0064	1321	1304	
HCSUN	0320	0470	0310	0380
COSUN	04.20	02.70	01.90	03.40

MPG 15.59

MPG 15.59

VEH.NO. 279 TEST SEQ. 1 YEAR 73 MAKE TOYOTA MODEL STAM ODOMETER 003629 NO.CYL. 4 CID 120
 CARB.VENT. 2 TRANS. 1 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.01 +0030 +00 1 1 1 0 2 0
 FROM STATION 03.01 +0030 +00 1 1 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
0290	0110		02.60	02.20	1	005.50
AFT.RPM.ADJ 0000	0000		00.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000		00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000		00.00	00.00	0	000.00
FINAL 0290	0110		02.60	02.20	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0002 DATE 10/30/73 OPY 72 WET 50 PRES 24.70 TEST NO.C0002 DATE 10/30/73 DRY 72 WET 50 PRES 24.70

CT	CS	HT	1975
HC	04.36	03.24	02.76 03.34
CO	0079.6	0061.6	0041.9 0059.7
CO2	0429.0	0374.9	0359.2 0381.9
NOX	03.73	02.14	03.51 02.85

IDLE	LO CR	HI CR	2500
HC	04856	03174	03009
LHC	0563	0418	0393
CO	04.70	02.60	01.75
NOX	0082	0828	2135
HCSUN	0250	0190	0165
COSUN	02.60	01.90	01.40

MPG 18.32

MPG 18.32

VEH.NO. 200 TEST SEQ. 4 YEAR 67 MAKE CHEVROLET MODEL STAM ODOMETER 096491 NO.CYL. 8 CID 327

CARB.VENT. 4 TRANS. 3 W/FIGHT 4000 EXH.CON. 2 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 05.90 -0240 -02 +06 1 2 1 0 2 0
 03.60 -0150 -02 +05 1 2 1 0 2 0

	IDLE 4C	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0540	0340	05.60	06.80	4	005.50
AFT.RPM.ADJ	0520	0350	05.40	06.60	4	003.30
AFT.TI ADJ1	0360	0320	02.60	05.20	1	003.30
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0360	0320	02.60	05.20	1	

ADM. RPRS 000.00 EST 000.00

TEST NO.C0799 DATE 10/30/73 DRY 75 WET 53 PRES 24.70 TEST NO.C0811 DATE 10/31/73 DRY 70 WET 49 PRES 24.92

	CT	CS	HT	1975
HC	19.84	12.63	08.96	13.12
CO	0210.1	0194.6	0143.5	0178.6
CO2	0361.5	0351.7	0316.6	0344.6
NOX	01.32	00.78	01.21	01.01

	IDLE	LO CR	HI CP	2500
HC	07510	05583	04698	
LHC	0879	0686	0597	
CO	06.80	06.12	04.05	
NOX	0055	0720	1375	
HCSUN	0860	0550	0400	0640
COSUN	04.80	04.70	03.30	05.80

MPG 13.37

MPG 13.54

VEH.NO. 281 TEST SEQ. 1 YEAR 66 MAKE FORD MODEL MUST ODOMETER 059352 NO.CYL. 6 CID 200

CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.60 -0050 -06 -01 2 1 1 0 2 0
FROM STATION 02.60 -0050 -06 -01 2 1 1 0 2 0

	INLE 4C	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0260	0250	03.40	06.00	1	004.50
AFT.RPM.ADJ 0000	0000	0000	09.00	00.00	0	000.00
AFT.TI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL	0260	0250	03.40	06.00	1	

ANAL RPRS 000.00 EST 000.00

TEST NO.C0000 DATE 10/30/73 DRY 72 WET 52 PRES 24.70 TEST NO.C0000 DATE 10/30/73 DRY 72 WET 52 PRES 24.70

	CT	CS	HT	1975
HC	12.14	04.89	04.20	06.22
CO	0221.4	0068.1	0080.9	0103.7
CO2	0383.2	0420.0	0375.0	0399.8
NOX	01.12	02.51	02.58	02.24

	INLE	LO CR	HI CR	2500
HC	04146	04143	04520	
LHC	0452	0500	0523	
CO	02.80	02.77	08.85	
NOX	0097	1589	0526	
HCSUN	0310	0335	0310	0330
COSUN	02.70	02.40	07.10	05.00

MPG 15.29

MPG 15.29

VEH.NO. 282 TEST SEQ. 3 YEAR 68 MAKE FORD MODEL FALC ODOMETER 097689 NO.CYL. 6 CID 170
 CARR.VENT. 1 TRANS. 3 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 02.40 +0020 -04 +01 1 2 1 0 2 0
 FROM STATION 02.40 +0020 -04 +01 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0180	0200	01.40	02.40	1	000.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0180	0200	01.40	02.80	1	

ADNL RERS 004.00 EST 000.00

TEST NO.C0813 DATE 10/31/73 DRY 68 WET 44 PRES 24.53 TFST NO.C0813 DATE 10/31/73 DRY 68 WET 48 PRES 24.53

	CT	CS	HT	1975
HC	19.60	05.43	03.84	07.96
CO	0197.9	0089.9	0052.6	0102.2
CO2	0263.6	0379.4	0311.8	0336.4
NOX	00.28	00.92	01.75	00.97

	IDLE	LO CR	HI CR	2500
HC	03021	03936	02894	
LHC	0325	0515	0379	
CO	03.04	01.72	01.22	
NOX	0037	1830	2169	
HCSUN	0130	0210	0140	0060
COSUN	02.30	01.20	01.00	00.40

MPG 17.06

	CT	CS	HT	1975
HC	19.60	05.43	03.84	07.96
CO	0197.9	0089.9	0052.5	0102.2
CO2	0263.6	0379.4	0311.8	0336.4
NOX	00.28	00.82	01.75	00.97

	IDLE	LO CR	HI CR	2500
HC	03021	03936	02894	
LHC	0325	0515	0379	
CO	03.04	01.72	01.22	
NOX	0037	1830	2169	
HCSUN	0130	0210	0140	0060
COSUN	02.30	01.20	01.00	00.40

MPG 17.06

VEH.NO. 283 TEST SEQ. 5 YEAR 68 MAKE PONTIAC MODEL DATA ODOMETER 075255 NO.CYL. 4 CID 400

CAR3.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.13 -0190 +01 1 1 1 0 1 0
FROM STATION 00.13 -0190 +01 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0270	0160	03.40	03.40	1	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0270	0160	03.40	03.40	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0812 DATE 10/31/73 DRY 71 WET 49 PRES 24.53 TEST NO.C0912 DATE 10/31/73 DRY 71 WET 49 PRES 24.53

	CT	CS	HT	1975
HC	06.32	06.03	04.92	05.78
CO	0161.9	0178.8	0105.0	0154.8
CO2	0620.2	0546.5	0480.6	0543.6
NOX	02.70	01.07	02.59	01.83

	IDLE	LC CR	HI CR	2500
HC	02634	03255	03185	
LHC	0371	0455	0454	
CO	00.16	03.37	04.12	
NOX	0064	0796	1295	
HCSUN	0180	0240	0220	0225
COSUN	00.13	00.80	03.40	02.80

MPG 11.06

	CT	CS	HT	1975
HC	06.32	06.03	04.92	05.78
CO	0161.9	0178.8	0105.0	0154.8
CO2	0620.2	0546.5	0480.6	0543.6
NOX	02.70	01.07	02.59	01.83

	IDLE	LC CR	HI CR	2500
HC	02634	03255	03185	
LHC	0371	0455	0454	
CO	00.16	03.37	04.12	
NOX	0064	0796	1295	
HCSUN	0180	0240	0220	0225
COSUN	00.13	00.80	03.40	02.80

MPG 11.06

VEH.NO. 284 TEST SEQ. 3 YEAR 71 MAKE RAMBLER MODEL AM9A ODOMETER 031837 NO.CYL. 8 CID 401

CARB.VENT. 4 TRANS. 1 W/FIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.60 -0090 +00 +07 1 1 1 0 1 0
FROM STATION 06.60 -0060 +00 +00 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	COND	COST
INITIAL	0160	1200	03.60	00.60	2	001.50
AFT.RPM.ADJ	0150	1240	02.40	00.80	2	001.50
AFT.TI ADJ1	0130	1020	01.60	00.80	2	001.50
AFT.TI ADJ2	0160	0700	01.40	00.60	2	003.00
FINAL	0170	0290	03.00	00.60	1	

ADDL RPRS 034.20 EST 000.00

TEST NO.C0814 DATE 10/31/73 DRY 70 WFT 45 PRES 24.53 TEST NO.C0962 DATE 11/05/73 DRY 70 WFT 53 PRES 24.73

	CT	CS	HT	1975
HC	09.77	06.74	07.36	07.34
CO	0074.9	0120.7	0074.8	0098.4
CO2	0559.6	0491.0	0443.2	0493.8
NOX	06.12	02.93	05.31	04.21

	IDLE	LO CO	HI CO	2500
HC	05701	03584	03224	
LHC	0459	0496	0417	
CO	08.25	01.34	01.54	
NOX	0049	2427	3779	
HCSUN	0270	0300	0230	1510
COSUN	06.30	01.10	01.20	01.00

MPG 13.26

MPG 12.70

VEH.NO. 205 TEST SEQ. 3 YEAR 60 MAKE PLYMOUTH MODEL BARR ODOMETER 060560 NO.CYL. 8 CIO 310
CARR.VENT. 2 TRAPS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.80 +0120 +00 -02 1 2 1 0 1 0
FROM STATION 06.20 +0000 +00 -02 1 2 1 0 2 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	0350	0250	02.80	01.50	2	004.50
AFT.RPM.ADJ	0340	0240	02.80	01.50	2	001.50
AFT.TI ADJ1	0240	0150	03.20	01.50	1	003.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0240	0150	03.20	01.50	1	

ADDL PPRS 000.00 EST 000.00

TEST NO.C0815 DATE 10/31/73 DRY 74 WET 50 PRES 24.53 TEST NO.C0833 DATE 11/01/73 DRY 81 WET 52 PRES 24.25

	CT	CS	HT	1975
HC	06.94	04.31	04.00	04.78
CO	0115.6	0049.7	0056.0	0065.2
CO2	0467.2	0480.6	0431.7	0464.2
NOX	04.30	05.46	05.93	05.35

	CT	CS	HT	1975
HC	07.24	04.48	03.91	04.90
CO	0134.4	0063.3	0070.7	0080.2
CO2	0491.9	0504.8	0470.4	0492.6
NOX	03.04	03.11	03.76	03.27

	IOLE	LO CP	HI CP	2500
HC	04076	03060	03018	
LHC	0368	0395	0366	
CO	03.00	00.60	01.95	
NOX	0073	0351	2666	
HCSUN	0270	0260	0225	0330
COSUN	02.70	00.50	01.50	01.20

MPG 15.31

	IOLE	LO CP	HI CP	2500
HC	04051	03389	03115	
LHC	0443	0429	0374	
CO	06.69	02.57	03.27	
NOX	0073	1643	1249	
HCSUN	0310	0275	0210	0170
COSUN	05.80	02.20	02.80	02.70

MPG 14.05

2161

VEH.NO. 286 TEST SEQ. 3 YEAR 59 MAKE DODGE MODEL CHAR ODOMETER 065609 NO.CYL. 5 CID 310

CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER IOLC CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX
 FROM STATION 04.40 +0000 +00 -02 1 2 1 0 2 0
 04.30 -0050 +06 -02 1 2 1 0 2 0

	IOLC HC	2500 HC	IOLC CO	2500 CO	CODE	COST
INITIAL	0300	0520	04.40	03.00	4	000.00
AFT.RPM.ADJ	0200	0190	02.50	03.80	2	000.00
AFT.TI ADJ1	0200	0170	02.50	03.00	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0200	0170	02.50	03.00	1	

ADDL RPRS 012.00 EST 000.00

TEST NO.C0816 DATE 10/31/73 DRY 74 WET 50 PRES 24.49 TEST NO.C0814 DATE 11/01/73 DRY 77 WET 52 PRES 24.20

	CT	CS	HT	1975
HC	08.95	06.31	05.72	06.70
CO	0170.2	0059.4	0096.6	0113.5
CO2	0410.3	0458.8	0411.1	0435.4
NOX	01.24	02.29	01.82	01.94

	IOLC	LO CR	HI CR	2500
HC	04096	04482	04187	
LHC	0439	0601	0475	
CO	05.10	02.14	04.52	
NOX	0081	1617	0649	0250
HCSUN	0270	0420	0280	
COSUN	03.10	01.90	03.80	03.20

MPG 14.03

	CT	CS	HT	1975
HC	13.05	05.85	05.28	07.20
CO	0201.2	0091.4	0089.2	0108.6
CO2	0434.8	0465.0	0405.8	0442.2
NOX	01.23	02.37	01.95	02.02

	IOLC	LO CR	HI CR	2500
HC	03886	04415	03876	
LHC	0449	0599	0446	
CO	04.79	02.82	04.74	
NOX	0089	1268	0570	0340
HCSUN	0340	0420	0270	
COSUN	04.10	02.60	04.30	03.10

MPG 14.31

VEH.NO. 287 TEST SEQ. 1 YEAR 71 MAKE BUICK MODEL LESA ODOMETER 017098 NO.CYL. 8 CID 455

CARB.VENT. 4 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.10 +0020 -10 +00 1 2 1 0 2 0
FROM STATION 03.60 +0020 -06 +00 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0420	0430	04.10	04.20	4	002.50
AFT.RPM.ADJ	0420	0430	04.10	04.20	4	000.00
AFT.TI ADJ1	0220	0200	02.10	02.00	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	002.50
FINAL	0220	0200	02.10	02.00	1	

ADDL PRQS 000.00 EST 000.00

TEST NO.C0817 DATE 10/31/73 DRY 74 WET 50 PRES 24.47 TEST NO.C0835 DATE 11/01/73 DRY 78 WET 51 PRES 24.20

	CT	CS	HT	1975
HC	06.58	06.05	05.09	05.99
CO	0143.0	0151.2	0102.2	0135.9
CO2	0775.5	0763.9	0665.8	0739.1
NOX	03.61	01.56	03.42	02.50

	IDLE	LO CP	HI CP	2500
HC	03900	02971	02904	
LHC	0406	0331	0328	
CO	05.56	00.92	02.53	
NOX	0071	1454	1798	
HCSUN	0275	0100	0155	0070
COSUN	04.50	00.75	02.20	02.25

MPG 09.17

	CT	CS	HT	1975
HC	06.50	04.92	04.35	05.26
CO	0133.2	0103.6	0099.1	0103.5
CO2	0730.3	0753.1	0635.7	0715.8
NOX	03.35	01.91	03.24	02.58

	IDLE	LO CR	HI CR	2500
HC	03340	03509	02790	
LHC	0357	0411	0308	
CO	03.72	03.92	01.64	
NOX	0077	0663	2169	
HCSUN	0240	0270	0140	0090
COSUN	03.60	03.70	01.50	02.30

MPG 09.37

212

892

VEH.NO. 288 TEST SEQ. 6 YEAR 68 MAKE PONTIAC MODEL TEMP ODOMETER 040178 NO.CYL. 8 CID 350
CARR.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO I/P RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.40 -0130 +03 +00 1 1 1 0 2 0
FROM STATION 02.50 -0055 -02 +00 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0250	0110	05.00	01.00	3	003.50
AFT.RPM.ADJ	0250	0110	05.00	01.00	3	002.00
AFT.TI ADJ1	0130	0100	01.40	01.40	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0130	0100	01.40	01.40	1	

ADNL RPOS 002.00 EST 000.00

TEST NO.C0818 DATE 10/31/73 DRY 69 WET 49 PRES 24.47 TEST NO.C0836 DATE 11/01/73 DRY 75 WET 51 PRES 24.20

	CT	CS	HT	1975
HC	07.69	04.47	04.33	05.10
CO	0162.5	0065.3	0074.9	0088.8
CO2	0587.9	0411.1	0521.5	0581.4
NOX	02.92	02.83	03.75	03.10

	INLE	LO CR	HI CR	2500
HC	04165	03341	03352	
LHC	0520	0419	0412	
CO	06.40	01.33	02.71	
NOX	0070	1590	1586	0145
HCSUN	0160	0250	0225	0100
COSUN	04.90	01.10	02.30	01.00

MPG 12.08

MPG 11.34

VEH.NO. 289 TEST SEQ. 2 YEAR 59 MAKE VOLKSWAGON MODEL SEDA ODOMETER 063512 NO.CYL. 4 CID 091

CARR.VENT. 1 TRANS. 4 WEIGHT 2000 EXH.CON. 1 EVAP.CON. 2 PCV 2

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 06.20 +0100 +00 1 1 1 0 2 0
FROM STATION 06.20 +0100 +00 1 1 1 0 2 0

	INLE HC	2500 HC	INLF CO	2500 CO	COKE	COST
INITIAL	0160	0160	03.30	03.60	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0160	0160	03.40	03.60	1	

ADNL PERS 000.00 EST 000.00

TEST NO.C0826 DATE 11/01/73 DRY 70 WET 50 PRES 24.23 TEST NO.C0826 DATE 11/01/73 DRY 70 WET 50 PRES 24.23

	CT	CS	HT	1975
HC	06.46	06.09	04.35	05.68
CO	0094.5	0084.3	0071.4	0093.7
CO2	0259.7	0259.1	0213.8	0246.4
NOX	01.73	01.38	01.69	01.54

	INLE	LO CR	HI CR	2500
HC	04124	03156	02944	
LHC	0312	0374	0377	
CO	06.44	03.90	02.28	
NOX	0068	0840	2428	
HCSUN	0210	0220	0215	0300
COSUN	04.90	03.10	01.90	03.40

MPG 22.50

MPG 22.50

265

VEH.NO. 291 TEST SEQ. 3 YEAR 69 MAKE PLYMOUTH MODEL FURY ODOMETER 052667 NO.CYL. 8 CID 319

CAPQ. VENT. 2 TRANS. 1 WEIGHT 4000 EXH. CON. 1 EVAP. CON. 2 PCV 1

IOLE CO IDLF RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 07.80 -0140 +00 1 2 1 0 2 0
FROM STATION 01.37 -0200 +00 1 1 1 0 2 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	0F20	0460	0A.10	05.10	4	002.50
AFT. RPM. ADJ	0600	0420	07.10	05.00	4	002.50
AFT. TI ADJ1	0360	0360	03.10	03.10	1	002.50
AFT. TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0360	0360	03.10	03.10	1	

ADDL RPRS 006.70 EST 000.00

TEST NO. C0839 DATE 11/02/73 DRY 75 WET 52 PRES 24.57 TEST NO. C0868 DATE 11/05/73 DRY 72 WET 53 PRES 24.66

	CT	CS	HT	1975
HC	07.53	05.98	05.42	06.15
CO	0141.9	0118.0	0094.4	0116.5
CO2	0455.7	0459.0	0421.8	0448.0
NOX	02.28	02.05	02.72	02.29

	CT	CS	HT	1975
HC	07.09	05.10	04.24	05.27
CO	0129.7	0091.0	0064.0	0086.5
CO2	0418.9	0464.3	0419.2	0442.3
NOX	02.85	02.91	04.19	03.25

	IOLE	LO CR	HT CR	2500
HC	03590	03524	03344	
LHC	0443	0462	0406	
CO	01.44	02.45	02.84	
NOX	0097	1899	1911	
HCSUN	0580	0250	0230	0230
COSUN	07.00	01.70	02.50	03.00

	IOLE	LO CR	HT CR	2500
HC	03590	03524	03344	
LHC	0443	0462	0406	
CO	01.44	02.45	02.84	
NOX	0097	1899	1911	
HCSUN	0720	0260	0185	0165
COSUN	01.25	02.30	02.45	02.60

MPG 13.69

MPG 14.97

VEH.NO. 292 TEST SEQ. 3 YEAR 71 MAKE CHEVROLET MODEL NOVA 0004ETER 029533 NO.CYL. 4 CID 307

CARB.VENT. 2 TRANS. 1 W FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.40 -0030 +01 1 1 1 0 2 0

FROM STATION 04.40 -0030 +01 1 1 1 0 2 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
AFT.PPM.ADJ	0290	0060	02.60	00.90	1	005.50
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0290	0060	02.60	00.90	1	000.00

ADOL RPRS 000.00 EST 000.00

TEST NO.C00840 DATE 11/02/73 DRY 71 WET 51 PRES 24.60 TFST NO.C00840 DATE 11/02/73 DRY 71 WET 51 PRES 24.60

CT	CS	HT	1975	CT	CS	HT	1975
HC	07.50	05.40	04.77	05.67	HC	07.50	05.40
CO	0079.7	0046.7	0043.3	0052.7	CO	0079.7	0046.7
CO2	0536.4	0530.4	0422.1	0501.6	CO2	0536.4	0530.4
NOX	04.13	03.26	03.79	03.59	NOX	04.13	03.26

IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	05191	04124	03531	HC	05191	04124	03531
LHC	0534	0544	0399	LHC	0534	0544	0399
CO	05.09	00.79	01.32	CO	05.09	00.79	01.32
NOX	0055	1996	2272	NOX	0055	1996	2272
HCSUN	0350	0350	0215	HCSUN	0350	0350	0215
CCSUN	03.80	03.55	01.20	CCSUN	03.80	03.55	01.20

MPG 14.79

MPG 14.79

267

VEH.NO. 293 TEST SEQ. 3 YEAR 72 MAKE FOPO MODEL MUST ODOMETER 019843 NO.CYL. 3 CID 351

CARB.VENT. 4 TRANS. 1 WEIGHT 3500 FV4.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.10 +0140 +00 +04 1 2 1 0 2 0
FROM STATION 05.10 +0140 +00 +04 1 2 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0150	0150	03.00	00.50	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0150	03.00	00.50	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0841 DATE 11/02/73 DRY 73 WET 52 PRES 24.61 TEST NO.C0841 DATE 11/02/73 DRY 73 WET 52 PRES 24.61

	CT	CS	HT	1975	CT	CS	HT	1975
HC	0A.2A	05.79	05.41	06.32	HC	0A.2A	05.79	05.41
CO	0174.3	0135.1	0114.9	0137.7	CO	0174.3	0135.1	0114.9
CO2	0691.2	0654.3	0568.2	0638.1	CO2	0691.2	0654.3	0568.2
NOX	01.31	01.05	01.31	01.17	NOX	01.31	01.05	01.31

	IDLE	LO CR	HI CR	2500	IDLE	LO CR	HI CR	2500
HC	04A17	02137	02655		HC	04817	02137	02665
LHC	0469	0228	0251		LHC	0469	0228	0251
CO	06.28	01.72	01.69		CO	06.28	01.72	01.69
NOX	0054	0386	0849		NOX	0054	0386	0849
HCSUM	0260	0090	0109	0100	HCSUM	0260	0090	0100
COSUN	04.60	01.40	01.50	01.50	COSUN	04.60	01.40	01.50

MPG 10.19

MPG 10.19

VEH.NO. 294 TEST SEQ. 3 VFAP 69 MAKE CHRYSLER MODEL NEWP ODOMETER 065163 NO.CYL. 8 CID 383

CARB.VENT. 2 TRANS. 1 WEIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.14 +0000 +00 +01 1 1 0 1 0
FROM STATION 00.14 +0000 +00 +01 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	COEF	COST
INITIAL	0100	0110	00.20	02.50	1	004.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0100	0110	00.20	02.50	1	

AOML PRPS 000.00 EST 000.70

TEST NO.C0837 DATE 11/02/73 DRY 69 WET 50 PRES 24.53 YFST NO.C0837 DATE 11/02/73 DRY 69 WET 50 PRES 24.53

	CT	CS	HT	1975
HC	07.65	03.32	04.76	04.63
CO	0124.9	0037.8	0101.9	0072.8
CO2	0614.3	0672.7	0519.0	0617.8
NOX	02.47	02.42	02.44	02.43

	IDLE	LO CR	HI CR	2500
HC	00917	02772	03655	
LHC	0174	0332	0409	
CO	00.15	01.22	04.17	
NOX	0085	1252	1156	
HCSUN	0040	0160	0215	0420
COSUN	00.15	01.10	03.30	01.03

WPG 11.90

	CT	CS	HT	1975
HC	07.65	03.32	04.76	04.63
CO	0124.9	0037.8	0101.9	0072.8
CO2	0614.3	0672.7	0519.0	0617.8
NOX	02.47	02.42	02.44	02.43

	IDLE	LO CR	HI CR	2500
HC	00917	02772	03555	
LHC	0174	0332	0409	
CO	00.15	01.22	04.17	
NOX	0085	1252	1156	
HCSUN	0040	0160	0215	0420
COSUN	00.15	01.10	03.30	01.00

WPG 11.90

692

VEH.NO. 295 TEST SEQ. 3 YEAR 70 MAKE DODGE MODEL POLA ODOMETER 053254 NO.CYL. 8 CID 383

CARR.VENT. 2 TRANS. 1 WEIGHT 4500 FXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.80 +0140 +05 +00 1 2 1 0 2 0
FROM STATION 03.50 +0030 +05 +00 1 1 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0140	0080	04.20	00.20	3	003.50
AFT.RPM.ADJ	0140	0040	04.00	00.20	1	002.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0140	0040	04.00	00.20	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0842 DATE 11/02/73 DRY 69 WET 49 PRES 24.64 TEST NO.C0861 DATE 11/05/73 DRY 73 WET 53 PRES 24.75

	CT	CS	HT	1975
HC	07.60	04.45	03.91	04.96
CO	0114.5	0074.3	0071.6	0082.0
CO2	0619.4	0622.7	0524.6	0594.6
NOX	04.52	04.61	04.85	04.66

	IDLE	LO CR	HI CR	2500
HC	0310A	0254A	02816	
LHC	0260	0311	0314	
CO	04.00	00.15	01.22	
NOX	0070	3200	2700	
HCSUN	0145	0155	0150	0050
COSUN	03.20	00.17	01.20	00.30

MPG 12.05

	CT	CS	HT	1975
HC	07.50	04.34	03.99	04.91
CO	0106.4	0058.0	0069.5	0076.5
CO2	0572.1	0607.0	0542.7	0581.8
NOX	04.05	04.18	05.12	04.41

	IDLE	LO CR	HI CR	2500
HC	03359	03064	03163	
LHC	0331	0151	0334	
CO	04.77	00.24	01.69	
NOX	0088	3244	2269	
HCSUN	0155	0135	0115	0050
COSUN	03.10	00.20	01.40	00.65

MPG 12.41

VEH.NO. 296 TEST SEQ. 1 YEAR 65 MAKE FORD MODEL MUST ODOMETER 052813 NO.CYL. 8 CID 260

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 2 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 10.30 -0015 +08 +00 1 2 1 0 2 0
FROM STATION 02.60 -0055 +07 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	2500	0220	09.20	00.60	4	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0640	0150	01.00	00.50	1	002.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0640	0150	01.00	00.50	1	

ADM RPRS 000.00 EST 000.00

TEST NO.C0025 DATE 11/01/73 DAY 70 WET 49 PRES 24.23 TEST NO.C0853 DATE 11/02/73 DAY 69 WET 51 PRES 24.73

	CT	CS	HT	1975
HC	10.80	15.81	10.15	13.19
CO	0138.5	0135.5	0101.2	0126.6
CO2	0454.6	0370.0	0374.0	0389.9
NOX	03.61	02.06	03.55	02.80

	IDLE	LO CR	HI CR	2500
HC	15667	04243	13775	
LHC	2500	0623	0555	
CO	11.00	03.01	03.05	
NOX	0015	10.94	2372	
HCSUN	2500	0420	0340	0760
COSUN	04.30	02.50	02.60	01.40

MPG 14.13

MPG 16.13

CT CS HT 1975

HC	07.97	06.95	05.15	06.66
CO	0121.7	0079.1	0058.5	0082.3
CO2	0429.8	0403.5	0378.4	0402.0
NOX	03.26	02.82	03.96	03.23

IDLE LO CR HI CR 2500

HC	04890	03925	03763	
LHC	0695	0540	0493	
CO	02.84	02.15	02.89	
NOX	0088	1859	2458	
HCSUN	0530	0370	0310	0340
COSUN	02.40	01.90	02.60	04.50

112

VEH.NO. 237 TEST SEQ. 3 YEAR 71 MAKE PLYMOUTH MODEL DUST ODOMETER 027784 NO.CYL. 6 CID 198

CARR.VENT. 1 TRANS. 3 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER

05.90 -00AN

+00 +03

1 2

1 2

1 0

2 0

0

FROM STATION

00.40 -0160

+00 +03

1 2

1 2

1 0

1 0

0

IDLE HC

2500 HC

IDLE CO

2500 CO

CODE

COST

INITIAL

0350

0125

09.00

03.00

4

000.00

AFT.RPM.ADJ

0150

0125

02.80

03.00

1

000.00

AFT.YI ADJ1

0000

0009

00.00

00.00

0

000.00

AFT.YI ADJ2

0000

0009

00.00

00.00

0

000.00

FINAL

0150

0125

02.80

03.00

1

ADNL RPRS 006.00 EST 000.00

TEST NO.C0838 DATE 11/02/73 DRY 71 WFT 50 PRES 24.55 TEST NO.C0877 DATE 11/06/73 DRY 70 WFT 51 PRES 24.65

CT CS HT 1975
HC 08.80 07.03 06.31 07.20
CO 0135.5 0119.0 0106.2 0119.9
CO2 0336.8 0350.4 0308.4 0335.9
NOX 01.60 01.30 01.80 01.50

CT CS HT 1975
HC 07.53 05.11 05.25 05.66
CO 0113.9 0095.2 0086.5 0091.6
CO2 0313.2 0345.4 0306.7 0327.9
NOX 01.70 01.10 01.71 01.40

IDLE LO CR HI CO 2500
HC 05055 04013 03375
LHC 0416 0483 0394
CO 06.24 04.64 03.89
NOX 2590 0819 1441
HCSUN 0270 0330 0220 0219
COSUN 04.80 03.60 03.10 04.80

IDLE LO CR HI CR 2500
HC 02204 06431 06748
LHC 0228 0665 0758
CO 00.44 04.37 07.70
NOX 0071 0810 0286
HCSUN 0140 0150 0200 0130
COSUN 03.15 01.50 02.00 01.20

MPG 15.33

MPG 18.19

VEH.NO. 298 TEST SEQ. 3 YEAR 72 MAKE RAMBLER MODEL JAVE ODOMETER 023737 NO.CYL. 6 CID 360

CARB.VENT. 4 TRANS. 4 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 01.20 -0180 -02 +00 2 2 1 0 2 0
FROM STATION 01.20 -0180 -02 +00 2 2 1 0 2 0

	IDLE 4C	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0070	0032	00.55	00.28	1	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0070	0032	01.55	00.24	1	

ADNL PPRS 000.00 EST 000.00

TEST NO.C00070 DATE 11/06/73 DRY 65 WET 50 PRES 24.65 TEST NO.C00070 DATE 11/06/73 DRY 69 WET 50 PRES 24.65

	CT	CS	HT	1975
HC	20.55	06.00	09.09	09.90
CO	0223.4	0191.4	0121.1	0132.4
CO2	0525.7	0566.0	0487.6	0535.8
NOX	00.90	01.35	01.45	01.28

	IDLE	LO CR	HI CR	2500
HC	00926	00569	00954	
LHC	0182	0192	0222	
CO	01.70	01.05	02.34	
NOX	0055	0046	0788	
HCSUN	0030	0025	0035	0045
COSUN	00.50	00.32	00.65	00.09

MPG 11.49

	CT	CS	HT	1975
HC	20.55	06.00	09.09	09.90
CO	0223.4	0191.4	0121.1	0132.4
CO2	0525.7	0566.0	0487.6	0535.8
NOX	00.90	01.35	01.45	01.28

	IDLE	LO CR	HI CR	2500
HC	00926	00569	00954	
LHC	0182	0192	0222	
CO	01.70	01.05	02.34	
NOX	0055	0046	0788	
HCSUN	0030	0025	0035	0045
COSUN	00.50	00.32	00.65	00.09

MPG 11.49

472

VEH.NO. 299 TEST SEQ. 3 YEAR 72 MAKE PLYMOUTH MODEL SATE ODOMETER 028091 NO.CYL. 4 CID 313

CAPV.VENT. 2 TPA'S. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.19 -0200 +00 1 1 1 0 2 0

FROM STATION 09.20 +0050 +00 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0350	0150	06.10	00.90	4	000.00
AFT.OPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0300	0150	03.80	01.90	1	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0300	0150	03.40	01.30	1	

ADNL PRPS 004.00 EST 000.00

TEST NO.C0873 DATE 11/06/73 DRY 66 WET 49 PRES 24.65 TEST NO.C0898 DATE 11/07/73 DRY 80 WET 56 PRES 24.63

	CT	CS	HT	1975
HC	06.48	06.43	05.40	06.18
CO	0172.3	0153.4	0113.3	0133.4
CO2	0450.6	0437.8	0363.6	0419.0
NOX	01.61	01.11	01.23	01.25

	CT	CS	HT	1975
HC	05.50	05.41	05.05	05.33
CO	0100.9	0127.3	0122.7	0120.5
CO2	0500.3	0489.7	0387.4	0463.5
NOX	02.03	01.21	01.24	01.39

	IDLE	LO CP	HI CP	2500
HC	07153	03556	03476	
LHC	0464	0447	0406	
CO	09.00	03.22	03.01	
NOX	0044	0703	0768	0090
HCSUN	0160	0110	0090	
COSUN	02.70	01.00	01.20	01.30

	IDLE	LO CP	HI CP	2500
HC	07441	04009	03749	
LHC	0776	0512	0434	
CO	10.54	03.87	04.65	
NOX	0035	0596	0525	
HCSUN	0600	0380	0270	0200
COSUN	09.00	03.90	04.00	04.20

WGS 13.53

WGS 13.30

VEH.NO. 300 TEST SEQ. 1 YFAP 73 MAKE OPEL MODFL MANT ODOMETER 006917 NO.CYL. 4 CID 116

CARR.VENT. 2 TRANS. 4 WEIGHT 2250 EXH.CON. 1 EVAP.CON. 1 PCV 2

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.07 -0150 -01 -08 0 1 1 0 2 1
FROM STATION 03.70 +0000 -01 -05 0 1 1 0 2 1

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0290	0150	06.30	02.30	3	005.50
AFT.RPM.ADJ	0240	0160	05.00	02.30	3	005.50
AFT.TI ADJ1	0180	0130	02.60	01.00	1	005.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0180	0130	02.60	01.00	1	

ADNL PRQS 000.00 EST 000.00

TEST NO.C0872 DATE 11/06/73 DRY 70 WFT 52 PRES 24.65 TEST NO.C0901 DATE 11/07/73 DRY 74 WFT 53 PRES 24.69

	CT	CS	HT	1975
HC	05.28	05.05	04.00	04.81
CO	0076.9	0088.9	0059.7	0078.3
CO2	0274.6	0288.7	0244.3	0273.4
NOX	02.31	01.36	02.12	01.77

	IDLE	LO CP	HI CP	2500
HC	06566	03058	03253	
LHC	0567	0364	0424	
CO	08.58	01.73	02.39	
NOX	0043	1641	2040	0080
HCSUM	0150	0100	0120	00.97
COSUN	02.90	02.50	01.20	00.97

MPG 21.64

	CT	CS	HT	1975
HC	04.24	03.59	03.10	03.59
CO	0067.6	0062.9	0048.1	0059.8
CO2	0307.8	0319.4	0268.9	0303.0
NOX	02.24	01.41	02.11	01.78

	IDLE	LO CP	HI CP	2500
HC	03069	03306	03506	
LHC	0257	0331	0402	
CO	03.75	02.66	03.69	
NOX	0070	1000	1356	0220
HCSUM	0155	0205	0245	03.10
COSUN	03.50	02.45	03.60	03.10

MPG 21.92

SLC

VEH.NO. 391 TEST SEQ. 3 YEAR 73 MAKE MERCURY MODFL COME ODOMETER 010904 NO.CYL. 8 CID 302
 CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.40 +0040 +02 +09 1 2 1 0 2 1
 FROM STATION 02.90 -0010 -03 +00 1 1 1 0 2 1

	IDL F HC	2500 HC	IDL F CO	2500 CO	CODE	COST
INITIAL	0440	0420	04.10	04.20	4	002.50
AFT.RPM.ADJ	0440	0420	04.20	04.20	4	002.50
AFT.TI ADJ1	0220	0200	02.20	02.10	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0220	0200	02.20	02.10	1	

ADOL EPS 002.50 EST 000.00

TEST NO.C0874 DATE 11/06/73 DRY 78 WET 54 PRES 24.65 TEST NO.C0899 DATE 11/07/73 DRY 74 WET 53 PRES 24.69

	CT	CS	HT	1975
HC	05.98	05.31	04.08	05.11
CO	0107.3	0114.9	0068.2	0100.3
CO2	0562.8	0503.0	0483.1	0510.0
NOX	01.54	01.11	01.40	01.28

	IDL F LC CR	HI CR	2500
HC	03306	03379	03296
LHC	0290	0306	0390
CO	04.64	02.50	01.78
NOX	0075	0558	0868
HC SUM	0065	0080	0080
NOX SUM	01.00	00.70	00.50

MPG 13.03

CT CS HT 1975

	CT	CS	HT	1975
HC	05.90	04.28	02.31	04.52
CO	0091.0	0067.9	0060.0	0070.5
CO2	0578.9	0596.7	0498.7	0565.8
NOX	01.55	01.19	01.35	01.31

	IDL F LC CR	HI CR	2500
HC	03402	03472	03378
LHC	0406	0391	0388
CO	03.11	02.06	01.40
NOX	0115	0687	1003
HC SUM	0330	0260	0235
NOX SUM	03.10	01.80	01.40

MPG 12.99

VEH.NO. 302 TEST SEQ. 6 YEAR 73 MAKE BUICK MODEL CENT ODOMETER 006508 NO.CYL. 4 CID 350

CARB.VENT. 4 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 1 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.63 +0000 -02 +00 1 1 1 0 2 1
FROM STATION 00.63 +0000 -02 +00 1 1 1 0 2 1

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0050	0030	01.00	00.60	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0050	0030	01.00	00.60	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0871 DATE 11/06/73 DRY 69 WET 50 PRES 24.65 TEST NO.C0871 DATE 11/06/73 DRY 69 WET 50 PRES 24.65

	CT	CS	HT	1975
HC	03.83	02.44	02.44	02.85
CO	0129.6	0073.1	0088.4	0089.2
CO2	0656.3	0658.9	0531.2	0628.0
NOX	01.58	00.90	02.06	01.36

	INLE	LO CR	HI CR	2500
HC	00534	02278	01801	
LHC	0172	0366	0320	
CO	00.80	03.61	03.10	
NOX	0072	0445	1091	
HCSUN	0035	0145	0100	0035
COSUN	00.62	00.80	00.80	00.20

MPG 11.46

MPG 11.46

102

VEH.NO. 393 TEST SEQ. 6 YEAR 73 MAKE PLYMOUTH MODEL DUST ODOMETER 006473 NO.CYL. 3 CID 310

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.45 -0129 +00 1 1 1 0 2 1
FROM STATION 02.45 -0120 +00 1 1 1 0 2 1

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0000	0090	09.30	01.50	1	004.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0000	0090	09.30	01.50	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C00875 DATE 11/06/73 DRY 82 WFT 55 PRES 24.65 TEST NO.C00875 DATE 11/06/73 DRY 82 WFT 56 PRES 24.65

	CT	CS	HT	1975
HC	07.26	03.66	03.74	04.43
CO	0134.9	0077.5	0086.9	0092.1
CO2	0500.9	0505.2	0455.4	0490.5
NOX	01.64	01.35	01.66	01.50

	IDLE	LO CR	HI CR	2500
HC	02377	01220	03186	
LHC	0242	0424	0394	
CO	02.45	02.36	03.66	
NOX	0076	1455	0781	
HCSUN	0045	0085	0080	0080
COSUN	00.60	00.70	01.00	00.90

MPG 13.72

	CT	CS	HT	1975
HC	07.26	03.56	03.74	04.43
CO	0134.9	0077.5	0086.9	0092.1
CO2	0500.8	0505.2	0455.4	0490.5
NOX	01.64	01.35	01.56	01.50

	IDLE	LO CR	HI CR	2500
HC	02377	01220	03186	
LHC	0242	0424	0394	
CO	02.45	02.36	03.66	
NOX	0076	1455	0781	
HCSUN	0045	0085	0080	0080
COSUN	00.60	00.70	01.00	00.90

MPG 13.72

VEH.NO. 304 TEST SEQ. 3 YEAR 72 MAKE DODGE MODEL CORO ODOMETER 022983 NO.CYL. 8 CID 318

CARR.VENT. 2 TRANS. 1 WRIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.75 -0150 +00 -01 2 2 1 0 2 0
FROM STATION 02.75 -0150 +00 -01 2 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0150	0175	00.70	01.80	1	000.10
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0175	00.70	01.80	1	

ADNL RPRS 006.00 EST 000.00

TEST NO.C0885 DATE 11/07/73 DRY 69 WET 51 PRES 24.67 TEST NO.C0885 DATE 11/07/73 DRY 69 WET 51 PRES 24.67

	CT	CS	HT	1975
HC	05.34	04.39	04.43	04.60
CO	0097.0	0079.2	0095.3	0097.4
CO2	0469.4	0473.9	0399.9	0452.4
NOX	03.29	02.42	02.49	02.62

	INLE	LO	CR	HI	CP	2500
HC	03380	03612	03829			
LHC	0313	0478	0484			
CO	02.91	02.50	05.21			
NOX	0053	1422	0917			
HCSUN	0225	0350	0350			0210
COSUN	02.70	02.50	04.80			03.40

MPG 14.74

	INLE	LO	CR	HI	CP	2500
HC	03380	03612	03829			
LHC	0313	0478	0484			
CO	02.91	02.50	05.21			
NOX	0053	1422	0917			
HCSUN	0225	0350	0350			0210
COSUN	02.70	02.50	04.80			03.40

MPG 14.74

277

h/c

VEH.NO. 305 TEST SEQ. 6 YEAR 69 MAKE RAMBLER MODEL AMBA ODOMETER 054001 NO.CYL. 4 CID 230

CARR.VENT. 2 TRANS. 1 WEIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.95 -0130 +00 +01 1 1 1 0 1 0
FROM STATION 04.95 -0130 +00 +01 1 1 1 0 1 0

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0090	0070	00.50	01.90	1	002.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0090	0070	00.50	01.80	1	

ADOL PORS 000.00 FST 000.00

TEST NO.C0086 DATE 11/07/73 OPY 76 WET 51 PRES 24.67 TEST NO.C0086 DATE 11/07/73 OPY 76 WET 51 PRES 24.67

	CT	CS	HT	1975
HC	06.03	04.66	05.41	05.16
CO	0133.3	0091.3	0119.5	0107.6
CO2	0527.6	0544.5	0475.3	0521.8
NOX	02.14	02.18	02.28	02.20

	INLE	LO CR	HI CR	2500
HC	04060	03441	04170	
LHC	0412	0424	0527	
CO	05.50	02.02	05.65	
NOX	0068	1171	0671	0190
HCSUN	0300	0255	0330	0180
COSUN	04.90	02.20	05.00	03.00

MPG 12.60

MPG 12.60

VEH.NO. 306 TEST SEQ. 3 YEAR 69 MAKE BUICK MODEL ELEC ODOMETER 034894 NO.CYL. 4 CID 430

CARR.VENT. 4 TRANS. 1 WRIGHT 4500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P WTS NOX

FROM OWNER 01.20 -0160 -05 +03 1 1 1 0 2 0
FROM STATION 02.35 -0010 -05 +03 1 1 1 0 2 0

	2500 HC	2500 CO	2500 NO	2500 NOX	2500 CO2	2500 CO	2500 HC
INITIAL	0220	0150	02.50	004.50	000.00	000.00	000.00
AFT.RPM.ADJ	0200	0120	02.20	001.50	000.00	000.00	000.00
AFT.YI ADJ1	0000	0000	00.00	000.00	000.00	000.00	000.00
AFT.YI ADJ2	0000	0000	00.00	000.00	000.00	000.00	000.00
FINAL	0200	0120	02.20	004.50	000.00	000.00	000.00

ADNL RPTS 000.00 EST 000.00

TEST NO.C0888 DATE 11/07/73 GRV 74 WFT 50 PRES 24.66 TEST NO.C0915 DATE 11/08/73 GRV 75 WFT 54 PRES 24.71

	CT	CS	HT	1975
HC	07.35	06.42	05.67	06.41
CO	0191.3	0135.7	0130.5	0145.9
CO2	0617.1	0628.6	0507.4	0592.6
NOX	02.92	02.09	03.09	02.54

	INLF	LO	CO	HI	CO	2500
HC	034.14	034.13	03170			
LHC	029.2	039.3	039.3			
CO	01.20	02.09	03.26			
NOX	0070	1268	1633			0195
HCSUN	0210	0270	0240			02.40
COSUN	01.20	01.90	03.00			02.40

MPG 10.58

	CT	CS	HT	1975
HC	09.73	05.24	05.57	06.79
CO	0243.0	0134.6	0128.5	0155.6
CO2	0628.1	0635.9	0534.7	0606.2
NOX	02.90	01.72	03.26	02.40

	INLF	LO	CO	HI	CO	2500
HC	039.04	033.90	030.96			
LHC	044.3	039.5	036.8			
CO	02.43	01.93	01.43			
NOX	0150	1472	2546			0250
HCSUN	0355	0225	0225			03.20
COSUN	02.40	01.45	01.40			03.20

MPG 10.21

VEH.NO. 307 TEST SEQ. 3 YEAR 59 MAKE CHEVROLET MODEL NOVA OMOMETP 029124 NO.CYL. 6 CID 210
 CARB.VENT. 1 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 03.50 -0100 -01 1 1 0 1 0
 FROM STATION 03.60 -0050 +03 +00 1 1 0 1 0

	INLE 4C	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0320	0700	03.60	02.50	4	005.50
AFT.RPM.ADJ	0390	0720	02.50	02.20	0	003.30
AFT.YI ADJ1	0280	0400	04.40	00.80	4	003.30
AFT.YI ADJ2	0270	0260	03.80	02.50	1	003.30
FINAL	0270	0260	03.80	02.50	1	

ANAL DORS 000.00 EST 000.00

TEST NO. C0887 DATE 11/07/73 DPY 74 WFT 50 PRES 24.66 TEST NO. C0916 DATE 11/08/73 DPY 73 WFT 54 PRES 24.70

	CT	CS	HT	1975
HC	07.23	04.00	03.99	04.67
CO	0124.8	0059.0	0068.6	0075.5
CO2	0420.6	0429.0	0394.2	0417.6
NOX	03.17	03.19	03.86	03.37

	INLE	LO CR	HI CR	2500
HC	03993	03502	03230	
LWC	0374	0446	0378	
CO	04.20	03.70	02.80	
NOX	0963	1147	1833	
HCSUN	0280	0335	0245	1700
COSUN	03.70	03.50	02.60	02.40

MPG 16.17

MPG 15.89

VEH.NO. 308 TEST SEQ. 3 YEAR 69 MAKE FORD MODEL TORI 000MFIER 021037 NO.CYL. 8 CID 351

CARR.VENT. 2 TRANS. 1 W/FIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 03.60 -0030 +00 +02 1 1 1 0 2 0

FROM STATION 03.60 -0030 +00 +02 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0120	0030	00.70	00.50	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0120	0030	00.70	00.50	1	

ADDL PRS 000.00 EST 000.00

TEST NO.C0889 DATE 11/07/73 DRY 70 WFT 50 PRES 24.68 TEST NO.C0889 DATE 11/07/73 DRY 70 WFT 50 PRES 24.68

	CT	CS	HT	1975
HC	04.74	03.56	04.21	03.99
CO	0051.9	0039.2	0046.2	0043.3
CO2	0594.5	0572.8	0479.7	0551.5
NOX	03.26	02.27	02.55	02.56

	IDLE	LO CR	HI CR	2500
HC	03399	02741	03360	
LHC	0318	0319	0407	
CO	03.81	00.35	01.68	
NOX	0078	1384	1918	
HCSUN	0200	0175	0235	0110
COSUN	03.40	00.30	01.50	02.50

MPG 16.79

	CT	CS	HT	1975
HC	04.74	03.56	04.21	03.99
CO	0051.9	0039.2	0046.2	0043.3
CO2	0594.5	0572.8	0479.7	0551.5
NOX	03.26	02.27	02.55	02.56

	IDLE	LO CR	HI CR	2500
HC	03399	02741	03360	
LHC	0318	0319	0407	
CO	03.81	00.35	01.68	
NOX	0078	1384	1918	
HCSUN	0200	0175	0235	0110
COSUN	03.40	00.30	01.50	02.50

MPG 14.39

882

VEH.NO. 309 TEST SEQ. 3 YEAR 69 MAKE FORD MODEL TORI ODOMETER 074369 NO.CYL. 4 CID 351

CAPR.VENT. 2 TRANS. 1 WEIGHT 3500 FYN.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 06.50 -0050 -02 1 1 1 0 1 0
FROM STATION 04.80 +0000 -02 1 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0.20	0200	07.40	00.30	4	001.50
AFT.RPM.ADJ 0160		0080	02.80	00.30	1	002.00
AFT.TI ADJ1 0000		0000	00.00	00.00	0	000.00
AFT.TI ADJ2 0000		0000	00.00	00.00	0	000.00
FINAL	0160	0080	02.80	00.30	1	

ADOL RPRS 000.00 EST 000.00

TEST NO.C0890 DATE 11/07/73 DAY 75 WFT 52 PRES 24.68 TEST NO.C0917 DATE 11/09/73 DAY 70 WFT 51 PRES 24.72

	CT	CS	HT	1975
HC	07.47	05.49	05.18	05.92
CO	0126.3	0104.6	0092.5	0105.8
CO2	0457.2	0466.1	0412.9	0449.5
NOX	02.28	02.13	02.90	02.48

	IDLE	LO CR	HI CR	2500
HC	06065	03695	03776	
LHC	0554	0453	0453	
CO	09.05	01.59	02.72	
NOX	0053	2237	2211	0140
HCSUM	0180	0300	0288	
COSUM	07.00	01.30	02.30	01.80

MPG 14.05

	CT	CS	HT	1975
HC	07.12	04.49	05.52	05.83
CO	0103.9	0062.2	0049.9	0067.5
CO2	0525.1	0545.5	0471.9	0520.8
NOX	03.85	04.45	04.33	04.45

	IDLE	LO CR	HI CR	2500
HC	03985	03519	03579	
LHC	0223	0373	0437	
CO	05.10	00.54	01.16	
NOX	0172	2643	3354	0070
HCSUM	0410	0289	0285	
COSUM	04.90	00.60	01.15	00.50

MPG 13.84

VEH.NO. 310 TEST SEQ. 5 YEAR 72 MAKE FORD MODEL MAVE ODOMETER 008455 NO.CYL. 8 CID 302

CARR.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

FROM OWNER? 02.35 -0020 -02 +00 1 1 1 0 2 0
FROM STATION 01.50 +0000 -02 +00 1 1 1 0 2 0

	IDL F HC	2500 HC	IDL F CO	2500 CO	CODE	COST
INITIAL	0480	0480	04.30	04.10	4	002.50
AFT.RPM.ADJ	0480	0460	04.30	04.10	4	002.50
AFT.TI ADJ1	0330	0320	02.20	02.10	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0330	0320	02.20	02.10	1	

ADDL PPRS 002.50 EST 000.00

TEST NO.C0902 DATE 11/08/73 DRY 69 WFT 49 PRES 24.68 TEST NO.C0934 DATE 11/09/73 DRY 72 WFT 51 PRES 24.83

	CT	CS	HT	1975
HC	06.01	04.41	07.52	05.61
CO	0068.4	0043.5	0051.1	0050.0
CO2	0488.1	0543.8	0475.0	0513.4
NOX	03.30	02.45	03.75	02.99

	IDL F	LO CR	HI CR	2500
HC	02795	03858	04029	
LHC	0267	0479	0505	
CO	02.52	01.77	01.53	
NOX	0092	1511	2761	
HCSUN	0210	0365	0370	0195
COSUN	03.90	01.80	01.50	01.80

MPG 14.58

	CT	CS	HT	1975
HC	06.43	03.98	05.01	04.72
CO	0086.2	0041.7	0041.1	0050.8
CO2	0534.3	0554.7	0459.9	0524.1
NOX	03.58	01.84	03.50	02.59

	IDL F	LO CR	HI CR	2500
HC	02734	03507	03737	
LHC	0325	0445	0490	
CO	01.60	01.59	01.68	
NOX	0132	1190	2500	
HCSUN	0225	0300	0325	0125
COSUN	01.40	01.50	01.60	01.30

MPG 14.39

28

VEH.NO. 311 TEST SEQ. 3 YEAR 72 MAKE FORD MODEL MAKE ODOMETER 022036 NO.CYL. 6 CID 250

CARB.VENT. 1 TRANS. 1 WEIGHT 2750 EXH.CON. 1 EVAP.CON. 1 PCV 1

IOLE CO IOLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 08.10 -0120 -04 +00 1 2 1 0 2 0
FROM STATION 02.45 -0050 -06 +00 1 2 1 0 2 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	0155	C125	05.50	02.00	3	005.00
AFT.RPM.ADJ	0150	0100	02.50	03.10	3	001.00
AFT.TI ADJ1	0095	0130	00.90	03.00	1	001.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0095	0130	00.90	02.00	1	

ADOL RPRS 000.00 EST 300.00

TEST NO.C0903 DATE 11/08/73 DRY 80 WET 56 PRES 24.67 TEST NO.C0920 DATE 11/09/73 DRY 73 WET 52 PRES 24.92

	CT	CS	HT	1975
HC	04.51	03.68	03.34	03.76
CO	0075.0	0102.9	0076.5	0089.7
CO2	0480.4	0396.8	0384.0	0410.8
NOX	04.15	01.80	03.36	02.72

	IOLE	LO CR	HI CR	2500
HC	04617	03330	02764	
LHC	0390	0411	0312	
CO	09.10	03.67	01.91	
NOX	0058	1156	2295	
HCSUN	0250	0290	0180	0210
COSUN	08.40	03.40	01.80	04.20

MPG 15.80

MPG 16.71

VEH.NO. 312 TEST SEQ. 3 YEAR 72 MAKE MERCURY MODEL COME ODOMETER 00A589 NO.CYL. 8 CID 302

CARB.VENT. 2 TRANS. 1 WEIGHT 3000 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 02.30 +0020 -01 -09 1 1 0 2 0
FROM STATION 02.30 +0020 -01 -08 1 1 0 2 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0100	0110	00.40	01.30	1	000.00
AFT.RPM.ADJ 0000	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1 0000	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2 0000	0000	0000	00.00	00.00	0	000.00
FINAL	0100	0110	00.40	01.30	1	

ADNL PRS 004.00 EST 000.00

TEST NO.C0904 DATE 11/08/73 ORV 80 WET 56 PRES 24.67 TEST NO.C0904 DATE 11/08/73 ORV 80 WET 56 PRES 24.67

	CT	CS	HT	1975
HC	05.15	03.14	04.34	03.89
CO	0087.9	0056.6	0056.3	0063.1
CO2	0527.7	0508.5	0446.5	0495.4
NOX	02.85	01.11	02.65	01.90

	IDLE	LO CR	HI CR	2500
HC	02585	03374	03773	
LHC	0247	0437	0478	
CO	02.45	01.93	02.23	
NOX	0086	0756	1718	
HCSUN	0160	0300	0330	0130
COSUN	02.50	02.70	02.30	01.20

MPG 14.68

MPG 14.63

VEH.NO. 314 TEST SEQ. 3 YEAR 71 MAKE FORD MODEL RRON ODOMETER 020440 NO.CYL. 3 CID 302

CARB.VENT. 2 TRANS. 3 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 02.30 -0050 +04 +00 1 1 1 0 1 0
FROM STATION 01.00 +0300 +01 +03 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	1900	0800	02.10	02.30	2	004.50
AFT.RPM.ADJ	0900	0210	00.60	01.70	2	001.50
AFT.TI ADJ1	1000	0400	02.10	00.50	2	003.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0180	0310	00.30	00.30	1	

ADDL RPRS 031.57 EST 000.00

TEST NO.C0906 DATE 11/08/73 DRY 74 WET 53 PRES 24.71 TEST NO.C0933 DATE 11/09/73 DRY 75 WET 54 PRES 24.84

	CT	CS	HT	1975
HC	10.31	07.71	07.50	08.10
CO	0119.2	0097.5	0093.5	0100.7
CO2	0459.1	0495.9	0406.2	0463.3
NOX	02.87	01.53	02.76	02.15

IDLE LO CR HI CR 2500

	CT	CS	HT	1975
HC	09.20	05.01	07.57	07.11
CO	0113.2	0070.7	0072.5	0080.1
CO2	0498.1	0516.2	0443.0	0492.1
NOX	05.00	03.10	04.32	03.07

MPG 17.76

MPG 13.31

VEH.NO. 315 TEST SEQ. 3 YEAR 71 MAKE OLDSMOBILE MODFL CUTL 000METFR 026169 NO.CYL. 8 CID 350

CARR.VENT. 4 TRAPS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

TOLF CO INLF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.50 -0073 +02 -01 1 1 1 0 2 0
FROM STATION 04.50 -0073 +02 -01 1 1 1 0 2 0

	TOLF HC	2500 HC	INLF CO	2500 CO	CORE	COST
INITIAL	0250	0060	03.60	00.80	1	005.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0250	0060	03.60	00.80	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0918 DATE 11/09/73 DRY 69 WET 50 PRES 24.80 TEST NO.C0918 DATE 11/09/73 DRY 69 WET 50 PRES 24.80

	CT	CS	HT	1975
HC	05.51	03.89	04.63	04.43
CO	0081.1	0042.5	0063.1	0056.3
CO2	0619.5	0595.8	0572.1	0594.2
NOX	03.93	03.38	05.90	04.50

	TOLF	LO CR	HI CP	2500
HC	03707	03173	02883	
LWC	0360	0433	0366	
CO	04.84	01.29	00.71	
NOX	0058	2017	3017	0080
HCSUN	0250	0290	0210	01.90
COSUN	04.70	01.20	00.75	01.90

MDG 12.79

	CT	CS	HT	1975
HC	05.50	03.89	04.53	04.43
CO	0081.1	0042.5	0063.1	0056.3
CO2	0619.5	0595.8	0572.1	0594.2
NOX	03.93	03.98	05.90	04.50

	TOLF	LO CR	HI CR	2500
HC	03707	03173	02883	
LWC	0360	0433	0366	
CO	04.84	01.29	00.71	
NOX	0058	2017	3017	0080
HCSUN	0250	0290	0210	01.90
COSUN	04.70	01.20	00.75	01.90

MDG 12.79

142

VEH.Nº. 316 YFST SEQ. 3 YEAR 70 MAKE MERCURY MODEL MONT ODOMETER 027532 NO.CYL. 4 CID 302

CARB.VENT. 2 TRAFS. 3 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

FROM OWNER IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM STATION 00.15 -0225 +00 +06 2 2 1 0 1 0
 01.20 -0200 +00 +00 1 2 1 0 1 0

INITIAL	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
1100	0180	00.20	00.80	2		002.50
AFT.RPM.ADJ 0150	0180	00.20	00.70	1		004.00
AFT.TI ADJ1 0000	0000	00.00	00.00	0		000.00
AFT.TI ADJ2 0000	0000	00.00	00.00	0		000.00
FINAL 0150	0180	00.20	00.70	1		

ADOL BPQS 000.00 EST 000.00

TEST NO.C0919 DATE 11/09/73 DRY 76 WET 52 PRES 24.83 TEST NO.C0946 DATE 11/12/73 DRY 74 WET 52 PRES 24.57

CT	CS	HT	1975
HC	08.19	05.79	06.56
CO	0106.4	0053.4	0070.2
CO2	0442.8	0522.3	0409.4
NOX	01.69	02.12	02.17

CT	CS	HT	1975
HC	04.99	04.64	07.12
CO	0107.5	0055.0	0071.2
CO2	0509.7	0535.9	0426.8
NOX	03.08	02.27	03.44

IDLE	LO CP	HI CP	2500
HC	05680	04173	04051
LHC	0924	0512	0526
CO	00.18	01.39	01.32
NOX	0070	1568	2390
HCSUN	0700	0360	0350
COSUN	00.30	01.30	01.30

IDLE	LO CR	HI CR	2500
HC	02155	04124	04158
LHC	0222	0504	0546
CO	01.33	01.85	01.79
NOX	0100	1994	2470
HCSUN	0110	0370	0380
COSUN	01.30	01.80	01.70

MPG 14.76

MPG 14.12

VEH.NO. 317 TEST SEQ. 3 YEAR 71 MAKE FORD MODFL WAVE ODOMETER 023567 NO.CYL. 6 CID 200
 CARB.VENT. 1 TRANS. 1 WEIGHT 2750 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P HIS NOX

FROM OWNER 03.60 +0000 -06 +00 1 2 1 0 2 0
 FROM STATION 03.60 +0000 -06 +00 1 2 1 0 2 0

	INLE HC	2500 HC	INLE CO	2500 CO	COEF	COST
INITIAL	0245	0170	01.60	00.80	1	005.00
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0245	0170	01.60	00.80	1	

ADDL PRS 000.00 EST 000.00

TEST NO.C0921 DATE 11/09/73 DRY 74 WET 52 PRES 24.81 TEST NO.C0921 DATE 11/09/73 DRY 74 WET 52 PRES 24.81

	CT	CS	HT	1975
HC	07.36	06.10	04.99	06.06
CO	0119.5	0116.7	0066.0	0103.2
CO2	0454.0	0384.3	0381.0	0398.0
NOX	03.14	01.63	03.40	02.44

	IDLE	LO CP	HI CR	2500
HC	03641	04816	13945	
LHC	0335	0688	0507	
CO	04.05	04.43	01.44	
NOX	0097	0730	2522	
HCSUN	0200	0560	0325	0273
COSUN	03.70	04.20	01.21	02.40

MPG 15.38

	CT	CS	HT	1975
HC	07.36	06.10	04.99	06.06
CO	0119.5	0116.7	0066.0	0103.2
CO2	0454.0	0384.3	0381.0	0398.0
NOX	03.14	01.63	03.40	02.44

	IDLE	LO CP	HI CR	2500
HC	03641	04816	13945	
LHC	0335	0688	0507	
CO	04.05	04.43	01.44	
NOX	0097	0730	2522	
HCSUN	0200	0560	0325	0273
COSUN	03.70	04.20	01.21	02.40

MPG 15.39

VEH.NO. 318 TEST SEQ. 3 YEAR 71 MAKE FORD MODEL GALA ODOMETER 040209 NO.CYL. 8 CID 400

CARB.VENT. 2 TRANS. 1 W/FIGHT 4000 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.60 +0075 +00 1 1 1 0 1 0
FROM STATION 03.90 +0020 +05 1 1 1 0 2 0

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0309	0209	05.00	00.20	4	000.00
AFT.RPM.ANJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ANJ1	0200	0200	03.10	00.39	1	000.00
AFT.TI ANJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0209	0209	03.10	00.30	1	

ADNL PRS 004.00 EST 070.00

TEST NO.C0922 DATE 11/09/73 DRY 72 WET 51 PRES 24.81 TEST NO.C0947 DATE 11/12/73 DRY 74 WET 52 PRES 24.56

	CT	CS	HT	1975
HC	06.99	04.90	04.50	05.17
CO	0123.2	0107.9	0063.4	0099.7
CO2	0718.0	0649.6	0502.9	0659.9
NOX	07.95	05.78	08.27	06.92

	INLE	LO CO	HT CO	2500
HC	04501	02532	02014	
LHC	0389	0295	0233	
CO	07.07	00.71	00.33	
NOX	0064	3383	3965	
HCSUN	0285	0170	0100	0279
COSUN	06.70	00.65	00.35	00.45

MPG 11.83

MPG 10.74

VEH.NO. 319 TEST SEQ. 3 YEAR 71 MAKE FORD MODEL TORI ODOMETER 013444 NO.CYL. 8 CID 351

CAR9.VENT. 2 TONS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 05.10 -0100 +00 +01 1 1 1 0 2 0
FROM STATION 02.60 -0010 +00 +01 1 1 1 0 2 0

	INLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0250	0110	04.30	01.00	3	003.50
AFT.RPM.ADJ	0250	0120	04.80	01.00	3	002.00
AFT.TI ADJ1	0190	0110	02.60	00.60	1	002.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0190	0110	02.60	00.60	1	

ADNL RPRS 000.00 EST 000.00

TEST NO.C0923 DATE 11/09/73 DRY 60 WET 51 PRES 24.45 TEST NO.C0948 DATE 11/12/73 DRY 76 WET 52 PRES 24.52

	CT	CS	HT	1975
HC	06.29	05.31	04.91	05.41
CO	0075.7	0092.7	0057.0	0079.3
CO2	0606.3	0564.4	0472.2	0547.6
NOX	05.13	02.68	04.33	03.65

	IDLE	LO CO	HI CO	2500
HC	04376	03293	03312	
LHC	0392	0436	0425	
CO	05.31	09.88	01.14	
NOX	0065	2136	2929	
HCSUM	0310	0285	0240	0170
COSUN	05.00	00.00	01.00	01.10

MPG 12.92

MPG 13.34

VEH.N7. 320 TEST SEQ. 3 YEAR 73 MAKE FORD MODFL MUST ODOMETER 003445 NO.CYL. 8 CID 351

CARB.VENT. 2 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE OPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
FROM OWNER 06.00 +0355 -C9 +00 1 1 1 0 2 2
FROM STATION 06.00 +0055 -C8 +00 1 1 1 0 2 2

	INLE 4C	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0190	0100	03.00	01.10	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0190	0100	03.00	01.10	1	

ADDL RPRS 000.00 EST 000.00

TEST NO.C0924 DATE 11/09/73 DRY 70 WET 51 PRES 24.81 TEST NO.C0924 DATE 11/09/73 DRY 70 WET 51 PRES 24.81

	CT	CS	HT	1975
HC	05.28	05.02	04.38	04.99
CO	0098.6	0134.5	0083.4	0112.8
CO2	0572.4	0513.9	0442.6	0506.3
NOX	01.83	00.99	01.71	01.37

	IOLE	LO CR	HI CR	2500
HC	05642	02981	02819	
LHC	0485	0410	0382	
CO	06.46	02.14	01.73	
NOX	0051	1074	1360	
HCSUM	0350	0280	0230	0190
COSUM	05.88	02.00	01.70	02.40

MPG 12.74

	CT	CS	HT	1975
HC	05.28	05.02	04.36	04.89
CO	0098.6	0134.5	0083.4	0112.8
CO2	0572.4	0513.8	0442.6	0506.3
NOX	01.83	00.99	01.71	01.37

	IOLE	LO CR	HI CR	2500
HC	05642	02981	02819	
LHC	0485	0410	0382	
CO	06.46	02.14	01.73	
NOX	0051	1074	1360	
HCSUM	0350	0280	0230	0190
COSUM	05.88	02.00	01.70	02.40

MPG 12.74

VEH.NO. 321 TEST SEQ. 3 YEAR 70 MAKE CHEVROLET MODEL NOVA ODOMETER 012130 NO.CYL. 6 CID 250

CARG.VENT. 1 TRANS. 1 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

INLE CO INLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 04.70 +0050 -02 +00 1 2 1 0 2 0
FROM STATION 04.70 +0050 -02 +00 1 2 1 0 2 0

INITIAL	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
0075	0025	00.30	00.10	1	000.00	
AFT.RPM.ADJ 0000	0000	00.00	00.00	0	000.00	
AFT.YI ADJ1 0000	0000	00.00	00.00	0	000.00	
AFT.YI ADJ2 0000	0000	00.00	00.00	0	000.00	
FINAL 0075	0025	00.30	00.10	1	000.00	

ANNU PPR \$ 006.00 EST 000.00

TEST NO.C0935 DATE 11/12/73 DRY 73 WET 50 PRES 24.73 TEST NO.C0935 DATE 11/12/73 DRY 73 WET 50 PRES 24.73

CT	CS	HT	1975
HC	06.04	03.14	02.78 03.65
CO	0115.5	0042.7	0040.2 0057.2
CO2	0558.5	0539.5	0493.3 0530.7
NOX	03.80	02.58	04.10 03.26

INLE	LO CR	HI CR	2500
HC	03421	02644	02679
LHC	0392	0238	0258
CO	05.09	00.83	01.43
NOX	0090	2139	2324
HCSUN	0345	0155	0145
COSUN	94.70	00.45	01.45 01.35

MPG 14.09

CT	CS	HT	1975
HC	06.04	03.14	02.78 03.65
CO	0115.5	0042.7	0040.2 0057.2
CO2	0558.5	0539.5	0493.3 0530.7
NOX	03.80	02.58	04.10 03.26

INLE	LO CR	HI CR	2500
HC	03421	02644	02679
LHC	0392	0238	0258
CO	05.09	00.83	01.43
NOX	0090	2139	2324
HCSUN	0345	0155	0145
COSUN	94.70	00.45	01.45 01.35

MPG 14.09

512

VEH.N7. 322 TEST SEQ. 3 YEAR 70 MAKE CHEVROLET MODFL NOVA 0704EIER 032511 NO.CYL. 5 CID 307

CARB.VENT. 2 TRANS. 1 WFLIGHT 3500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IOLF RPM TIMING WFL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 07.40 -0025 -02 -04 1 1 1 0 2 0
FROM STATION 03.40 -0100 -01 -07 1 1 1 0 1 0

	IOLE HC	2500 HC	IOLE CO	2500 CO	CODE	COST
INITIAL	0860	0820	08.20	06.10	4	002.50
AFT.RPM.ADJ	0860	0820	08.10	06.00	4	002.50
AFT.YI ADJ1	0460	0300	02.30	02.30	1	002.50
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0460	0300	02.30	02.30	1	

ADOL RORS 002.50 FST 000.00

TEST NO.C0936 DATE 11/12/73 DPV 73 WET 50 PRES 24.72 TEST NO.C0964 DATE 11/13/73 DRY 70 WET 51 PRES 24.49

	CT	CS	HT	1975
HC	10.06	07.74	05.74	07.67
CO	0109.4	0078.4	0059.8	0079.7
CO2	0412.5	0412.3	0358.6	0397.5
NOX	02.80	02.57	03.52	02.88

	IOLE	LO CP	HI CP	2500
HC	07291	04197	03847	
LHC	0916	0557	0466	
CO	08.97	00.88	01.78	
NOX	0050	2229	2152	
HCSUM	0750	0430	0320	0190
COSUM	37.37	01.05	01.79	01.70

WPG 15.2A

WPG 15.35

VEH. NO. 123 TEST SEQ. 2 YEAR 70 MAKE PONTIAC MODEL TEMP ODOMETER 030849 NO. CYL. 4 CID 350

CARB. VENT. 2 TRANS. 1 WEIGHT 3500 EXH. CON. 1 EVAP. CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 09.50 +0025 +01 -03 1 2 1 0 2 0
FROM STATION 04.10 +0000 +00 -03 1 1 1 0 1 0

INITIAL	IDLE 4P	2500 HC	IDLE CO	2500 CO	CODE	COST
0600	0120	09.20	02.40	4	004.50	
AFT. RPM. ADJ	0590	0160	04.00	4	001.50	
AFT. TI ADJ1	0270	0160	04.20	3	001.50	
AFT. TI ADJ2	0000	0000	00.00	0	000.00	
FINAL	0250	0160	04.00	1		

ADL RPRS 019.54 EST 000.00

TEST NO. C0937 DATE 11/12/73 DRY 73 WET 50 PRES 24.71 TEST NO. C0965 DATE 11/13/73 DRY 76 WET 54 PRES 24.80

CT	CS	HT	1975
HC	20.34	22.78	12.51 19.42
CO	0206.8	0248.9	0160.3 0215.5
CO2	0477.9	0480.4	0393.1 0455.7
NOX	02.70	01.91	02.67 02.29

IDLE	LO CR	HI CR	2500
HC	1153*	054.8	03099
LHC	0785	0585	0457
CO	08.77	07.62	03.87
NOX	0204	1394	2063
HCSUM	0720	0530	0295
COSUM	08.20	06.70	03.45

MPG 10.41

CT	CS	HT	1975
HC	09.53	05.66	05.05 06.79
CO	0149.7	0147.8	0107.2 0136.7
CO2	0508.4	0522.0	0424.0 0492.0
NOX	02.50	01.63	02.39 02.02

IDLE	LO CR	HI CR	2500
HC	04045	04334	03527
LHC	0461	0568	0411
CO	04.61	06.08	03.75
NOX	0082	0794	2070
HCSUM	0250	0400	0260
COSUM	04.00	04.70	03.10

MPG 12.26

47

VEH.NO. 324 TEST SEQ. 3 YEAR 73 MAKE CHEVROLET MODFL NOVA ODOMETER 004682 NO.CYL. 6 CID 250

CARB.VENT. 1 TRANS. 3 WEIGHT 3500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.95 +0060 -01 +01 1 2 1 0 2 1
FROM STATION 00.95 +0060 -01 +01 1 2 1 0 2 1

	INLF 4C	2500 HC	INLF CO	2500 CO	CODF	COST
INITIAL	0000	0050	00.50	00.50	1	003.50
AFT.OPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.YI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0000	0050	00.50	00.50	1	

ADNL RPRS 000.00 EST 003.50

TEST NO.C0939 DATE 11/12/73 DRY 77 WET 52 PRES 24.70 TEST NO.C0939 DATE 11/12/73 DRY 77 WET 52 PRES 24.70

	CT	CS	HT	1975
HC	07.28	02.57	03.20	03.73
CO	0090.1	0047.1	0052.4	0057.5
CO2	0539.0	0626.9	0478.0	0567.2
NOX	01.60	01.10	01.73	01.38

	INLF	LO CR	HI CR	2500
HC	0078A	0096A	00537	
LHC	0122	0171	0138	
CO	01.32	00.94	01.09	
NOX	0067	0490	0869	
HCSUN	0040	0050	0030	0025
COSUN	00.95	00.95	00.95	00.32

WGT 13.31

WGT 13.31

VEH.NO. 325 TEST SEQ. 3 YEAR 73 MAKE FORD MODEL GALA ODOMETER 016385 NO.CYL. 9 CID 351

CARB.VENT. 2 TRANS. 1 WFIGHT 4500 EXH.CON. 1 EVAP.CON. 1 PCV 1

IDLE CO ICF RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX
 FROM OWNER 05.50 +0020 +02 +00 1 1 0 2 1
 FROM STATION 05.50 +0020 +02 +00 1 1 0 2 1

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0150	0070	02.60	01.10	1	001.50
AFT.RPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0150	0070	02.60	01.10	1	

ADJL RPRS 000.00 EST 000.00

TEST NO.C0938 DATE 11/12/73 DRY 77 WET 52 PRES 24.71 TFST NO.C0938 DATE 11/12/73 DRY 77 WET 52 PRES 24.71

	CT	CS	HT	1975
HC	07.48	05.43	05.37	05.84
CO	0117.7	0112.7	0086.9	0106.6
CO2	0591.3	0604.1	0520.4	0578.3
NOX	02.16	01.89	02.25	02.05

	INLE	LO CO	HI CO	2500
HC	04013	03681	03199	
LHC	0454	0454	0372	
CO	05.85	02.00	02.09	
NOX	0088	1943	1125	
HCSUN	0375	0335	0250	0170
COSUN	05.00	01.85	01.95	02.40

MPG 11.66

MPG 11.66

66C

VEH.N7. 326 TEST SEQ. 1 YEAR 69 MAKE TOYOTA MODFL CORO ODOMETER 076050 NO.CYL. 4 CID 116

CARR.VENT. 2 TRANS. 4 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 2 PCV 2

IDLE CO INLE RPM TIMING DWELL PCV A/C CHOKF A/P MIS NOX

FROM OWNER 03.50 -0175 -08 +00 0 2 1 0 1 0
FROM STATION 00.70 -0100 -07 +02 0 2 1 0 1 0

	INLE HC	2500 HC	INLE CO	2500 CO	CODE	COST
INITIAL	0860	0590	00.70	01.60	2	005.50
AFT.RPM.ADJ	1140	0800	01.00	01.60	2	005.50
AFT.TI ADJ1	0140	0280	01.20	01.50	1	005.50
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0140	0280	01.20	01.50	1	

ADFL RPRS 035.50 EST 000.00

TEST NO.C0952 DATE 11/13/73 DRY 75 WET 52 PRES 24.50 TEST NO.C0981 DATE 11/14/73 DRY 71 WET 48 PRES 24.51

	CT	CS	HT	1975
HC	05.15	07.09	06.76	06.59
CO	0120.7	0156.9	0170.9	0153.2
CO2	0328.3	0348.0	0261.9	0320.0
NOX	02.69	01.44	00.84	01.54

	CT	CS	HT	1975
HC	04.70	03.89	05.01	04.37
CO	0141.3	0149.2	0150.2	0147.8
CO2	0288.3	0350.1	0277.6	0317.1
NOX	01.32	00.76	01.01	00.95

	INLE	LO CP	HI CR	2500
HC	04433	05320	04169	
LHC	0301	0678	0509	
CO	03.66	11.22	11.06	
NOX	0034	0196	0275	
HCSUN	0210	0360	0250	0750
COSUN	03.20	09.40	09.10	33.60

	INLE	LO CP	HI CR	2500
HC	02796	01567	02639	
LHC	0439	0234	0324	
CO	01.00	04.41	06.40	
NOX	0090	0522	1100	
HCSUN	0150	0080	0140	0210
COSUN	00.50	03.40	04.70	01.60

MPG 15.32

MPG 15.82

VEH.NO. 127 TEST SEQ. 1 YEAR 70 MAKE TOYOTA MODEL CORO ODOMETER 051036 NO.CYL. 4 CID 113

CARB.VENT. 2 TRANS. 4 WEIGHT 2500 EXH.CON. 1 EVAP.CON. 2 PCV 1

IDLE CO IDLE RPM TIMING DWELL PCV A/C CHOKE A/P MIS NOX

FROM OWNER 00.21 +0200 +05 -02 1 1 1 0 1 0
FROM STATION 00.15 +0270 -04 -05 1 1 1 0 1 0

	IDLE HC	2500 HC	IDLE CO	2500 CO	CODE	COST
INITIAL	0700	0120	00.20	00.30	2	005.50
AFT.PPM.ADJ	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ1	0000	0000	00.00	00.00	0	000.00
AFT.TI ADJ2	0000	0000	00.00	00.00	0	000.00
FINAL	0700	0120	00.20	00.30	2	

ADNL RPRS 000.00 EST 045.00

TEST NO.C0976 DATE 11/14/73 DRY 72 WET 49 PRES 24.46 TEST NO.C0982 DATE 11/15/73 DRY 75 WET 49 PRES 24.77

	CT	CS	HT	1975
HC	08.29	04.92	04.46	05.50
CO	0135.9	0042.0	0042.5	0051.7
CO2	0137.2	0399.1	0324.8	0365.6
NOX	02.49	03.19	03.24	03.06

	IDLE	LO CR	HI CR	2500
HC	05732	02597	02703	
LHC	0455	0302	0310	
CO	00.32	00.21	00.39	
NOX	0132	2299	3654	
HCSUN	0400	0510	0160	0110
COSUN	00.25	00.20	00.40	00.20

MPG 18.56

	CT	CS	HT	1975
HC	06.68	03.44	03.23	04.06
CO	0883.4	0016.1	0023.6	0033.3
CO2	0334.3	0433.6	0343.1	0387.7
NOX	02.33	04.09	03.38	03.53

	IDLE	LO CR	HI CR	2500
HC	01726	02205	02693	
LHC	0227	0258	0319	
CO	00.23	00.27	02.00	
NOX	0186	1834	2888	
HCSUN	0170	0130	0170	0145
COSUN	00.19	00.27	01.80	02.00

MPG 19.57

300